



Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 04:25 PM GMT

PDB ID : 1ED6
Title : BOVINE ENDOTHELIAL NITRIC OXIDE SYNTHASE HEME DOMAIN
COMPLEXED WITH L-NIO (H4B FREE)
Authors : Raman, C.S.; Li, H.; Martasek, P.; Southan, G.J.; Masters, B.S.S.; Poulos,
T.L.
Deposited on : 2000-01-26
Resolution : 2.05 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	1577 (2.06-2.02)
Ramachandran outliers	78287	1565 (2.06-2.02)
Sidechain outliers	78261	1565 (2.06-2.02)
RSRZ outliers	66119	1381 (2.06-2.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	444	
1	B	444	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	ACT	A	1860	-	X
6	CAD	A	1950	-	X
7	GOL	A	1890	-	X
7	GOL	B	2890	-	X

2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 7105 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called NITRIC OXIDE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	416	Total	C	N	O	S	0	0	0
			3302	2099	584	603	16			
1	B	414	Total	C	N	O	S	0	0	0
			3291	2092	582	601	16			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	ARG	CYS	CONFLICT	UNP P29473
B	100	ARG	CYS	CONFLICT	UNP P29473

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
4	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 5 is N5-IMINOETHYL-L-ORNITHINE (three-letter code: ILO) (formula: $C_7H_{15}N_3O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			12	7	3	2		
5	B	1	Total	C	N	O	0	0
			12	7	3	2		

- Molecule 6 is CACODYLIC ACID (three-letter code: CAD) (formula: $C_2H_7AsO_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	As	C	0	0
			3	1	2		
6	B	1	Total	As	C	0	0
			3	1	2		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	197	Total	O	0	0
			197	197		
8	B	178	Total	O	0	0
			178	178		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	59.12Å 106.16Å 156.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	32.66 – 2.05 32.66 – 2.05	Depositor EDS
% Data completeness (in resolution range)	90.1 (32.66-2.05) 78.0 (32.66-2.05)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 2.05Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.241 , 0.275 0.228 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	34.7	Xtriage
Anisotropy	0.509	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 54.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	1 of 56457 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7105	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, ILO, ACT, HEM, CAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/3397	0.61	1/4631 (0.0%)
1	B	0.36	0/3385	0.62	2/4614 (0.0%)
All	All	0.36	0/6782	0.62	3/9245 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	360	MET	N-CA-C	-5.68	95.66	111.00
1	A	360	MET	N-CA-C	-5.16	97.07	111.00
1	B	243	PHE	N-CA-C	-5.09	97.26	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3302	0	3215	87	0
1	B	3291	0	3205	87	0
2	A	4	0	3	0	0
2	B	4	0	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
4	A	43	0	30	1	0
4	B	43	0	30	2	0
5	A	12	0	13	1	0
5	B	12	0	13	1	0
6	A	3	0	0	0	0
6	B	3	0	0	1	0
7	A	6	0	8	1	0
7	B	6	0	8	2	0
8	A	197	0	0	3	0
8	B	178	0	0	5	0
All	All	7105	0	6528	173	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 13.

All (173) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:99:ARG:HH11	1:A:99:ARG:HB2	1.17	1.09
1:A:126:LEU:HD11	1:A:156:GLU:HG2	1.36	1.06
1:B:258:GLN:HA	1:B:258:GLN:HE21	1.30	0.92
1:B:112:GLN:HG3	1:B:113:THR:H	1.32	0.92
1:A:249:GLN:HB2	1:A:252:ARG:HD3	1.54	0.88
1:A:119:PRO:HG3	1:A:238:PRO:HB3	1.54	0.88
1:B:108:PRO:HB3	1:B:111:LEU:HB2	1.54	0.87
1:B:259:GLN:HG3	1:B:260:ASP:H	1.42	0.84
1:B:249:GLN:HB2	1:B:252:ARG:HD3	1.59	0.84
1:B:114:ARG:HH11	1:B:114:ARG:HA	1.44	0.83
1:A:109:ARG:O	1:A:110:LYS:HD2	1.80	0.81
1:B:378:LEU:HB2	8:B:2955:HOH:O	1.78	0.81
1:A:115:PRO:O	1:A:117:PRO:HD3	1.85	0.77
1:A:126:LEU:HD12	1:A:130:ARG:HE	1.51	0.75
1:A:111:LEU:HG	1:A:470:ILE:HD13	1.67	0.75
1:B:259:GLN:HG3	1:B:260:ASP:OD1	1.86	0.75
1:B:89:GLN:HA	1:B:89:GLN:HE21	1.51	0.74
1:A:111:LEU:H	1:A:111:LEU:HD12	1.52	0.73
1:A:99:ARG:NH1	1:A:99:ARG:HB2	1.99	0.73
1:A:115:PRO:HD3	1:A:479:PRO:HG2	1.72	0.72
4:B:2500:HEM:HMC2	4:B:2500:HEM:HBC2	1.71	0.71
1:B:218:LYS:HE3	1:B:311:LEU:HD11	1.73	0.70
1:A:77:GLU:HG3	1:B:372:PRO:HG2	1.73	0.70
1:B:72:ARG:NE	1:B:81:ILE:HG21	2.07	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:340:ASN:HD22	1:A:340:ASN:H	1.41	0.69
1:B:99:ARG:HB2	1:B:99:ARG:HH11	1.58	0.68
1:B:258:GLN:HA	1:B:258:GLN:NE2	2.08	0.67
1:A:259:GLN:H	1:A:259:GLN:CD	1.99	0.66
1:A:113:THR:HG21	1:A:342:LEU:HD22	1.76	0.66
1:A:146:GLN:O	1:A:150:GLU:HG3	1.97	0.63
1:A:378:LEU:HB2	8:A:1951:HOH:O	1.98	0.63
1:B:108:PRO:CB	1:B:111:LEU:HB2	2.27	0.63
1:B:322:LEU:HD13	1:B:324:TRP:CZ2	2.33	0.62
1:A:119:PRO:CG	1:A:238:PRO:HB3	2.29	0.62
1:B:116:SER:O	1:B:238:PRO:HA	2.00	0.61
1:B:113:THR:HG21	1:B:342:LEU:HD13	1.82	0.60
1:A:77:GLU:HG3	1:B:372:PRO:CG	2.32	0.60
1:B:379:GLU:O	1:B:383:VAL:HG23	2.02	0.59
1:A:114:ARG:HG3	1:A:115:PRO:HD2	1.82	0.59
1:B:126:LEU:O	1:B:130:ARG:HG3	2.03	0.58
1:A:94:GLY:O	1:A:110:LYS:HE2	2.04	0.58
1:A:99:ARG:CB	1:A:99:ARG:HH11	2.05	0.57
1:B:89:GLN:HA	1:B:89:GLN:NE2	2.19	0.57
1:A:95:PRO:HB3	1:A:108:PRO:HB2	1.86	0.57
1:B:149:GLU:O	1:B:153:GLN:HG3	2.05	0.57
1:B:258:GLN:HE21	1:B:258:GLN:CA	1.97	0.57
1:B:113:THR:HG23	1:B:476:ARG:NH2	2.19	0.56
1:A:113:THR:CG2	1:A:476:ARG:HD2	2.35	0.56
1:B:155:VAL:O	1:B:159:VAL:HG23	2.06	0.56
1:B:258:GLN:CA	1:B:258:GLN:NE2	2.68	0.55
1:A:115:PRO:C	1:A:117:PRO:HD3	2.25	0.55
1:B:249:GLN:HB2	1:B:252:ARG:CD	2.34	0.55
1:B:167:LEU:HG	1:B:348:LEU:HD12	1.89	0.55
1:B:112:GLN:HG3	1:B:113:THR:N	2.13	0.55
1:A:249:GLN:HB2	1:A:252:ARG:CD	2.32	0.55
1:A:158:GLU:HG2	1:A:165:TYR:HA	1.89	0.54
1:A:472:SER:HA	1:A:473:PRO:C	2.28	0.54
1:B:72:ARG:CZ	1:B:81:ILE:HG21	2.38	0.54
1:B:281:TRP:HB2	1:B:304:LEU:HD21	1.89	0.53
1:A:214:CYS:O	1:A:218:LYS:HG3	2.08	0.53
1:B:122:ALA:O	1:B:126:LEU:HB2	2.08	0.53
1:A:274:GLU:O	1:A:278:GLN:HG3	2.08	0.53
1:B:114:ARG:HD3	1:B:115:PRO:HD2	1.91	0.53
1:A:110:LYS:HB2	1:A:111:LEU:HD12	1.89	0.53
1:B:117:PRO:HA	1:B:239:GLY:H	1.74	0.53
1:B:244:ARG:NH2	1:B:481:PRO:HD3	2.23	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:340:ASN:HD22	1:A:340:ASN:N	2.03	0.52
1:A:234:PRO:HB2	1:A:243:PHE:CE1	2.45	0.52
1:B:340:ASN:HD22	1:B:340:ASN:H	1.55	0.52
1:A:340:ASN:ND2	1:A:340:ASN:H	2.06	0.52
1:A:281:TRP:O	1:A:283:PRO:HD3	2.10	0.52
1:A:218:LYS:HG2	1:A:311:LEU:HD22	1.91	0.51
7:B:2890:GOL:H12	8:B:3099:HOH:O	2.10	0.51
1:B:324:TRP:HB2	6:B:2950:CAD:C1	2.40	0.51
1:A:372:PRO:HB2	1:B:77:GLU:HG3	1.93	0.50
1:B:265:GLY:O	1:B:267:PRO:HD3	2.12	0.50
1:A:112:GLN:HA	1:A:112:GLN:HE21	1.77	0.50
1:B:320:PRO:HG3	1:B:410:HIS:CG	2.46	0.50
1:B:277:ILE:HD11	1:B:283:PRO:HB3	1.94	0.49
1:B:389:THR:HA	1:B:396:TRP:CD1	2.47	0.49
1:A:455:SER:HB3	1:A:458:LEU:HD12	1.94	0.49
1:B:472:SER:HA	1:B:473:PRO:C	2.32	0.49
1:A:111:LEU:CD1	1:A:111:LEU:H	2.24	0.49
1:A:74:LYS:O	1:A:465:GLU:HG3	2.13	0.49
1:A:400:ALA:O	1:A:404:ILE:HG13	2.12	0.49
1:B:476:ARG:HD2	8:B:3123:HOH:O	2.13	0.49
1:A:399:LYS:NZ	8:A:2147:HOH:O	2.42	0.49
4:B:2500:HEM:HBA2	5:B:2765:ILO:HCG1	1.94	0.49
1:A:246:TRP:CD1	1:A:481:PRO:HG3	2.48	0.49
1:B:360:MET:HA	1:B:420:VAL:O	2.12	0.49
4:A:1500:HEM:HBA2	5:A:1765:ILO:HCG1	1.95	0.49
1:A:111:LEU:N	1:A:111:LEU:HD12	2.26	0.48
1:A:113:THR:HG23	1:A:476:ARG:HD2	1.94	0.48
1:B:145:SER:O	1:B:149:GLU:HG2	2.13	0.48
1:A:334:ALA:HB1	1:A:417:VAL:HG11	1.95	0.48
1:A:285:ASN:C	1:A:285:ASN:HD22	2.16	0.48
1:A:259:GLN:N	1:A:259:GLN:CD	2.64	0.48
1:B:423:HIS:O	1:B:427:VAL:HG23	2.14	0.48
1:A:102:LEU:HB3	1:A:105:LEU:HD22	1.95	0.48
1:A:92:GLN:HE22	1:A:111:LEU:HA	1.79	0.47
1:B:317:LEU:HG	1:B:331:ARG:HA	1.96	0.47
1:B:72:ARG:HG3	1:B:81:ILE:CG2	2.44	0.47
1:B:116:SER:N	1:B:117:PRO:CD	2.78	0.47
1:B:74:LYS:HE2	1:B:76:TRP:CE3	2.50	0.47
1:A:322:LEU:HD13	1:A:324:TRP:CZ2	2.50	0.47
1:A:325:PHE:O	1:A:328:LEU:HB2	2.16	0.46
1:B:340:ASN:ND2	1:B:340:ASN:H	2.13	0.46
1:A:124:GLN:HE21	1:A:124:GLN:HA	1.81	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:366:THR:O	1:B:370:CYS:HB2	2.17	0.45
1:A:124:GLN:NE2	1:A:124:GLN:HA	2.30	0.45
1:B:249:GLN:CB	1:B:252:ARG:HD3	2.40	0.45
1:B:340:ASN:HD22	1:B:340:ASN:N	2.12	0.45
1:B:476:ARG:CD	8:B:3123:HOH:O	2.65	0.45
1:B:259:GLN:CG	1:B:260:ASP:N	2.80	0.45
1:A:449:TRP:CE2	7:A:1890:GOL:H2	2.52	0.45
1:B:246:TRP:CH2	1:B:482:TRP:HB3	2.51	0.45
1:B:446:ASP:O	1:B:450:ILE:HG12	2.17	0.45
1:A:203:CYS:SG	1:A:208:GLU:HB3	2.57	0.45
1:A:141:LYS:O	1:A:142:ARG:NH1	2.45	0.44
1:B:120:PRO:O	1:B:121:PRO:C	2.56	0.44
1:B:259:GLN:HG3	1:B:260:ASP:N	2.22	0.44
1:B:449:TRP:CD2	7:B:2890:GOL:H32	2.52	0.44
1:A:246:TRP:CE3	1:A:482:TRP:HE3	2.35	0.44
1:A:334:ALA:CB	1:A:417:VAL:HG11	2.47	0.44
1:A:285:ASN:C	1:A:285:ASN:ND2	2.71	0.44
1:B:231:THR:O	1:B:353:ALA:HA	2.18	0.44
1:A:451:VAL:HA	1:A:452:PRO:HD3	1.85	0.43
1:A:96:CYS:HB3	1:B:96:CYS:HB3	1.99	0.43
1:B:233:PHE:HB3	1:B:234:PRO:CD	2.49	0.43
1:B:257:ARG:HH11	1:B:270:VAL:HG11	1.83	0.43
1:A:180:TRP:CE3	1:A:192:TRP:HA	2.54	0.43
1:B:216:HIS:C	1:B:216:HIS:CD2	2.92	0.43
1:A:259:GLN:NE2	1:A:259:GLN:H	2.15	0.43
1:A:111:LEU:HG	1:A:470:ILE:CD1	2.43	0.43
1:A:457:SER:HA	1:A:462:PHE:CG	2.54	0.43
1:B:233:PHE:HB3	1:B:234:PRO:HD2	2.00	0.42
1:A:111:LEU:HD22	8:A:1966:HOH:O	2.18	0.42
1:A:184:PRO:HB3	1:A:468:ASN:ND2	2.35	0.42
1:A:264:ARG:HH11	1:A:264:ARG:HG3	1.85	0.42
1:A:270:VAL:O	1:A:274:GLU:HG3	2.19	0.42
1:B:300:GLU:HG3	8:B:3121:HOH:O	2.18	0.42
1:A:155:VAL:O	1:A:159:VAL:HG23	2.20	0.42
1:A:237:ALA:HA	1:A:238:PRO:HD3	1.89	0.41
1:B:196:GLN:HG2	1:B:219:TYR:CZ	2.55	0.41
1:B:183:ALA:HA	1:B:184:PRO:HD3	1.84	0.41
1:B:226:LEU:HD12	1:B:226:LEU:N	2.34	0.41
1:B:388:ASP:OD1	1:B:390:ARG:HB2	2.19	0.41
1:A:108:PRO:O	1:A:110:LYS:N	2.53	0.41
1:B:257:ARG:HG3	1:B:257:ARG:HH11	1.84	0.41
1:B:342:LEU:HD23	1:B:342:LEU:C	2.41	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:132:PHE:O	1:A:135:GLN:HB2	2.21	0.41
1:B:278:GLN:HG2	1:B:278:GLN:O	2.20	0.41
1:A:249:GLN:CB	1:A:252:ARG:HD3	2.39	0.41
1:B:74:LYS:HE2	1:B:76:TRP:CD2	2.55	0.41
1:A:366:THR:O	1:A:370:CYS:HB2	2.21	0.41
1:B:257:ARG:NH1	1:B:274:GLU:OE1	2.54	0.41
1:A:390:ARG:HE	1:A:390:ARG:HB2	1.54	0.41
1:A:234:PRO:HB2	1:A:243:PHE:CD1	2.56	0.41
1:A:168:ARG:HB2	1:A:171:GLU:HG3	2.01	0.41
1:A:369:LEU:O	1:A:377:ILE:HG12	2.21	0.41
1:A:121:PRO:C	1:A:123:GLU:N	2.75	0.41
1:B:99:ARG:HH11	1:B:99:ARG:CB	2.29	0.40
1:A:359:TYR:CD2	1:A:364:ILE:HD11	2.56	0.40
1:A:183:ALA:O	1:A:189:ARG:CZ	2.69	0.40
1:B:451:VAL:HA	1:B:452:PRO:HD3	1.87	0.40
1:B:457:SER:HA	1:B:462:PHE:CG	2.56	0.40
1:A:70:PHE:HB3	1:A:84:ASP:O	2.22	0.40
1:B:72:ARG:NH1	1:B:81:ILE:HD13	2.36	0.40
1:A:106:VAL:HB	1:B:76:TRP:CZ2	2.55	0.40
1:A:410:HIS:NE2	1:A:414:LEU:HD12	2.36	0.40
1:B:404:ILE:O	1:B:408:VAL:HG23	2.21	0.40
1:B:180:TRP:CE3	1:B:192:TRP:HA	2.57	0.40
1:B:370:CYS:SG	1:B:378:LEU:HD13	2.61	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	414/444 (93%)	389 (94%)	23 (6%)	2 (0%)	38	25
1	B	412/444 (93%)	380 (92%)	27 (7%)	5 (1%)	19	7
All	All	826/888 (93%)	769 (93%)	50 (6%)	7 (1%)	27	14

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	259	GLN
1	A	109	ARG
1	A	112	GLN
1	B	112	GLN
1	B	115	PRO
1	B	145	SER
1	B	121	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	354/377 (94%)	342 (97%)	12 (3%)	49	41
1	B	353/377 (94%)	343 (97%)	10 (3%)	56	50
All	All	707/754 (94%)	685 (97%)	22 (3%)	52	45

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	ARG
1	A	100	ARG
1	A	111	LEU
1	A	112	GLN
1	A	126	LEU
1	A	259	GLN
1	A	285	ASN
1	A	340	ASN
1	A	342	LEU
1	A	393	SER
1	A	414	LEU
1	A	468	ASN
1	B	99	ARG
1	B	100	ARG
1	B	104	SER
1	B	114	ARG
1	B	139	SER
1	B	223	ARG
1	B	225	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	258	GLN
1	B	323	GLU
1	B	340	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	112	GLN
1	A	124	GLN
1	A	153	GLN
1	A	191	GLN
1	A	278	GLN
1	A	285	ASN
1	A	340	ASN
1	A	376	ASN
1	A	413	GLN
1	A	468	ASN
1	B	89	GLN
1	B	191	GLN
1	B	222	ASN
1	B	225	ASN
1	B	258	GLN
1	B	278	GLN
1	B	340	ASN
1	B	405	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 11 ligands modelled in this entry, 1 is monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	HEM	A	1500	1	49,50,50	2.80	12 (24%)	46,82,82	1.50	6 (13%)
5	ILO	A	1765	-	11,11,11	2.94	2 (18%)	13,13,13	1.23	1 (7%)
2	ACT	A	1860	-	1,3,3	3.04	1 (100%)	0,3,3	0.00	-
7	GOL	A	1890	-	5,5,5	0.15	0	5,5,5	0.34	0
6	CAD	A	1950	1	2,2,4	0.50	0	0,1,6	0.00	-
4	HEM	B	2500	1	49,50,50	2.44	12 (24%)	46,82,82	1.29	8 (17%)
5	ILO	B	2765	-	11,11,11	2.49	1 (9%)	13,13,13	1.26	2 (15%)
2	ACT	B	2860	-	1,3,3	2.64	1 (100%)	0,3,3	0.00	-
7	GOL	B	2890	-	5,5,5	0.17	0	5,5,5	0.26	0
6	CAD	B	2950	1	2,2,4	0.50	0	0,1,6	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEM	A	1500	1	-	0/14/114/114	0/0/8/8
5	ILO	A	1765	-	-	0/11/11/11	0/0/0/0
2	ACT	A	1860	-	-	0/0/0/0	0/0/0/0
7	GOL	A	1890	-	-	0/4/4/4	0/0/0/0
6	CAD	A	1950	1	-	0/0/0/0	0/0/0/0
4	HEM	B	2500	1	-	0/14/114/114	0/0/8/8
5	ILO	B	2765	-	-	0/11/11/11	0/0/0/0
2	ACT	B	2860	-	-	0/0/0/0	0/0/0/0
7	GOL	B	2890	-	-	0/4/4/4	0/0/0/0
6	CAD	B	2950	1	-	0/0/0/0	0/0/0/0

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1500	HEM	C2D-C1D	12.49	1.47	1.44
5	A	1765	ILO	CH1-CZ	-9.20	1.42	1.50
4	B	2500	HEM	C2D-C1D	8.32	1.46	1.44
5	B	2765	ILO	CH1-CZ	-7.61	1.44	1.50
4	B	2500	HEM	C3D-C4D	6.63	1.46	1.44
4	A	1500	HEM	C3B-C2B	-5.90	1.33	1.43
4	A	1500	HEM	C3D-C4D	5.69	1.46	1.44
4	B	2500	HEM	C3B-C2B	-5.25	1.34	1.43
4	A	1500	HEM	C3D-C2D	-5.13	1.34	1.43
4	A	1500	HEM	C2B-C1B	-5.00	1.43	1.44
4	B	2500	HEM	C4A-C3A	4.69	1.46	1.40
4	B	2500	HEM	CHA-C4D	4.51	1.42	1.35
4	A	1500	HEM	C3C-C2C	-4.29	1.36	1.43
4	A	1500	HEM	CHA-C4D	4.11	1.41	1.35
4	B	2500	HEM	C3D-C2D	-4.09	1.36	1.43
4	A	1500	HEM	C4A-C3A	4.01	1.45	1.40
4	B	2500	HEM	CHB-C1B	3.70	1.41	1.35
4	B	2500	HEM	C3C-C2C	-3.53	1.37	1.43
2	A	1860	ACT	CH3-C	3.04	1.53	1.48
2	B	2860	ACT	CH3-C	2.64	1.52	1.48
4	B	2500	HEM	CMD-C2D	2.60	1.55	1.47
4	B	2500	HEM	CHC-C1C	2.47	1.40	1.36
4	B	2500	HEM	CHD-C4C	2.37	1.40	1.36
4	A	1500	HEM	CHD-C4C	2.36	1.40	1.36
4	A	1500	HEM	C4C-NC	2.30	1.41	1.38
4	A	1500	HEM	CHC-C1C	2.28	1.40	1.36
4	B	2500	HEM	C4C-NC	2.27	1.41	1.38
4	A	1500	HEM	CHB-C1B	2.19	1.39	1.35
5	A	1765	ILO	CG-CD	-2.18	1.41	1.51

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1500	HEM	C3B-C4B-NB	-5.17	110.30	114.00
4	A	1500	HEM	C3A-C4A-NA	3.44	112.00	109.41
4	A	1500	HEM	C4A-C3A-C2A	-3.24	104.74	107.00
5	B	2765	ILO	CH1-CZ-NE	2.83	125.32	116.54
5	A	1765	ILO	CH1-CZ-NE	2.69	124.89	116.54
4	B	2500	HEM	C3A-C4A-NA	2.54	111.33	109.41
4	B	2500	HEM	CHC-C4B-NB	-2.49	122.52	124.58
4	B	2500	HEM	CBD-CAD-C3D	-2.46	109.00	114.37
4	B	2500	HEM	C3B-C4B-NB	-2.35	112.31	114.00
4	B	2500	HEM	C4A-CHB-C1B	-2.29	124.45	127.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	2500	HEM	CBA-CAA-C2A	-2.23	108.77	112.69
4	A	1500	HEM	C1A-CHA-C4D	-2.17	124.62	127.47
4	A	1500	HEM	C4A-NA-C1A	-2.15	103.93	106.76
4	B	2500	HEM	C1B-NB-C4B	-2.14	102.98	105.16
4	B	2500	HEM	C4A-NA-C1A	-2.10	104.00	106.76
4	A	1500	HEM	CHD-C4C-NC	-2.08	122.92	124.73
5	B	2765	ILO	OA2-C-OA1	-2.07	119.40	124.07

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	416/444 (93%)	0.84	52 (12%) 5 4	32, 45, 69, 83	0
1	B	414/444 (93%)	0.82	44 (10%) 7 6	34, 49, 69, 84	0
All	All	830/888 (93%)	0.83	96 (11%) 6 5	32, 47, 69, 84	0

All (96) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	113	THR	11.3
1	B	111	LEU	10.5
1	B	115	PRO	10.3
1	A	119	PRO	9.6
1	A	117	PRO	9.6
1	B	113	THR	9.2
1	B	117	PRO	8.8
1	A	111	LEU	7.8
1	B	116	SER	7.5
1	A	122	ALA	7.5
1	B	119	PRO	7.5
1	A	115	PRO	7.5
1	A	118	GLY	7.2
1	B	110	LYS	7.1
1	B	112	GLN	7.0
1	B	114	ARG	6.3
1	B	120	PRO	6.1
1	A	114	ARG	6.0
1	B	118	GLY	5.9
1	A	120	PRO	5.8
1	A	239	GLY	5.0
1	A	116	SER	4.9
1	B	121	PRO	4.9
1	A	108	PRO	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	112	GLN	4.7
1	A	109	ARG	4.3
1	A	123	GLU	4.2
1	A	121	PRO	4.2
1	A	67	GLY	4.1
1	B	108	PRO	4.0
1	A	110	LYS	4.0
1	B	72	ARG	4.0
1	B	260	ASP	3.9
1	B	142	ARG	3.9
1	A	259	GLN	3.6
1	B	146	GLN	3.6
1	B	259	GLN	3.6
1	B	258	GLN	3.4
1	A	258	GLN	3.3
1	A	99	ARG	3.3
1	B	277	ILE	3.3
1	A	92	GLN	3.3
1	A	124	GLN	3.2
1	A	160	ALA	3.2
1	A	69	LYS	3.2
1	B	123	GLU	3.2
1	A	238	PRO	3.1
1	B	122	ALA	3.0
1	B	261	GLY	3.0
1	A	97	THR	3.0
1	A	277	ILE	3.0
1	A	301	ALA	2.9
1	A	93	ASP	2.9
1	A	260	ASP	2.9
1	B	98	PRO	2.9
1	A	146	GLN	2.8
1	A	262	SER	2.8
1	A	231	THR	2.8
1	B	83	TYR	2.8
1	B	70	PHE	2.8
1	B	390	ARG	2.8
1	A	338	VAL	2.7
1	B	141	LYS	2.7
1	A	130	ARG	2.7
1	A	343	LEU	2.7
1	B	147	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	157	ALA	2.6
1	B	140	ILE	2.5
1	A	390	ARG	2.5
1	A	304	LEU	2.5
1	B	451	VAL	2.5
1	B	109	ARG	2.4
1	B	282	THR	2.4
1	B	81	ILE	2.4
1	A	200	ALA	2.4
1	B	482	TRP	2.4
1	B	200	ALA	2.3
1	B	153	GLN	2.2
1	A	91	GLN	2.2
1	A	275	LEU	2.2
1	B	414	LEU	2.2
1	A	223	ARG	2.2
1	A	257	ARG	2.2
1	A	232	VAL	2.2
1	A	250	LEU	2.2
1	B	124	GLN	2.1
1	A	98	PRO	2.1
1	B	262	SER	2.1
1	A	233	PHE	2.1
1	A	153	GLN	2.1
1	B	338	VAL	2.1
1	B	150	GLU	2.0
1	B	143	SER	2.0
1	A	369	LEU	2.0
1	A	156	GLU	2.0
1	B	448	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	GOL	A	1890	6/6	0.37	6.75	74,74,74,74	0
6	CAD	A	1950	3/5	0.25	5.32	43,43,44,45	3
7	GOL	B	2890	6/6	0.32	3.85	61,62,62,62	0
2	ACT	A	1860	4/4	0.15	2.15	51,52,53,54	0
6	CAD	B	2950	3/5	0.30	1.50	61,61,61,63	3
5	ILO	A	1765	12/12	0.22	1.07	32,36,39,39	0
4	HEM	A	1500	43/43	0.17	0.70	30,33,39,41	0
4	HEM	B	2500	43/43	0.18	0.52	32,34,38,39	0
5	ILO	B	2765	12/12	0.19	0.46	30,34,35,36	0
2	ACT	B	2860	4/4	0.10	-1.48	52,52,52,52	0
3	ZN	A	900	1/1	0.04	-3.60	62,62,62,62	0

6.5 Other polymers ⓘ

There are no such residues in this entry.