



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 03:23 AM GMT

PDB ID : 4EV2
Title : Crystal structure of copper amine oxidase-1 from Hansenula polymorpha in complex with ethylamine
Authors : Klema, V.J.; Solheid, C.J.; Wilmot, C.M.
Deposited on : 2012-04-25
Resolution : 2.18 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3841 (2.20-2.16)
Clashscore	79885	4835 (2.20-2.16)
Ramachandran outliers	78287	4740 (2.20-2.16)
Sidechain outliers	78261	4741 (2.20-2.16)
RSRZ outliers	66119	3842 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	692	
1	B	692	
1	C	692	
1	D	692	
1	E	692	
1	F	692	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	GOL	A	703	-	X
2	GOL	A	705	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
2	GOL	A	706	-	X
2	GOL	B	701	-	X
2	GOL	B	704	-	X
2	GOL	B	705	-	X
2	GOL	B	706	-	X
2	GOL	B	707	-	X
2	GOL	C	702	-	X
2	GOL	C	704	-	X
2	GOL	C	705	-	X
2	GOL	C	706	-	X
2	GOL	C	707	-	X
2	GOL	D	702	-	X
2	GOL	D	703	-	X
2	GOL	D	704	-	X
2	GOL	D	705	-	X
2	GOL	E	702	-	X
2	GOL	E	703	-	X
2	GOL	E	704	-	X
2	GOL	E	705	-	X
2	GOL	F	702	-	X
2	GOL	F	703	-	X
2	GOL	F	706	-	X
5	NEH	A	708	-	X
5	NEH	B	709	-	X
5	NEH	C	708	-	X
5	NEH	D	706	-	X
5	NEH	E	707	-	X
5	NEH	F	708	-	X
6	PO4	C	709	-	X

2 Entry composition


There are 7 unique types of molecules in this entry. The entry contains 35006 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peroxisomal primary amine oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	654	Total	C	N	O	S	0	13	0
			5236	3339	891	981	25			
1	B	655	Total	C	N	O	S	0	11	1
			5238	3337	896	979	26			
1	C	655	Total	C	N	O	S	0	12	0
			5236	3335	891	983	27			
1	D	655	Total	C	N	O	S	0	9	0
			5232	3333	897	977	25			
1	E	654	Total	C	N	O	S	0	18	0
			5268	3358	900	983	27			
1	F	655	Total	C	N	O	S	0	9	0
			5233	3333	899	976	25			

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	E	1	Total C O 6 3 3	0	0
2	E	1	Total C O 6 3 3	0	0
2	E	1	Total C O 6 3 3	0	0
2	E	1	Total C O 6 3 3	0	0
2	F	1	Total C O 6 3 3	0	0
2	F	1	Total C O 6 3 3	0	0
2	F	1	Total C O 6 3 3	0	0
2	F	1	Total C O 6 3 3	0	0
2	F	1	Total C O 6 3 3	0	0

- Molecule 3 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total Cu 1 1	0	0
3	E	1	Total Cu 1 1	0	0
3	B	1	Total Cu 1 1	0	0
3	C	1	Total Cu 1 1	0	0
3	A	1	Total Cu 1 1	0	0
3	F	1	Total Cu 1 1	0	0

- Molecule 4 is HYDROGEN PEROXIDE (three-letter code: PEO) (formula: H₂O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O 2 2	0	0
4	B	1	Total O 2 2	0	0
4	E	1	Total O 2 2	0	0
4	F	1	Total O 2 2	0	0

- Molecule 5 is ETHANAMINE (three-letter code: NEH) (formula: C₂H₇N).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C N 3 2 1	0	0
5	B	1	Total C N 3 2 1	0	0
5	C	1	Total C N 3 2 1	0	0
5	D	1	Total C N 3 2 1	0	0
5	E	1	Total C N 3 2 1	0	0
5	F	1	Total C N 3 2 1	0	0

- Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total O P 5 4 1	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	569	Total O 571 571	0	2
7	B	653	Total O 656 656	0	3
7	C	534	Total O 537 537	0	3

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	D	496	Total 498	O 498	0	2
7	E	517	Total 519	O 519	0	2
7	F	557	Total 559	O 559	0	2

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Peroxisomal primary amine oxidase

Chain A: 




- Molecule 1: Peroxisomal primary amine oxidase

Chain B: 




- Molecule 1: Peroxisomal primary amine oxidase


Chain C: 



- Molecule 1: Peroxisomal primary amine oxidase


Chain D: 






● Molecule 1: Peroxisomal primary amine oxidase

Chain E:



● Molecule 1: Peroxisomal primary amine oxidase

Chain F:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	104.41Å 232.83Å 105.12Å 90.00° 96.66° 90.00°	Depositor
Resolution (Å)	48.97 – 2.18 48.97 – 2.18	Depositor EDS
% Data completeness (in resolution range)	99.5 (48.97-2.18) 99.5 (48.97-2.18)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.42 (at 2.18Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.150 , 0.201 0.150 , 0.200	Depositor DCC
R_{free} test set	12922 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	31.2	Xtriage
Anisotropy	0.081	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 29.1	EDS
Estimated twinning fraction	0.014 for l,-k,h	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 257198 reflections (0.000%)	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	35006	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NEH, PO4, PEO, TYQ, CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.74	0/5410	0.77	2/7360 (0.0%)
1	B	0.83	2/5407 (0.0%)	0.82	4/7355 (0.1%)
1	C	0.76	1/5410 (0.0%)	0.76	5/7362 (0.1%)
1	D	0.67	1/5394 (0.0%)	0.71	1/7338 (0.0%)
1	E	0.75	2/5456 (0.0%)	0.75	0/7423
1	F	0.77	0/5395	0.78	1/7339 (0.0%)
All	All	0.75	6/32472 (0.0%)	0.76	13/44177 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	122	CYS	CB-SG	10.97	2.00	1.82
1	B	122	CYS	CB-SG	8.13	1.96	1.82
1	E	122[A]	CYS	CB-SG	5.80	1.92	1.82
1	E	122[B]	CYS	CB-SG	5.80	1.92	1.82
1	B	437	ASP	CB-CG	-5.51	1.40	1.51
1	D	518	ALA	CA-CB	5.32	1.63	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	641	LEU	CA-CB-CG	7.23	131.93	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	421	LEU	CB-CG-CD2	7.21	123.26	111.00
1	F	416	ASP	CB-CG-OD1	6.89	124.50	118.30
1	A	84	LEU	CA-CB-CG	6.42	130.06	115.30
1	C	77	ARG	NE-CZ-NH2	-6.36	117.12	120.30
1	A	610	ASP	CB-CG-OD1	5.64	123.37	118.30
1	D	521	ARG	NE-CZ-NH2	-5.51	117.55	120.30
1	C	641	LEU	CB-CG-CD2	5.46	120.27	111.00
1	B	437	ASP	CB-CG-OD1	-5.42	113.42	118.30
1	B	437	ASP	CB-CA-C	-5.24	99.93	110.40
1	B	77	ARG	NE-CZ-NH2	-5.23	117.69	120.30
1	C	394	LEU	CA-CB-CG	5.15	127.14	115.30
1	C	579	ARG	NE-CZ-NH2	-5.12	117.74	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	333	SER	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5236	0	0	21	0
1	B	5238	0	0	20	0
1	C	5236	0	0	16	0
1	D	5232	0	7	15	0
1	E	5268	0	0	17	0
1	F	5233	0	0	20	0
2	A	30	0	40	3	0
2	B	42	0	56	6	0
2	C	36	0	48	6	0
2	D	24	0	32	4	0
2	E	24	0	32	4	0
2	F	30	0	40	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	2	0	0	1	0
4	B	2	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
5	A	3	0	7	3	0
5	B	3	0	7	2	0
5	C	3	0	7	1	0
5	D	3	0	7	0	0
5	E	3	0	7	0	0
5	F	3	0	7	2	0
6	C	5	0	0	0	0
7	A	571	0	0	13	0
7	B	656	0	0	7	0
7	C	537	0	0	11	0
7	D	498	0	0	5	0
7	E	519	0	0	11	0
7	F	559	0	0	12	0
All	All	35006	0	297	115	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (115) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:214:LYS:O	2:C:704:GOL:H12	1.74	0.87
1:A:352:ARG:CD	7:A:1266:HOH:O	2.23	0.84
1:F:567[A]:SER:OG	7:F:1314:HOH:O	1.98	0.81
2:F:704:GOL:H11	7:F:1256:HOH:O	1.82	0.80
1:B:558[B]:LEU:CD2	2:B:701:GOL:H2	2.12	0.79
1:D:280:ASP:OD2	2:D:702:GOL:H12	1.86	0.76
1:B:218:HIS:ND1	2:B:707:GOL:H12	2.03	0.74
1:A:670:ARG:NH1	7:A:1294:HOH:O	2.23	0.71
1:D:23:HIS:NE2	2:D:702:GOL:H11	2.07	0.69
1:F:578[B]:ASN:OD1	7:F:1323:HOH:O	2.09	0.69
4:A:707:PEO:O1	7:A:1365:HOH:O	2.10	0.68
2:C:703:GOL:H31	7:C:1142:HOH:O	1.90	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:558[B]:LEU:CD2	2:B:701:GOL:C2	2.71	0.67
1:A:122[B]:CYS:SG	7:A:1338:HOH:O	2.52	0.67
1:C:333:SER:CB	1:C:344:TYR:OH	2.44	0.66
1:E:333:SER:CB	7:E:1120:HOH:O	2.42	0.66
1:C:644:ARG:CD	7:C:1271:HOH:O	2.45	0.65
1:A:122[A]:CYS:SG	7:A:1351:HOH:O	2.55	0.63
1:F:501:GLU:OE2	7:F:929:HOH:O	2.16	0.63
1:A:556:GLY:O	7:A:1159:HOH:O	2.15	0.63
2:E:703:GOL:H31	7:E:1272:HOH:O	1.97	0.63
1:A:405:TYQ:N5	5:A:708:NEH:HA2	2.15	0.62
1:E:106:THR:OG1	7:E:1177:HOH:O	2.15	0.62
1:F:644[B]:ARG:NH2	7:F:967:HOH:O	2.32	0.62
1:D:481[A]:LYS:NZ	7:D:1160:HOH:O	2.33	0.62
1:F:34:LYS:NZ	7:F:1272:HOH:O	2.32	0.61
1:F:437:ASP:CB	7:F:986:HOH:O	2.48	0.61
1:E:642:MET:CE	1:E:644[B]:ARG:NH1	2.63	0.61
1:A:122[A]:CYS:SG	7:B:1372:HOH:O	2.56	0.61
1:E:375:LYS:NZ	1:F:337:ASP:OD2	2.34	0.60
1:F:338:CYS:SG	1:F:364[B]:CYS:CB	2.88	0.60
1:A:332:LEU:O	1:A:333:SER:CB	2.48	0.60
1:C:567[B]:SER:OG	7:C:1252:HOH:O	2.16	0.59
1:D:68:LYS:CE	2:D:702:GOL:H2	2.34	0.58
1:F:405:TYQ:N5	5:F:708:NEH:N	2.53	0.57
1:B:338:CYS:SG	1:B:364[B]:CYS:CB	2.94	0.56
1:F:360:LYS:CE	7:F:1324:HOH:O	2.53	0.56
1:E:481[B]:LYS:NZ	7:E:996:HOH:O	2.38	0.55
1:A:68:LYS:NZ	7:A:1292:HOH:O	2.40	0.55
1:C:328[B]:MET:CE	7:C:1217:HOH:O	2.55	0.55
1:E:68:LYS:CE	2:E:704:GOL:H11	2.37	0.55
1:B:74:LEU:CD1	1:B:74:LEU:C	2.74	0.55
1:B:670:ARG:NH2	7:B:921:HOH:O	2.40	0.54
1:C:23:HIS:CE1	2:C:702:GOL:O3	2.61	0.54
1:C:116:LEU:CD1	1:C:157[A]:THR:CG2	2.86	0.54
1:A:68:LYS:CE	2:A:703:GOL:H31	2.38	0.54
1:E:265:LYS:CE	2:E:704:GOL:H12	2.39	0.53
1:E:71:GLY:N	7:E:944:HOH:O	2.42	0.53
1:A:382:ASN:ND2	7:A:1347:HOH:O	2.42	0.53
1:D:122[B]:CYS:CB	7:D:1282:HOH:O	2.58	0.52
1:A:23:HIS:CE1	2:A:703:GOL:C1	2.93	0.52
1:F:338:CYS:CB	1:F:364[B]:CYS:SG	2.97	0.51
1:D:338:CYS:SG	1:D:364[B]:CYS:SG	3.08	0.51
1:B:218:HIS:CB	2:B:707:GOL:H12	2.42	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:F:644[A]:ARG:NH2	7:F:1213:HOH:O	2.44	0.50
1:D:178:ARG:NH1	7:D:954:HOH:O	2.45	0.49
1:E:644[A]:ARG:NH1	7:E:1251:HOH:O	2.45	0.49
1:C:366:HIS:CE1	7:C:1100:HOH:O	2.65	0.49
1:E:624:HIS:CE1	1:E:634[C]:MET:CE	2.96	0.48
2:A:706:GOL:H31	7:A:1310:HOH:O	2.13	0.48
1:F:168:LYS:CE	7:F:1046:HOH:O	2.61	0.48
1:A:168:LYS:O	1:A:170[B]:LEU:CD1	2.62	0.48
1:E:305:TYR:OH	1:E:405:TYQ:OH	2.31	0.48
1:A:366:HIS:CE1	7:A:1181:HOH:O	2.66	0.47
1:B:338:CYS:CB	1:B:364[B]:CYS:SG	3.02	0.47
1:A:336:CYS:CB	7:A:1254:HOH:O	2.62	0.47
1:D:514:ASN:N	2:D:703:GOL:HO2	2.13	0.47
1:E:658:GLN:NE2	7:E:1002:HOH:O	2.48	0.47
1:B:567:SER:CB	7:B:1406:HOH:O	2.61	0.47
2:C:704:GOL:H32	7:C:979:HOH:O	2.15	0.46
1:A:333:SER:O	1:A:335:GLY:O	2.34	0.46
1:D:338:CYS:SG	1:D:364[B]:CYS:CB	3.04	0.46
1:B:430:ASN:ND2	7:B:1380:HOH:O	2.49	0.46
1:B:156:TRP:CE2	5:B:709:NEH:HA2	2.51	0.46
1:C:578[B]:ASN:ND2	7:C:1255:HOH:O	2.49	0.45
1:C:405:TYQ:N5	5:C:708:NEH:N	2.63	0.45
1:B:218:HIS:CG	2:B:707:GOL:H12	2.51	0.45
1:E:332:LEU:O	1:E:333:SER:C	2.54	0.45
1:B:348:HIS:CD2	7:B:1196:HOH:O	2.69	0.45
1:F:366:HIS:CE1	1:F:368:GLU:OE2	2.70	0.45
1:B:254:MET:N	2:B:710:GOL:HO1	2.15	0.45
1:C:332:LEU:O	1:C:333:SER:CB	2.64	0.45
1:F:336:CYS:CB	7:F:1207:HOH:O	2.64	0.44
1:C:509:LYS:NZ	7:C:1156:HOH:O	2.49	0.44
1:F:323:TYR:CE2	5:F:708:NEH:HA3	2.53	0.44
1:F:214:LYS:O	2:F:705:GOL:O3	2.24	0.44
1:F:644[A]:ARG:NH1	7:F:926:HOH:O	2.49	0.44
1:F:222:ASN:O	1:F:231:LYS:NZ	2.50	0.44
1:C:337:ASP:OD2	1:D:375:LYS:NZ	2.51	0.43
1:D:537:LYS:NZ	7:D:947:HOH:O	2.51	0.43
1:B:315:LYS:NZ	1:B:430:ASN:OD1	2.51	0.43
1:D:305:TYR:OH	1:D:405:TYQ:OH	2.36	0.43
2:E:705:GOL:H32	7:E:1020:HOH:O	2.18	0.43
2:C:705:GOL:H2	7:C:857:HOH:O	2.18	0.42
1:B:305:TYR:OH	1:B:405:TYQ:OH	2.38	0.42
1:D:338:CYS:CB	1:D:364[B]:CYS:SG	3.08	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:527:ASN:C	1:E:527:ASN:ND2	2.72	0.42
1:A:361:ASN:ND2	7:A:966:HOH:O	2.52	0.42
1:B:17:ALA:C	7:B:1144:HOH:O	2.57	0.42
1:C:215:VAL:O	2:C:704:GOL:H31	2.20	0.42
1:B:68:LYS:NZ	7:B:846:HOH:O	2.53	0.42
1:F:414:MET:SD	1:F:420:ARG:NH1	2.93	0.42
1:A:405:TYQ:N5	5:A:708:NEH:CA	2.81	0.41
1:A:405:TYQ:N5	5:A:708:NEH:N	2.67	0.41
1:D:364[B]:CYS:SG	1:D:366:HIS:CD2	3.14	0.41
1:A:305:TYR:OH	1:A:405:TYQ:OH	2.38	0.41
1:C:405:TYQ:CD2	7:C:1223:HOH:O	2.68	0.41
1:E:344:TYR:N	7:E:904:HOH:O	2.53	0.41
1:D:579:ARG:NH1	7:D:990:HOH:O	2.53	0.41
1:C:130:ASN:ND2	7:C:1331:HOH:O	2.52	0.41
1:E:506:LYS:CE	7:E:1248:HOH:O	2.68	0.41
1:B:405:TYQ:N5	5:B:709:NEH:N	2.69	0.41
1:B:527:ASN:ND2	1:B:527:ASN:C	2.74	0.41
1:A:163:ARG:NH1	7:A:1118:HOH:O	2.55	0.40
1:E:157:THR:CG2	7:E:1054:HOH:O	2.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	664/692 (96%)	636 (96%)	27 (4%)	1 (0%)	56	60
1	B	663/692 (96%)	637 (96%)	25 (4%)	1 (0%)	56	60
1	C	665/692 (96%)	639 (96%)	23 (4%)	3 (0%)	38	36
1	D	661/692 (96%)	632 (96%)	29 (4%)	0	100	100
1	E	669/692 (97%)	640 (96%)	27 (4%)	2 (0%)	50	52
1	F	661/692 (96%)	633 (96%)	25 (4%)	3 (0%)	38	36
All	All	3983/4152 (96%)	3817 (96%)	156 (4%)	10 (0%)	56	52

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	19	ALA
1	E	333	SER
1	F	22	ALA
1	F	335	GLY
1	C	403	ALA
1	A	333	SER
1	C	336[A]	CYS
1	C	336[B]	CYS
1	E	403	ALA
1	B	403	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	576/593 (97%)	552 (96%)	24 (4%)	40	46
1	B	575/593 (97%)	559 (97%)	16 (3%)	56	65
1	C	576/593 (97%)	553 (96%)	23 (4%)	42	48
1	D	574/593 (97%)	550 (96%)	24 (4%)	40	46
1	E	582/593 (98%)	565 (97%)	17 (3%)	55	64
1	F	574/593 (97%)	553 (96%)	21 (4%)	45	52
All	All	3457/3558 (97%)	3332 (96%)	125 (4%)	49	53

All (125) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	LYS
1	A	84	LEU
1	A	122[A]	CYS
1	A	122[B]	CYS
1	A	126[A]	GLU
1	A	126[B]	GLU
1	A	146	ASN
1	A	157[A]	THR
1	A	157[B]	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	211	ARG
1	A	217	LYS
1	A	238	GLU
1	A	313	GLN
1	A	329	THR
1	A	334	LEU
1	A	360	LYS
1	A	364	CYS
1	A	382	ASN
1	A	394	LEU
1	A	452	ASN
1	A	481[A]	LYS
1	A	481[B]	LYS
1	A	527	ASN
1	A	531	VAL
1	B	84	LEU
1	B	109	LEU
1	B	122	CYS
1	B	201	LYS
1	B	202	LYS
1	B	313	GLN
1	B	329	THR
1	B	332	LEU
1	B	334	LEU
1	B	359	VAL
1	B	369	ASP
1	B	421	LEU
1	B	437	ASP
1	B	452	ASN
1	B	527	ASN
1	B	633	LEU
1	C	20	ARG
1	C	102[A]	SER
1	C	102[B]	SER
1	C	146	ASN
1	C	157[A]	THR
1	C	157[B]	THR
1	C	202	LYS
1	C	213	ARG
1	C	238	GLU
1	C	313	GLN
1	C	329	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	334	LEU
1	C	336[A]	CYS
1	C	336[B]	CYS
1	C	360	LYS
1	C	364	CYS
1	C	382	ASN
1	C	394	LEU
1	C	452	ASN
1	C	527	ASN
1	C	531	VAL
1	C	641	LEU
1	C	670	ARG
1	D	20	ARG
1	D	42	SER
1	D	48	LYS
1	D	84	LEU
1	D	109	LEU
1	D	143	ILE
1	D	202	LYS
1	D	211	ARG
1	D	217	LYS
1	D	248	GLU
1	D	254	MET
1	D	291	PRO
1	D	313	GLN
1	D	329	THR
1	D	352	ARG
1	D	357	ILE
1	D	369	ASP
1	D	421	LEU
1	D	430	ASN
1	D	452	ASN
1	D	527	ASN
1	D	576	LYS
1	D	633	LEU
1	D	660	SER
1	E	20	ARG
1	E	84	LEU
1	E	88	LYS
1	E	101	LEU
1	E	106	THR
1	E	146	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	211[A]	ARG
1	E	211[B]	ARG
1	E	217	LYS
1	E	313	GLN
1	E	329	THR
1	E	364[A]	CYS
1	E	364[B]	CYS
1	E	382	ASN
1	E	394	LEU
1	E	452	ASN
1	E	527	ASN
1	F	20	ARG
1	F	48	LYS
1	F	84	LEU
1	F	109	LEU
1	F	148	MET
1	F	202	LYS
1	F	244	VAL
1	F	253	LYS
1	F	254	MET
1	F	300	GLU
1	F	313	GLN
1	F	352	ARG
1	F	357	ILE
1	F	359	VAL
1	F	369	ASP
1	F	452	ASN
1	F	527	ASN
1	F	576[A]	LYS
1	F	576[B]	LYS
1	F	633	LEU
1	F	660	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	TYQ	A	405	1	14,14,15	5.99	3 (21%)	17,19,21	1.68	5 (29%)
1	TYQ	B	405	1	14,14,15	5.87	4 (28%)	17,19,21	1.72	5 (29%)
1	TYQ	C	405	1	14,14,15	5.25	3 (21%)	17,19,21	1.16	2 (11%)
1	TYQ	D	405	1	14,14,15	6.01	3 (21%)	17,19,21	2.00	5 (29%)
1	TYQ	E	405	1	14,14,15	5.08	4 (28%)	17,19,21	1.47	2 (11%)
1	TYQ	F	405	1	14,14,15	5.83	3 (21%)	17,19,21	1.38	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TYQ	A	405	1	-	0/4/6/8	0/1/1/1
1	TYQ	B	405	1	-	0/4/6/8	0/1/1/1
1	TYQ	C	405	1	-	0/4/6/8	0/1/1/1
1	TYQ	D	405	1	-	0/4/6/8	0/1/1/1
1	TYQ	E	405	1	-	0/4/6/8	0/1/1/1
1	TYQ	F	405	1	-	0/4/6/8	0/1/1/1

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	405	TYQ	O-C	20.77	1.25	1.11
1	A	405	TYQ	O-C	20.57	1.25	1.11
1	F	405	TYQ	O-C	20.27	1.25	1.11
1	B	405	TYQ	O-C	20.21	1.25	1.11
1	E	405	TYQ	O-C	17.46	1.23	1.11
1	C	405	TYQ	O-C	17.35	1.23	1.11
1	D	405	TYQ	CD1-CG	6.73	1.50	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	405	TYQ	CD1-CG	6.52	1.49	1.39
1	A	405	TYQ	CE2-CZ	6.41	1.50	1.40
1	C	405	TYQ	CE2-CZ	6.18	1.49	1.40
1	A	405	TYQ	CD1-CG	5.91	1.48	1.39
1	F	405	TYQ	CE2-CZ	5.87	1.49	1.40
1	B	405	TYQ	CD1-CG	5.77	1.48	1.39
1	B	405	TYQ	CE2-CZ	5.53	1.48	1.40
1	E	405	TYQ	CE2-CZ	5.45	1.48	1.40
1	D	405	TYQ	CE2-CZ	5.07	1.48	1.40
1	F	405	TYQ	CD1-CG	4.83	1.47	1.39
1	E	405	TYQ	CD1-CG	4.25	1.46	1.39
1	E	405	TYQ	CA-C	2.57	1.53	1.48
1	B	405	TYQ	CA-C	2.41	1.52	1.48

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	405	TYQ	CD2-CG-CD1	4.72	122.28	118.23
1	E	405	TYQ	CB-CG-CD1	-4.08	116.41	120.78
1	D	405	TYQ	CE1-CD1-CG	-4.08	117.68	120.85
1	B	405	TYQ	CD2-CG-CD1	3.78	121.47	118.23
1	A	405	TYQ	CB-CG-CD1	-3.50	117.03	120.78
1	A	405	TYQ	CE2-CD2-CG	-3.47	118.41	122.38
1	B	405	TYQ	CE1-CZ-CE2	3.10	121.91	119.61
1	F	405	TYQ	CD2-CG-CD1	3.00	120.80	118.23
1	D	405	TYQ	CE2-CD2-CG	-2.99	118.95	122.38
1	A	405	TYQ	CD2-CG-CD1	2.91	120.72	118.23
1	D	405	TYQ	CE1-CZ-CE2	2.77	121.66	119.61
1	B	405	TYQ	CB-CG-CD1	-2.74	117.84	120.78
1	C	405	TYQ	CE2-CD2-CG	-2.67	119.33	122.38
1	F	405	TYQ	OH-CZ-CE2	2.66	121.00	116.28
1	C	405	TYQ	CD2-CG-CD1	2.47	120.35	118.23
1	A	405	TYQ	CE1-CZ-CE2	2.44	121.42	119.61
1	D	405	TYQ	C-CA-N	-2.44	111.39	113.83
1	B	405	TYQ	CE2-CD2-CG	-2.43	119.59	122.38
1	B	405	TYQ	CE1-CD1-CG	-2.40	118.98	120.85
1	F	405	TYQ	CE2-CD2-CG	-2.30	119.75	122.38
1	E	405	TYQ	CD2-CG-CD1	2.22	120.13	118.23
1	A	405	TYQ	OH-CZ-CE2	2.12	120.04	116.28

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 48 ligands modelled in this entry, 6 are monoatomic - leaving 42 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	A	701	-	5,5,5	0.29	0	5,5,5	0.58	0
2	GOL	A	703	-	5,5,5	0.40	0	5,5,5	0.40	0
2	GOL	A	704	-	5,5,5	0.38	0	5,5,5	0.29	0
2	GOL	A	705	-	5,5,5	0.41	0	5,5,5	0.56	0
2	GOL	A	706	-	5,5,5	0.41	0	5,5,5	0.53	0
4	PEO	A	707	3	1,1,1	0.07	0	0,0,0	0.00	-
5	NEH	A	708	-	2,2,2	0.82	0	1,1,1	0.40	0
2	GOL	B	701	-	5,5,5	0.75	0	5,5,5	0.51	0
2	GOL	B	703	-	5,5,5	0.45	0	5,5,5	0.71	0
2	GOL	B	704	-	5,5,5	0.33	0	5,5,5	0.62	0
2	GOL	B	705	-	5,5,5	0.28	0	5,5,5	0.53	0
2	GOL	B	706	-	5,5,5	0.22	0	5,5,5	0.68	0
2	GOL	B	707	-	5,5,5	0.46	0	5,5,5	0.39	0
4	PEO	B	708	3	1,1,1	0.74	0	0,0,0	0.00	-
5	NEH	B	709	-	2,2,2	0.60	0	1,1,1	0.29	0
2	GOL	B	710	-	5,5,5	0.21	0	5,5,5	0.49	0
2	GOL	C	702	-	5,5,5	0.19	0	5,5,5	1.26	0
2	GOL	C	703	-	5,5,5	0.21	0	5,5,5	0.67	0
2	GOL	C	704	-	5,5,5	0.46	0	5,5,5	0.22	0
2	GOL	C	705	-	5,5,5	0.54	0	5,5,5	0.61	0
2	GOL	C	706	-	5,5,5	0.24	0	5,5,5	0.60	0
2	GOL	C	707	-	5,5,5	0.41	0	5,5,5	0.75	0
5	NEH	C	708	-	2,2,2	0.49	0	1,1,1	0.17	0
6	PO4	C	709	-	4,4,4	0.32	0	6,6,6	0.35	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	D	702	-	5,5,5	0.36	0	5,5,5	0.96	0
2	GOL	D	703	-	5,5,5	0.49	0	5,5,5	0.68	0
2	GOL	D	704	-	5,5,5	0.26	0	5,5,5	0.70	0
2	GOL	D	705	-	5,5,5	0.39	0	5,5,5	0.14	0
5	NEH	D	706	-	2,2,2	0.67	0	1,1,1	0.30	0
2	GOL	E	702	-	5,5,5	0.36	0	5,5,5	0.84	0
2	GOL	E	703	-	5,5,5	0.31	0	5,5,5	0.37	0
2	GOL	E	704	-	5,5,5	0.26	0	5,5,5	0.73	0
2	GOL	E	705	-	5,5,5	0.43	0	5,5,5	1.26	0
4	PEO	E	706	3	1,1,1	0.24	0	0,0,0	0.00	-
5	NEH	E	707	-	2,2,2	0.92	0	1,1,1	0.69	0
2	GOL	F	702	-	5,5,5	0.33	0	5,5,5	0.58	0
2	GOL	F	703	-	5,5,5	0.35	0	5,5,5	0.44	0
2	GOL	F	704	-	5,5,5	0.27	0	5,5,5	0.60	0
2	GOL	F	705	-	5,5,5	0.27	0	5,5,5	1.05	0
2	GOL	F	706	-	5,5,5	0.30	0	5,5,5	0.84	0
4	PEO	F	707	3	1,1,1	0.19	0	0,0,0	0.00	-
5	NEH	F	708	-	2,2,2	0.73	0	1,1,1	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	701	-	-	0/4/4/4	0/0/0/0
2	GOL	A	703	-	-	0/4/4/4	0/0/0/0
2	GOL	A	704	-	-	0/4/4/4	0/0/0/0
2	GOL	A	705	-	-	0/4/4/4	0/0/0/0
2	GOL	A	706	-	-	0/4/4/4	0/0/0/0
4	PEO	A	707	3	-	0/0/0/0	0/0/0/0
5	NEH	A	708	-	-	0/0/0/0	0/0/0/0
2	GOL	B	701	-	-	0/4/4/4	0/0/0/0
2	GOL	B	703	-	-	0/4/4/4	0/0/0/0
2	GOL	B	704	-	-	0/4/4/4	0/0/0/0
2	GOL	B	705	-	-	0/4/4/4	0/0/0/0
2	GOL	B	706	-	-	0/4/4/4	0/0/0/0
2	GOL	B	707	-	-	0/4/4/4	0/0/0/0
4	PEO	B	708	3	-	0/0/0/0	0/0/0/0
5	NEH	B	709	-	-	0/0/0/0	0/0/0/0
2	GOL	B	710	-	-	0/4/4/4	0/0/0/0
2	GOL	C	702	-	-	0/4/4/4	0/0/0/0
2	GOL	C	703	-	-	0/4/4/4	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	C	704	-	-	0/4/4/4	0/0/0/0
2	GOL	C	705	-	-	0/4/4/4	0/0/0/0
2	GOL	C	706	-	-	0/4/4/4	0/0/0/0
2	GOL	C	707	-	-	0/4/4/4	0/0/0/0
5	NEH	C	708	-	-	0/0/0/0	0/0/0/0
6	PO4	C	709	-	-	0/0/0/0	0/0/0/0
2	GOL	D	702	-	-	0/4/4/4	0/0/0/0
2	GOL	D	703	-	-	0/4/4/4	0/0/0/0
2	GOL	D	704	-	-	0/4/4/4	0/0/0/0
2	GOL	D	705	-	-	0/4/4/4	0/0/0/0
5	NEH	D	706	-	-	0/0/0/0	0/0/0/0
2	GOL	E	702	-	-	0/4/4/4	0/0/0/0
2	GOL	E	703	-	-	0/4/4/4	0/0/0/0
2	GOL	E	704	-	-	0/4/4/4	0/0/0/0
2	GOL	E	705	-	-	0/4/4/4	0/0/0/0
4	PEO	E	706	3	-	0/0/0/0	0/0/0/0
5	NEH	E	707	-	-	0/0/0/0	0/0/0/0
2	GOL	F	702	-	-	0/4/4/4	0/0/0/0
2	GOL	F	703	-	-	0/4/4/4	0/0/0/0
2	GOL	F	704	-	-	0/4/4/4	0/0/0/0
2	GOL	F	705	-	-	0/4/4/4	0/0/0/0
2	GOL	F	706	-	-	0/4/4/4	0/0/0/0
4	PEO	F	707	3	-	0/0/0/0	0/0/0/0
5	NEH	F	708	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	654/692 (94%)	-0.30	5 (0%) 83 85	15, 30, 53, 88	0
1	B	655/692 (94%)	-0.48	5 (0%) 83 85	14, 25, 46, 69	0
1	C	655/692 (94%)	-0.32	12 (1%) 65 67	18, 30, 52, 85	0
1	D	655/692 (94%)	-0.05	23 (3%) 42 43	20, 36, 59, 93	0
1	E	654/692 (94%)	-0.27	10 (1%) 70 72	15, 31, 54, 87	0
1	F	655/692 (94%)	-0.28	10 (1%) 70 72	15, 30, 55, 82	0
All	All	3928/4152 (94%)	-0.28	65 (1%) 67 69	14, 30, 55, 93	0

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	18	PRO	7.3
1	F	672	VAL	6.2
1	C	672	VAL	6.0
1	D	18	PRO	5.6
1	E	334	LEU	5.6
1	A	19	ALA	5.4
1	E	672	VAL	5.3
1	A	334	LEU	5.0
1	D	334	LEU	4.8
1	D	19	ALA	4.8
1	A	22	ALA	4.8
1	E	20	ARG	4.5
1	C	334	LEU	4.2
1	B	334	LEU	4.1
1	D	672	VAL	4.0
1	E	19	ALA	3.6
1	E	46	GLY	3.6
1	B	437	ASP	3.5
1	F	19	ALA	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	46	GLY	3.5
1	D	423	ILE	3.4
1	D	22	ALA	3.4
1	F	46	GLY	3.4
1	E	22	ALA	3.3
1	E	336[A]	CYS	3.2
1	D	20	ARG	3.0
1	F	18	PRO	2.9
1	D	421	LEU	2.9
1	C	18	PRO	2.9
1	C	242	ILE	2.8
1	D	21	PRO	2.8
1	B	336[A]	CYS	2.8
1	D	336	CYS	2.8
1	D	409	LEU	2.8
1	D	639	ILE	2.8
1	C	336[A]	CYS	2.8
1	C	333	SER	2.7
1	E	423	ILE	2.7
1	C	671	ALA	2.7
1	F	671	ALA	2.6
1	F	333	SER	2.5
1	F	336	CYS	2.5
1	D	44	PHE	2.5
1	F	334	LEU	2.5
1	C	22	ALA	2.4
1	D	671	ALA	2.3
1	D	146	ASN	2.3
1	B	333	SER	2.3
1	F	45	ALA	2.2
1	F	670	ARG	2.2
1	E	21	PRO	2.2
1	D	247	PRO	2.2
1	D	245	THR	2.2
1	B	18	PRO	2.2
1	C	247	PRO	2.2
1	C	640	THR	2.2
1	C	638	PRO	2.2
1	D	408	CYS	2.1
1	D	70	GLN	2.1
1	A	333	SER	2.1
1	D	45	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	641	LEU	2.0
1	D	622	ILE	2.0
1	E	335	GLY	2.0
1	D	48	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	TYQ	F	405	14/15	0.15	1.63	29,33,41,48	0
1	TYQ	C	405	14/15	0.15	0.68	27,35,43,45	0
1	TYQ	A	405	14/15	0.14	0.48	26,30,38,40	0
1	TYQ	E	405	14/15	0.14	0.42	21,24,41,44	0
1	TYQ	D	405	14/15	0.15	0.25	35,39,42,43	0
1	TYQ	B	405	14/15	0.11	-0.10	20,25,33,35	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	GOL	C	707	6/6	0.41	20.86	45,59,67,70	0
2	GOL	D	703	6/6	0.23	17.62	40,53,55,58	0
2	GOL	A	706	6/6	0.24	17.23	49,58,65,68	0
2	GOL	E	704	6/6	0.33	17.02	53,64,67,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	NEH	B	709	3/3	0.30	13.64	35,35,37,39	0
5	NEH	A	708	3/3	0.43	12.03	29,29,32,33	0
5	NEH	F	708	3/3	0.27	11.58	34,34,35,36	0
5	NEH	D	706	3/3	0.34	11.16	34,34,34,39	0
5	NEH	E	707	3/3	0.46	10.80	29,29,29,33	0
2	GOL	B	704	6/6	0.20	10.44	25,39,40,48	0
2	GOL	B	705	6/6	0.24	8.45	50,57,63,68	0
2	GOL	D	702	6/6	0.28	7.78	52,55,57,61	0
2	GOL	D	705	6/6	0.36	7.52	83,85,85,87	0
2	GOL	C	702	6/6	0.21	7.41	47,56,57,58	0
5	NEH	C	708	3/3	0.25	6.90	37,37,39,40	0
2	GOL	D	704	6/6	0.24	6.29	50,53,62,68	0
2	GOL	E	703	6/6	0.19	6.23	50,59,62,63	0
2	GOL	F	702	6/6	0.22	5.34	43,52,53,55	0
2	GOL	F	706	6/6	0.16	5.24	40,48,50,51	0
2	GOL	A	703	6/6	0.24	5.17	55,66,67,68	0
2	GOL	B	706	6/6	0.21	5.10	50,56,59,64	0
2	GOL	C	706	6/6	0.22	5.06	51,57,63,68	0
2	GOL	E	702	6/6	0.28	4.54	57,57,58,62	0
2	GOL	A	705	6/6	0.25	3.77	46,52,54,55	0
2	GOL	C	704	6/6	0.21	3.66	51,56,58,61	0
2	GOL	F	703	6/6	0.18	3.30	56,62,65,66	0
2	GOL	E	705	6/6	0.16	3.07	48,51,53,55	0
2	GOL	B	707	6/6	0.21	2.94	50,56,57,58	0
2	GOL	C	705	6/6	0.22	2.35	61,66,66,69	0
6	PO4	C	709	5/5	0.20	2.34	33,33,39,40	5
2	GOL	B	701	6/6	0.16	2.19	11,18,20,23	6
2	GOL	C	703	6/6	0.20	1.64	47,50,51,51	0
2	GOL	B	710	6/6	0.13	1.59	26,40,42,43	6
2	GOL	F	705	6/6	0.17	0.96	57,60,62,63	0
2	GOL	B	703	6/6	0.14	0.91	43,46,47,48	0
2	GOL	F	704	6/6	0.15	0.84	47,48,49,51	0
4	PEO	A	707	2/2	0.13	0.68	18,18,18,29	0
2	GOL	A	704	6/6	0.17	0.57	56,58,61,61	0
4	PEO	B	708	2/2	0.13	0.53	16,16,16,21	0
4	PEO	E	706	2/2	0.13	0.13	14,14,14,27	0
4	PEO	F	707	2/2	0.12	-0.30	18,18,18,29	0
2	GOL	A	701	6/6	0.07	-1.21	27,31,32,32	0
3	CU	A	702	1/1	0.07	-1.55	21,21,21,21	0
3	CU	E	701	1/1	0.07	-1.67	19,19,19,19	0
3	CU	C	701	1/1	0.07	-2.70	25,25,25,25	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	CU	B	702	1/1	0.07	-3.12	19,19,19,19	0
3	CU	D	701	1/1	0.08	-3.28	29,29,29,29	0
3	CU	F	701	1/1	0.06	-6.58	23,23,23,23	0

6.5 Other polymers ⓘ

There are no such residues in this entry.