



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 10:34 AM GMT

PDB ID : 1EZU  
Title : ECOTIN Y69F, D70P BOUND TO D102N TRYPSIN  
Authors : Gillmor, S.A.; Takeuchi, T.; Yang, S.Q.; Craik, C.S.; Fletterick, R.J.  
Deposited on : 2000-05-11  
Resolution : 2.40 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2207 (2.40-2.40)
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)
RSRZ outliers	66119	2210 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	142	
1	B	142	
2	C	223	
2	D	223	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5554 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ECOTIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	140	Total	C	N	O	S	0	0	0
			1099	704	182	207	6			
1	B	140	Total	C	N	O	S	0	0	0
			1099	704	182	207	6			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	69	PHE	TYR	ENGINEERED	UNP P23827
A	70	PRO	ASP	ENGINEERED	UNP P23827
B	269	PHE	TYR	ENGINEERED	UNP P23827
B	270	PRO	ASP	ENGINEERED	UNP P23827

- Molecule 2 is a protein called TRYPSIN II, ANIONIC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	223	Total	C	N	O	S	0	0	0
			1656	1036	281	325	14			
2	D	223	Total	C	N	O	S	0	0	0
			1656	1036	281	325	14			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	479	ASP	ASN	SEE REMARK 999	UNP P00763
C	502	ASN	ASP	ENGINEERED	UNP P00763
D	779	ASP	ASN	SEE REMARK 999	UNP P00763
D	802	ASN	ASP	ENGINEERED	UNP P00763

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	1	Total	Ca	0	0
			1	1		
3	C	1	Total	Ca	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	9	Total	O	0	0
			9	9		
4	B	9	Total	O	0	0
			9	9		
4	C	12	Total	O	0	0
			12	12		
4	D	12	Total	O	0	0
			12	12		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ECOTIN

Chain A: 




- Molecule 1: ECOTIN

Chain B: 




- Molecule 2: TRYPSIN II, ANIONIC

Chain C: 



- Molecule 2: TRYPSIN II, ANIONIC

Chain D: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	62.92Å 82.75Å 81.75Å 90.00° 97.24° 90.00°	Depositor
Resolution (Å)	25.00 – 2.40 26.50 – 2.40	Depositor EDS
% Data completeness (in resolution range)	92.5 (25.00-2.40) 92.6 (26.50-2.40)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.29 (at 2.39Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, $R_{free}$	0.218 , 0.265 0.213 , 0.247	Depositor DCC
$R_{free}$ test set	1508 reflections (4.99%)	DCC
Wilson B-factor (Å <sup>2</sup> )	39.3	Xtriage
Anisotropy	0.525	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 24.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 30238 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5554	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.71% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.56	0/1122	0.78	1/1521 (0.1%)
1	B	0.55	0/1122	0.78	0/1521
2	C	0.54	0/1691	0.73	1/2306 (0.0%)
2	D	0.53	0/1691	0.74	2/2306 (0.1%)
All	All	0.54	0/5626	0.75	4/7654 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	899	VAL	N-CA-C	-5.50	96.14	111.00
1	A	81	VAL	N-CA-C	-5.45	96.27	111.00
2	C	437	SER	N-CA-C	-5.20	96.95	111.00
2	D	837	LEU	CA-CB-CG	5.11	127.05	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1099	0	1095	22	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1099	0	1095	13	0
2	C	1656	0	1586	28	0
2	D	1656	0	1586	41	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	9	0	0	1	0
4	B	9	0	0	0	0
4	C	12	0	0	1	0
4	D	12	0	0	1	0
All	All	5554	0	5362	94	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 9.

All (94) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:86:ALA:HB3	2:D:741:PHE:HA	1.73	0.70
1:A:53:HIS:CD2	1:A:82:SER:HB3	2.27	0.70
2:D:824:PRO:HG3	2:D:909:LEU:O	1.93	0.68
1:A:133:GLU:HG2	1:B:329:VAL:O	1.97	0.64
2:D:772:ASN:HD22	2:D:774:ASN:H	1.44	0.63
2:C:481:GLN:HE22	2:C:513:LYS:H	1.48	0.61
1:B:253:HIS:CD2	1:B:282:SER:HB3	2.35	0.61
1:B:295:LYS:HB3	1:B:295:LYS:NZ	2.16	0.61
1:A:95:LYS:NZ	1:A:95:LYS:HB3	2.16	0.61
2:D:726:SER:C	2:D:728:PRO:HD3	2.22	0.60
2:D:781:GLN:HE22	2:D:813:LYS:H	1.47	0.60
2:C:568:CYS:SG	2:C:576:ILE:HD13	2.42	0.59
1:B:286:ALA:HB3	2:C:441:PHE:HA	1.86	0.57
2:D:768:LEU:HD12	2:D:768:LEU:N	2.20	0.56
2:C:565:GLN:HG3	4:C:8:HOH:O	2.05	0.56
1:A:17:GLU:HB2	1:A:20:MET:HE2	1.88	0.55
2:C:472:ASN:HB3	2:C:475:VAL:HG12	1.88	0.55
2:C:486:ALA:HB2	2:C:509:SER:HA	1.89	0.54
2:C:595:SER:HA	2:C:613:VAL:HB	1.89	0.54
2:C:524:PRO:HG3	2:C:609:LEU:O	2.08	0.54
1:A:85:MET:HE1	2:D:760:LYS:HZ1	1.73	0.54
2:D:786:ALA:HB2	2:D:809:SER:HA	1.90	0.54
2:D:772:ASN:HB3	2:D:775:VAL:HG12	1.89	0.54
1:A:72:TYR:N	1:A:72:TYR:CD1	2.77	0.52
2:C:544:THR:HG22	2:C:544:THR:O	2.09	0.51
2:D:844:THR:HG22	2:D:844:THR:O	2.10	0.51

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:C:500:ASN:OD1	2:C:577:THR:HG21	2.09	0.51
2:D:772:ASN:ND2	2:D:774:ASN:H	2.09	0.50
2:D:895:SER:HA	2:D:913:VAL:HB	1.93	0.50
2:D:872:TYR:HB2	2:D:876:ILE:HD11	1.92	0.50
2:D:801:ASN:HA	2:D:934:TYR:OH	2.12	0.50
2:D:727:VAL:HG12	2:D:730:GLN:HB2	1.94	0.49
1:A:95:LYS:HZ3	1:A:95:LYS:HB3	1.76	0.49
1:B:225:ILE:HB	1:B:315:ILE:HB	1.94	0.48
2:C:451:TRP:CE2	2:C:507:LYS:HG3	2.48	0.48
1:B:288:PRO:HG3	2:C:439:TYR:CZ	2.49	0.48
2:D:841:TRP:CZ2	2:D:855:LEU:HD13	2.49	0.48
2:D:800:ASN:OD1	2:D:877:THR:HG21	2.14	0.48
2:C:430:GLN:HG3	2:C:431:VAL:N	2.28	0.48
2:D:739:TYR:CD1	2:D:739:TYR:N	2.81	0.47
2:C:534:THR:O	2:C:561:PRO:HA	2.14	0.47
2:D:731:VAL:HG23	2:D:732:SER:N	2.29	0.47
2:D:775:VAL:HG13	2:D:776:LEU:N	2.29	0.47
2:C:424:GLU:HA	2:C:471:HIS:CD2	2.50	0.47
2:D:862:LEU:HD23	2:D:883:VAL:HG22	1.96	0.47
2:D:768:LEU:HD12	2:D:768:LEU:H	1.80	0.47
2:D:765:VAL:HG23	2:D:768:LEU:HD11	1.95	0.47
2:D:868:CYS:SG	2:D:876:ILE:HD13	2.56	0.46
1:A:61:ASN:ND2	1:A:72:TYR:CD2	2.84	0.46
1:A:129:VAL:O	1:B:333:GLU:HG2	2.15	0.46
1:A:132:ALA:HB2	1:B:330:TRP:CE2	2.52	0.45
2:D:727:VAL:N	2:D:728:PRO:HD3	2.31	0.45
1:A:37:LYS:HE2	4:A:147:HOH:O	2.17	0.45
2:C:429:TYR:CZ	2:C:600:VAL:HG21	2.52	0.45
2:D:765:VAL:HG21	2:D:808:LEU:HD21	1.98	0.45
2:C:426:SER:C	2:C:428:PRO:HD3	2.37	0.44
2:C:501:ASN:HA	2:C:634:TYR:OH	2.17	0.44
1:B:295:LYS:HB3	1:B:295:LYS:HZ3	1.82	0.44
1:B:261:ASN:ND2	1:B:272:TYR:CE1	2.85	0.44
1:A:61:ASN:ND2	1:A:72:TYR:CE2	2.86	0.44
1:A:59:LEU:HD11	1:A:72:TYR:HB3	2.00	0.43
2:D:872:TYR:HB2	2:D:876:ILE:CD1	2.48	0.43
1:A:46:LEU:O	1:A:94:LYS:HA	2.18	0.43
2:D:899:VAL:HG21	2:D:928:TYR:CD2	2.53	0.43
1:A:85:MET:HB2	2:D:742:CYS:SG	2.59	0.43
1:B:223:GLN:NE2	1:B:325:VAL:HG23	2.34	0.43
2:C:448:ASN:ND2	2:C:451:TRP:HB2	2.34	0.43
2:C:465:VAL:HG21	2:C:508:LEU:HD21	2.00	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:C:429:TYR:HA	2:C:519:ALA:O	2.19	0.42
2:D:844:THR:OG1	2:D:852:PRO:HG3	2.19	0.42
2:C:622:PRO:O	2:C:623:ASP:HB2	2.20	0.42
2:D:928:TYR:CD1	2:D:928:TYR:N	2.87	0.42
1:A:56:GLY:O	1:A:77:VAL:HA	2.20	0.42
1:B:248:VAL:HG22	1:B:253:HIS:CE1	2.55	0.42
2:D:784:ASN:HB2	4:D:104:HOH:O	2.20	0.41
2:C:480:GLU:H	2:C:480:GLU:HG2	1.59	0.41
2:D:756:ALA:HA	2:D:804:MET:HB2	2.01	0.41
1:B:264:LEU:HA	1:B:264:LEU:HD12	1.94	0.41
2:D:844:THR:HB	2:D:850:ASN:HD22	1.85	0.41
2:D:751:TRP:CH2	2:D:807:LYS:HB2	2.55	0.41
2:C:427:VAL:HG12	2:C:430:GLN:HB2	2.03	0.41
1:A:88:PRO:HG3	2:D:739:TYR:CZ	2.54	0.41
1:A:79:SER:HB2	2:D:917:TYR:HE1	1.85	0.41
1:A:73:VAL:HG22	1:A:118:TYR:HB2	2.03	0.41
2:D:823:LEU:HA	2:D:823:LEU:HD23	1.89	0.41
2:C:428:PRO:HB2	2:C:519:ALA:HB3	2.03	0.41
2:C:456:ALA:HA	2:C:504:MET:HB2	2.03	0.41
2:C:558:LEU:HD11	2:C:588(A):LYS:HB3	2.01	0.41
2:C:445:SER:O	2:C:452:VAL:HA	2.20	0.41
1:A:87:CYS:HA	1:A:88:PRO:HD3	1.93	0.40
2:D:726:SER:O	2:D:728:PRO:HD3	2.20	0.40
2:D:843:ASN:OD1	2:D:844:THR:N	2.54	0.40
1:A:89:ASP:C	1:A:91:LYS:N	2.74	0.40
2:D:791:HIS:HA	2:D:792:PRO:HD3	1.89	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	138/142 (97%)	131 (95%)	5 (4%)	2 (1%)	16	22
1	B	138/142 (97%)	135 (98%)	2 (1%)	1 (1%)	30	43

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	C	221/223 (99%)	204 (92%)	14 (6%)	3 (1%)	16	22
2	D	221/223 (99%)	207 (94%)	13 (6%)	1 (0%)	38	53
All	All	718/730 (98%)	677 (94%)	34 (5%)	7 (1%)	22	32

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	88	PRO
1	B	288	PRO
2	C	449	ASP
2	D	749	ASP
1	A	49	ASP
2	C	425	ASN
2	C	543	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	119/125 (95%)	113 (95%)	6 (5%)	34	51
1	B	119/125 (95%)	113 (95%)	6 (5%)	34	51
2	C	183/185 (99%)	175 (96%)	8 (4%)	39	58
2	D	183/185 (99%)	172 (94%)	11 (6%)	27	41
All	All	604/620 (97%)	573 (95%)	31 (5%)	33	50

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	VAL
1	A	48	VAL
1	A	70	PRO
1	A	85	MET
1	A	95	LYS
1	A	136	ILE
1	B	238	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	248	VAL
1	B	270	PRO
1	B	295	LYS
1	B	336	ILE
1	B	337	ASP
2	C	424	GLU
2	C	472	ASN
2	C	475	VAL
2	C	476	LEU
2	C	480	GLU
2	C	490	LYS
2	C	518	VAL
2	C	537	LEU
2	D	724	GLU
2	D	731	VAL
2	D	739	TYR
2	D	765	VAL
2	D	772	ASN
2	D	775	VAL
2	D	776	LEU
2	D	780	GLU
2	D	837	LEU
2	D	853	ASP
2	D	923	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	HIS
1	A	61	ASN
1	B	253	HIS
1	B	261	ASN
2	C	472	ASN
2	C	481	GLN
2	C	550	ASN
2	C	633	ASN
2	D	772	ASN
2	D	781	GLN
2	D	850	ASN
2	D	933	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	140/142 (98%)	-0.31	4 (2%) 49 47	20, 44, 73, 100	0
1	B	140/142 (98%)	-0.40	0 100 100	24, 44, 74, 99	0
2	C	223/223 (100%)	-0.39	0 100 100	16, 38, 61, 85	0
2	D	223/223 (100%)	-0.24	4 (1%) 65 63	20, 40, 69, 96	0
All	All	726/730 (99%)	-0.33	8 (1%) 77 77	16, 42, 71, 100	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	3	SER	5.4
2	D	777	GLU	4.8
1	A	4	VAL	4.8
2	D	778	GLY	3.4
2	D	847	SER	2.7
1	A	89	ASP	2.4
2	D	779	ASP	2.4
1	A	90	GLY	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CA	C	650	1/1	0.06	-	47,47,47,47	0
3	CA	D	950	1/1	0.10	-	80,80,80,80	0

## 6.5 Other polymers

There are no such residues in this entry.