



Full wwPDB X-ray Structure Validation Report

Mar 1, 2014 – 12:59 AM GMT

PDB ID : 3F3Y
Title : Crystal structure of human cytosolic sulfotransferase SULT2A1 in complex with PAP and lithocholic acid
Authors : Pan, P.W.; Dong, A.; Amaya, M.; Edwards, A.M.
Deposited on : 2008-10-31
Resolution : 2.20 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2938 (2.20-2.20)
Clashscore	79885	3751 (2.20-2.20)
Ramachandran outliers	78287	3681 (2.20-2.20)
Sidechain outliers	78261	3682 (2.20-2.20)
RSRZ outliers	66119	2939 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	285	
1	B	285	
1	C	285	
1	D	285	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	4OA	A	326	-	X
2	4OA	B	327	-	X
2	4OA	D	328	-	X

2 Entry composition i


There are 4 unique types of molecules in this entry. The entry contains 9927 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bile salt sulfotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	282	Total	C	N	O	S	0	0	0
			2300	1509	369	410	12			
1	B	282	Total	C	N	O	S	0	0	0
			2297	1507	368	410	12			
1	C	282	Total	C	N	O	S	0	0	0
			2291	1499	370	410	12			
1	D	282	Total	C	N	O	S	0	0	0
			2285	1499	363	411	12			

- Molecule 2 is (3BETA,5BETA,14BETA,17ALPHA)-3-HYDROXYCHOLAN-24-OICACID (three-letter code: 4OA) (formula: C₂₄H₄₀O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			27	24	3		
2	B	1	Total	C	O	0	0
			27	24	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			27	24	3		
2	D	1	Total	C	O	0	0
			27	24	3		

- Molecule 3 is ADENOSINE-3'-5'-DIPHOSPHATE (three-letter code: A3P) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	155	Total	O	0	0
			155	155		
4	B	125	Total	O	0	0
			125	125		
4	C	121	Total	O	0	0
			121	121		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	137	Total 137	O 137	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Bile salt sulfotransferase

Chain A:




- Molecule 1: Bile salt sulfotransferase

Chain B:




- Molecule 1: Bile salt sulfotransferase

Chain C:



- Molecule 1: Bile salt sulfotransferase

Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	79.39Å 96.18Å 159.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.20 19.93 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.1 (30.00-2.20) 99.2 (19.93-2.20)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.21 (at 2.19Å)	Xtriage
Refinement program	REFMAC 5.2.0019, COOT 0.4.1	Depositor
R, R_{free}	0.236 , 0.299 0.243 , 0.302	Depositor DCC
R_{free} test set	1264 reflections (2.08%)	DCC
Wilson B-factor (Å ²)	30.7	Xtriage
Anisotropy	0.154	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 40.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtriage
Outliers	33 of 62048 reflections (0.053%)	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9927	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 61.56 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.2862e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A3P, 4OA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	2/2372 (0.1%)	0.65	1/3215 (0.0%)
1	B	0.90	3/2368 (0.1%)	0.65	2/3210 (0.1%)
1	C	0.87	0/2362	0.58	0/3203
1	D	0.89	1/2357 (0.0%)	0.60	0/3196
All	All	0.89	6/9459 (0.1%)	0.62	3/12824 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	44	LYS	CD-CE	11.17	1.79	1.51
1	B	44	LYS	CB-CG	8.33	1.75	1.52
1	A	45	SER	N-CA	6.62	1.59	1.46
1	D	225	GLU	CG-CD	-6.36	1.42	1.51
1	A	247	ARG	CZ-NH2	5.36	1.40	1.33
1	B	151	GLU	CG-CD	5.36	1.59	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	44	LYS	CD-CE-NZ	-6.07	97.73	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	213	LEU	CA-CB-CG	5.14	127.13	115.30
1	B	246	LEU	CA-CB-CG	-5.00	103.79	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	284	TRP	Peptide
1	B	284	TRP	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2300	0	2198	32	0
1	B	2297	0	2182	54	0
1	C	2291	0	2173	42	0
1	D	2285	0	2151	57	0
2	A	27	0	39	1	0
2	B	27	0	39	2	0
2	C	27	0	39	0	0
2	D	27	0	39	2	0
3	A	27	0	11	1	0
3	B	27	0	11	1	0
3	C	27	0	11	12	0
3	D	27	0	11	6	0
4	A	155	0	0	2	0
4	B	125	0	0	6	0
4	C	121	0	0	5	1
4	D	137	0	0	15	1
All	All	9927	0	8904	189	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (189) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:44:LYS:CB	1:B:44:LYS:CG	1.75	1.61
1:B:44:LYS:CD	1:B:44:LYS:CE	1.79	1.54
1:D:243:ALA:CB	1:D:244:GLN:HA	1.63	1.26
1:D:266:PHE:HB2	4:D:537:HOH:O	1.28	1.25
1:A:243:ALA:CB	1:A:244:GLN:HA	1.70	1.19
1:B:243:ALA:CB	1:B:244:GLN:HA	1.75	1.13
1:C:243:ALA:CB	1:C:244:GLN:HA	1.76	1.12
1:C:223:MET:CE	3:C:704:A3P:HN61	1.62	1.12
1:C:223:MET:HE2	3:C:704:A3P:HN61	1.15	1.11
1:A:243:ALA:HB1	1:A:244:GLN:HA	1.22	1.10
1:D:243:ALA:HB1	1:D:244:GLN:HA	1.14	1.10
1:B:243:ALA:HB1	1:B:244:GLN:HA	1.16	1.09
1:C:243:ALA:HB1	1:C:244:GLN:HA	1.07	1.03
1:A:168:HIS:HE1	1:A:274:MET:HE2	1.30	0.96
1:D:243:ALA:HB1	1:D:244:GLN:CA	1.98	0.93
1:D:243:ALA:CB	1:D:244:GLN:CA	2.47	0.93
1:A:168:HIS:CE1	1:A:274:MET:HE2	2.05	0.92
1:C:243:ALA:HB1	1:C:244:GLN:CA	1.98	0.92
1:D:223:MET:CE	3:D:703:A3P:HN61	1.83	0.90
1:B:243:ALA:HB1	1:B:244:GLN:CA	2.04	0.88
1:D:49:TRP:CD1	1:D:223:MET:HE1	2.08	0.88
1:A:243:ALA:CB	1:A:244:GLN:CA	2.52	0.87
1:A:243:ALA:HB1	1:A:244:GLN:CA	2.04	0.86
1:A:243:ALA:HB3	1:A:244:GLN:HA	1.60	0.84
1:D:243:ALA:HB3	1:D:244:GLN:HA	1.57	0.82
1:C:223:MET:CE	3:C:704:A3P:N7	2.43	0.82
1:B:44:LYS:CD	1:B:44:LYS:CB	2.57	0.82
1:C:38:ILE:HB	1:C:116:VAL:HG12	1.62	0.82
1:C:223:MET:CE	3:C:704:A3P:N6	2.43	0.81
1:B:133:PHE:CZ	4:B:535:HOH:O	2.34	0.81
1:D:164:PHE:HD2	1:D:274:MET:HE3	1.46	0.81
1:C:243:ALA:CB	1:C:244:GLN:CA	2.60	0.79
1:C:28:ASP:CB	4:C:516:HOH:O	2.31	0.78
1:C:223:MET:HE2	3:C:704:A3P:N6	1.98	0.77
1:B:133:PHE:CE2	4:B:535:HOH:O	2.36	0.77
1:D:223:MET:CE	3:D:703:A3P:N6	2.47	0.77
1:B:284:TRP:HB2	1:B:285:GLU:CB	2.15	0.76
1:C:223:MET:HE3	3:C:704:A3P:N7	2.00	0.75
1:D:223:MET:HE3	3:D:703:A3P:HN61	1.50	0.74
1:C:223:MET:HE1	3:C:704:A3P:HN61	1.50	0.74
1:D:150:PHE:HZ	4:D:537:HOH:O	1.71	0.74
1:B:44:LYS:CE	1:B:133:PHE:CD2	2.71	0.73
1:D:164:PHE:CD2	1:D:274:MET:HE3	2.23	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:38:ILE:HB	1:B:116:VAL:HG12	1.70	0.72
1:A:168:HIS:CE1	1:A:274:MET:CE	2.73	0.72
1:B:243:ALA:CB	1:B:244:GLN:CA	2.58	0.71
1:B:44:LYS:CG	1:B:44:LYS:CA	2.67	0.71
1:B:284:TRP:CA	1:B:285:GLU:CB	2.68	0.71
1:C:223:MET:HE1	3:C:704:A3P:N7	2.06	0.70
1:B:44:LYS:CD	1:B:44:LYS:NZ	2.54	0.70
1:D:223:MET:HE1	3:D:703:A3P:N6	2.08	0.69
1:D:38:ILE:HB	1:D:116:VAL:HG12	1.74	0.69
1:B:284:TRP:HA	1:B:285:GLU:CB	2.23	0.69
1:D:243:ALA:HB2	4:D:445:HOH:O	1.91	0.68
1:D:223:MET:HE3	3:D:703:A3P:N6	2.07	0.68
1:B:248:LYS:CE	1:B:248:LYS:HB3	2.24	0.67
1:D:49:TRP:CD1	1:D:223:MET:CE	2.78	0.67
1:A:168:HIS:HE1	1:A:274:MET:CE	2.06	0.66
1:D:130:GLY:HA3	4:D:288:HOH:O	1.96	0.65
1:B:243:ALA:HB3	1:B:244:GLN:HA	1.77	0.65
1:D:47:THR:HG21	4:D:536:HOH:O	1.97	0.64
1:C:174:ARG:HA	1:C:179:PHE:CD2	2.33	0.64
1:B:44:LYS:CG	1:B:44:LYS:CE	2.71	0.63
1:C:38:ILE:HG12	1:C:96:PHE:CZ	2.34	0.63
1:D:218:SER:O	1:D:223:MET:HE3	1.98	0.62
1:B:284:TRP:CB	1:B:285:GLU:CB	2.78	0.62
1:D:160:TYR:HB3	4:D:551:HOH:O	2.00	0.61
1:B:99:HIS:HB2	1:B:160:TYR:CE2	2.35	0.61
1:D:8:PHE:HE2	1:D:104:LEU:HD22	1.66	0.60
1:C:224:LYS:HA	1:C:246:LEU:HD13	1.84	0.60
1:C:134:TRP:CE3	1:C:140:ILE:HD13	2.36	0.59
1:C:223:MET:HE1	3:C:704:A3P:N6	2.10	0.59
1:D:223:MET:HE1	3:D:703:A3P:HN61	1.61	0.59
1:B:44:LYS:CD	1:B:44:LYS:CA	2.81	0.59
1:D:126:VAL:HA	4:D:532:HOH:O	2.03	0.59
1:A:58:HIS:HD2	4:B:366:HOH:O	1.86	0.59
1:C:103:GLN:HG2	1:C:104:LEU:HD13	1.84	0.58
1:D:63:ALA:O	1:D:67:GLN:HG3	2.03	0.58
1:B:60:LYS:HE3	4:B:443:HOH:O	2.04	0.58
1:B:44:LYS:HB2	1:B:126:VAL:HG13	1.86	0.57
1:B:39:ILE:HG23	1:B:50:LEU:HD23	1.86	0.57
1:D:194:THR:O	1:D:198:ILE:HD12	2.04	0.56
1:D:227:LYS:HG2	4:D:384:HOH:O	2.04	0.56
1:C:223:MET:HE1	3:C:704:A3P:C5	2.34	0.56
1:D:84:TYR:OH	4:D:530:HOH:O	2.18	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:183:SER:O	1:D:186:GLU:HG2	2.06	0.56
1:D:224:LYS:HA	1:D:246:LEU:HD13	1.87	0.56
1:D:167:ILE:O	1:D:171:MET:HG2	2.06	0.55
1:D:285:GLU:CG	4:D:291:HOH:O	2.53	0.55
1:B:248:LYS:CE	1:B:253:ASP:HB2	2.36	0.55
1:B:43:PRO:O	1:B:44:LYS:HB2	2.07	0.54
1:A:284:TRP:HB2	1:A:285:GLU:CB	2.38	0.54
1:C:115:LYS:HD2	1:C:202:LEU:HD23	1.90	0.53
1:D:49:TRP:HD1	1:D:223:MET:CE	2.20	0.53
1:D:284:TRP:HB2	1:D:285:GLU:HA	1.90	0.53
1:A:35:GLU:O	4:A:400:HOH:O	2.19	0.52
1:A:196:GLU:O	1:A:200:GLN:HG3	2.09	0.52
1:D:121:ARG:NH1	4:D:532:HOH:O	2.42	0.52
1:C:151:GLU:O	1:C:155:GLN:HG3	2.11	0.51
1:D:218:SER:O	1:D:223:MET:CE	2.58	0.51
1:D:99:HIS:HB2	1:D:160:TYR:CE2	2.45	0.51
1:C:41:THR:O	1:C:99:HIS:HA	2.10	0.51
1:C:143:PRO:HG3	1:C:149:TYR:HB2	1.91	0.51
1:C:243:ALA:HB2	4:C:290:HOH:O	2.11	0.50
1:B:41:THR:O	1:B:99:HIS:HA	2.12	0.50
1:C:130:GLY:O	1:C:134:TRP:CD1	2.64	0.50
1:B:128:VAL:HG21	1:B:254:TRP:HA	1.94	0.50
1:D:243:ALA:HB3	1:D:244:GLN:CA	2.34	0.49
1:B:238:TYR:CE2	2:B:327:4OA:H18	2.47	0.49
1:D:69:VAL:HG12	1:D:74:ARG:HG3	1.93	0.49
1:A:99:HIS:HB2	1:A:160:TYR:CE2	2.47	0.49
1:D:164:PHE:HD2	1:D:274:MET:CE	2.21	0.49
1:B:56:LEU:HD21	1:B:66:ILE:HD13	1.95	0.48
1:A:224:LYS:HA	1:A:246:LEU:HD13	1.96	0.48
1:B:44:LYS:HE3	1:B:133:PHE:CD2	2.49	0.48
1:C:118:TYR:OH	1:C:167:ILE:HD13	2.14	0.48
1:A:38:ILE:HB	1:A:116:VAL:HG12	1.95	0.48
1:D:285:GLU:HG3	4:D:291:HOH:O	2.13	0.48
1:B:120:MET:O	1:B:183:SER:HA	2.13	0.48
1:B:174:ARG:HA	1:B:179:PHE:CD2	2.48	0.47
2:D:328:4OA:H12	2:D:328:4OA:H21A	1.95	0.47
1:C:223:MET:CE	3:C:704:A3P:C5	2.92	0.47
1:C:134:TRP:HB2	4:C:355:HOH:O	2.15	0.47
1:B:40:LEU:HD11	1:B:116:VAL:HB	1.98	0.46
1:B:130:GLY:O	1:B:134:TRP:CD1	2.68	0.46
1:D:48:ASN:ND2	4:D:385:HOH:O	2.41	0.46
1:B:105:PHE:CD1	1:B:106:PRO:HD2	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:248:LYS:NZ	3:B:701:A3P:O1P	2.48	0.46
1:D:41:THR:OG1	1:D:99:HIS:CE1	2.69	0.46
1:A:41:THR:O	1:A:99:HIS:HA	2.14	0.46
1:A:44:LYS:NZ	3:A:702:A3P:H5'1	2.30	0.46
1:B:63:ALA:O	1:B:67:GLN:HG3	2.16	0.46
2:B:327:4OA:H12	2:B:327:4OA:H21A	1.97	0.46
1:B:224:LYS:HA	1:B:246:LEU:HD13	1.97	0.46
1:A:41:THR:OG1	1:A:99:HIS:CE1	2.69	0.46
1:B:44:LYS:CD	1:B:44:LYS:HA	2.45	0.46
1:D:284:TRP:CB	1:D:285:GLU:HA	2.45	0.46
1:B:44:LYS:NZ	1:B:133:PHE:CD2	2.84	0.46
1:D:47:THR:CG2	4:D:536:HOH:O	2.60	0.46
2:A:326:4OA:H12	2:A:326:4OA:H21A	1.99	0.45
1:A:115:LYS:HD2	1:A:202:LEU:HD23	1.98	0.45
1:C:226:ASN:HB3	1:C:229:SER:HB2	1.99	0.45
1:B:137:MET:SD	4:B:535:HOH:O	2.60	0.45
1:A:22:THR:HA	1:A:25:LYS:HE2	1.98	0.45
1:C:248:LYS:HB2	1:C:248:LYS:NZ	2.32	0.45
1:A:248:LYS:HB2	1:A:248:LYS:HE2	1.66	0.45
1:C:33:ARG:NH1	1:C:90:THR:O	2.45	0.44
1:A:136:ASN:HB3	1:A:240:VAL:O	2.17	0.44
1:D:105:PHE:CD1	1:D:106:PRO:HD2	2.53	0.44
1:C:260:VAL:O	1:C:264:GLU:HG3	2.17	0.44
1:B:22:THR:O	1:B:26:VAL:HG23	2.18	0.43
1:C:29:GLU:HG3	4:C:541:HOH:O	2.17	0.43
1:D:164:PHE:HB3	1:D:274:MET:HE1	2.00	0.43
1:A:38:ILE:HG12	1:A:96:PHE:CZ	2.53	0.43
1:D:8:PHE:CE2	1:D:104:LEU:HD22	2.50	0.43
1:A:167:ILE:O	1:A:171:MET:HG2	2.18	0.43
2:D:328:4OA:H21	4:D:312:HOH:O	2.18	0.43
1:A:273:LYS:O	1:A:274:MET:HE2	2.19	0.43
1:D:44:LYS:HG3	1:D:130:GLY:HA2	2.00	0.43
1:B:143:PRO:HG3	1:B:149:TYR:HB2	2.00	0.42
1:B:43:PRO:O	1:B:44:LYS:CB	2.67	0.42
1:C:39:ILE:HD11	1:C:54:LEU:HD12	2.00	0.42
1:D:22:THR:O	1:D:26:VAL:HG23	2.19	0.42
1:B:251:SER:HB3	4:B:290:HOH:O	2.19	0.42
1:A:43:PRO:O	1:A:44:LYS:HB2	2.20	0.42
1:C:223:MET:HE1	3:C:704:A3P:C6	2.50	0.42
1:D:281:LEU:O	1:D:283:PRO:HD3	2.20	0.42
1:C:284:TRP:HA	1:C:285:GLU:HA	1.73	0.42
1:B:171:MET:N	1:B:172:PRO:CD	2.83	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:22:THR:HA	1:B:25:LYS:HE2	2.02	0.42
1:D:120:MET:HE3	1:D:284:TRP:CH2	2.54	0.42
1:A:41:THR:HG1	1:A:99:HIS:CE1	2.38	0.42
1:C:171:MET:O	1:C:174:ARG:HB3	2.19	0.41
1:A:243:ALA:HB3	1:A:244:GLN:CA	2.37	0.41
1:A:105:PHE:CD1	1:A:106:PRO:HD2	2.55	0.41
1:B:19:ARG:HD3	1:B:81:GLU:OE2	2.21	0.41
1:B:49:TRP:HH2	1:B:188:LYS:HA	1.86	0.41
1:D:243:ALA:HB3	1:D:244:GLN:NE2	2.35	0.41
1:C:243:ALA:CA	4:C:290:HOH:O	2.68	0.41
1:D:49:TRP:HH2	1:D:188:LYS:HA	1.86	0.41
1:D:199:CYS:HB3	1:D:204:LYS:O	2.21	0.41
1:C:230:ASN:O	1:C:231:TYR:HB2	2.20	0.40
1:D:11:ILE:HG13	1:D:104:LEU:HD11	2.02	0.40
1:C:101:PRO:HG2	1:C:104:LEU:HD22	2.03	0.40
4:A:401:HOH:O	1:B:58:HIS:HD2	2.03	0.40
1:B:44:LYS:NZ	1:B:133:PHE:CE2	2.89	0.40
1:A:30:PHE:HE2	1:A:32:ILE:HD13	1.85	0.40
1:A:248:LYS:HG2	1:A:250:VAL:HG22	2.02	0.40
1:B:103:GLN:HG2	1:B:104:LEU:HD23	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:C:311:HOH:O	4:D:565:HOH:O[1_455]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	280/285 (98%)	267 (95%)	12 (4%)	1 (0%)	43	45
1	B	280/285 (98%)	269 (96%)	10 (4%)	1 (0%)	43	45
1	C	280/285 (98%)	268 (96%)	12 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	280/285 (98%)	267 (95%)	12 (4%)	1 (0%)	43	45
All	All	1120/1140 (98%)	1071 (96%)	46 (4%)	3 (0%)	50	53

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	284	TRP
1	B	44	LYS
1	D	106	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/263 (92%)	243 (100%)	0	100	100
1	B	241/263 (92%)	239 (99%)	2 (1%)	89	95
1	C	240/263 (91%)	233 (97%)	7 (3%)	55	66
1	D	237/263 (90%)	235 (99%)	2 (1%)	89	95
All	All	961/1052 (91%)	950 (99%)	11 (1%)	84	92

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	64	LYS
1	B	186	GLU
1	C	6	LEU
1	C	75	SER
1	C	104	LEU
1	C	162	SER
1	C	189	GLN
1	C	234	LEU
1	C	281	LEU
1	D	6	LEU
1	D	189	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	58	HIS
1	A	168	HIS
1	A	200	GLN
1	B	58	HIS
1	B	189	GLN
1	B	200	GLN
1	C	48	ASN
1	D	189	GLN
1	D	244	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	4OA	A	326	-	30,30,30	0.67	0	47,47,47	0.85	2 (4%)
3	A3P	A	702	-	29,29,29	1.11	3 (10%)	45,45,45	2.28	11 (24%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	4OA	B	327	-	30,30,30	0.56	0	47,47,47	0.96	2 (4%)
3	A3P	B	701	-	29,29,29	1.24	5 (17%)	45,45,45	2.30	12 (26%)
2	4OA	C	329	-	30,30,30	0.67	0	47,47,47	1.07	4 (8%)
3	A3P	C	704	-	29,29,29	1.11	3 (10%)	45,45,45	2.11	11 (24%)
2	4OA	D	328	-	30,30,30	0.55	0	47,47,47	0.86	0
3	A3P	D	703	-	29,29,29	1.04	1 (3%)	45,45,45	2.02	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	4OA	A	326	-	-	0/9/67/67	0/0/4/4
3	A3P	A	702	-	-	0/15/31/31	0/1/3/3
2	4OA	B	327	-	-	0/9/67/67	0/0/4/4
3	A3P	B	701	-	-	0/15/31/31	0/1/3/3
2	4OA	C	329	-	-	0/9/67/67	0/0/4/4
3	A3P	C	704	-	-	0/15/31/31	0/1/3/3
2	4OA	D	328	-	-	0/9/67/67	0/0/4/4
3	A3P	D	703	-	-	0/15/31/31	0/1/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	701	A3P	C4-N9	-3.68	1.32	1.37
3	A	702	A3P	C4-N9	-2.87	1.33	1.37
3	C	704	A3P	C4-N9	-2.60	1.34	1.37
3	B	701	A3P	C2'-C1'	-2.55	1.49	1.53
3	C	704	A3P	C5-C4	2.44	1.46	1.40
3	D	703	A3P	C5-C4	2.36	1.45	1.40
3	A	702	A3P	C5-C4	2.31	1.45	1.40
3	C	704	A3P	C2'-C1'	-2.27	1.50	1.53
3	B	701	A3P	P1-O3P	-2.25	1.46	1.54
3	B	701	A3P	C5-C4	2.22	1.45	1.40
3	A	702	A3P	C2'-C1'	-2.15	1.50	1.53
3	B	701	A3P	P2-O4P	-2.05	1.44	1.51

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	704	A3P	N3-C2-N1	-8.59	121.53	128.71
3	B	701	A3P	N3-C2-N1	-8.09	121.94	128.71
3	A	702	A3P	N3-C2-N1	-8.00	122.02	128.71
3	A	702	A3P	O4'-C1'-N9	7.55	115.46	108.44
3	B	701	A3P	O4'-C1'-N9	7.16	115.10	108.44
3	D	703	A3P	N3-C2-N1	-6.27	123.47	128.71
3	D	703	A3P	O4'-C1'-N9	5.37	113.44	108.44
3	D	703	A3P	N3-C4-N9	5.23	134.87	125.43
3	C	704	A3P	O4'-C1'-N9	4.89	112.99	108.44
3	A	702	A3P	N3-C4-N9	4.80	134.10	125.43
3	C	704	A3P	N3-C4-N9	4.65	133.82	125.43
3	B	701	A3P	N3-C4-N9	4.46	133.49	125.43
3	D	703	A3P	C4-C5-N7	-3.79	106.28	109.52
3	D	703	A3P	C5-C4-N3	-3.51	118.06	125.70
3	B	701	A3P	O5P-P2-O5'	-3.46	97.10	106.65
3	A	702	A3P	O4'-C1'-C2'	-3.46	101.47	106.77
3	C	704	A3P	C8-N9-C4	3.32	109.43	106.90
3	B	701	A3P	C2-N3-C4	3.22	123.18	114.01
3	A	702	A3P	P2-O5'-C5'	3.10	127.15	118.19
3	B	701	A3P	P1-O3'-C3'	2.94	128.14	121.96
3	B	701	A3P	O3'-P1-O1P	-2.88	98.74	106.79
2	C	329	4OA	O1B-C3-C4	-2.85	104.19	109.87
2	A	326	4OA	C4-C3-C2	-2.76	107.01	110.54
3	A	702	A3P	C5-C4-N3	-2.73	119.75	125.70
3	B	701	A3P	C5-C4-N3	-2.71	119.80	125.70
3	B	701	A3P	C4-C5-N7	-2.67	107.24	109.52
3	D	703	A3P	P1-O3'-C3'	2.67	127.57	121.96
3	D	703	A3P	C2-N3-C4	2.66	121.57	114.01
3	C	704	A3P	C5-C4-N3	-2.63	119.97	125.70
3	C	704	A3P	C2-N3-C4	2.61	121.43	114.01
3	C	704	A3P	C1'-N9-C4	-2.55	122.23	126.64
3	A	702	A3P	C2-N3-C4	2.45	120.97	114.01
3	C	704	A3P	C4'-O4'-C1'	-2.44	107.10	109.75
2	C	329	4OA	C11-C9-C8	2.41	115.22	111.73
3	A	702	A3P	O6P-P2-O5P	2.37	116.86	107.61
2	B	327	4OA	C4-C3-C2	-2.36	107.52	110.54
3	C	704	A3P	C2-N1-C6	2.34	123.00	118.77
2	A	326	4OA	C5-C4-C3	-2.31	109.56	112.95
3	C	704	A3P	C4-C5-N7	-2.24	107.61	109.52
3	D	703	A3P	O3P-P1-O3'	-2.23	100.67	107.09
3	A	702	A3P	O3P-P1-O3'	-2.22	100.70	107.09
3	C	704	A3P	O2'-C2'-C3'	2.22	117.72	111.20
3	A	702	A3P	C2-N1-C6	2.21	122.76	118.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	329	4OA	C1-C10-C5	2.19	110.21	107.79
3	B	701	A3P	O3P-P1-O2P	2.18	116.10	107.61
3	B	701	A3P	C1'-N9-C4	-2.17	122.89	126.64
3	B	701	A3P	C8-N9-C4	2.15	108.54	106.90
2	B	327	4OA	C19-C10-C9	-2.12	108.43	111.17
2	C	329	4OA	C4-C5-C10	-2.08	110.42	112.67
3	A	702	A3P	O3P-P1-O2P	2.05	115.61	107.61
3	D	703	A3P	O6P-P2-O5P	2.05	115.61	107.61

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	282/285 (98%)	-0.11	2 (0%)	84 86	5, 26, 45, 56	0
1	B	282/285 (98%)	-0.10	2 (0%)	84 86	5, 27, 47, 61	0
1	C	282/285 (98%)	0.33	12 (4%)	34 34	23, 38, 57, 67	0
1	D	282/285 (98%)	0.34	16 (5%)	23 23	19, 37, 59, 74	0
All	All	1128/1140 (98%)	0.11	32 (2%)	50 51	5, 33, 55, 74	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	243	ALA	4.4
1	C	237	ASP	4.0
1	C	205	THR	3.9
1	C	4	ASP	3.7
1	C	111	SER	3.7
1	D	275	ALA	3.4
1	D	237	ASP	3.0
1	D	205	THR	3.0
1	C	241	ASP	2.9
1	C	189	GLN	2.8
1	D	111	SER	2.8
1	D	4	ASP	2.7
1	B	241	ASP	2.7
1	D	126	VAL	2.7
1	D	240	VAL	2.5
1	D	189	GLN	2.4
1	D	175	GLU	2.4
1	C	143	PRO	2.4
1	C	239	VAL	2.3
1	C	243	ALA	2.3
1	B	285	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	19	ARG	2.2
1	A	237	ASP	2.2
1	C	29	GLU	2.2
1	D	235	SER	2.2
1	D	140	ILE	2.1
1	D	261	ALA	2.1
1	D	241	ASP	2.1
1	D	285	GLU	2.1
1	A	4	ASP	2.0
1	C	199	CYS	2.0
1	D	15	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	4OA	D	328	27/27	0.27	2.67	60,66,67,69	0
2	4OA	B	327	27/27	0.19	2.37	42,45,48,49	0
2	4OA	A	326	27/27	0.17	2.03	34,38,46,47	0
2	4OA	C	329	27/27	0.21	1.74	40,46,55,57	0
3	A3P	C	704	27/27	0.12	-0.20	26,31,33,35	0
3	A3P	A	702	27/27	0.10	-0.47	12,17,21,22	0
3	A3P	B	701	27/27	0.10	-0.64	14,20,23,23	0
3	A3P	D	703	27/27	0.10	-0.98	24,29,32,32	0

6.5 Other polymers ⓘ

There are no such residues in this entry.