



Full wwPDB X-ray Structure Validation Report i

Feb 28, 2014 – 12:37 AM GMT

PDB ID : 3F5X
Title : CDK-2-Cyclin complex with indazole inhibitor 9 bound at its active site
Authors : Kiefer, J.R.; Day, J.E.; Caspers, N.L.; Mathis, K.J.; Kretzmer, K.K.; Weinberg, R.A.; Reitz, B.A.; Stegeman, R.A.; Trujillo, J.I.; Huang, W.; Thorarensen, A.; Xing, L.; Wrightstone, A.; Christine, L.; Compton, R.; Li, X.
Deposited on : 2008-11-04
Resolution : 2.40 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2207 (2.40-2.40)
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)
RSRZ outliers	66119	2210 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	298	
1	C	298	
2	B	256	
2	D	256	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
5	SO4	D	1	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9069 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cell division protein kinase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	297	Total	C	N	O	S	0	0	0
			2390	1555	406	421	8			
1	C	298	Total	C	N	O	S	0	0	0
			2398	1559	408	423	8			

- Molecule 2 is a protein called Cyclin-A2.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	256	Total	C	N	O	S	0	0	0
			2070	1340	337	382	11			
2	D	255	Total	C	N	O	S	0	0	0
			2062	1336	336	379	11			

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is 4-{3-[7-(4-METHYLPIPERAZIN-1-YL)-1H-BENZIMIDAZOL-2-YL]-1H-INDAZOL-6-YL}ANILINE (three-letter code: EZV) (formula: C₂₅H₂₅N₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			32	25	7		
4	C	1	Total	C	N	0	0
			32	25	7		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	41	Total	O	0	0
			41	41		
6	B	10	Total	O	0	0
			10	10		
6	C	3	Total	O	0	0
			3	3		
6	D	14	Total	O	0	0
			14	14		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cell division protein kinase 2



- Molecule 1: Cell division protein kinase 2




- Molecule 2: Cyclin-A2



- Molecule 2: Cyclin-A2





4 Data and refinement statistics

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants a, b, c, α , β , γ	184.05Å 184.05Å 214.85Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.40 19.99 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.2 (20.00-2.40) 99.4 (19.99-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.53 (at 2.41Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.266 , 0.283 0.273 , 0.290	Depositor DCC
R_{free} test set	4169 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	40.9	Xtriage
Anisotropy	0.261	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 41.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	0 of 83276 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9069	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, EZV, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/2451	0.60	0/3324
1	C	0.43	0/2460	0.62	3/3338 (0.1%)
2	B	0.40	0/2119	0.53	0/2875
2	D	0.39	0/2111	0.56	0/2864
All	All	0.41	0/9141	0.58	3/12401 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	2	1
2	D	1	0
All	All	3	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	163	VAL	N-CA-C	5.70	126.38	111.00
1	C	97	THR	N-CA-CB	5.37	120.50	110.30
1	C	159	TYR	CB-CA-C	5.25	120.90	110.40

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	C	97	THR	CA
1	C	163	VAL	CA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
2	D	280	TYR	CA

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	161	HIS	Peptide
1	C	161	HIS	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2390	0	2443	50	0
1	C	2398	0	2450	69	0
2	B	2070	0	2091	32	0
2	D	2062	0	2087	33	0
3	A	6	0	8	2	0
3	C	6	0	8	0	0
4	A	32	0	25	5	0
4	C	32	0	25	3	0
5	D	5	0	0	0	0
6	A	41	0	0	0	0
6	B	10	0	0	0	0
6	C	3	0	0	0	0
6	D	14	0	0	0	0
All	All	9069	0	9137	166	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 9.

All (166) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:163:VAL:HG23	1:A:164:VAL:HG23	1.46	0.96
1:C:1:MET:HE2	1:C:70:ILE:HD13	1.54	0.89
1:A:126:ARG:O	1:A:164:VAL:HG22	1.76	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:33:LYS:NZ	4:C:300:EZV:H28	1.94	0.83
1:A:33:LYS:NZ	4:A:300:EZV:H28	1.96	0.80
1:C:148:LEU:HD11	1:C:163:VAL:CG2	2.13	0.79
2:B:344:ALA:HB1	2:B:348:LEU:HD22	1.64	0.78
1:C:152:PHE:CE2	2:D:182:ILE:CD1	2.67	0.77
1:A:227:TRP:O	1:A:230:VAL:HG22	1.85	0.76
1:C:148:LEU:CD1	1:C:163:VAL:HB	2.15	0.76
1:A:163:VAL:CG2	1:A:164:VAL:HG23	2.18	0.74
2:D:210:MET:HE1	2:D:250:ARG:CB	2.18	0.73
1:C:152:PHE:CE2	2:D:182:ILE:HD11	2.23	0.73
1:A:197:VAL:HG11	1:A:255:LEU:HD13	1.72	0.72
1:C:1:MET:CE	1:C:70:ILE:HD13	2.19	0.72
1:C:33:LYS:HZ1	4:C:300:EZV:H28	1.55	0.71
1:A:128:LEU:HD13	1:A:189:LEU:HD13	1.73	0.70
1:A:202:LEU:HD13	1:A:203:PHE:CE2	2.27	0.70
1:C:227:TRP:O	1:C:230:VAL:HG22	1.92	0.69
1:C:148:LEU:HD11	1:C:163:VAL:HG21	1.73	0.69
2:B:194:LYS:HE3	2:B:351:LEU:HD21	1.74	0.68
1:A:33:LYS:HZ1	4:A:300:EZV:H28	1.58	0.68
1:C:197:VAL:HG11	1:C:255:LEU:HD13	1.76	0.68
2:D:210:MET:HE1	2:D:250:ARG:HB2	1.76	0.67
1:C:158:THR:HG22	1:C:180:TYR:CD1	2.31	0.65
1:C:158:THR:HA	1:C:180:TYR:CE1	2.31	0.65
1:C:115:LEU:HD12	1:C:189:LEU:HD22	1.80	0.64
1:A:1:MET:CE	1:A:70:ILE:HD13	2.29	0.63
1:C:163:VAL:O	1:C:164:VAL:C	2.36	0.62
1:C:227:TRP:CD2	1:C:230:VAL:HG13	2.34	0.62
1:A:227:TRP:CD2	1:A:230:VAL:HG13	2.35	0.61
1:C:152:PHE:CZ	2:D:182:ILE:HD11	2.35	0.61
1:A:96:LEU:O	1:A:97:THR:HG23	1.99	0.61
1:C:51:GLU:O	1:C:55:LEU:HB2	2.02	0.60
2:B:221:VAL:HG11	2:B:281:ILE:HD13	1.83	0.60
2:B:210:MET:CE	2:B:250:ARG:HB2	2.31	0.60
1:A:1:MET:HE2	1:A:70:ILE:HD13	1.83	0.60
1:A:51:GLU:OE2	4:A:300:EZV:N32	2.34	0.59
1:A:163:VAL:CG2	1:A:164:VAL:N	2.65	0.59
1:C:227:TRP:CG	1:C:230:VAL:HG13	2.39	0.58
1:A:115:LEU:HD11	1:A:185:ASP:HB3	1.86	0.57
1:A:152:PHE:CE2	2:B:182:ILE:CD1	2.87	0.57
1:A:49:ILE:HG23	2:B:306:LEU:HD12	1.87	0.57
1:A:73:GLU:CG	1:A:74:ASN:H	2.17	0.57
2:D:344:ALA:HB1	2:D:348:LEU:HD22	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:336:LEU:HD13	2:B:362:LEU:HD23	1.86	0.56
1:A:122:ARG:HB3	2:B:182:ILE:HD13	1.88	0.56
1:C:49:ILE:HG23	2:D:306:LEU:HD12	1.88	0.55
1:C:73:GLU:CG	1:C:74:ASN:H	2.20	0.55
1:C:30:VAL:HG21	1:C:79:VAL:CG1	2.36	0.55
1:C:148:LEU:HD11	1:C:163:VAL:CB	2.37	0.55
1:A:163:VAL:O	1:A:164:VAL:C	2.44	0.55
2:B:200:MET:SD	2:B:206:ILE:HD12	2.46	0.55
1:A:202:LEU:HD13	1:A:203:PHE:CZ	2.43	0.54
2:B:210:MET:HE3	2:B:250:ARG:HB2	1.88	0.54
2:D:275:VAL:HG11	2:D:292:LEU:HD13	1.89	0.54
1:C:223:ASP:H	1:C:226:VAL:HG12	1.73	0.54
1:C:159:TYR:CE1	1:C:162:GLU:HG3	2.42	0.54
1:A:47:THR:HG23	1:A:147:GLY:CA	2.37	0.54
1:C:159:TYR:HB3	2:D:270:ILE:HD13	1.90	0.54
2:D:194:LYS:HE3	2:D:351:LEU:HD21	1.90	0.54
1:A:152:PHE:CZ	2:B:182:ILE:HD11	2.43	0.53
1:A:73:GLU:HG2	1:A:74:ASN:H	1.73	0.53
2:B:332:LEU:HD23	2:B:363:ALA:HA	1.91	0.53
1:A:172:GLU:HG2	1:A:271:PRO:HG3	1.91	0.52
1:A:51:GLU:OE2	4:A:300:EZV:H28	2.10	0.52
1:C:162:GLU:OE1	1:C:163:VAL:HG23	2.10	0.52
1:A:51:GLU:O	1:A:55:LEU:HB2	2.09	0.51
1:C:148:LEU:HD11	1:C:163:VAL:HB	1.89	0.51
1:A:33:LYS:HZ3	4:A:300:EZV:H28	1.73	0.51
1:A:115:LEU:HD22	1:A:119:HIS:CE1	2.46	0.51
1:C:69:VAL:HG13	1:C:76:LEU:HD21	1.92	0.51
2:D:374:GLU:HA	2:D:377:ILE:HD12	1.93	0.51
1:A:224:GLU:OE2	1:A:231:THR:OG1	2.22	0.51
2:D:287:THR:HG22	2:D:289:LYS:H	1.76	0.50
1:A:115:LEU:HD12	1:A:189:LEU:HD22	1.94	0.50
2:D:219:VAL:HG22	2:D:232:LEU:HD11	1.94	0.50
2:B:203:GLN:HG2	2:B:206:ILE:HG13	1.94	0.50
2:B:221:VAL:CG1	2:B:281:ILE:HD13	2.42	0.49
2:B:219:VAL:HG22	2:B:232:LEU:HD11	1.95	0.49
1:C:158:THR:HG22	1:C:180:TYR:CE1	2.46	0.49
1:C:159:TYR:CZ	1:C:162:GLU:HG3	2.47	0.49
2:B:418:TYR:O	2:B:421:VAL:HG13	2.12	0.49
1:A:163:VAL:HG22	1:A:164:VAL:N	2.28	0.48
1:A:99:ILE:HG23	1:A:103:LEU:HD23	1.94	0.48
1:C:166:LEU:HD21	1:C:207:SER:C	2.33	0.48
2:B:399:LEU:HD23	2:B:426:PRO:HG2	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:D:210:MET:CE	2:D:250:ARG:HB2	2.43	0.48
1:C:52:ILE:HD11	1:C:78:LEU:HD21	1.95	0.48
1:C:161:HIS:HB2	2:D:271:TYR:OH	2.14	0.48
2:B:287:THR:HG22	2:B:289:LYS:H	1.79	0.48
1:C:197:VAL:CG1	1:C:255:LEU:HD13	2.42	0.48
1:A:96:LEU:HG	1:A:96:LEU:O	2.14	0.48
1:A:111:LEU:CD2	1:A:133:LEU:HD22	2.44	0.48
1:A:73:GLU:CG	1:A:74:ASN:N	2.78	0.47
1:C:73:GLU:HG2	1:C:74:ASN:H	1.79	0.47
1:C:202:LEU:HD13	1:C:203:PHE:CE2	2.49	0.47
2:B:210:MET:HE1	2:B:250:ARG:HB2	1.97	0.47
2:D:287:THR:HG22	2:D:288:LYS:N	2.30	0.47
1:C:148:LEU:CD1	1:C:163:VAL:CG2	2.91	0.46
2:D:361:HIS:CD2	2:D:391:LEU:HD21	2.50	0.46
1:C:33:LYS:HZ3	4:C:300:EZV:H28	1.78	0.46
1:C:135:ILE:HD12	1:C:296:LEU:HD21	1.97	0.46
1:A:152:PHE:CE2	2:B:182:ILE:HD11	2.50	0.46
1:C:162:GLU:CD	1:C:163:VAL:HG23	2.37	0.46
1:A:227:TRP:CE3	1:A:230:VAL:CG1	2.99	0.46
1:C:158:THR:HG22	1:C:180:TYR:CG	2.51	0.45
1:A:40:GLU:O	2:B:288:LYS:HD3	2.16	0.45
1:C:181:SER:O	1:C:184:VAL:HG22	2.16	0.45
2:B:230:GLU:OE2	2:B:313:GLN:NE2	2.47	0.45
1:C:119:HIS:CE1	1:C:182:THR:HB	2.51	0.45
1:C:159:TYR:CG	2:D:270:ILE:CG2	3.00	0.45
2:B:222:GLY:HA2	2:B:227:LEU:HD12	1.99	0.45
2:D:414:LYS:HA	2:D:420:GLY:HA2	1.99	0.45
2:B:194:LYS:CE	2:B:351:LEU:HD21	2.45	0.45
1:A:47:THR:HG23	1:A:147:GLY:HA3	1.99	0.45
2:B:319:PHE:HE2	2:B:334:MET:CE	2.30	0.44
2:B:287:THR:HG22	2:B:288:LYS:N	2.31	0.44
1:A:32:LEU:CD2	1:A:79:VAL:HG22	2.47	0.44
2:D:418:TYR:O	2:D:421:VAL:HG13	2.16	0.44
1:C:32:LEU:CD2	1:C:79:VAL:HG22	2.48	0.44
2:B:404:HIS:O	2:B:407:GLN:NE2	2.45	0.44
2:D:275:VAL:HG21	2:D:292:LEU:HD11	1.99	0.44
1:C:52:ILE:HD11	1:C:78:LEU:CD2	2.47	0.44
2:B:210:MET:HE1	2:B:250:ARG:CB	2.48	0.44
1:C:101:LEU:N	1:C:102:PRO:CD	2.81	0.44
2:D:203:GLN:HG2	2:D:206:ILE:CG1	2.48	0.44
1:C:99:ILE:HG23	1:C:103:LEU:HD23	1.99	0.44
2:B:210:MET:CE	2:B:250:ARG:CB	2.96	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:122:ARG:HB3	2:B:182:ILE:CD1	2.49	0.43
2:D:275:VAL:HG11	2:D:292:LEU:CD1	2.47	0.43
1:C:172:GLU:HG2	1:C:271:PRO:HG3	2.00	0.43
1:C:30:VAL:HG22	1:C:80:PHE:O	2.19	0.43
1:C:1:MET:CE	1:C:70:ILE:CD1	2.95	0.43
1:C:122:ARG:O	1:C:122:ARG:HD2	2.19	0.43
1:A:197:VAL:CG1	1:A:255:LEU:HD13	2.46	0.43
1:C:159:TYR:CG	2:D:270:ILE:HG21	2.53	0.43
2:D:362:LEU:HD13	2:D:430:LEU:HD21	2.01	0.43
1:C:202:LEU:HD13	1:C:203:PHE:CZ	2.54	0.42
1:C:231:THR:HA	1:C:236:TYR:CD1	2.53	0.42
1:C:159:TYR:CD1	2:D:270:ILE:CG2	3.02	0.42
1:C:122:ARG:HB3	2:D:182:ILE:HD13	2.01	0.42
1:C:164:VAL:O	1:C:165:THR:C	2.55	0.42
1:A:166:LEU:HD21	1:A:207:SER:C	2.40	0.42
1:A:67:LEU:HB3	3:A:299:GOL:C1	2.50	0.42
1:C:38:ASP:OD2	1:C:41:THR:OG1	2.32	0.42
2:D:368:THR:HB	2:D:370:GLN:HE21	1.85	0.42
2:B:414:LYS:HA	2:B:420:GLY:HA2	2.02	0.42
1:C:163:VAL:O	1:C:164:VAL:O	2.38	0.42
1:C:136:ASN:ND2	1:C:140:ALA:HB3	2.35	0.42
1:C:148:LEU:CD1	1:C:163:VAL:CB	2.89	0.41
1:C:39:THR:O	1:C:39:THR:HG22	2.20	0.41
1:C:170:ALA:HB1	1:C:172:GLU:OE2	2.19	0.41
1:C:60:HIS:CG	1:C:61:PRO:HD2	2.55	0.41
2:B:347:TYR:OH	2:B:394:LEU:HA	2.20	0.41
1:C:96:LEU:HG	1:C:96:LEU:O	2.19	0.41
1:A:124:LEU:HD21	1:A:182:THR:HA	2.03	0.41
1:A:1:MET:HE1	1:A:70:ILE:HD13	2.02	0.41
1:A:67:LEU:HB3	3:A:299:GOL:H12	2.03	0.41
1:A:164:VAL:O	1:A:165:THR:C	2.59	0.41
2:D:194:LYS:CE	2:D:351:LEU:HD21	2.50	0.41
1:C:154:VAL:HG21	2:D:312:ASN:ND2	2.36	0.41
1:C:97:THR:HG23	1:C:199:ARG:NH1	2.36	0.40
2:D:274:GLU:HG3	2:D:277:GLU:HG2	2.03	0.40
2:D:362:LEU:CD1	2:D:430:LEU:HD21	2.51	0.40
2:D:345:ASP:HA	2:D:346:PRO:HA	1.93	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/298 (98%)	279 (95%)	10 (3%)	4 (1%)	16	22
1	C	296/298 (99%)	282 (95%)	8 (3%)	6 (2%)	11	13
2	B	254/256 (99%)	251 (99%)	3 (1%)	0	100	100
2	D	253/256 (99%)	251 (99%)	2 (1%)	0	100	100
All	All	1096/1108 (99%)	1063 (97%)	23 (2%)	10 (1%)	25	35

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	164	VAL
1	C	97	THR
1	C	163	VAL
1	C	164	VAL
1	A	97	THR
1	C	73	GLU
1	A	73	GLU
1	A	161	HIS
1	C	161	HIS
1	C	165	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/263 (100%)	246 (94%)	16 (6%)	26	40
1	C	263/263 (100%)	238 (90%)	25 (10%)	12	18
2	B	230/230 (100%)	222 (96%)	8 (4%)	48	69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	229/230 (100%)	222 (97%)	7 (3%)	52	74
All	All	984/986 (100%)	928 (94%)	56 (6%)	29	44

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	76	LEU
1	A	87	LEU
1	A	97	THR
1	A	115	LEU
1	A	122	ARG
1	A	154	VAL
1	A	157	ARG
1	A	159	TYR
1	A	162	GLU
1	A	200	ARG
1	A	202	LEU
1	A	230	VAL
1	A	246	GLN
1	A	255	LEU
1	A	257	GLU
1	A	297	ARG
2	B	196	LYS
2	B	232	LEU
2	B	292	LEU
2	B	323	GLN
2	B	348	LEU
2	B	391	LEU
2	B	392	MET
2	B	407	GLN
1	C	2	GLU
1	C	14	THR
1	C	30	VAL
1	C	41	THR
1	C	74	ASN
1	C	75	LYS
1	C	76	LEU
1	C	87	LEU
1	C	97	THR
1	C	122	ARG
1	C	159	TYR
1	C	160	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	161	HIS
1	C	162	GLU
1	C	163	VAL
1	C	172	GLU
1	C	202	LEU
1	C	212	LEU
1	C	230	VAL
1	C	232	SER
1	C	239	SER
1	C	252	VAL
1	C	255	LEU
1	C	257	GLU
1	C	297	ARG
2	D	226	LYS
2	D	232	LEU
2	D	249	LEU
2	D	280	TYR
2	D	292	LEU
2	D	348	LEU
2	D	428	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	ASN
1	A	74	ASN
2	B	208	ASN
2	B	312	ASN
2	B	317	GLN
2	B	323	GLN
2	B	404	HIS
1	C	287	GLN
2	D	208	ASN
2	D	296	HIS
2	D	370	GLN
2	D	415	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	A	299	-	5,5,5	0.31	0	5,5,5	0.43	0
4	EZV	A	300	-	37,37,37	1.01	2 (5%)	50,54,54	1.82	11 (22%)
3	GOL	C	299	-	5,5,5	0.30	0	5,5,5	0.24	0
4	EZV	C	300	-	37,37,37	1.01	3 (8%)	50,54,54	1.82	11 (22%)
5	SO4	D	1	-	4,4,4	0.14	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	299	-	-	0/4/4/4	0/0/0/0
4	EZV	A	300	-	-	0/8/22/22	0/2/6/6
3	GOL	C	299	-	-	0/4/4/4	0/0/0/0
4	EZV	C	300	-	-	0/8/22/22	0/2/6/6
5	SO4	D	1	-	-	0/0/0/0	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	300	EZV	C18-C13	-2.55	1.39	1.42
4	A	300	EZV	C18-C13	-2.47	1.39	1.42
4	C	300	EZV	C13-C12	-2.05	1.38	1.44
4	C	300	EZV	C15-C12	-2.03	1.38	1.41
4	A	300	EZV	C15-C12	-2.02	1.38	1.41

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	300	EZV	C12-C13-N14	5.21	110.30	106.07
4	A	300	EZV	C12-C13-N14	5.16	110.26	106.07
4	A	300	EZV	C24-N23-C22	4.35	115.61	109.54
4	C	300	EZV	C21-C22-N23	-4.07	106.33	110.82
4	A	300	EZV	C16-C15-C12	-3.71	114.19	120.02
4	C	300	EZV	C16-C15-C12	-3.58	114.39	120.02
4	C	300	EZV	C1-C6-C5	-3.55	115.87	121.15
4	A	300	EZV	C1-C6-C5	-3.53	115.90	121.15
4	C	300	EZV	C25-C24-N23	-3.30	107.19	110.82
4	A	300	EZV	C21-C22-N23	-3.26	107.23	110.82
4	A	300	EZV	C5-C9-N8	3.24	112.56	109.09
4	C	300	EZV	C24-N23-C22	3.07	113.82	109.54
4	C	300	EZV	C10-N11-C12	2.84	108.68	103.70
4	C	300	EZV	C5-C9-N8	2.71	112.00	109.09
4	A	300	EZV	C10-N11-C12	2.51	108.11	103.70
4	C	300	EZV	C3-C4-C5	2.33	124.55	121.01
4	A	300	EZV	C1-C2-C3	2.26	121.06	118.03
4	A	300	EZV	C9-C5-C4	-2.25	104.52	106.48
4	A	300	EZV	C17-C18-C13	-2.21	114.84	117.21
4	C	300	EZV	C17-C18-C13	-2.17	114.89	117.21
4	A	300	EZV	C3-C4-C5	2.17	124.31	121.01
4	C	300	EZV	C21-N20-C18	-2.01	109.95	116.69

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	297/298 (99%)	0.54	24 (8%) 12 10	42, 52, 71, 77	0
1	C	298/298 (100%)	0.58	33 (11%) 6 5	42, 53, 74, 92	0
2	B	256/256 (100%)	0.25	19 (7%) 14 13	41, 51, 68, 78	0
2	D	255/256 (99%)	0.40	19 (7%) 14 12	40, 50, 66, 75	0
All	All	1106/1108 (99%)	0.45	95 (8%) 11 9	40, 52, 70, 92	0

All (95) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	96	LEU	9.9
2	B	323	GLN	8.4
1	A	39	THR	8.2
2	D	323	GLN	7.5
1	C	161	HIS	7.2
1	A	161	HIS	6.9
1	C	298	LEU	6.7
1	C	15	TYR	6.6
1	A	15	TYR	6.6
1	A	40	GLU	6.5
1	C	162	GLU	6.5
1	C	14	THR	6.0
1	C	163	VAL	5.6
1	C	41	THR	5.6
1	C	40	GLU	5.5
2	D	324	PRO	5.4
1	C	71	HIS	4.9
2	D	193	CYS	4.9
1	C	97	THR	4.7
1	C	12	GLU	4.7
2	D	178	TYR	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	13	GLY	4.4
2	B	432	LEU	4.3
1	A	41	THR	4.2
2	B	178	TYR	4.0
2	B	324	PRO	4.0
2	B	284	ASP	3.9
1	A	162	GLU	3.8
1	A	159	TYR	3.8
1	C	159	TYR	3.8
2	D	378	ARG	3.7
1	A	160	THR	3.6
2	D	283	ASP	3.6
1	C	164	VAL	3.6
1	A	13	GLY	3.5
1	C	38	ASP	3.4
1	C	250	LYS	3.3
2	B	177	ASP	3.3
1	C	36	ARG	3.3
1	C	74	ASN	3.3
1	A	12	GLU	3.3
2	B	283	ASP	3.2
2	B	378	ARG	3.2
1	C	160	THR	3.2
2	B	271	TYR	3.2
1	C	297	ARG	3.1
1	A	287	GLN	3.1
1	A	38	ASP	3.1
1	A	14	THR	3.0
2	D	327	CYS	3.0
1	A	36	ARG	2.9
1	C	206	ASP	2.9
2	B	280	TYR	2.9
2	D	284	ASP	2.8
1	C	287	GLN	2.8
1	C	39	THR	2.8
2	B	193	CYS	2.8
1	C	295	HIS	2.8
1	C	257	GLU	2.7
1	C	247	ASP	2.7
1	C	72	THR	2.7
2	D	325	ALA	2.6
2	D	432	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	179	HIS	2.6
1	C	288	ASP	2.6
2	B	205	ASP	2.5
1	A	71	HIS	2.5
2	D	374	GLU	2.5
1	A	92	ASP	2.5
1	C	165	THR	2.5
1	A	298	LEU	2.4
2	B	226	LYS	2.4
1	A	32	LEU	2.4
2	D	180	GLU	2.4
1	A	73	GLU	2.4
1	C	16	GLY	2.3
2	D	271	TYR	2.3
1	A	273	LYS	2.3
1	C	200	ARG	2.2
2	B	327	CYS	2.2
2	B	180	GLU	2.2
2	B	374	GLU	2.2
2	B	403	GLN	2.2
1	A	2	GLU	2.2
2	D	274	GLU	2.1
2	D	359	ALA	2.1
2	D	291	VAL	2.1
2	D	385	GLU	2.1
1	A	96	LEU	2.1
1	C	73	GLU	2.1
1	A	206	ASP	2.1
2	B	293	ARG	2.0
2	D	322	GLN	2.0
1	A	74	ASN	2.0
2	B	194	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	SO4	D	1	5/5	0.26	3.58	106,106,107,107	0
3	GOL	C	299	6/6	0.20	1.36	65,66,66,66	0
4	EZV	C	300	32/32	0.22	0.98	72,73,75,75	0
3	GOL	A	299	6/6	0.18	0.76	52,53,54,55	0
4	EZV	A	300	32/32	0.15	-0.70	46,49,50,51	0

6.5 Other polymers ⓘ

There are no such residues in this entry.