



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 10:26 AM GMT

PDB ID : 1F6N
Title : CRYSTAL STRUCTURE ANALYSIS OF THE MUTANT REACTION CENTER PRO L209-> TYR FROM THE PHOTOSYNTHETIC PURPLE BACTERIUM RHODOBACTER SPHAEROIDES
Authors : Kuglstatter, A.; Ermler, U.; Michel, H.; Baciou, L.; Fritzsche, G.
Deposited on : 2000-06-22
Resolution : 2.80 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	2295 (2.80-2.80)
Ramachandran outliers	78287	2252 (2.80-2.80)
Sidechain outliers	78261	2254 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	L	281	
2	M	307	
3	H	260	

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 7186 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called REACTION CENTER PROTEIN L CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	281	Total	C	N	O	S	0	0	0
			2237	1511	355	363	8			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	209	TYR	PRO	ENGINEERED	UNP P02954

- Molecule 2 is a protein called REACTION CENTER PROTEIN M CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	302	Total	C	N	O	S	0	0	0
			2404	1603	394	397	10			


- Molecule 3 is a protein called REACTION CENTER PROTEIN H CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	240	Total	C	N	O	S	0	0	0
			1829	1169	314	337	9			

- Molecule 4 is FE (III) ION (three-letter code: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	M	1	Total	Fe	0	0
			1	1		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
5	M	1	5	4	1	0	0

- Molecule 6 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: C₅₅H₇₄MgN₄O₆).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Mg	N	O		
6	L	1	66	55	1	4	6	0	0
6	L	1	66	55	1	4	6	0	0
6	M	1	66	55	1	4	6	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 7 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula: $C_{55}H_{76}N_4O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	M	1	Total	C	N	O	0	0
			65	55	4	6		
7	L	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 8 is UBIQUINONE-10 (three-letter code: U10) (formula: $C_{59}H_{90}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	M	1	Total	C	O	0	0
			48	44	4		
8	L	1	Total	C	O	0	0
			48	44	4		


- Molecule 9 is SPHEROIDENE (three-letter code: SPO) (formula: $C_{41}H_{60}O$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	M	1	Total	C	O	0	0
			42	41	1		

- Molecule 10 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula:

C₁₄H₃₁NO).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	M	1	Total	C	N	O	0	0
			16	14	1	1		
10	H	1	Total	C	N	O	0	0
			16	14	1	1		
10	L	1	Total	C	N	O	0	0
			16	14	1	1		
10	M	1	Total	C	N	O	0	0
			16	14	1	1		
10	H	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 11 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	H	49	Total	O	0	0
			49	49		
11	L	22	Total	O	0	0
			22	22		
11	M	27	Total	O	0	0
			27	27		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: REACTION CENTER PROTEIN L CHAIN



• Molecule 2: REACTION CENTER PROTEIN M CHAIN



• Molecule 3: REACTION CENTER PROTEIN H CHAIN



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	141.53Å 141.53Å 187.91Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.80	Depositor
% Data completeness (in resolution range)	93.1 (50.00-2.80)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 0.3	Depositor
R, R_{free}	0.221 , 0.250	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7186	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: BCL, LDA, BPH, PO4, FE, SPO, U10

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	0.45	0/2325	0.51	0/3181
2	M	0.44	0/2496	0.51	1/3407 (0.0%)
3	H	0.43	0/1877	0.54	0/2553
All	All	0.44	0/6698	0.52	1/9141 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	0	3
2	M	0	1
All	All	0	4

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	214	LEU	CA-CB-CG	6.79	130.91	115.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	L	103	ARG	Sidechain
1	L	216	PHE	Sidechain
1	L	73	TYR	Sidechain
2	M	198	TYR	Sidechain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2237	0	2189	60	0
2	M	2404	0	2311	70	0
3	H	1829	0	1836	41	0
4	M	1	0	0	0	0
5	M	5	0	0	0	0
6	L	198	0	221	30	0
6	M	66	0	74	15	0
7	L	65	0	76	10	0
7	M	65	0	76	10	0
8	L	48	0	63	0	0
8	M	48	0	63	1	0
9	M	42	0	60	4	0
10	H	32	0	62	1	0
10	L	16	0	31	3	0
10	M	32	0	62	0	0
11	H	49	0	0	2	0
11	L	22	0	0	4	0
11	M	27	0	0	1	0
All	All	7186	0	7124	187	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 13.

All (187) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
6:L:301:BCL:HHC	6:L:301:BCL:HBB2	1.40	1.02
7:L:402:BPH:HHC	7:L:402:BPH:HBB3	1.42	1.01
6:L:302:BCL:HBB3	6:L:302:BCL:HHC	1.49	0.93
2:M:153:ALA:HB2	7:M:401:BPH:HAC1	1.50	0.91
1:L:272:TRP:HA	1:L:275:ILE:HD13	1.59	0.83
6:L:302:BCL:HHC	6:L:302:BCL:CBB	2.10	0.81
6:L:304:BCL:HBB2	6:L:304:BCL:HHC	1.61	0.80
2:M:46:GLN:HE21	2:M:48:GLY:HA3	1.50	0.77
6:M:801:BCL:HHC	6:M:801:BCL:HBB2	1.65	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
6:M:801:BCL:HHC	6:M:801:BCL:CBB	2.14	0.76
1:L:264:GLN:HA	1:L:267:VAL:HG12	1.68	0.75
3:H:148:PRO:HA	3:H:151:LEU:HD22	1.69	0.75
2:M:204:LEU:HB3	2:M:279:THR:HG21	1.68	0.73
11:L:704:HOH:O	2:M:253:ARG:HD3	1.89	0.72
1:L:202:LYS:HG3	1:L:203:GLY:H	1.55	0.72
1:L:124:ALA:HB2	7:L:402:BPH:HAC1	1.71	0.72
1:L:167:PHE:HB3	6:L:302:BCL:HMC3	1.72	0.71
2:M:243:THR:OG1	2:M:247:ARG:HD3	1.90	0.71
1:L:7:ARG:HH21	3:H:98:HIS:CD2	2.09	0.71
1:L:202:LYS:CG	1:L:203:GLY:H	2.07	0.68
3:H:233:ILE:O	3:H:237:VAL:HG12	1.94	0.66
7:L:402:BPH:HBB2	2:M:210:TYR:HB3	1.77	0.66
2:M:242:GLY:HA2	3:H:117:ARG:HD3	1.77	0.66
6:L:301:BCL:H92	6:M:801:BCL:H192	1.78	0.65
7:L:402:BPH:CHC	7:L:402:BPH:HBB3	2.25	0.64
1:L:202:LYS:HG2	11:L:723:HOH:O	1.97	0.64
1:L:231:ARG:HD3	2:M:5:ASN:O	1.98	0.63
7:M:401:BPH:HHC	7:M:401:BPH:HBB3	1.79	0.63
1:L:197:ALA:HB1	2:M:235:LEU:HD21	1.80	0.63
3:H:111:PRO:HB2	3:H:239:GLY:HA2	1.81	0.63
7:L:402:BPH:HHC	7:L:402:BPH:CBB	2.25	0.63
1:L:227:LEU:O	1:L:231:ARG:HG3	2.00	0.62
6:L:301:BCL:HHC	6:L:301:BCL:CBB	2.21	0.62
1:L:168:HIS:NE2	6:L:302:BCL:HBB2	2.15	0.61
3:H:156:CYS:HB3	3:H:206:ASN:O	2.01	0.59
1:L:241:VAL:HG21	7:L:402:BPH:HAC2	1.84	0.59
1:L:181:PHE:CD2	7:M:401:BPH:HBB1	2.37	0.59
2:M:32:VAL:HG13	2:M:48:GLY:HA2	1.85	0.59
1:L:128:TYR:HD1	6:L:304:BCL:HBB1	1.67	0.59
10:L:703:LDA:HM21	11:H:747:HOH:O	2.02	0.59
3:H:70:ARG:HB2	11:H:746:HOH:O	2.02	0.58
1:L:18:GLY:O	1:L:21:LEU:HB2	2.04	0.58
2:M:243:THR:O	2:M:247:ARG:HG2	2.04	0.58
6:L:301:BCL:HED1	2:M:179:ILE:HG23	1.86	0.58
2:M:172:SER:HB2	11:M:826:HOH:O	2.04	0.57
1:L:7:ARG:NH2	3:H:98:HIS:CD2	2.72	0.57
2:M:21:THR:HG23	2:M:26:LEU:HD11	1.86	0.56
2:M:199:ASN:HD22	2:M:199:ASN:C	2.08	0.56
2:M:13:ARG:O	3:H:140:PHE:HA	2.05	0.56
6:L:302:BCL:C1C	6:M:801:BCL:HBB3	2.36	0.56
3:H:219:ILE:HG21	3:H:225:VAL:HG13	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:H:115:VAL:HG22	3:H:117:ARG:HG2	1.89	0.55
1:L:202:LYS:HG3	1:L:203:GLY:N	2.21	0.55
2:M:153:ALA:CB	7:M:401:BPH:HAC1	2.32	0.55
1:L:130:THR:HA	1:L:134:PHE:HB2	1.89	0.55
2:M:25:ASN:HD21	2:M:27:ALA:HB3	1.70	0.55
1:L:6:GLU:HG2	1:L:10:ARG:HD2	1.87	0.55
1:L:69:PRO:HD3	1:L:83:GLY:O	2.07	0.55
2:M:197:PHE:HZ	6:M:801:BCL:HBB2	1.72	0.54
2:M:197:PHE:CZ	6:M:801:BCL:HBB2	2.42	0.54
1:L:181:PHE:HB3	7:M:401:BPH:CBB	2.37	0.54
1:L:87:GLN:NE2	1:L:142:TRP:CD1	2.76	0.54
2:M:148:TRP:HA	2:M:148:TRP:CE3	2.42	0.54
3:H:202:ARG:NH2	3:H:202:ARG:HG2	2.22	0.54
1:L:35:GLY:O	1:L:38:THR:HG22	2.08	0.54
6:L:302:BCL:H52	6:L:304:BCL:HBB3	1.89	0.54
2:M:16:ALA:HB1	2:M:32:VAL:HG11	1.90	0.53
1:L:271:TRP:N	1:L:271:TRP:CD1	2.75	0.53
6:L:301:BCL:HBB3	6:M:801:BCL:H41	1.91	0.53
3:H:226:THR:OG1	3:H:229:GLU:HG3	2.08	0.53
3:H:70:ARG:NH1	3:H:121:PRO:O	2.42	0.53
1:L:69:PRO:HG2	1:L:142:TRP:HB2	1.90	0.53
1:L:60:ASN:O	1:L:64:ILE:HG13	2.08	0.53
3:H:202:ARG:HG2	3:H:202:ARG:HH21	1.74	0.52
2:M:148:TRP:HA	2:M:148:TRP:HE3	1.74	0.52
6:L:301:BCL:H72	6:M:801:BCL:H18	1.91	0.52
2:M:3:TYR:CZ	2:M:5:ASN:HA	2.44	0.52
2:M:242:GLY:CA	3:H:117:ARG:HD3	2.39	0.51
2:M:199:ASN:HD22	2:M:201:PHE:H	1.59	0.51
1:L:110:LYS:HG2	2:M:254:TRP:HZ3	1.75	0.51
3:H:148:PRO:HD2	3:H:167:ILE:HD11	1.93	0.51
2:M:270:ILE:O	2:M:274:VAL:HB	2.11	0.51
2:M:229:PHE:HB2	2:M:244:ALA:HB2	1.93	0.51
1:L:209:TYR:CE2	3:H:173:GLU:HG3	2.46	0.51
1:L:209:TYR:CZ	3:H:173:GLU:HG3	2.45	0.50
2:M:190:SER:HB2	6:M:801:BCL:H3C	1.94	0.50
2:M:97:PRO:HG2	2:M:171:TRP:HB2	1.93	0.50
1:L:171:PRO:HA	1:L:174:MET:HG3	1.93	0.50
2:M:293:ASN:OD1	2:M:295:TYR:HB3	2.11	0.50
2:M:240:ASP:O	3:H:117:ARG:NH2	2.45	0.49
2:M:168:MET:HG3	2:M:173:GLU:HG3	1.93	0.49
2:M:186:THR:HG23	6:M:801:BCL:HMD2	1.94	0.49
1:L:197:ALA:CB	2:M:235:LEU:HD21	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
7:L:402:BPH:HMC3	2:M:213:ALA:CB	2.43	0.49
1:L:272:TRP:HA	1:L:275:ILE:CD1	2.38	0.49
1:L:97:PHE:CE2	6:L:302:BCL:H121	2.48	0.49
3:H:34:GLU:O	3:H:37:ARG:HG3	2.13	0.48
2:M:15:PRO:HD3	3:H:139:GLY:HA3	1.95	0.48
1:L:117:ILE:HB	1:L:118:PRO:HD3	1.95	0.48
7:L:402:BPH:HMC3	2:M:213:ALA:HB3	1.94	0.48
6:L:304:BCL:CHC	6:L:304:BCL:HBB2	2.38	0.48
2:M:134:TYR:CE2	2:M:144:LYS:HG3	2.49	0.47
10:L:703:LDA:H32	10:H:702:LDA:HM21	1.96	0.47
7:L:402:BPH:HMC2	2:M:214:LEU:N	2.28	0.47
2:M:51:TYR:O	2:M:132:ARG:NH1	2.48	0.47
1:L:223:SER:O	2:M:44:ASN:HB2	2.14	0.47
3:H:89:ARG:HD3	3:H:91:ALA:O	2.14	0.47
2:M:53:GLY:O	2:M:57:VAL:HG23	2.15	0.47
1:L:100:TRP:CH2	8:M:501:U10:H251	2.49	0.47
9:M:600:SPO:H5	9:M:600:SPO:HM13	1.96	0.46
2:M:112:GLY:O	2:M:114:LEU:N	2.47	0.46
3:H:206:ASN:HD21	3:H:248:ARG:HD2	1.81	0.46
2:M:25:ASN:HD22	2:M:28:ASN:ND2	2.14	0.46
3:H:142:VAL:HG21	3:H:147:ASN:CG	2.35	0.46
1:L:201:GLU:HB2	1:L:204:LYS:HD3	1.96	0.46
2:M:264:GLY:HA3	3:H:35:ASN:OD1	2.16	0.46
6:L:301:BCL:H41	6:L:301:BCL:H62	1.65	0.45
2:M:196:LEU:HD23	2:M:202:HIS:CD2	2.50	0.45
9:M:600:SPO:H131	9:M:600:SPO:H15	1.68	0.45
2:M:277:THR:HG21	7:M:401:BPH:HAC2	1.98	0.45
2:M:235:LEU:HD12	2:M:235:LEU:HA	1.71	0.45
7:M:401:BPH:H3A	7:M:401:BPH:HBA2	1.73	0.45
1:L:34:PHE:CE1	1:L:102:LEU:HD23	2.52	0.45
1:L:51:TRP:O	1:L:54:VAL:HG22	2.17	0.45
7:M:401:BPH:H4C1	7:M:401:BPH:H7C1	1.99	0.45
2:M:36:SER:HB3	2:M:39:LEU:HB2	1.99	0.45
2:M:241:ARG:HD3	2:M:246:GLU:HG2	1.99	0.44
2:M:81:ASN:HD22	2:M:82:PRO:HD2	1.83	0.44
1:L:128:TYR:CD1	6:L:304:BCL:HBB1	2.51	0.44
3:H:63:THR:HA	3:H:73:LEU:O	2.18	0.44
3:H:202:ARG:CG	3:H:202:ARG:HH21	2.30	0.44
3:H:169:VAL:HG23	3:H:171:ILE:HD12	1.99	0.44
1:L:182:THR:HG22	1:L:236:LEU:HD13	1.99	0.44
1:L:187:LEU:HD23	2:M:273:ALA:HB2	2.00	0.44
2:M:189:PHE:O	2:M:193:HIS:HD2	2.01	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:L:28:PRO:HD3	10:L:703:LDA:O1	2.18	0.43
3:H:70:ARG:NH1	3:H:120:LEU:HB3	2.33	0.43
6:L:302:BCL:HBB3	6:M:801:BCL:HAC2	1.99	0.43
1:L:183:ASN:ND2	1:L:237:SER:OG	2.52	0.43
1:L:255:TRP:CZ2	1:L:262:TRP:HB2	2.53	0.43
3:H:120:LEU:HD22	3:H:120:LEU:N	2.33	0.43
3:H:130:LYS:NZ	3:H:172:PRO:HG2	2.34	0.43
2:M:62:SER:HA	2:M:65:MET:HB2	2.01	0.43
1:L:135:ARG:HB3	1:L:136:PRO:HD3	2.01	0.43
6:L:302:BCL:NC	6:M:801:BCL:HBB3	2.33	0.43
3:H:34:GLU:OE2	3:H:37:ARG:NH2	2.52	0.43
6:L:301:BCL:HBC3	6:L:301:BCL:CHD	2.48	0.43
3:H:248:ARG:CZ	3:H:248:ARG:HB2	2.48	0.43
3:H:37:ARG:NH1	3:H:60:LYS:O	2.51	0.43
1:L:103:ARG:HG3	11:L:709:HOH:O	2.19	0.43
1:L:275:ILE:HD12	1:L:275:ILE:H	1.84	0.43
1:L:275:ILE:N	1:L:275:ILE:HD12	2.33	0.43
7:M:401:BPH:H4C1	7:M:401:BPH:C7	2.48	0.42
7:M:401:BPH:HBB3	7:M:401:BPH:CHC	2.48	0.42
2:M:55:LEU:HA	2:M:55:LEU:HD12	1.90	0.42
2:M:152:SER:CB	2:M:274:VAL:HG22	2.49	0.42
3:H:121:PRO:HB3	3:H:225:VAL:O	2.18	0.42
1:L:222:TYR:CG	1:L:223:SER:N	2.87	0.42
2:M:16:ALA:HB1	2:M:32:VAL:HG21	2.01	0.42
2:M:73:TRP:HE1	2:M:77:GLN:NE2	2.17	0.42
2:M:21:THR:HG23	2:M:26:LEU:CD1	2.50	0.42
3:H:75:VAL:HA	3:H:76:PRO:C	2.40	0.42
1:L:248:MET:HG3	6:L:302:BCL:HED2	2.01	0.42
3:H:196:VAL:HG12	3:H:205:VAL:HG22	2.02	0.42
2:M:164:ARG:HB3	2:M:165:PRO:HD3	2.02	0.41
1:L:248:MET:CG	6:L:302:BCL:HED2	2.51	0.41
2:M:182:HIS:CE1	9:M:600:SPO:H181	2.55	0.41
2:M:73:TRP:NE1	2:M:77:GLN:NE2	2.68	0.41
6:L:304:BCL:H11	7:L:402:BPH:HMB2	2.02	0.41
1:L:10:ARG:NH1	11:L:712:HOH:O	2.52	0.41
2:M:71:GLY:HA3	9:M:600:SPO:H42	2.03	0.41
1:L:187:LEU:HB2	2:M:216:PHE:CD2	2.55	0.41
2:M:46:GLN:HG2	2:M:48:GLY:N	2.36	0.41
6:L:304:BCL:H91	6:L:304:BCL:H111	1.80	0.41
6:M:801:BCL:CBB	6:M:801:BCL:CHC	2.88	0.41
1:L:244:SER:OG	6:L:302:BCL:HMA2	2.21	0.41
6:L:301:BCL:HBB3	6:M:801:BCL:C4	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:H:168:TRP:CZ3	3:H:225:VAL:HG22	2.56	0.41
1:L:180:PHE:CE2	1:L:240:ALA:HB1	2.56	0.41
2:M:96:PRO:HD3	2:M:176:PRO:HB3	2.02	0.41
1:L:7:ARG:HH21	3:H:98:HIS:CG	2.38	0.40
6:L:304:BCL:OBD	2:M:206:ILE:HD12	2.21	0.40
6:L:301:BCL:H143	6:M:801:BCL:H171	2.03	0.40
1:L:63:LEU:HA	1:L:63:LEU:HD13	1.93	0.40
6:L:301:BCL:CHC	6:L:301:BCL:CBB	2.91	0.40
1:L:209:TYR:CE1	1:L:226:THR:HG23	2.56	0.40
2:M:302:GLY:HA2	3:H:11:ASP:OD2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	279/281 (99%)	263 (94%)	15 (5%)	1 (0%)	43	80
2	M	300/307 (98%)	283 (94%)	13 (4%)	4 (1%)	18	51
3	H	238/260 (92%)	228 (96%)	10 (4%)	0	100	100
All	All	817/848 (96%)	774 (95%)	38 (5%)	5 (1%)	33	72

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	M	113	GLY
2	M	301	HIS
1	L	202	LYS
2	M	5	ASN
2	M	22	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	220/220 (100%)	199 (90%)	21 (10%)	12	33
2	M	235/240 (98%)	210 (89%)	25 (11%)	10	27
3	H	195/208 (94%)	180 (92%)	15 (8%)	18	45
All	All	650/668 (97%)	589 (91%)	61 (9%)	13	34

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	7	ARG
1	L	16	LEU
1	L	21	LEU
1	L	44	LEU
1	L	46	ILE
1	L	58	THR
1	L	63	LEU
1	L	82	LYS
1	L	102	LEU
1	L	110	LYS
1	L	129	LEU
1	L	154	LEU
1	L	185	LEU
1	L	207	ARG
1	L	213	ASP
1	L	235	LEU
1	L	238	LEU
1	L	246	LEU
1	L	247	CYS
1	L	271	TRP
1	L	272	TRP
2	M	12	VAL
2	M	52	LEU
2	M	59	SER
2	M	60	LEU
2	M	72	ILE
2	M	75	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	M	109	LEU
2	M	133	THR
2	M	136	ARG
2	M	156	LEU
2	M	181	SER
2	M	182	HIS
2	M	191	LEU
2	M	196	LEU
2	M	199	ASN
2	M	204	LEU
2	M	214	LEU
2	M	215	LEU
2	M	216	PHE
2	M	235	LEU
2	M	247	ARG
2	M	250	LEU
2	M	274	VAL
2	M	285	LEU
2	M	292	ASP
3	H	12	LEU
3	H	70	ARG
3	H	72	THR
3	H	94	GLU
3	H	134	MET
3	H	151	LEU
3	H	184	LYS
3	H	193	MET
3	H	197	LYS
3	H	202	ARG
3	H	223	THR
3	H	225	VAL
3	H	231	ASP
3	H	242	MET
3	H	249	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	159	ASN
1	L	183	ASN
2	M	25	ASN
2	M	44	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	M	81	ASN
2	M	193	HIS
2	M	199	ASN
2	M	299	GLN
3	H	98	HIS
3	H	128	HIS
3	H	206	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 16 ligands modelled in this entry, 1 is monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
10	LDA	H	702	-	15,15,15	5.05	2 (13%)	17,17,17	3.70	1 (5%)
10	LDA	H	705	-	15,15,15	4.47	2 (13%)	17,17,17	2.81	1 (5%)
6	BCL	L	301	2	74,74,74	1.56	11 (14%)	97,115,115	1.52	11 (11%)
6	BCL	L	302	1	74,74,74	1.58	12 (16%)	97,115,115	1.33	11 (11%)
6	BCL	L	304	1	74,74,74	1.93	14 (18%)	97,115,115	3.90	25 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	BPH	L	402	-	70,70,70	1.47	9 (12%)	94,101,101	1.55	15 (15%)
8	U10	L	502	-	48,48,63	1.91	17 (35%)	59,61,79	1.18	8 (13%)
10	LDA	L	703	-	15,15,15	4.35	2 (13%)	17,17,17	4.54	1 (5%)
7	BPH	M	401	-	70,70,70	1.57	9 (12%)	94,101,101	1.60	17 (18%)
8	U10	M	501	-	48,48,63	2.20	16 (33%)	59,61,79	1.06	5 (8%)
9	SPO	M	600	-	41,41,41	3.12	23 (56%)	50,50,50	2.38	12 (24%)
10	LDA	M	701	-	15,15,15	4.52	3 (20%)	17,17,17	4.02	1 (5%)
10	LDA	M	704	-	15,15,15	4.55	4 (26%)	17,17,17	3.30	1 (5%)
5	PO4	M	800	-	4,4,4	1.07	0	6,6,6	0.31	0
6	BCL	M	801	2	74,74,74	1.47	11 (14%)	97,115,115	1.50	15 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	LDA	H	702	-	-	0/13/13/13	0/0/0/0
10	LDA	H	705	-	-	0/13/13/13	0/0/0/0
6	BCL	L	301	2	1/1/21/25	0/41/137/137	0/0/9/9
6	BCL	L	302	1	-	0/41/137/137	0/0/9/9
6	BCL	L	304	1	1/1/21/25	0/41/137/137	0/0/9/9
7	BPH	L	402	-	2/2/18/22	0/49/105/105	0/0/6/6
8	U10	L	502	-	-	0/45/69/87	0/1/1/1
10	LDA	L	703	-	-	0/13/13/13	0/0/0/0
7	BPH	M	401	-	2/2/18/22	0/49/105/105	0/0/6/6
8	U10	M	501	-	-	0/45/69/87	0/1/1/1
9	SPO	M	600	-	-	0/47/47/47	0/0/0/0
10	LDA	M	701	-	-	0/13/13/13	0/0/0/0
10	LDA	M	704	-	-	0/13/13/13	0/0/0/0
5	PO4	M	800	-	-	0/0/0/0	0/0/0/0
6	BCL	M	801	2	-	0/41/137/137	0/0/9/9

All (135) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	H	702	LDA	O1-N1	-19.12	1.21	1.39
10	M	701	LDA	O1-N1	-17.07	1.23	1.39
10	H	705	LDA	O1-N1	-17.04	1.23	1.39
10	M	704	LDA	O1-N1	-16.65	1.23	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	L	703	LDA	O1-N1	-16.44	1.23	1.39
9	M	600	SPO	C6-C5	7.69	1.54	1.31
9	M	600	SPO	C10-C11	7.67	1.55	1.34
6	L	304	BCL	MG-NA	7.46	2.29	2.07
8	M	501	U10	C7-C8	-6.34	1.40	1.50
9	M	600	SPO	C15-C16	6.31	1.51	1.34
6	L	304	BCL	C3B-C4B	6.18	1.49	1.40
6	L	304	BCL	O2D-CGD	5.95	1.48	1.33
8	M	501	U10	O3-C3	5.57	1.50	1.36
6	L	302	BCL	O2D-CGD	5.54	1.47	1.33
7	L	402	BPH	C1D-CHD	5.29	1.41	1.35
9	M	600	SPO	C21-C20	5.12	1.49	1.35
9	M	600	SPO	C26-C25	4.94	1.47	1.34
7	M	401	BPH	C1D-CHD	4.86	1.40	1.35
7	L	402	BPH	C4B-NB	4.73	1.41	1.36
6	M	801	BCL	C3B-C4B	4.66	1.47	1.40
7	M	401	BPH	O2A-CGA	4.52	1.47	1.33
10	M	704	LDA	CM1-N1	-4.42	1.42	1.49
6	L	304	BCL	MG-NB	4.41	2.14	2.05
9	M	600	SPO	C27-C28	4.39	1.38	1.34
6	L	301	BCL	O2A-CGA	4.25	1.46	1.33
6	L	301	BCL	C3B-C4B	4.25	1.46	1.40
7	M	401	BPH	C1B-NB	4.23	1.40	1.36
6	M	801	BCL	O2D-CGD	4.22	1.44	1.33
6	M	801	BCL	C4C-NC	4.12	1.41	1.32
6	L	301	BCL	C4C-NC	3.94	1.40	1.32
7	M	401	BPH	O2D-CGD	3.90	1.43	1.33
6	L	302	BCL	C3B-C4B	3.89	1.46	1.40
6	L	302	BCL	C1B-C2B	3.88	1.45	1.40
6	L	301	BCL	C1B-C2B	3.87	1.45	1.40
6	L	302	BCL	C4C-NC	3.79	1.40	1.32
6	L	304	BCL	MG-ND	-3.77	1.96	2.05
8	L	502	U10	O3-C3	3.76	1.46	1.36
6	L	302	BCL	C1A-NA	3.72	1.40	1.32
8	M	501	U10	O4-C4	3.71	1.46	1.36
6	L	304	BCL	C4C-NC	3.70	1.40	1.32
7	L	402	BPH	O2D-CGD	3.67	1.42	1.33
8	L	502	U10	C18-C19	3.64	1.40	1.32
6	L	304	BCL	C2-C3	3.63	1.40	1.32
7	M	401	BPH	C3B-C4B	3.62	1.45	1.40
6	L	304	BCL	O2A-CGA	3.61	1.44	1.33
8	M	501	U10	C13-C14	3.59	1.40	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	M	600	SPO	O1-CM1	3.55	1.54	1.43
8	L	502	U10	C23-C24	3.53	1.40	1.32
8	M	501	U10	C28-C29	3.53	1.40	1.32
6	L	301	BCL	MG-NA	3.51	2.17	2.07
7	L	402	BPH	O2A-CGA	3.50	1.44	1.33
8	M	501	U10	C33-C34	3.45	1.39	1.32
6	L	301	BCL	C2-C3	3.42	1.39	1.32
6	L	301	BCL	C1A-NA	3.41	1.39	1.32
8	M	501	U10	C38-C39	3.41	1.41	1.34
8	L	502	U10	C28-C29	3.41	1.39	1.32
6	M	801	BCL	MG-NA	3.37	2.17	2.07
7	M	401	BPH	C4B-NB	3.36	1.40	1.36
6	L	302	BCL	O2D-CED	-3.36	1.36	1.45
6	M	801	BCL	C4B-NB	3.35	1.38	1.34
7	L	402	BPH	C3B-C4B	3.35	1.45	1.40
7	M	401	BPH	O2D-CED	-3.35	1.37	1.45
6	L	301	BCL	C1B-NB	3.35	1.38	1.34
9	M	600	SPO	C9-C7	3.34	1.40	1.35
7	M	401	BPH	C2-C3	3.34	1.39	1.32
6	L	302	BCL	MG-NA	3.33	2.17	2.07
8	M	501	U10	C18-C19	3.30	1.39	1.32
8	L	502	U10	C13-C14	3.27	1.39	1.32
7	L	402	BPH	C2-C3	3.27	1.39	1.32
8	M	501	U10	C23-C24	3.25	1.39	1.32
9	M	600	SPO	C31-C32	-3.24	1.41	1.50
8	M	501	U10	O4-C4M	-3.21	1.37	1.45
8	L	502	U10	C33-C34	3.21	1.39	1.32
6	M	801	BCL	C1A-NA	3.20	1.39	1.32
6	L	301	BCL	C4B-NB	3.15	1.38	1.34
8	L	502	U10	O4-C4	3.13	1.44	1.36
10	H	702	LDA	C1-N1	-3.13	1.45	1.51
9	M	600	SPO	C25-C23	-3.12	1.39	1.45
9	M	600	SPO	C32-C33	3.11	1.39	1.32
6	L	302	BCL	C4B-NB	3.07	1.38	1.34
8	L	502	U10	C8-C9	3.03	1.39	1.32
8	M	501	U10	C8-C9	2.98	1.38	1.32
6	M	801	BCL	C1B-NB	2.97	1.38	1.34
9	M	600	SPO	C11-C12	-2.97	1.39	1.45
6	M	801	BCL	C2-C3	2.91	1.38	1.32
6	L	302	BCL	C2-C3	2.90	1.38	1.32
6	L	304	BCL	C1B-CHB	-2.89	1.31	1.39
9	M	600	SPO	C14-C12	2.89	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	M	501	U10	O3-C3M	-2.88	1.38	1.45
10	L	703	LDA	CM1-N1	-2.86	1.45	1.49
9	M	600	SPO	C16-C17	-2.86	1.39	1.45
9	M	600	SPO	C19-C17	2.81	1.39	1.35
8	L	502	U10	C38-C39	2.80	1.40	1.34
8	L	502	U10	C41-C39	2.79	1.55	1.40
6	L	301	BCL	O2D-CGD	2.78	1.40	1.33
6	L	301	BCL	O2D-CED	-2.78	1.38	1.45
10	M	704	LDA	C1-N1	-2.77	1.46	1.51
9	M	600	SPO	C8-C7	2.74	1.55	1.51
6	L	302	BCL	C1B-NB	2.73	1.38	1.34
9	M	600	SPO	C10-C9	2.73	1.51	1.43
8	L	502	U10	C7-C8	-2.72	1.46	1.50
8	M	501	U10	C41-C39	2.68	1.55	1.40
8	L	502	U10	O3-C3M	-2.67	1.38	1.45
7	L	402	BPH	C4C-NC	2.67	1.41	1.34
7	L	402	BPH	O2D-CED	-2.66	1.38	1.45
6	L	304	BCL	CHC-C1C	2.63	1.42	1.36
6	M	801	BCL	C1B-C2B	2.58	1.43	1.40
6	M	801	BCL	O2A-CGA	2.58	1.41	1.33
9	M	600	SPO	C6-C7	-2.57	1.40	1.45
6	L	302	BCL	O2A-CGA	2.55	1.41	1.33
6	L	304	BCL	C1A-NA	2.49	1.37	1.32
10	M	704	LDA	CM2-N1	-2.45	1.45	1.49
9	M	600	SPO	C37-C38	2.44	1.40	1.32
8	L	502	U10	C20-C19	2.43	1.56	1.50
8	L	502	U10	C16-C14	2.38	1.57	1.51
10	M	701	LDA	CM2-N1	-2.38	1.45	1.49
6	L	304	BCL	CHB-C4A	-2.37	1.31	1.36
10	M	701	LDA	CM1-N1	-2.33	1.45	1.49
9	M	600	SPO	C15-C14	2.33	1.50	1.43
6	M	801	BCL	O2D-CED	-2.29	1.39	1.45
9	M	600	SPO	C26-C27	2.25	1.50	1.43
6	L	302	BCL	C1-C2	-2.25	1.41	1.49
9	M	600	SPO	C22-C23	2.23	1.38	1.35
7	M	401	BPH	C4C-NC	2.23	1.40	1.34
8	L	502	U10	O4-C4M	-2.18	1.39	1.45
9	M	600	SPO	O1-C1	2.18	1.55	1.41
6	L	304	BCL	C1B-C2B	2.13	1.42	1.40
8	L	502	U10	C27-C28	-2.12	1.44	1.50
6	L	304	BCL	C1C-NC	2.12	1.43	1.39
7	L	402	BPH	C1B-NB	2.10	1.38	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	M	501	U10	C40-C39	2.08	1.55	1.48
8	M	501	U10	C15-C14	2.07	1.56	1.50
10	H	705	LDA	CM1-N1	-2.06	1.46	1.49
8	L	502	U10	C40-C39	2.03	1.55	1.48
8	M	501	U10	C31-C29	2.01	1.56	1.51

All (124) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	304	BCL	C1B-CHB-C4A	21.16	174.14	130.06
6	L	304	BCL	CHB-C4A-NA	-19.45	101.53	124.58
10	L	703	LDA	C2-C1-N1	18.60	145.85	113.80
10	M	701	LDA	C2-C1-N1	16.43	142.11	113.80
10	H	702	LDA	C2-C1-N1	15.11	139.85	113.80
10	M	704	LDA	C2-C1-N1	13.21	136.57	113.80
6	L	304	BCL	CHB-C1B-NB	-12.63	103.48	124.58
10	H	705	LDA	C2-C1-N1	11.43	133.49	113.80
9	M	600	SPO	C26-C27-C28	-8.36	119.91	127.91
6	L	304	BCL	C3A-C4A-CHB	8.26	141.51	124.33
6	L	304	BCL	C2B-C1B-CHB	8.03	141.22	126.00
9	M	600	SPO	C15-C14-C12	-7.40	116.63	127.29
6	L	304	BCL	O2D-CGD-CBD	6.78	125.15	111.33
7	L	402	BPH	O2D-CGD-CBD	6.48	124.53	111.33
6	L	301	BCL	O2D-CGD-CBD	6.17	123.89	111.33
7	M	401	BPH	O2D-CGD-CBD	6.13	123.82	111.33
6	L	304	BCL	O1D-CGD-CBD	-5.95	112.22	124.42
6	M	801	BCL	O2D-CGD-CBD	5.74	123.03	111.33
6	L	304	BCL	C2B-C1B-NB	5.37	113.47	109.41
7	M	401	BPH	O1D-CGD-CBD	-5.31	113.53	124.42
7	L	402	BPH	O1D-CGD-CBD	-5.26	113.64	124.42
6	L	304	BCL	C1-C2-C3	5.25	135.52	126.19
6	L	301	BCL	O1D-CGD-CBD	-5.14	113.89	124.42
6	M	801	BCL	O1D-CGD-CBD	-4.77	114.64	124.42
6	L	304	BCL	C2A-C1A-CHA	4.42	131.49	123.83
9	M	600	SPO	C20-C19-C17	-4.32	121.07	127.29
6	L	302	BCL	O2D-CGD-CBD	4.31	120.10	111.33
6	L	304	BCL	O2A-CGA-CBA	4.28	125.40	111.94
9	M	600	SPO	C4-C5-C6	-4.21	117.99	124.95
6	L	304	BCL	C2C-C1C-NC	-3.74	106.40	110.95
9	M	600	SPO	C25-C23-C22	-3.70	113.28	118.97
7	M	401	BPH	O2A-CGA-CBA	3.57	123.18	111.94
9	M	600	SPO	C15-C16-C17	-3.57	116.20	126.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	801	BCL	O2A-CGA-CBA	3.52	123.01	111.94
9	M	600	SPO	C21-C22-C23	-3.51	122.23	127.29
7	M	401	BPH	C2C-C1C-NC	-3.50	108.19	112.90
6	L	301	BCL	C1-C2-C3	3.49	132.39	126.19
7	L	402	BPH	O2A-CGA-CBA	3.49	122.91	111.94
7	L	402	BPH	C3C-C4C-NC	-3.49	107.42	113.49
7	L	402	BPH	OBD-CAD-CBD	-3.42	120.77	125.94
6	L	304	BCL	CHA-C1A-NA	-3.39	119.26	126.22
9	M	600	SPO	C20-C21-C22	-3.38	115.88	123.36
6	L	304	BCL	CHC-C1C-NC	3.36	128.55	124.58
7	M	401	BPH	C3C-C4C-NC	-3.31	107.72	113.49
9	M	600	SPO	C6-C7-C9	-3.28	113.92	118.97
6	L	302	BCL	O2A-CGA-CBA	3.27	122.22	111.94
7	M	401	BPH	CMD-C2D-C3D	3.23	130.06	124.97
6	M	801	BCL	C2C-C1C-NC	-3.22	107.02	110.95
7	M	401	BPH	OBD-CAD-CBD	-3.22	121.08	125.94
6	L	302	BCL	O1D-CGD-CBD	-3.19	117.88	124.42
6	M	801	BCL	OBD-CAD-CBD	-3.19	121.13	125.94
6	L	301	BCL	C3C-C4C-NC	-3.19	107.50	111.60
6	M	801	BCL	C3C-C4C-NC	-3.10	107.61	111.60
7	L	402	BPH	C2C-C1C-NC	-3.07	108.76	112.90
6	L	304	BCL	C4A-NA-C1A	3.05	110.73	106.52
8	M	501	U10	C7-C8-C9	3.03	131.88	126.76
9	M	600	SPO	C8-C7-C6	3.01	122.96	118.09
6	L	302	BCL	OBD-CAD-CBD	-3.00	121.41	125.94
6	L	304	BCL	O2A-CGA-O1A	-2.93	115.43	123.43
6	L	304	BCL	C3C-C4C-NC	-2.92	107.84	111.60
6	L	301	BCL	O2A-CGA-CBA	2.91	121.08	111.94
6	L	301	BCL	OBD-CAD-CBD	-2.88	121.59	125.94
6	L	304	BCL	C4B-CHC-C1C	-2.88	124.07	130.06
6	L	302	BCL	CED-O2D-CGD	2.87	122.86	116.02
7	M	401	BPH	OBB-CAB-C3B	2.84	124.33	120.07
7	L	402	BPH	C3A-C4A-NA	-2.82	109.10	112.90
6	L	301	BCL	C4A-NA-C1A	2.81	110.40	106.52
6	L	302	BCL	C3C-C4C-NC	-2.80	107.99	111.60
6	L	302	BCL	C4A-NA-C1A	2.79	110.36	106.52
7	M	401	BPH	C3A-C4A-NA	-2.76	109.18	112.90
6	L	301	BCL	C2C-C1C-NC	-2.72	107.64	110.95
6	L	304	BCL	OBD-CAD-CBD	-2.71	121.85	125.94
7	M	401	BPH	CED-O2D-CGD	2.69	122.42	116.02
8	L	502	U10	C3M-O3-C3	2.66	125.53	116.48
6	M	801	BCL	C4A-NA-C1A	2.57	110.06	106.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	304	BCL	C3B-C4B-CHC	2.56	130.85	126.00
7	M	401	BPH	CBD-CHA-C1A	2.53	130.21	123.62
6	L	304	BCL	CMD-C2D-C3D	2.46	128.84	124.97
6	M	801	BCL	CMB-C2B-C1B	-2.45	124.86	128.62
6	M	801	BCL	C1-C2-C3	2.43	130.51	126.19
8	M	501	U10	C4M-O4-C4	2.41	124.66	116.48
6	M	801	BCL	C1D-C2D-C3D	-2.40	104.82	106.78
7	M	401	BPH	C3B-C4B-NB	2.40	109.81	107.10
6	M	801	BCL	C2A-C3A-C4A	2.38	105.06	101.40
7	L	402	BPH	C3C-C4C-CHD	2.38	126.77	121.83
8	L	502	U10	C10-C9-C11	-2.37	111.78	115.39
6	M	801	BCL	C3A-C2A-C1A	2.37	104.43	101.08
6	L	304	BCL	CED-O2D-CGD	2.37	121.65	116.02
7	M	401	BPH	C3C-C4C-CHD	2.35	126.71	121.83
7	L	402	BPH	CBD-CHA-C1A	2.34	129.71	123.62
7	L	402	BPH	C3B-C4B-NB	2.34	109.74	107.10
8	L	502	U10	C30-C29-C31	-2.32	111.86	115.39
7	L	402	BPH	C1-C2-C3	2.32	130.31	126.19
6	L	302	BCL	O2A-CGA-O1A	-2.31	117.11	123.43
6	L	302	BCL	C3A-C4A-NA	-2.26	108.19	110.95
6	L	301	BCL	C2A-C1A-CHA	2.26	127.74	123.83
8	L	502	U10	C32-C33-C34	2.26	132.66	127.80
7	M	401	BPH	C2A-C1A-NA	-2.23	109.28	112.61
9	M	600	SPO	C10-C9-C7	-2.23	124.08	127.29
7	M	401	BPH	O2A-CGA-O1A	-2.23	117.34	123.43
8	L	502	U10	C7-C8-C9	2.21	130.49	126.76
8	L	502	U10	C25-C24-C26	-2.20	112.04	115.39
7	L	402	BPH	CMD-C2D-C3D	2.20	128.43	124.97
6	L	304	BCL	C3A-C2A-C1A	2.17	104.15	101.08
6	L	302	BCL	CMD-C2D-C3D	2.17	128.39	124.97
6	M	801	BCL	CED-O2D-CGD	2.16	121.15	116.02
7	L	402	BPH	CED-O2D-CGD	2.12	121.07	116.02
6	L	301	BCL	C3A-C4A-NA	-2.12	108.37	110.95
7	L	402	BPH	O2A-CGA-O1A	-2.11	117.67	123.43
8	L	502	U10	C22-C23-C24	2.10	132.33	127.80
7	L	402	BPH	C2A-C1A-NA	-2.10	109.48	112.61
6	L	304	BCL	C3B-C2B-C1B	-2.10	103.82	109.98
9	M	600	SPO	C10-C11-C12	-2.09	120.40	126.38
7	M	401	BPH	C1-C2-C3	2.09	129.90	126.19
6	M	801	BCL	CAC-C3C-C4C	-2.08	107.96	112.58
8	M	501	U10	C12-C13-C14	2.07	132.27	127.80
6	L	301	BCL	CAC-C3C-C4C	-2.07	107.98	112.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	304	BCL	CHC-C4B-NB	-2.06	121.14	124.58
7	M	401	BPH	CAA-C2A-C3A	-2.05	108.18	113.04
6	L	302	BCL	C1-C2-C3	2.05	129.82	126.19
8	M	501	U10	C20-C19-C21	-2.02	112.32	115.39
8	M	501	U10	C32-C33-C34	2.00	132.12	127.80
8	L	502	U10	O3-C3-C2	-2.00	110.26	116.54
6	M	801	BCL	O2A-CGA-O1A	-2.00	117.97	123.43

All (6) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	M	401	BPH	C8
7	M	401	BPH	C13
6	L	304	BCL	C13
7	L	402	BPH	C8
7	L	402	BPH	C13
6	L	301	BCL	C8

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.