



Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 11:59 PM GMT

PDB ID : 3F6T
Title : Crystal structure of aspartate aminotransferase (E.C. 2.6.1.1) (YP_194538.1)
from Lactobacillus acidophilus NCFM at 2.15 Å resolution
Authors : Joint Center for Structural Genomics (JCSG)
Deposited on : 2008-11-06
Resolution : 2.15 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1094 (2.18-2.14)
Clashscore	79885	1299 (2.18-2.14)
Ramachandran outliers	78287	1272 (2.18-2.14)
Sidechain outliers	78261	1272 (2.18-2.14)
RSRZ outliers	66119	1094 (2.18-2.14)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	533	
1	B	533	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	EDO	A	533	-	X
2	EDO	A	534	-	X
2	EDO	A	535	-	X
2	EDO	A	536	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8986 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aspartate aminotransferase.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
1	A	515	Total	C	N	O	P	S	Se	0	6	0
			4176	2678	690	795	1	4	8			
1	B	517	Total	C	N	O	P	S	Se	0	13	0
			4219	2701	695	810	1	4	8			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	leader sequence	UNP Q5FIG7
B	0	GLY	-	leader sequence	UNP Q5FIG7

- Molecule 2 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	290	Total	O	0	5
			295	295		
3	B	273	Total	O	0	3
			276	276		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Aspartate aminotransferase

Chain A: 



- Molecule 1: Aspartate aminotransferase

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.78Å 107.75Å 119.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.92 – 2.15 29.88 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.2 (29.92-2.15) 99.3 (29.88-2.15)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.58 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.177 , 0.238 0.181 , 0.234	Depositor DCC
R_{free} test set	3199 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	31.3	Xtriage
Anisotropy	0.316	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 39.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 63132 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8986	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LLP, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/4242	0.80	3/5740 (0.1%)
1	B	0.74	0/4311	0.85	9/5834 (0.2%)
All	All	0.75	0/8553	0.83	12/11574 (0.1%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	97	GLU	CB-CA-C	-7.04	96.33	110.40
1	B	499	ARG	NE-CZ-NH1	6.43	123.52	120.30
1	B	320[A]	ARG	NE-CZ-NH1	6.08	123.34	120.30
1	B	320[B]	ARG	NE-CZ-NH1	6.08	123.34	120.30
1	A	97	GLU	CB-CA-C	-6.04	98.32	110.40
1	B	65	LYS	CD-CE-NZ	5.80	125.05	111.70
1	B	207	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	B	50	ARG	NE-CZ-NH1	5.52	123.06	120.30
1	B	340	ASP	CB-CA-C	-5.26	99.88	110.40
1	B	366	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	A	320[A]	ARG	NE-CZ-NH1	5.11	122.86	120.30
1	A	320[B]	ARG	NE-CZ-NH1	5.11	122.86	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit,

and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4176	0	4141	59	0
1	B	4219	0	4189	58	0
2	A	16	0	24	2	0
2	B	4	0	6	0	0
3	A	295	0	0	4	0
3	B	276	0	0	3	0
All	All	8986	0	8360	108	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

All (108) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:258:LYS:HZ2	1:A:438:THR:HG23	1.21	1.02
1:A:54:VAL:HG13	1:B:54:VAL:HG13	1.05	1.01
1:A:258:LYS:NZ	1:A:438:THR:HG23	1.74	1.00
1:A:54:VAL:CG1	1:B:54:VAL:HG13	1.92	1.00
1:A:54:VAL:HG13	1:B:54:VAL:CG1	1.98	0.89
1:B:424:GLN:HG2	3:B:675:HOH:O	1.81	0.78
1:B:258:LYS:HZ2	1:B:438[A]:THR:HG23	1.53	0.73
1:A:312:LLP:H5'2	1:A:312:LLP:HZ1	1.51	0.73
1:B:258:LYS:NZ	1:B:438[A]:THR:HG23	2.05	0.71
1:B:436:THR:CG2	1:B:438[A]:THR:HG22	2.21	0.70
1:A:68:ILE:HG23	2:A:533:EDO:H21	1.73	0.70
1:A:258:LYS:NZ	1:A:438:THR:CG2	2.54	0.70
1:A:436:THR:CG2	1:A:438:THR:HG22	2.26	0.66
1:A:290:VAL:HG13	1:A:440:THR:HG22	1.77	0.66
1:B:420:GLU:OE2	1:B:424:GLN:NE2	2.29	0.65
1:B:429:MSE:HE2	1:B:514:GLY:HA2	1.78	0.65
1:A:376:LEU:HB3	1:B:173:THR:HG23	1.79	0.65
1:A:200:PRO:HG3	1:A:256:THR:HG23	1.79	0.63
1:B:436:THR:HG22	1:B:438[B]:THR:H	1.64	0.62
1:A:248:ILE:HD12	1:A:281:ILE:HD12	1.81	0.62
1:B:436:THR:HG22	1:B:438[A]:THR:H	1.64	0.61
1:A:173:THR:HG23	1:B:376:LEU:HB3	1.84	0.59
1:B:312:LLP:H5'2	1:B:312:LLP:HZ1	1.67	0.59
1:A:163:GLN:HG3	3:A:610:HOH:O	2.02	0.58
1:B:194:LYS:HG2	1:B:244:ILE:HD13	1.86	0.57
1:B:208:ILE:HB	1:B:211:LEU:HD13	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:195:ILE:HG12	1:B:216:LEU:HD23	1.87	0.56
1:A:200:PRO:HG3	1:A:256:THR:CG2	2.34	0.56
1:B:151:GLN:HA	1:B:155:TYR:CG	2.40	0.56
1:A:424:GLN:HG3	1:A:511:ALA:HB2	1.88	0.56
1:B:258:LYS:NZ	1:B:438[A]:THR:CG2	2.69	0.55
1:B:151:GLN:HA	1:B:155:TYR:CD2	2.42	0.55
1:B:436:THR:HG21	1:B:438[A]:THR:HG22	1.89	0.55
1:B:200:PRO:HG3	1:B:256[A]:THR:HG23	1.89	0.54
2:A:536:EDO:H12	3:B:694:HOH:O	2.07	0.53
1:B:107:TYR:CD1	1:B:395:MSE:HE1	2.44	0.53
1:B:424:GLN:HG3	1:B:511:ALA:HB2	1.91	0.53
1:B:83:ARG:HG3	1:B:116:ARG:HB3	1.91	0.52
1:A:65:LYS:NZ	3:A:586:HOH:O	2.43	0.51
1:A:436:THR:HG21	1:A:438:THR:HG22	1.92	0.51
1:A:258:LYS:HZ1	1:A:438:THR:CG2	2.23	0.51
1:A:464:LEU:O	1:A:468:PHE:HB2	2.11	0.51
1:B:23:ALA:O	1:B:26[A]:GLN:HG2	2.11	0.51
1:A:420:GLU:OE2	1:A:424:GLN:NE2	2.43	0.50
1:A:424:GLN:HG2	3:A:685:HOH:O	2.11	0.50
1:B:39:ARG:HD3	1:B:312:LLP:H4'2	1.93	0.50
1:B:429:MSE:HG2	1:B:451:LEU:HD21	1.93	0.50
1:B:464:LEU:O	1:B:468:PHE:HB2	2.12	0.49
1:A:39:ARG:HD3	1:A:312:LLP:H4'2	1.94	0.49
1:A:208[B]:ILE:HB	1:A:211:LEU:HD13	1.95	0.49
1:A:19:ARG:HD2	1:A:19:ARG:N	2.27	0.49
1:B:195:ILE:HG13	1:B:197:ILE:HD11	1.93	0.49
1:A:107:TYR:CD1	1:A:395:MSE:HE1	2.47	0.49
1:B:427:ASP:OD1	1:B:433:LYS:CE	2.61	0.49
1:B:290:VAL:HG13	1:B:440:THR:HG22	1.95	0.48
1:A:83:ARG:HG3	1:A:116:ARG:HB3	1.95	0.48
1:A:319:TRP:HB3	1:A:321:LEU:HG	1.96	0.48
1:B:436:THR:HG22	1:B:437:ASP:N	2.29	0.48
1:A:132:TYR:HB2	1:B:33:ILE:HD13	1.96	0.48
1:A:476:LYS:HB3	1:A:520:LEU:HD21	1.94	0.48
1:B:24:LEU:HD13	1:B:471:VAL:HG13	1.96	0.47
1:A:208[B]:ILE:HG23	1:B:373:SER:HB3	1.96	0.47
1:B:51:LEU:HB3	1:B:97:GLU:CG	2.44	0.47
1:B:19:ARG:HD2	1:B:19:ARG:N	2.27	0.47
1:B:317:THR:O	1:B:320[B]:ARG:HD2	2.13	0.47
1:B:436:THR:HG22	1:B:438[A]:THR:HG22	1.96	0.46
1:A:241:ASP:HB3	1:A:244:ILE:HG12	1.99	0.45
1:A:269:LYS:O	1:A:273:GLU:HG3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:154:SER:HB2	1:B:295:SER:HB2	1.98	0.45
1:A:311:SER:HB3	1:A:317:THR:HG22	1.98	0.45
1:A:137:ARG:O	1:A:168:PRO:HD2	2.17	0.45
1:A:317:THR:O	1:A:320[B]:ARG:HD2	2.17	0.45
1:B:90:LEU:HB3	1:B:98:ASP:HB3	1.99	0.45
1:A:306:LEU:HB3	1:A:325:ALA:HB3	1.99	0.44
1:A:208[A]:ILE:HB	1:A:211:LEU:HD13	2.00	0.44
1:A:129:ALA:HB3	1:B:319:TRP:CD1	2.52	0.44
1:A:132:TYR:HB2	1:B:33:ILE:CD1	2.48	0.44
1:B:28:ASN:HD22	1:B:485:LEU:HB3	1.83	0.43
1:B:258:LYS:NZ	1:B:434:ASP:OD2	2.49	0.43
1:A:205:TYR:O	1:A:208[A]:ILE:HD13	2.17	0.43
1:A:104:ALA:HA	1:A:395:MSE:HE2	2.01	0.43
1:B:312:LLP:OP1	1:B:320[A]:ARG:NH2	2.52	0.43
1:A:151:GLN:HA	1:A:155:TYR:CG	2.54	0.43
1:A:376:LEU:HD12	1:B:177:VAL:HG23	2.00	0.43
1:A:436:THR:HG22	1:A:437:ASP:N	2.33	0.43
3:A:677:HOH:O	1:B:320[A]:ARG:HD3	2.18	0.42
1:A:200:PRO:CG	1:A:256:THR:HG23	2.46	0.42
1:A:17:ILE:O	1:A:18:SER:C	2.58	0.42
1:A:320[A]:ARG:HD3	3:B:577:HOH:O	2.18	0.42
1:A:336:ILE:O	1:A:344:LEU:HD21	2.20	0.42
1:B:253:THR:HG1	1:B:256[B]:THR:HB	1.85	0.42
1:A:286:TYR:OH	1:A:312:LLP:H4'1	2.19	0.42
1:A:194:LYS:HG2	1:A:244:ILE:HD13	2.01	0.41
1:B:487:ASP:O	1:B:505:LEU:HD21	2.20	0.41
1:B:68:ILE:O	1:B:74:ALA:HA	2.19	0.41
1:B:286:TYR:OH	1:B:312:LLP:H4'1	2.21	0.41
1:A:509:ASP:O	1:A:513:ILE:HG12	2.20	0.41
1:B:320[B]:ARG:HA	1:B:320[B]:ARG:NH2	2.35	0.41
1:B:320[B]:ARG:HA	1:B:320[B]:ARG:HH21	1.86	0.41
1:A:246:ALA:HA	1:A:279:MSE:O	2.21	0.41
1:A:194:LYS:HD3	1:A:217:VAL:HG21	2.02	0.41
1:B:427:ASP:OD1	1:B:433:LYS:HE3	2.21	0.41
1:B:195:ILE:HG13	1:B:197:ILE:CD1	2.51	0.41
1:A:469:GLU:HG3	1:A:472:ASP:H	1.86	0.41
1:A:294:LYS:HZ2	1:A:298:SER:CB	2.34	0.40
1:A:255:PRO:HG2	1:A:445:LEU:HD11	2.03	0.40
1:B:195:ILE:HG12	1:B:216:LEU:CD2	2.51	0.40
1:A:444:SER:HG	1:A:502:GLN:HE22	1.66	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	518/533 (97%)	505 (98%)	13 (2%)	0	100	100
1	B	527/533 (99%)	516 (98%)	11 (2%)	0	100	100
All	All	1045/1066 (98%)	1021 (98%)	24 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	453/457 (99%)	447 (99%)	6 (1%)	80	87
1	B	462/457 (101%)	459 (99%)	3 (1%)	92	97
All	All	915/914 (100%)	906 (99%)	9 (1%)	85	90

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LEU
1	A	234	ASN
1	A	277	LYS
1	A	341	LYS
1	A	424	GLN
1	A	444	SER
1	B	424	GLN
1	B	444	SER
1	B	450	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	ASN
1	B	28	ASN
1	B	378	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	LLP	A	312	1	24,24,25	3.94	6 (25%)	30,32,34	2.59	5 (16%)
1	LLP	B	312	1	24,24,25	3.32	6 (25%)	30,32,34	2.65	9 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	A	312	1	-	0/15/17/19	0/1/1/1
1	LLP	B	312	1	-	0/15/17/19	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	312	LLP	O-C	17.21	1.23	1.11
1	B	312	LLP	O-C	13.81	1.20	1.11
1	A	312	LLP	O3-C3	-5.17	1.24	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	312	LLP	O3-C3	-4.75	1.25	1.37
1	B	312	LLP	C6-N1	2.81	1.40	1.34
1	A	312	LLP	C2-N1	2.75	1.39	1.33
1	A	312	LLP	CA-C	2.72	1.53	1.48
1	B	312	LLP	C4'-NZ	-2.68	1.31	1.45
1	B	312	LLP	C2-N1	2.68	1.38	1.33
1	A	312	LLP	C4'-NZ	-2.63	1.32	1.45
1	A	312	LLP	C6-N1	2.56	1.40	1.34
1	B	312	LLP	CA-C	2.09	1.52	1.48

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	312	LLP	C4'-C4-C5	9.55	128.46	119.70
1	B	312	LLP	C4'-C4-C5	8.32	127.33	119.70
1	B	312	LLP	C4'-C4-C3	-7.27	111.06	120.31
1	A	312	LLP	C4'-C4-C3	-7.23	111.12	120.31
1	B	312	LLP	C4-C4'-NZ	4.62	120.13	111.52
1	A	312	LLP	C4-C4'-NZ	3.61	118.24	111.52
1	B	312	LLP	OP4-C5'-C5	3.50	116.38	109.26
1	B	312	LLP	C3-C4-C5	2.70	121.61	118.74
1	B	312	LLP	C4'-NZ-CE	-2.63	103.79	113.47
1	B	312	LLP	P-OP4-C5'	2.54	130.39	121.22
1	A	312	LLP	P-OP4-C5'	2.30	129.51	121.22
1	A	312	LLP	C-CA-N	2.29	116.12	113.83
1	B	312	LLP	C5'-C5-C6	-2.20	115.12	119.28
1	B	312	LLP	C5'-C5-C4	2.17	127.54	123.02

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	A	533	-	3,3,3	0.38	0	2,2,2	0.47	0
2	EDO	A	534	-	3,3,3	0.62	0	2,2,2	0.18	0
2	EDO	A	535	-	3,3,3	0.45	0	2,2,2	0.29	0
2	EDO	A	536	-	3,3,3	0.46	0	2,2,2	0.35	0
2	EDO	B	533	-	3,3,3	0.59	0	2,2,2	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	533	-	-	0/1/1/1	0/0/0/0
2	EDO	A	534	-	-	0/1/1/1	0/0/0/0
2	EDO	A	535	-	-	0/1/1/1	0/0/0/0
2	EDO	A	536	-	-	0/1/1/1	0/0/0/0
2	EDO	B	533	-	-	0/1/1/1	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	515/533 (96%)	-0.18	13 (2%) 54 59	23, 29, 42, 55	0
1	B	517/533 (96%)	-0.19	6 (1%) 75 80	21, 29, 42, 55	0
All	All	1032/1066 (96%)	-0.19	19 (1%) 65 71	21, 29, 42, 55	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	524	TYR	4.5
1	B	435	GLU	3.4
1	A	437	ASP	2.8
1	A	15	PHE	2.6
1	A	527	GLU	2.6
1	B	467	ASN	2.6
1	A	528	PHE	2.5
1	A	463	TYR	2.5
1	A	467	ASN	2.4
1	B	459	GLU	2.4
1	A	228	ASP	2.4
1	A	479	GLU	2.3
1	A	234	ASN	2.3
1	B	437	ASP	2.1
1	A	466	ASN	2.1
1	B	229	TRP	2.1
1	A	456	TYR	2.1
1	A	459	GLU	2.0
1	B	430	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	LLP	A	312	24/25	0.13	0.44	28,31,32,34	0
1	LLP	B	312	24/25	0.10	0.13	28,30,32,33	0

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	EDO	A	536	4/4	0.29	10.39	39,40,42,44	0
2	EDO	A	534	4/4	0.22	7.72	39,40,41,42	0
2	EDO	A	533	4/4	0.15	5.84	40,41,42,45	0
2	EDO	A	535	4/4	0.12	3.91	31,31,34,37	0
2	EDO	B	533	4/4	0.10	0.78	40,41,42,42	0

6.5 Other polymers

There are no such residues in this entry.