



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 12:29 PM GMT

PDB ID : 3F7J
Title : B.subtilis YvgN
Authors : Zhou, Y.F.; Lei, J.; Liang, Y.H.; Su, X.-D.
Deposited on : 2008-11-09
Resolution : 1.70 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2456 (1.70-1.70)
Clashscore	79885	2929 (1.70-1.70)
Ramachandran outliers	78287	2878 (1.70-1.70)
Sidechain outliers	78261	2878 (1.70-1.70)
RSRZ outliers	66119	2456 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	276	
1	B	276	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	NO3	A	277	X	X
2	NO3	A	278	X	-
2	NO3	A	279	X	X
2	NO3	A	280	X	-
2	NO3	A	281	X	X
2	NO3	B	277	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
2	NO3	B	279	X	X
2	NO3	B	280	X	-

2 Entry composition i


There are 4 unique types of molecules in this entry. The entry contains 5046 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called YvgN protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	1	0
			2237	1424	379	428	6			
1	B	276	Total	C	N	O	S	0	2	0
			2243	1427	380	430	6			

- Molecule 2 is NITRATE ION (three-letter code: NO3) (formula: NO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	N	O	0	0
			4	1	3		
2	A	1	Total	N	O	0	0
			4	1	3		
2	A	1	Total	N	O	0	0
			4	1	3		
2	A	1	Total	N	O	0	0
			4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total 4	N 1	O 3	0	0
2	B	1	Total 4	N 1	O 3	0	0
2	B	1	Total 4	N 1	O 3	0	0
2	B	1	Total 4	N 1	O 3	0	0
2	B	1	Total 4	N 1	O 3	0	0

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total 2	K 2	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	281	Total 281	O 281	0	0
4	B	247	Total 247	O 247	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: YvgN protein

Chain A:



• Molecule 1: YvgN protein

Chain B:



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	79.66Å 123.08Å 57.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.70 37.09 – 1.61	Depositor EDS
% Data completeness (in resolution range)	95.8 (20.00-1.70) 95.4 (37.09-1.61)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 1.61Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.212 , 0.255 0.226 , 0.266	Depositor DCC
R_{free} test set	2115 reflections (3.11%)	DCC
Wilson B-factor (Å ²)	13.3	Xtriage
Anisotropy	0.003	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 29.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	3 of 70172 reflections (0.004%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5046	wwPDB-VP
Average B, all atoms (Å ²)	4.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.45 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.1696e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: K, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.90	1/2285 (0.0%)	0.89	6/3085 (0.2%)
1	B	0.84	0/2291	0.83	3/3093 (0.1%)
All	All	0.87	1/4576 (0.0%)	0.86	9/6178 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	8	THR	CB-OG1	5.61	1.54	1.43

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	140	VAL	CA-CB-CG1	8.23	123.25	110.90
1	A	140	VAL	CG1-CB-CG2	6.81	121.80	110.90
1	B	176	ARG	NE-CZ-NH1	6.64	123.62	120.30
1	B	176	ARG	NE-CZ-NH2	-6.17	117.21	120.30
1	B	100	ARG	NE-CZ-NH2	-5.95	117.33	120.30
1	A	170	LEU	CB-CG-CD2	5.74	120.76	111.00
1	A	100	ARG	NE-CZ-NH2	5.57	123.09	120.30
1	A	71	ARG	NE-CZ-NH1	-5.56	117.52	120.30
1	A	8	THR	OG1-CB-CG2	5.07	121.67	110.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	8	THR	CB

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2237	0	2226	85	0
1	B	2243	0	2230	113	0
2	A	20	0	0	2	0
2	B	16	0	0	1	0
3	B	2	0	0	0	0
4	A	281	0	0	50	1
4	B	247	0	0	78	0
All	All	5046	0	4456	196	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 22.

All (196) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:A:660:HOH:O	1:B:274:LEU:HD21	1.27	1.34
1:B:78:SER:HB2	4:B:646:HOH:O	1.23	1.29
1:A:204:THR:HB	4:A:482:HOH:O	1.14	1.27
1:B:194:GLN:HG2	4:B:463:HOH:O	1.09	1.22
1:B:103:LEU:HB2	4:B:535:HOH:O	1.34	1.21
1:B:132:ASP:HB3	4:B:610:HOH:O	1.38	1.20
1:B:165:GLU:HG3	4:B:645:HOH:O	1.01	1.19
1:A:10:LYS:HA	4:A:635:HOH:O	1.38	1.19
1:B:129:LEU:HA	4:B:534:HOH:O	1.42	1.18
1:B:238:ARG:HD3	4:B:663:HOH:O	1.44	1.15
1:B:164:VAL:HG12	4:B:521:HOH:O	1.48	1.12
1:B:103:LEU:HB3	4:B:469:HOH:O	1.51	1.11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:1:MET:CE	1:B:224:GLN:HG2	1.83	1.09
1:B:249:GLU:HG2	4:B:670:HOH:O	1.53	1.09
1:B:132:ASP:HB2	4:B:534:HOH:O	1.51	1.08
1:B:11:LEU:HD22	4:B:457:HOH:O	1.52	1.08
1:B:1:MET:HE1	1:B:224:GLN:CG	1.85	1.07
1:B:86:GLY:HA2	4:B:550:HOH:O	1.56	1.05
1:A:16:GLU:HA	4:A:635:HOH:O	1.55	1.05
1:B:165:GLU:CD	4:B:552:HOH:O	1.94	1.03
1:A:197:LEU:HB2	4:A:641:HOH:O	1.62	0.97
1:B:1:MET:HE1	1:B:224:GLN:HG2	0.98	0.95
1:B:238:ARG:HH11	1:B:238:ARG:HG2	1.31	0.94
1:A:202:VAL:HG13	4:A:609:HOH:O	1.68	0.93
1:B:267:VAL:HG13	4:B:667:HOH:O	1.67	0.93
1:A:198:LEU:HD12	4:A:655:HOH:O	1.68	0.93
1:B:98:LEU:HD22	4:B:535:HOH:O	1.69	0.92
1:A:245:ILE:HA	4:A:643:HOH:O	1.68	0.91
1:B:149:GLU:HG2	4:B:466:HOH:O	1.69	0.90
1:A:205:GLN:HB2	4:A:653:HOH:O	1.72	0.89
1:A:244:ASP:O	4:A:643:HOH:O	1.91	0.87
1:A:202:VAL:O	1:A:205:GLN:HG3	1.73	0.86
1:B:267:VAL:CG1	4:B:667:HOH:O	2.22	0.86
1:B:238:ARG:HH11	1:B:238:ARG:CG	1.89	0.86
1:A:205:GLN:CB	4:A:653:HOH:O	2.26	0.83
1:B:249:GLU:CG	4:B:670:HOH:O	2.17	0.82
1:A:257:LYS:HB3	4:A:609:HOH:O	1.79	0.82
1:B:100:ARG:NH2	4:B:353:HOH:O	2.13	0.81
1:B:58:GLU:CD	4:B:607:HOH:O	2.19	0.81
4:A:620:HOH:O	1:B:275:LEU:HD12	1.83	0.79
1:B:98:LEU:CD2	4:B:535:HOH:O	2.24	0.79
1:A:273:GLU:CB	4:A:620:HOH:O	2.31	0.78
1:A:100:ARG:HD3	4:A:477:HOH:O	1.83	0.77
1:A:65:LYS:HD3	4:A:491:HOH:O	1.86	0.76
1:B:192:LEU:HD23	4:B:524:HOH:O	1.85	0.76
1:B:205:GLN:HG3	4:B:543:HOH:O	1.86	0.75
1:A:273:GLU:HB3	4:A:620:HOH:O	1.85	0.75
1:B:191:PRO:C	4:B:524:HOH:O	2.25	0.75
1:B:8:THR:OG1	1:B:16:GLU:HG2	1.88	0.74
1:A:204:THR:HG22	4:A:547:HOH:O	1.86	0.74
1:B:156:GLU:HG2	4:B:621:HOH:O	1.88	0.73
1:A:120:LYS:NZ	1:A:150:GLU:OE2	2.21	0.73
1:B:194:GLN:CG	4:B:463:HOH:O	1.85	0.73
1:B:142:ASN:N	4:B:521:HOH:O	1.90	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:24:VAL:C	4:B:533:HOH:O	2.27	0.72
1:B:249:GLU:CB	4:B:670:HOH:O	2.38	0.70
1:A:176:ARG:HG2	1:A:186:LEU:HD22	1.72	0.70
1:B:164:VAL:CG1	4:B:521:HOH:O	2.16	0.70
1:A:120:LYS:HD3	4:A:571:HOH:O	1.90	0.70
1:B:105:TYR:O	4:B:469:HOH:O	2.09	0.70
1:A:273:GLU:HG2	4:A:620:HOH:O	1.92	0.69
1:B:214:VAL:HB	4:B:467:HOH:O	1.93	0.69
1:A:180:LYS:HD2	4:A:590:HOH:O	1.93	0.68
1:A:131:LYS:HD2	4:A:529:HOH:O	1.94	0.68
1:B:191:PRO:O	4:B:524:HOH:O	2.12	0.66
1:B:235:LYS:HD3	1:B:237:HIS:CE1	2.31	0.66
1:A:27:VAL:HG22	1:A:234:ILE:HD11	1.77	0.66
1:A:234:ILE:HG12	4:A:624:HOH:O	1.96	0.65
1:A:273:GLU:CG	4:A:620:HOH:O	2.43	0.65
1:B:38:LYS:HD2	1:B:66:GLU:HB3	1.78	0.65
1:B:267:VAL:CG2	4:B:552:HOH:O	2.45	0.64
1:A:197:LEU:N	4:A:641:HOH:O	2.26	0.64
1:B:24:VAL:CA	4:B:533:HOH:O	2.46	0.64
1:A:234:ILE:CG1	4:A:624:HOH:O	2.45	0.64
1:B:267:VAL:HG22	4:B:552:HOH:O	1.97	0.63
1:A:95:GLU:HG2	4:A:560:HOH:O	1.97	0.63
1:A:202:VAL:O	1:A:205:GLN:CG	2.45	0.63
1:B:201:GLU:HG3	4:B:420:HOH:O	1.99	0.63
1:B:165:GLU:OE1	4:B:552:HOH:O	2.10	0.62
1:A:2:PRO:HG2	1:A:223:LEU:HD13	1.81	0.62
1:B:161:VAL:HG23	4:B:457:HOH:O	2.00	0.62
1:B:173:LYS:NZ	4:B:606:HOH:O	2.32	0.62
1:B:160:MET:O	4:B:457:HOH:O	2.16	0.61
1:B:193:MET:CE	4:B:667:HOH:O	2.49	0.61
1:B:2:PRO:HB3	1:B:7:ASP:HB2	1.81	0.61
1:B:201:GLU:HG2	4:B:617:HOH:O	2.01	0.60
1:A:233:SER:OG	1:A:239:ILE:HG13	2.01	0.60
1:B:261:LEU:HB3	4:B:588:HOH:O	2.02	0.60
4:A:660:HOH:O	1:B:274:LEU:CD2	2.08	0.59
1:B:235:LYS:HD3	1:B:237:HIS:HE1	1.68	0.59
1:A:65:LYS:HE2	4:A:511:HOH:O	2.02	0.59
1:B:176:ARG:HD2	4:B:369:HOH:O	2.03	0.59
1:B:83:GLU:OE1	4:B:593:HOH:O	2.15	0.59
1:B:238:ARG:NH1	1:B:238:ARG:HG2	2.08	0.58
1:B:167:HIS:CE1	1:B:170:LEU:HB2	2.38	0.58
1:A:197:LEU:CB	4:A:641:HOH:O	2.35	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:39:ALA:HA	1:B:42:LYS:HD3	1.85	0.58
1:A:150:GLU:HA	1:A:153:LYS:HE2	1.84	0.58
1:B:163:GLN:O	4:B:521:HOH:O	2.16	0.58
1:A:245:ILE:HG22	4:A:643:HOH:O	2.03	0.58
1:A:118:LYS:HE3	4:A:485:HOH:O	2.04	0.57
1:B:156:GLU:CG	4:B:621:HOH:O	2.49	0.57
1:B:219:LEU:C	4:B:523:HOH:O	2.42	0.57
1:A:201:GLU:O	1:A:205:GLN:HG2	2.04	0.57
1:B:4:SER:CB	4:B:458:HOH:O	2.53	0.57
1:A:204:THR:O	1:A:208:GLU:HG3	2.05	0.56
1:B:261:LEU:HD13	4:B:588:HOH:O	2.05	0.56
1:A:70:ALA:HB2	4:A:618:HOH:O	2.04	0.56
4:A:627:HOH:O	1:B:26:LYS:HG3	2.05	0.56
1:A:234:ILE:N	4:A:624:HOH:O	2.39	0.56
1:B:238:ARG:NH1	1:B:238:ARG:CG	2.59	0.56
1:B:24:VAL:HB	4:B:533:HOH:O	2.07	0.55
1:B:165:GLU:CG	4:B:552:HOH:O	2.46	0.55
1:A:96:LYS:HD2	1:B:28:GLU:HG2	1.89	0.55
1:B:160:MET:HB3	4:B:457:HOH:O	2.07	0.55
4:A:627:HOH:O	1:B:25:PHE:HD2	1.90	0.55
1:A:87:TYR:OH	1:A:128:LYS:HD2	2.06	0.55
1:A:145:VAL:O	1:A:149:GLU:HG3	2.07	0.54
1:A:167:HIS:HB2	1:A:168:PRO:CD	2.37	0.54
1:B:193:MET:HE2	4:B:667:HOH:O	2.05	0.54
1:A:198:LEU:CD1	4:A:655:HOH:O	2.41	0.54
1:B:160:MET:C	4:B:457:HOH:O	2.46	0.53
1:A:65:LYS:HE3	1:A:102:GLN:HB2	1.90	0.53
1:A:96:LYS:CD	1:B:28:GLU:HG2	2.39	0.53
1:B:101:LEU:HD11	4:B:646:HOH:O	2.09	0.53
1:B:86:GLY:CA	4:B:550:HOH:O	2.33	0.52
1:B:72:GLU:HG2	4:B:453:HOH:O	2.09	0.52
1:B:142:ASN:CA	4:B:521:HOH:O	2.49	0.52
1:A:182:GLN:HG2	2:A:281:NO3:O3	2.10	0.52
1:A:257:LYS:HD3	4:A:609:HOH:O	2.11	0.51
1:A:24:VAL:HG22	1:A:49:ASP:O	2.11	0.51
1:B:128:LYS:NZ	1:B:132:ASP:OD2	2.36	0.51
1:A:237:HIS:CE1	1:A:238:ARG:HG2	2.46	0.50
1:B:165:GLU:HG3	4:B:552:HOH:O	2.10	0.50
1:A:233:SER:HB2	4:A:528:HOH:O	2.12	0.50
1:A:41:ILE:CG2	1:A:69:VAL:HG21	2.42	0.49
1:B:192:LEU:CD2	4:B:524:HOH:O	2.54	0.49
1:A:195:GLY:HA2	2:A:278:NO3:O1	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:202:VAL:CG1	4:A:609:HOH:O	2.43	0.48
1:B:4:SER:HB2	4:B:458:HOH:O	2.13	0.48
1:B:134:LYS:HD2	4:B:464:HOH:O	2.14	0.48
1:B:176:ARG:HG2	1:B:186:LEU:HD22	1.96	0.48
1:B:127:GLU:O	1:B:131:LYS:HG3	2.14	0.48
1:A:2:PRO:HB3	1:A:7:ASP:HB2	1.95	0.48
1:A:146:HIS:HD2	4:A:503:HOH:O	1.96	0.47
1:A:211:ASN:HB2	4:A:595:HOH:O	2.14	0.47
1:B:249:GLU:N	4:B:670:HOH:O	2.47	0.46
1:B:1:MET:HB2	1:B:1:MET:HE2	1.80	0.46
1:B:267:VAL:HG12	4:B:667:HOH:O	2.03	0.46
1:A:212:LYS:HE3	1:A:248:PHE:CD2	2.50	0.46
1:A:152:LEU:HD21	1:A:158:LYS:CG	2.46	0.45
1:B:156:GLU:CD	4:B:621:HOH:O	2.55	0.45
1:A:156:GLU:CG	4:A:492:HOH:O	2.65	0.45
1:A:53:ILE:O	1:A:55:LYS:HG3	2.17	0.45
1:B:101:LEU:O	1:B:102:GLN:HB2	2.16	0.45
1:B:98:LEU:HD23	4:B:535:HOH:O	2.06	0.45
1:A:121:ASP:CG	4:A:666:HOH:O	2.55	0.44
1:A:151:LEU:HD13	1:A:155:ALA:HB2	1.99	0.44
1:A:167:HIS:CE1	1:A:170:LEU:HB2	2.53	0.44
1:A:32:GLU:HG2	1:A:234:ILE:HD12	2.00	0.44
1:A:276:PHE:HA	4:A:569:HOH:O	2.18	0.44
4:A:569:HOH:O	1:B:269:PRO:HA	2.16	0.44
1:B:2:PRO:HB3	1:B:7:ASP:CB	2.48	0.44
1:A:10:LYS:HE2	1:A:10:LYS:HB3	1.80	0.44
1:A:127:GLU:HB3	1:A:131:LYS:NZ	2.33	0.44
1:B:249:GLU:HB3	4:B:670:HOH:O	2.07	0.43
1:A:41:ILE:HG23	1:A:69:VAL:HG21	2.01	0.43
1:A:152:LEU:HD21	1:A:158:LYS:HG3	2.00	0.43
1:A:213:SER:OG	1:A:241:GLU:OE2	2.33	0.43
1:A:200:ASN:O	1:A:204:THR:HG23	2.18	0.43
1:A:156:GLU:HG2	4:A:492:HOH:O	2.18	0.43
1:B:123:TRP:CG	1:B:151:LEU:HD11	2.54	0.43
1:B:190[A]:SER:OG	1:B:194:GLN:HG3	2.19	0.43
1:A:179:CYS:HB3	1:A:184:ILE:O	2.18	0.42
1:B:194:GLN:CB	4:B:463:HOH:O	2.45	0.42
1:A:218:ILE:O	1:A:221:TRP:HB3	2.19	0.42
1:B:12:HIS:CE1	4:B:416:HOH:O	2.72	0.42
1:B:205:GLN:CG	4:B:543:HOH:O	2.58	0.42
1:A:152:LEU:CD2	1:A:158:LYS:HG3	2.49	0.42
1:B:212:LYS:HE3	1:B:248:PHE:CD2	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:129:LEU:CA	4:B:534:HOH:O	2.22	0.42
1:B:238:ARG:NH2	2:B:278:NO3:O3	2.52	0.42
1:A:121:ASP:OD1	4:A:666:HOH:O	2.21	0.42
1:A:204:THR:CG2	4:A:547:HOH:O	2.59	0.42
1:B:4:SER:HB3	4:B:458:HOH:O	2.19	0.42
1:A:176:ARG:CG	1:A:186:LEU:HD22	2.48	0.41
1:B:193:MET:HE3	4:B:667:HOH:O	2.14	0.41
1:B:164:VAL:HG11	1:B:175:LEU:HD21	2.03	0.41
1:A:152:LEU:HD23	1:A:152:LEU:HA	1.82	0.41
1:A:216:GLN:NE2	1:A:241:GLU:HG2	2.35	0.41
1:A:39:ALA:HB1	1:A:236:GLU:HG3	2.02	0.41
1:B:165:GLU:HG2	1:B:170:LEU:HD12	2.02	0.41
1:B:190[A]:SER:HB3	4:B:645:HOH:O	2.19	0.41
1:B:65:LYS:CE	4:B:515:HOH:O	2.69	0.40
1:B:1:MET:HG3	1:B:2:PRO:N	2.36	0.40
1:A:31:ASN:HB3	4:A:375:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:A:618:HOH:O	4:A:618:HOH:O[2_455]	1.25	0.95

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/276 (100%)	265 (96%)	10 (4%)	0	100	100
1	B	276/276 (100%)	267 (97%)	9 (3%)	0	100	100
All	All	551/552 (100%)	532 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/242 (100%)	232 (96%)	11 (4%)	38	15
1	B	244/242 (101%)	235 (96%)	9 (4%)	45	20
All	All	487/484 (101%)	467 (96%)	20 (4%)	41	17

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	LYS
1	A	10	LYS
1	A	31	ASN
1	A	72	GLU
1	A	131	LYS
1	A	140	VAL
1	A	151	LEU
1	A	170	LEU
1	A	205	GLN
1	A	219	LEU
1	A	233	SER
1	B	1	MET
1	B	16	GLU
1	B	28	GLU
1	B	29	ASN
1	B	42	LYS
1	B	126	LEU
1	B	150	GLU
1	B	170	LEU
1	B	238	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	B	82	ASN
1	B	211	ASN
1	B	237	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 11 ligands modelled in this entry, 2 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NO3	A	277	-	3,3,3	2.30	3 (100%)	3,3,3	0.58	0
2	NO3	A	278	-	3,3,3	2.85	3 (100%)	3,3,3	0.45	0
2	NO3	A	279	-	3,3,3	3.23	3 (100%)	3,3,3	0.71	0
2	NO3	A	280	3	3,3,3	2.57	3 (100%)	3,3,3	0.07	0
2	NO3	A	281	-	3,3,3	2.86	3 (100%)	3,3,3	0.21	0
2	NO3	B	277	-	3,3,3	2.36	2 (66%)	3,3,3	0.44	0
2	NO3	B	278	-	3,3,3	2.71	2 (66%)	3,3,3	0.71	0
2	NO3	B	279	-	3,3,3	3.03	3 (100%)	3,3,3	0.56	0
2	NO3	B	280	-	3,3,3	3.15	3 (100%)	3,3,3	0.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NO3	A	277	-	-	0/0/0/0	0/0/0/0
2	NO3	A	278	-	-	0/0/0/0	0/0/0/0
2	NO3	A	279	-	-	0/0/0/0	0/0/0/0
2	NO3	A	280	3	-	0/0/0/0	0/0/0/0
2	NO3	A	281	-	-	0/0/0/0	0/0/0/0
2	NO3	B	277	-	-	0/0/0/0	0/0/0/0
2	NO3	B	278	-	-	0/0/0/0	0/0/0/0
2	NO3	B	279	-	-	0/0/0/0	0/0/0/0
2	NO3	B	280	-	-	0/0/0/0	0/0/0/0

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	279	NO3	O1-N	3.96	1.41	1.24
2	B	280	NO3	O1-N	3.78	1.40	1.24
2	A	278	NO3	O1-N	3.50	1.39	1.24
2	B	279	NO3	O1-N	3.44	1.38	1.24
2	A	281	NO3	O1-N	3.40	1.38	1.24
2	A	280	NO3	O1-N	3.06	1.37	1.24
2	B	278	NO3	O2-N	3.03	1.41	1.25
2	B	278	NO3	O1-N	3.00	1.36	1.24
2	B	277	NO3	O1-N	2.90	1.36	1.24
2	B	279	NO3	O2-N	2.89	1.40	1.25
2	B	280	NO3	O2-N	2.86	1.40	1.25
2	A	279	NO3	O2-N	2.84	1.40	1.25
2	A	279	NO3	O3-N	2.75	1.39	1.25
2	B	279	NO3	O3-N	2.74	1.39	1.25
2	B	280	NO3	O3-N	2.70	1.39	1.25
2	A	277	NO3	O1-N	2.60	1.35	1.24
2	A	281	NO3	O2-N	2.57	1.39	1.25
2	A	278	NO3	O3-N	2.55	1.38	1.25
2	A	281	NO3	O3-N	2.52	1.38	1.25
2	A	280	NO3	O2-N	2.48	1.38	1.25
2	A	278	NO3	O2-N	2.36	1.37	1.25
2	B	277	NO3	O3-N	2.33	1.37	1.25
2	A	277	NO3	O2-N	2.16	1.36	1.25
2	A	277	NO3	O3-N	2.10	1.36	1.25
2	A	280	NO3	O3-N	2.07	1.36	1.25

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/276 (100%)	-0.14	1 (0%) 90 94	2, 3, 10, 16	0
1	B	276/276 (100%)	-0.11	4 (1%) 72 78	2, 3, 10, 19	0
All	All	552/552 (100%)	-0.13	5 (0%) 81 86	2, 3, 10, 19	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	234	ILE	4.0
1	B	28	GLU	3.0
1	B	29	ASN	2.7
1	A	235	LYS	2.3
1	B	1	MET	2.3

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NO3	B	279	4/4	0.13	4.72	5,6,6,8	0
2	NO3	A	279	4/4	0.11	4.59	4,6,7,8	0
2	NO3	A	281	4/4	0.11	4.59	2,2,2,2	4
2	NO3	B	277	4/4	0.16	3.93	2,2,2,2	0
2	NO3	A	277	4/4	0.13	3.20	2,2,2,2	0
2	NO3	A	280	4/4	0.13	0.93	2,2,3,5	0
2	NO3	B	280	4/4	0.14	0.77	2,2,2,2	4
2	NO3	B	278	4/4	0.07	-0.06	2,2,2,2	0
2	NO3	A	278	4/4	0.08	-0.24	3,3,3,5	0
3	K	B	282	1/1	0.10	-0.60	17,17,17,17	0
3	K	B	281	1/1	0.04	-6.75	10,10,10,10	0

6.5 Other polymers ⓘ

There are no such residues in this entry.