



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2014 – 04:07 AM GMT

PDB ID : 4FP9
Title : Human MTERF4-NSUN4 protein complex
Authors : Spahr, H.; Hallberg, B.M.
Deposited on : 2012-06-21
Resolution : 2.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1053 (2.90-2.90)
Clashscore	79885	1326 (2.90-2.90)
Ramachandran outliers	78287	1290 (2.90-2.90)
Sidechain outliers	78261	1292 (2.90-2.90)
RSRZ outliers	66119	1054 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	360	
1	C	360	
1	D	360	
1	F	360	
2	B	335	
2	E	335	
2	G	335	
2	H	335	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	SAM	C	401	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 18717 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called methyltransferase NSUN4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	338	Total	C	N	O	S	0	0	0
			2665	1694	466	488	17			
1	C	338	Total	C	N	O	S	0	0	0
			2665	1694	466	488	17			
1	D	333	Total	C	N	O	S	0	0	0
			2618	1662	459	480	17			
1	F	338	Total	C	N	O	S	0	0	0
			2665	1694	466	488	17			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	MET	-	EXPRESSION TAG	UNP Q96CB9
C	25	MET	-	EXPRESSION TAG	UNP Q96CB9
D	25	MET	-	EXPRESSION TAG	UNP Q96CB9
F	25	MET	-	EXPRESSION TAG	UNP Q96CB9

- Molecule 2 is a protein called mTERF domain-containing protein 2.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	245	Total	C	N	O	S	0	0	0
			1989	1273	344	360	12			
2	E	245	Total	C	N	O	S	0	0	0
			1989	1273	344	360	12			
2	G	245	Total	C	N	O	S	0	0	0
			1989	1273	344	360	12			
2	H	245	Total	C	N	O	S	0	0	0
			1989	1273	344	360	12			

- Molecule 3 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula: C₁₅H₂₂N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
3	C	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
3	D	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
3	F	1	Total	C	N	O	S	0	0
			27	15	6	5	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: methyltransferase NSUN4

Chain A: 




- Molecule 1: methyltransferase NSUN4

Chain C: 




- Molecule 1: methyltransferase NSUN4

Chain D: 




- Molecule 1: methyltransferase NSUN4

Chain F: 



- Molecule 2: mTERF domain-containing protein 2

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.76Å 82.27Å 507.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.90 39.97 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.8 (40.00-2.90) 99.8 (39.97-2.90)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 2.90Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.229 , 0.246 0.238 , 0.254	Depositor DCC
R_{free} test set	3754 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	64.1	Xtriage
Anisotropy	0.638	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 28.0	EDS
Estimated twinning fraction	0.026 for k,h,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 74501 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	18717	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, SAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/2726	0.58	0/3700
1	C	0.37	0/2726	0.57	0/3700
1	D	0.39	0/2676	0.58	0/3631
1	F	0.38	0/2726	0.57	0/3700
2	B	0.41	0/2021	0.52	0/2718
2	E	0.40	0/2021	0.51	0/2718
2	G	0.42	0/2021	0.50	0/2718
2	H	0.42	0/2021	0.49	0/2718
All	All	0.40	0/18938	0.55	0/25603

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2665	0	0	1	0
1	C	2665	0	0	0	0
1	D	2618	0	0	1	0
1	F	2665	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1989	0	22	0	0
2	E	1989	0	22	1	0
2	G	1989	0	22	0	0
2	H	1989	0	22	0	0
3	A	27	0	22	1	0
3	C	27	0	22	0	0
3	D	27	0	22	0	0
3	F	27	0	22	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	5	0	0	0	0
4	D	15	0	0	0	0
4	E	5	0	0	1	0
4	F	5	0	0	0	0
All	All	18717	0	176	3	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 0.

All (3) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:E:245:HIS:ND1	4:E:401:SO4:O1	2.42	0.53
1:A:209:ARG:NH1	3:A:401:SAM:O3'	2.42	0.52
1:D:241:TRP:O	1:D:244:LEU:O	2.37	0.42

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	334/360 (93%)	321 (96%)	13 (4%)	0	100	100
1	C	334/360 (93%)	321 (96%)	13 (4%)	0	100	100
1	D	329/360 (91%)	312 (95%)	17 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	334/360 (93%)	320 (96%)	14 (4%)	0	100	100
2	B	243/335 (72%)	238 (98%)	5 (2%)	0	100	100
2	E	243/335 (72%)	237 (98%)	6 (2%)	0	100	100
2	G	243/335 (72%)	236 (97%)	7 (3%)	0	100	100
2	H	243/335 (72%)	238 (98%)	5 (2%)	0	100	100
All	All	2303/2780 (83%)	2223 (96%)	80 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	292/308 (95%)	286 (98%)	6 (2%)	66	92
1	C	292/308 (95%)	285 (98%)	7 (2%)	61	91
1	D	287/308 (93%)	276 (96%)	11 (4%)	44	83
1	F	292/308 (95%)	283 (97%)	9 (3%)	52	88
2	B	227/312 (73%)	224 (99%)	3 (1%)	80	96
2	E	227/312 (73%)	222 (98%)	5 (2%)	64	92
2	G	227/312 (73%)	222 (98%)	5 (2%)	64	92
2	H	227/312 (73%)	224 (99%)	3 (1%)	80	96
All	All	2071/2480 (84%)	2022 (98%)	49 (2%)	61	91

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	ARG
1	A	146	ARG
1	A	224	GLU
1	A	241	TRP
1	A	262	ARG
1	A	357	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	130	GLU
2	B	185	GLU
2	B	296	VAL
1	C	64	ARG
1	C	224	GLU
1	C	241	TRP
1	C	247	ASP
1	C	262	ARG
1	C	357	SER
1	C	358	CYS
1	D	64	ARG
1	D	152	VAL
1	D	198	ARG
1	D	224	GLU
1	D	227	ASP
1	D	241	TRP
1	D	244	LEU
1	D	247	ASP
1	D	262	ARG
1	D	357	SER
1	D	358	CYS
2	E	102	MET
2	E	122	GLN
2	E	145	LEU
2	E	151	LEU
2	E	159	MET
1	F	64	ARG
1	F	224	GLU
1	F	241	TRP
1	F	247	ASP
1	F	262	ARG
1	F	275	ARG
1	F	314	HIS
1	F	357	SER
1	F	358	CYS
2	G	102	MET
2	G	167	GLN
2	G	278	ASP
2	G	296	VAL
2	G	300	GLU
2	H	192	GLN
2	H	196	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	296	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SAM	A	401	-	26,29,29	1.05	1 (3%)	38,42,42	1.13	1 (2%)
4	SO4	A	402	-	4,4,4	0.31	0	6,6,6	0.34	0
4	SO4	B	401	-	4,4,4	0.11	0	6,6,6	0.11	0
3	SAM	C	401	-	26,29,29	0.97	1 (3%)	38,42,42	1.13	1 (2%)
4	SO4	C	402	-	4,4,4	0.40	0	6,6,6	0.38	0
3	SAM	D	401	-	26,29,29	0.97	1 (3%)	38,42,42	1.14	1 (2%)
4	SO4	D	402	-	4,4,4	0.99	0	6,6,6	0.23	0
4	SO4	D	403	-	4,4,4	0.20	0	6,6,6	0.22	0
4	SO4	D	404	-	4,4,4	0.16	0	6,6,6	0.11	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	E	401	-	4,4,4	2.84	3 (75%)	6,6,6	0.30	0
3	SAM	F	401	-	26,29,29	0.99	1 (3%)	38,42,42	1.12	2 (5%)
4	SO4	F	402	-	4,4,4	0.22	0	6,6,6	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SAM	A	401	-	-	0/13/33/33	0/1/3/3
4	SO4	A	402	-	-	0/0/0/0	0/0/0/0
4	SO4	B	401	-	-	0/0/0/0	0/0/0/0
3	SAM	C	401	-	-	0/13/33/33	0/1/3/3
4	SO4	C	402	-	-	0/0/0/0	0/0/0/0
3	SAM	D	401	-	-	0/13/33/33	0/1/3/3
4	SO4	D	402	-	-	0/0/0/0	0/0/0/0
4	SO4	D	403	-	-	0/0/0/0	0/0/0/0
4	SO4	D	404	-	-	0/0/0/0	0/0/0/0
4	SO4	E	401	-	-	0/0/0/0	0/0/0/0
3	SAM	F	401	-	-	0/13/33/33	0/1/3/3
4	SO4	F	402	-	-	0/0/0/0	0/0/0/0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	SAM	CG-CB	4.44	1.57	1.52
3	F	401	SAM	CG-CB	4.01	1.57	1.52
3	C	401	SAM	CG-CB	3.97	1.57	1.52
3	D	401	SAM	CG-CB	3.86	1.57	1.52
4	E	401	SO4	O4-S	3.35	1.58	1.47
4	E	401	SO4	O2-S	3.35	1.58	1.47
4	E	401	SO4	O3-S	2.69	1.56	1.47

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	401	SAM	C4'-O4'-C1'	-4.28	105.10	109.75
3	A	401	SAM	C4'-O4'-C1'	-4.26	105.12	109.75
3	C	401	SAM	C4'-O4'-C1'	-4.11	105.29	109.75
3	F	401	SAM	C4'-O4'-C1'	-4.01	105.39	109.75
3	F	401	SAM	O4'-C1'-C2'	-2.11	103.54	106.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	338/360 (93%)	0.10	3 (0%) 81 88	17, 39, 97, 139	0
1	C	338/360 (93%)	0.10	8 (2%) 56 65	12, 51, 115, 157	0
1	D	333/360 (92%)	0.12	7 (2%) 60 69	13, 42, 101, 162	0
1	F	338/360 (93%)	0.27	10 (2%) 48 57	17, 53, 111, 160	0
2	B	245/335 (73%)	0.32	10 (4%) 35 43	27, 59, 106, 151	0
2	E	245/335 (73%)	0.30	7 (2%) 49 58	30, 65, 112, 155	0
2	G	245/335 (73%)	2.58	107 (43%) 1 0	27, 131, 222, 275	0
2	H	245/335 (73%)	3.22	151 (61%) 0 0	57, 139, 195, 220	0
All	All	2327/2780 (83%)	0.76	303 (13%) 4 6	12, 60, 169, 275	0

All (303) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	G	121	LEU	14.9
2	H	131	PHE	13.9
2	G	187	PHE	13.4
2	G	85	VAL	12.2
2	G	144	VAL	11.8
2	H	142	CYS	11.1
2	G	83	THR	10.8
2	G	122	GLN	10.5
2	H	84	PRO	10.2
2	H	294	LEU	10.2
2	G	112	LEU	10.2
2	H	151	LEU	10.0
2	G	182	CYS	10.0
2	G	115	VAL	9.9
2	G	92	LEU	9.7
2	H	119	ALA	9.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	G	184	PRO	9.6
2	G	86	VAL	9.6
2	G	151	LEU	9.5
2	H	115	VAL	9.5
2	G	90	LEU	9.4
2	G	87	GLN	9.3
2	G	145	LEU	8.8
2	H	136	LEU	8.6
2	G	88	GLY	8.5
2	G	143	VAL	8.4
2	H	85	VAL	8.3
2	G	181	TYR	8.3
2	H	152	LEU	8.2
2	H	176	LEU	8.1
2	H	171	LEU	8.1
2	H	90	LEU	8.0
2	H	180	LEU	8.0
2	H	113	LEU	8.0
2	G	84	PRO	7.9
2	H	86	VAL	7.9
2	H	179	VAL	7.8
2	G	142	CYS	7.8
2	H	293	ILE	7.8
2	H	112	LEU	7.8
2	H	88	GLY	7.7
2	G	129	SER	7.7
2	G	152	LEU	7.7
2	H	253	TYR	7.6
2	H	116	ARG	7.5
2	H	111	GLU	7.3
2	H	157	MET	7.2
2	G	159	MET	7.0
2	G	108	HIS	7.0
2	G	96	MET	7.0
2	G	118	GLY	6.9
2	G	138	PRO	6.9
2	H	104	PHE	6.9
2	G	119	ALA	6.9
2	H	83	THR	6.9
2	G	180	LEU	6.8
2	G	124	LEU	6.8
2	G	127	ILE	6.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	191	GLN	6.6
2	H	108	HIS	6.6
2	H	121	LEU	6.5
2	G	147	LYS	6.5
2	G	104	PHE	6.5
2	G	183	CYS	6.4
2	H	222	VAL	6.4
2	H	124	LEU	6.4
2	G	116	ARG	6.3
2	H	87	GLN	6.3
2	H	120	SER	6.2
2	H	178	ARG	6.1
2	H	123	GLN	6.1
2	H	261	ILE	6.1
2	H	256	TYR	6.0
2	H	280	LYS	5.9
1	F	108	LEU	5.9
2	G	140	PRO	5.8
2	H	141	VAL	5.8
2	H	165	TYR	5.7
2	G	117	ARG	5.7
2	H	278	ASP	5.7
2	G	89	SER	5.7
2	G	139	GLU	5.7
2	H	248	ILE	5.7
2	G	109	ILE	5.6
2	G	95	VAL	5.6
2	H	219	CYS	5.6
2	H	187	PHE	5.6
2	H	118	GLY	5.6
2	G	162	ARG	5.5
2	G	97	SER	5.5
2	H	144	VAL	5.5
2	H	305	THR	5.5
2	H	102	MET	5.5
2	H	128	ILE	5.5
2	H	230	LEU	5.5
2	H	91	GLU	5.4
2	H	122	GLN	5.4
2	G	166	LEU	5.4
2	G	131	PHE	5.4
2	H	89	SER	5.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	G	186	ILE	5.4
2	H	140	PRO	5.3
2	G	91	GLU	5.3
2	H	145	LEU	5.3
2	G	111	GLU	5.2
2	H	306	ALA	5.2
2	G	223	LEU	5.1
2	G	198	VAL	5.1
2	H	215	ILE	5.0
2	G	154	LEU	5.0
1	D	105	HIS	5.0
2	G	188	THR	5.0
1	F	83	TRP	4.9
2	G	114	SER	4.9
2	G	128	ILE	4.9
2	H	169	LEU	4.9
2	H	94	ARG	4.9
2	G	93	GLU	4.8
2	G	189	MET	4.8
2	H	107	ALA	4.8
2	H	96	MET	4.8
1	C	226	ARG	4.8
2	H	138	PRO	4.8
2	G	194	ILE	4.7
2	H	159	MET	4.7
2	H	150	GLN	4.7
2	H	295	ARG	4.7
2	H	290	LEU	4.7
2	H	153	LYS	4.7
2	H	109	ILE	4.7
2	G	191	GLN	4.7
2	G	113	LEU	4.6
2	H	254	LEU	4.6
2	H	243	ILE	4.6
2	H	143	VAL	4.6
2	H	175	LYS	4.6
2	G	171	LEU	4.6
2	H	117	ARG	4.6
2	G	156	ILE	4.5
2	G	125	LEU	4.5
2	H	147	LYS	4.4
2	B	280	LYS	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	146	LYS	4.3
2	H	92	LEU	4.2
2	H	103	GLY	4.2
2	H	137	ASN	4.2
2	H	218	SER	4.2
2	G	185	GLU	4.1
2	H	232	TYR	4.1
2	H	242	GLY	4.1
2	H	277	PRO	4.1
2	H	164	SER	4.1
2	G	150	GLN	4.1
2	H	279	LYS	4.1
2	G	148	SER	4.1
2	G	177	LYS	4.1
2	H	99	LEU	4.0
2	H	234	PHE	4.0
2	H	97	SER	3.9
2	H	149	PRO	3.9
2	E	181	TYR	3.9
2	H	114	SER	3.9
2	G	120	SER	3.9
2	H	216	LEU	3.8
2	H	202	LYS	3.8
2	G	126	ASP	3.8
2	H	166	LEU	3.8
2	H	134	LEU	3.7
2	H	227	LEU	3.7
2	B	83	THR	3.7
2	G	141	VAL	3.7
2	G	107	ALA	3.7
2	B	278	ASP	3.7
2	G	165	TYR	3.7
1	C	279	LYS	3.6
2	E	280	LYS	3.6
2	H	133	LEU	3.6
2	H	177	LYS	3.6
2	H	95	VAL	3.6
2	G	103	GLY	3.6
2	G	158	GLN	3.6
2	G	197	THR	3.5
2	G	105	SER	3.5
2	H	106	ASN	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	291	LYS	3.5
2	G	207	PHE	3.5
2	H	229	GLN	3.5
2	H	156	ILE	3.5
2	G	101	ASP	3.5
2	G	179	VAL	3.5
2	H	238	TYR	3.5
2	H	200	LEU	3.4
2	G	149	PRO	3.4
2	H	207	PHE	3.4
2	H	205	CYS	3.4
2	H	129	SER	3.4
2	H	148	SER	3.4
2	H	288	PRO	3.3
1	A	322	GLN	3.3
1	F	82	ALA	3.3
2	H	198	VAL	3.3
1	D	124	ALA	3.3
2	H	161	LYS	3.3
1	C	384	THR	3.3
2	G	137	ASN	3.3
1	F	272	ILE	3.3
2	H	110	ASN	3.2
1	C	229	ASN	3.2
2	H	203	GLU	3.2
2	G	94	ARG	3.2
2	H	239	PHE	3.2
2	H	273	ARG	3.2
2	G	224	ARG	3.1
2	H	101	ASP	3.1
2	G	202	LYS	3.1
2	B	243	ILE	3.0
2	H	213	THR	3.0
2	H	181	TYR	3.0
2	H	183	CYS	3.0
2	G	153	LYS	3.0
2	B	282	GLN	3.0
2	G	157	MET	2.9
2	H	302	LEU	2.9
2	H	289	LEU	2.9
1	F	105	HIS	2.9
2	E	83	THR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	225	ILE	2.9
2	G	123	GLN	2.9
2	H	125	LEU	2.9
2	G	178	ARG	2.8
2	H	98	SER	2.8
2	H	154	LEU	2.8
2	G	110	ASN	2.8
1	D	125	CYS	2.8
2	E	278	ASP	2.8
2	H	105	SER	2.7
2	B	244	LYS	2.7
2	H	249	VAL	2.7
2	B	181	TYR	2.7
2	H	252	GLU	2.6
2	H	158	GLN	2.6
2	H	160	ARG	2.6
2	G	193	ASP	2.6
1	D	82	ALA	2.6
2	G	155	PRO	2.5
2	H	307	CYS	2.5
1	C	222	PRO	2.5
2	G	216	LEU	2.5
2	H	130	GLU	2.5
1	F	229	ASN	2.5
2	E	138	PRO	2.5
2	G	146	LYS	2.5
2	H	182	CYS	2.5
2	H	162	ARG	2.4
2	H	127	ILE	2.4
2	H	126	ASP	2.4
2	H	220	PRO	2.4
2	G	192	GLN	2.4
2	G	102	MET	2.4
2	G	225	GLU	2.4
2	E	104	PHE	2.4
2	G	100	LEU	2.4
1	C	335	GLN	2.3
2	H	241	MET	2.3
2	H	168	LYS	2.3
1	F	161	ALA	2.3
2	H	223	LEU	2.3
2	H	284	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	G	106	ASN	2.3
1	F	353	CYS	2.3
1	A	275	ARG	2.3
1	D	269	GLU	2.3
2	G	219	CYS	2.3
2	H	132	ILE	2.3
2	B	279	LYS	2.2
2	H	291	LYS	2.2
2	E	180	LEU	2.2
2	G	134	LEU	2.2
2	H	236	TYR	2.2
2	G	132	ILE	2.2
2	H	173	GLU	2.2
2	H	240	ARG	2.2
2	G	261	ILE	2.2
2	G	136	LEU	2.2
2	H	281	GLY	2.2
2	H	186	ILE	2.2
2	H	190	ARG	2.1
2	G	133	LEU	2.1
1	A	279	LYS	2.1
1	F	282	GLN	2.1
1	C	118	PRO	2.1
2	G	205	CYS	2.1
2	G	232	TYR	2.1
2	B	218	SER	2.1
2	H	170	GLY	2.1
2	H	174	GLY	2.1
2	H	93	GLU	2.1
2	H	264	ARG	2.0
2	H	258	LEU	2.0
1	D	326	GLU	2.0
1	D	218	HIS	2.0
2	G	296	VAL	2.0
1	F	328	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SAM	C	401	27/27	0.29	2.18	27,28,40,42	27
4	SO4	E	401	5/5	0.23	1.85	30,30,30,30	0
3	SAM	F	401	27/27	0.19	-0.05	3,3,10,11	27
3	SAM	D	401	27/27	0.17	-0.05	3,3,8,9	27
3	SAM	A	401	27/27	0.19	-0.10	3,6,9,10	27
4	SO4	F	402	5/5	0.20	-0.39	100,100,101,101	0
4	SO4	B	401	5/5	0.15	-1.05	96,97,97,97	0
4	SO4	C	402	5/5	0.12	-1.18	79,79,79,79	0
4	SO4	D	404	5/5	0.14	-1.53	90,90,91,91	0
4	SO4	A	402	5/5	0.10	-3.21	77,77,77,77	0
4	SO4	D	403	5/5	0.13	-3.26	100,100,100,100	0
4	SO4	D	402	5/5	0.12	-3.48	40,40,40,40	0

6.5 Other polymers ⓘ

There are no such residues in this entry.