



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 09:26 AM GMT

PDB ID : 1FTM  
Title : CRYSTAL STRUCTURE OF THE GLUR2 LIGAND BINDING CORE (S1S2J) IN COMPLEX WITH AMPA AT 1.7 RESOLUTION  
Authors : Gouaux, E.; Armstrong, N.  
Deposited on : 2000-09-12  
Resolution : 1.70 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 21963  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	2929 (1.70-1.70)
Ramachandran outliers	78287	2878 (1.70-1.70)
Sidechain outliers	78261	2878 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	263	
1	B	263	
1	C	263	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6330 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLUTAMATE RECEPTOR SUBUNIT 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	0	0
			1961	1250	328	369	14			
1	B	258	Total	C	N	O	S	0	0	0
			1984	1265	332	373	14			
1	C	258	Total	C	N	O	S	0	0	0
			1921	1227	316	365	13			


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	Cloning Artifact	UNP P19491
A	2	ALA	-	Cloning Artifact	UNP P19491
A	118	GLY	-	Linker	UNP P19491
A	119	THR	-	Linker	UNP P19491
B	1	GLY	-	Cloning Artifact	UNP P19491
B	2	ALA	-	Cloning Artifact	UNP P19491
B	118	GLY	-	Linker	UNP P19491
B	119	THR	-	Linker	UNP P19491
C	1	GLY	-	Cloning Artifact	UNP P19491
C	2	ALA	-	Cloning Artifact	UNP P19491
C	118	GLY	-	Linker	UNP P19491
C	119	THR	-	Linker	UNP P19491

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Zn	0	0
			2	2		
2	A	1	Total	Zn	0	0
			1	1		
2	C	2	Total	Zn	0	0
			2	2		

- Molecule 3 is (S)-ALPHA-AMINO-3-HYDROXY-5-METHYL-4-ISOXAZOLEPROPIONIC ACID (three-letter code: AMQ) (formula: C<sub>7</sub>H<sub>10</sub>N<sub>2</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	N	O	0	0
			13	7	2	4		
3	A	1	Total	C	N	O	0	0
			13	7	2	4		
3	B	1	Total	C	N	O	0	0
			13	7	2	4		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	140	Total	O	0	0
			140	140		
4	B	163	Total	O	0	0
			163	163		
4	C	117	Total	O	0	0
			117	117		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


#### • Molecule 1: GLUTAMATE RECEPTOR SUBUNIT 2

Chain A: 




#### • Molecule 1: GLUTAMATE RECEPTOR SUBUNIT 2

Chain B: 



#### • Molecule 1: GLUTAMATE RECEPTOR SUBUNIT 2

Chain C: 



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	113.80Å 163.17Å 47.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.70	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-1.70)	Depositor
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, $R_{free}$	0.210 , 0.247	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6330	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AMQ, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	0/1997	0.66	0/2690
1	B	0.48	0/2020	0.67	0/2722
1	C	0.45	0/1957	0.67	0/2649
All	All	0.47	0/5974	0.67	0/8061

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1961	0	1940	19	0
1	B	1984	0	1989	24	0
1	C	1921	0	1868	26	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
3	A	13	0	8	0	0
3	B	13	0	8	0	0
3	C	13	0	8	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	140	0	0	2	0
4	B	163	0	0	6	0
4	C	117	0	0	2	0
All	All	6330	0	5821	68	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

All (68) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:66:ALA:O	1:A:69:LYS:HD3	1.80	0.81
1:B:100:ILE:HD12	1:B:223:ALA:HB1	1.67	0.76
1:B:196:MET:HE1	4:B:480:HOH:O	1.90	0.71
1:B:116:LYS:O	1:B:119:THR:HG23	1.92	0.69
1:C:119:THR:HG21	4:C:496:HOH:O	1.93	0.69
1:C:241:LEU:HD22	1:C:246:LEU:HD22	1.77	0.67
1:B:253:LYS:O	1:B:258:LYS:HG2	1.97	0.66
1:B:241:LEU:HD22	1:B:246:LEU:HD22	1.80	0.64
1:C:116:LYS:O	1:C:119:THR:HG23	1.98	0.62
1:B:184:SER:HB2	4:B:589:HOH:O	2.01	0.60
1:A:196:MET:HE1	4:A:431:HOH:O	2.04	0.58
1:B:119:THR:HG21	4:B:444:HOH:O	2.04	0.58
1:C:199:TYR:CZ	1:C:203:ARG:HD2	2.39	0.57
1:B:109:LEU:HD13	1:B:109:LEU:N	2.20	0.56
1:B:226:LYS:HE3	4:B:496:HOH:O	2.06	0.55
1:A:240:LYS:O	1:A:244:GLN:HG2	2.08	0.54
1:A:145:GLU:CD	1:A:148:ARG:HH21	2.12	0.53
1:A:66:ALA:O	1:A:69:LYS:CD	2.55	0.53
1:B:35:TYR:CZ	1:B:107:MET:CE	2.94	0.50
1:A:109:LEU:HD13	1:A:109:LEU:N	2.26	0.50
1:A:152:ILE:CG1	1:A:155:PHE:CD2	2.95	0.49
1:C:43:ILE:HD13	1:C:222:ILE:HD13	1.94	0.49
1:C:64:ARG:NH2	1:C:69:LYS:HD2	2.27	0.49
1:C:91:THR:HG21	1:C:218:LYS:HD2	1.94	0.48
1:B:249:LYS:HE3	1:B:249:LYS:HB2	1.61	0.48
1:A:160:THR:HA	1:A:163:ARG:NH1	2.28	0.48
1:C:88:ALA:HB1	1:C:89:PRO:HD2	1.96	0.47
1:C:152:ILE:C	1:C:152:ILE:HD13	2.34	0.47
1:C:119:THR:HA	1:C:120:PRO:HD3	1.65	0.47
1:C:116:LYS:O	1:C:119:THR:CG2	2.63	0.47
1:B:100:ILE:HD12	1:B:223:ALA:CB	2.41	0.47
1:B:42:GLU:O	1:B:46:HIS:HD2	1.98	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:88:ALA:HB1	1:A:89:PRO:HD2	1.95	0.47
1:B:137:THR:HG22	1:B:191:LEU:HB2	1.96	0.46
1:C:23:HIS:HA	1:C:26:LEU:HD12	1.98	0.45
1:C:42:GLU:HG3	1:C:246:LEU:HD21	1.99	0.45
1:A:15:PRO:HB3	1:A:199:TYR:CE1	2.52	0.44
1:A:109:LEU:HB3	1:A:195:THR:HG23	1.99	0.44
1:A:196:MET:CE	1:A:196:MET:HA	2.48	0.43
1:B:35:TYR:CZ	1:B:107:MET:HE3	2.53	0.43
1:A:196:MET:HA	1:A:196:MET:HE3	2.00	0.43
1:B:145:GLU:HG3	4:B:539:HOH:O	2.17	0.43
1:B:109:LEU:N	1:B:109:LEU:CD1	2.81	0.43
1:B:52:LYS:HZ2	1:B:54:THR:HG22	1.83	0.43
1:C:135:TYR:HA	1:C:189:ALA:O	2.19	0.43
1:A:22:ASN:N	1:A:22:ASN:OD1	2.47	0.43
1:A:12:LEU:HD23	1:A:12:LEU:HA	1.87	0.43
1:B:105:PRO:HA	1:B:220:TYR:O	2.20	0.42
1:C:78:LEU:HD22	1:C:225:PRO:HD3	2.01	0.42
1:C:43:ILE:HD13	1:C:222:ILE:CD1	2.49	0.42
1:C:152:ILE:HG23	1:C:155:PHE:CD2	2.54	0.42
1:C:137:THR:HG22	1:C:191:LEU:HB2	2.01	0.42
1:C:134:ALA:O	1:C:188:TYR:HA	2.19	0.42
1:B:251:LYS:O	1:B:255:TRP:HB2	2.20	0.42
1:A:145:GLU:HG2	4:A:568:HOH:O	2.20	0.42
1:B:246:LEU:O	1:B:246:LEU:HG	2.20	0.41
1:A:94:LEU:O	1:A:98:GLU:HG3	2.20	0.41
1:A:103:SER:O	1:C:104:LYS:HE3	2.21	0.41
1:C:145:GLU:HG2	4:C:486:HOH:O	2.20	0.41
1:A:166:GLU:HA	1:A:167:PRO:C	2.40	0.41
1:C:152:ILE:O	1:C:152:ILE:HD13	2.21	0.41
1:C:15:PRO:HB3	1:C:199:TYR:CE1	2.56	0.41
1:B:136:GLY:HA3	1:B:169:VAL:O	2.21	0.40
1:C:105:PRO:HA	1:C:220:TYR:O	2.21	0.40
1:B:218:LYS:HB2	4:B:522:HOH:O	2.22	0.40
1:C:94:LEU:O	1:C:98:GLU:HG3	2.21	0.40
1:B:6:VAL:HG13	1:B:84:ASP:HB2	2.03	0.40
1:C:109:LEU:N	1:C:109:LEU:HD13	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	256/263 (97%)	251 (98%)	4 (2%)	1 (0%)	43	22
1	B	256/263 (97%)	251 (98%)	5 (2%)	0	100	100
1	C	256/263 (97%)	251 (98%)	5 (2%)	0	100	100
All	All	768/789 (97%)	753 (98%)	14 (2%)	1 (0%)	59	36

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	66	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	203/219 (93%)	200 (98%)	3 (2%)	76	60
1	B	209/219 (95%)	200 (96%)	9 (4%)	40	16
1	C	195/219 (89%)	191 (98%)	4 (2%)	66	45
All	All	607/657 (92%)	591 (97%)	16 (3%)	59	35

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	69	LYS
1	A	109	LEU
1	A	250	LEU
1	B	15	PRO
1	B	82	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	109	LEU
1	B	119	THR
1	B	139	ASP
1	B	163	ARG
1	B	172	ARG
1	B	230	LEU
1	B	244	GLN
1	C	109	LEU
1	C	119	THR
1	C	131	THR
1	C	152	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 5 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	AMQ	A	428	-	13,13,13	1.36	2 (15%)	14,18,18	2.73	5 (35%)
3	AMQ	B	429	-	13,13,13	1.41	2 (15%)	14,18,18	2.73	5 (35%)
3	AMQ	C	427	-	13,13,13	1.37	2 (15%)	14,18,18	2.79	5 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AMQ	A	428	-	-	0/8/8/8	0/1/1/1
3	AMQ	B	429	-	-	0/8/8/8	0/1/1/1
3	AMQ	C	427	-	-	0/8/8/8	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	429	AMQ	OE2-NE1	3.57	1.45	1.42
3	A	428	AMQ	OE2-NE1	3.38	1.45	1.42
3	C	427	AMQ	OE2-NE1	3.28	1.45	1.42
3	B	429	AMQ	CG-CD1	2.23	1.43	1.38
3	A	428	AMQ	CG-CD1	2.20	1.43	1.38
3	C	427	AMQ	CG-CD1	2.15	1.43	1.38

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	427	AMQ	CD2-OE2-NE1	6.27	109.71	107.66
3	A	428	AMQ	CD2-OE2-NE1	6.21	109.69	107.66
3	B	429	AMQ	CD2-OE2-NE1	5.94	109.60	107.66
3	C	427	AMQ	CE2-CD2-CG	5.43	134.55	125.20
3	B	429	AMQ	CE2-CD2-CG	5.34	134.40	125.20
3	A	428	AMQ	CE2-CD2-CG	5.22	134.19	125.20
3	C	427	AMQ	OE1-CD1-CG	-4.81	116.92	129.52
3	B	429	AMQ	OE1-CD1-CG	-4.77	117.04	129.52
3	A	428	AMQ	OE1-CD1-CG	-4.70	117.21	129.52
3	C	427	AMQ	CD1-CG-CD2	-3.04	100.67	104.27
3	B	429	AMQ	CD1-CG-CD2	-2.96	100.76	104.27
3	A	428	AMQ	CD1-CG-CD2	-2.95	100.78	104.27
3	A	428	AMQ	CB-CG-CD1	2.16	128.14	124.14
3	B	429	AMQ	CB-CG-CD1	2.08	127.99	124.14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	427	AMQ	CB-CG-CD1	2.08	127.99	124.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.