



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 09:25 AM GMT

PDB ID : 1FTQ  
Title : STRUCTURES OF GLYCOGEN PHOSPHORYLASE-INHIBITORCOM-  
PLEXES AND THE IMPLICATIONS FOR STRUCTURE-BASED DRUG  
DESIGN  
Authors : Watson, K.A.; Tsitsanou, K.E.; Gregoriou, M.; Zographos, S.E.; Skamnaki,  
V.T.; Oikonomakos, N.G.; Fleet, G.W.; Johnson, L.N.  
Deposited on : 2000-09-13  
Resolution : 2.35 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 21963  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.35 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	1064 (2.38-2.34)
Ramachandran outliers	78287	1048 (2.38-2.34)
Sidechain outliers	78261	1049 (2.38-2.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	842	

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 7042 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GLYCOGEN PHOSPHORYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	830	6749	4303	1189	1227	30	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	380	ILE	LEU	SEE REMARK 999	UNP P00489

- Molecule 2 is SUGAR (3-AMINO-8,9,10-TRIHYDROXY-7-HYDROXYMETHYL-6-OXA-1,3-DIAZA-SPIRO[4.5]DECANE-2,4-DIONE) (three-letter code: GL2) (formula:  $C_8H_{13}N_3O_7$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	18	8	3	7	0	0

- Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula:  $C_8H_{10}NO_6P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	15	8	1	5	1	0	0

- Molecule 4 is INOSINIC ACID (three-letter code: IMP) (formula:  $C_{10}H_{13}N_4O_8P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	A	1	23	10	4	8	1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	237	Total 237	O 237	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: GLYCOGEN PHOSPHORYLASE

Chain A: 



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	128.50Å 128.50Å 116.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	13.90 – 2.35	Depositor
% Data completeness (in resolution range)	78.0 (13.90-2.35)	Depositor
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, $R_{free}$	0.177 , 0.228	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7042	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IMP, GL2, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.39	0/6903	0.66	3/9344 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	554	LYS	N-CA-C	7.57	131.45	111.00
1	A	556	HIS	N-CA-C	5.92	127.00	111.00
1	A	63	LEU	CA-CB-CG	5.28	127.45	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6749	0	6695	195	0
2	A	18	0	13	0	0
3	A	15	0	7	0	0
4	A	23	0	11	0	0
5	A	237	0	0	21	0
All	All	7042	0	6726	195	0



Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 14.

All (195) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:413:ARG:HG2	1:A:413:ARG:HH21	1.11	1.09
1:A:580:CYS:SG	5:A:1230:HOH:O	2.09	1.08
1:A:320:ASP:HB3	1:A:321:PRO:HD2	1.31	1.07
1:A:754:GLN:HB3	5:A:1233:HOH:O	1.60	0.99
1:A:251:ASP:CG	1:A:252:PHE:H	1.72	0.93
1:A:320:ASP:HB3	1:A:321:PRO:CD	2.00	0.91
1:A:678:ASN:HD22	1:A:679:MET:H	1.16	0.89
1:A:580:CYS:HA	5:A:1230:HOH:O	1.77	0.82
1:A:839:GLU:O	1:A:840:LYS:HG3	1.82	0.80
1:A:65:GLY:O	1:A:69:ARG:HG2	1.83	0.79
1:A:379:VAL:HG22	5:A:1110:HOH:O	1.81	0.79
1:A:554:LYS:O	1:A:555:VAL:HG22	1.84	0.77
1:A:319:ARG:CG	1:A:320:ASP:H	2.00	0.75
1:A:413:ARG:NH2	1:A:413:ARG:HG2	1.89	0.74
1:A:546:ALA:HA	1:A:557:ILE:HD11	1.69	0.74
1:A:678:ASN:ND2	1:A:679:MET:H	1.85	0.74
1:A:160:ARG:HB2	1:A:243:LEU:HB3	1.69	0.74
1:A:319:ARG:HG2	1:A:320:ASP:H	1.53	0.74
1:A:678:ASN:HD22	1:A:679:MET:N	1.86	0.74
1:A:708:PHE:HB3	1:A:710:ILE:CD1	2.18	0.73
1:A:66:ARG:HG3	1:A:837:PRO:HB3	1.71	0.73
1:A:329:PHE:HB3	1:A:330:PRO:HD3	1.72	0.72
1:A:703:ALA:HA	1:A:807:THR:HG21	1.72	0.72
1:A:455:VAL:H	1:A:459:HIS:HD2	1.38	0.72
1:A:322:VAL:O	1:A:323:ARG:HB2	1.89	0.71
1:A:251:ASP:CG	1:A:252:PHE:N	2.44	0.71
1:A:545:PHE:CZ	1:A:656:VAL:HG13	2.26	0.71
1:A:708:PHE:HB3	1:A:710:ILE:HD12	1.74	0.69
1:A:13:ILE:O	1:A:14:SER:HB2	1.92	0.69
1:A:235:ASN:HD22	1:A:235:ASN:H	1.41	0.68
1:A:515:LEU:HD22	1:A:518:LEU:HD22	1.73	0.68
1:A:335:ILE:HD11	1:A:337:LEU:HD11	1.76	0.68
1:A:730:GLU:O	1:A:734:ARG:HG2	1.94	0.68
1:A:764:MET:HE2	1:A:769:ASP:HA	1.77	0.67
1:A:703:ALA:CA	1:A:807:THR:HG21	2.23	0.67
1:A:719:ASP:O	1:A:723:GLN:HG2	1.94	0.67
1:A:764:MET:CE	1:A:769:ASP:HA	2.25	0.66
1:A:841:ILE:O	1:A:841:ILE:HG23	1.96	0.66
1:A:841:ILE:O	1:A:841:ILE:CG2	2.44	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:601:ARG:HD2	5:A:1034:HOH:O	1.97	0.65
1:A:554:LYS:O	1:A:555:VAL:HG13	1.98	0.64
1:A:367:VAL:O	1:A:371:THR:HG23	1.98	0.63
1:A:184:ARG:HE	1:A:185:TYR:HE2	1.45	0.63
1:A:458:ILE:HD11	1:A:715:VAL:HG21	1.80	0.63
1:A:257:PHE:O	1:A:258:ASN:HB2	1.99	0.63
1:A:463:LEU:HA	1:A:467:ILE:HG22	1.82	0.62
1:A:571:HIS:HB2	1:A:574:LYS:HG3	1.80	0.62
1:A:323:ARG:O	1:A:325:ASN:N	2.33	0.62
1:A:253:ASN:ND2	5:A:1222:HOH:O	2.28	0.62
1:A:138:ARG:HD3	1:A:138:ARG:O	1.99	0.62
1:A:335:ILE:HG13	1:A:335:ILE:O	2.00	0.61
1:A:355:ASP:OD1	1:A:398:ARG:HD3	2.01	0.61
1:A:69:ARG:NH2	1:A:840:LYS:HG2	2.15	0.61
1:A:413:ARG:CG	1:A:413:ARG:HH21	1.99	0.61
1:A:316:PHE:HE2	1:A:332:LYS:HZ1	1.46	0.61
1:A:351:ARG:O	1:A:355:ASP:HB2	2.01	0.60
1:A:703:ALA:CB	1:A:807:THR:HG21	2.32	0.59
1:A:503:ILE:HG12	1:A:521:LEU:HD11	1.84	0.59
1:A:319:ARG:N	1:A:319:ARG:HD3	2.16	0.59
1:A:16:ARG:HB3	1:A:105:GLU:HB3	1.84	0.58
1:A:604:MET:HB3	1:A:645:LEU:HD22	1.85	0.58
1:A:703:ALA:HB2	1:A:807:THR:HG21	1.86	0.57
1:A:253:ASN:O	1:A:254:LEU:HB2	2.03	0.57
1:A:648:TYR:HA	1:A:652:LEU:HD23	1.86	0.57
1:A:488:PRO:O	1:A:492:LEU:HB3	2.03	0.57
1:A:335:ILE:HD11	1:A:337:LEU:CD1	2.35	0.56
1:A:770:ARG:HD3	5:A:1111:HOH:O	2.04	0.56
1:A:571:HIS:HB2	1:A:574:LYS:CG	2.35	0.56
1:A:742:ILE:HD11	1:A:774:PHE:CZ	2.40	0.56
1:A:493:VAL:CG2	1:A:512:ILE:HD12	2.35	0.56
1:A:423:ASP:O	1:A:426:ARG:HG3	2.07	0.55
1:A:316:PHE:HE2	1:A:332:LYS:NZ	2.04	0.55
1:A:592:LYS:CD	5:A:1228:HOH:O	2.54	0.55
1:A:434:GLY:O	1:A:435:ALA:C	2.45	0.54
1:A:268:ASP:O	1:A:271:LEU:HB2	2.06	0.54
1:A:580:CYS:CA	5:A:1230:HOH:O	2.44	0.54
1:A:678:ASN:HD22	1:A:678:ASN:N	2.06	0.54
1:A:678:ASN:ND2	1:A:679:MET:N	2.52	0.53
1:A:810:LYS:O	1:A:810:LYS:HG2	2.09	0.53
1:A:548:TYR:HA	1:A:551:ARG:HH21	1.74	0.53
1:A:61:ASP:O	1:A:64:VAL:HG22	2.09	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:554:LYS:C	1:A:555:VAL:HG22	2.28	0.53
1:A:235:ASN:HA	1:A:833:ARG:HG3	1.91	0.52
1:A:575:ARG:HD3	1:A:666:ILE:O	2.09	0.52
1:A:34:HIS:HD2	1:A:38:THR:OG1	1.93	0.52
1:A:678:ASN:N	1:A:678:ASN:ND2	2.57	0.52
1:A:836:ALA:HB1	1:A:837:PRO:HD2	1.91	0.52
1:A:836:ALA:HB1	1:A:837:PRO:CD	2.40	0.51
1:A:378:THR:OG1	1:A:380:ILE:HG12	2.11	0.51
1:A:15:VAL:HG22	1:A:501:GLU:OE1	2.09	0.51
1:A:405:GLU:O	1:A:409:ARG:HG3	2.11	0.51
1:A:322:VAL:HG12	1:A:322:VAL:O	2.11	0.51
1:A:319:ARG:CG	1:A:320:ASP:N	2.72	0.51
1:A:319:ARG:NE	1:A:320:ASP:H	2.10	0.50
1:A:360:ASP:OD1	1:A:363:LYS:HB2	2.13	0.49
1:A:519:ARG:O	1:A:522:LEU:HB2	2.11	0.49
1:A:568:LYS:HE2	5:A:1123:HOH:O	2.12	0.49
1:A:319:ARG:NE	1:A:320:ASP:N	2.60	0.49
1:A:93:ARG:HH21	1:A:93:ARG:CG	2.26	0.48
1:A:790:LEU:O	1:A:790:LEU:HD22	2.14	0.48
1:A:66:ARG:CG	1:A:837:PRO:HB3	2.43	0.48
1:A:604:MET:HB3	1:A:645:LEU:CD2	2.43	0.48
1:A:754:GLN:CB	5:A:1233:HOH:O	2.36	0.48
1:A:466:THR:HG22	1:A:467:ILE:N	2.28	0.47
1:A:389:VAL:HG13	1:A:400:LEU:HD11	1.97	0.47
1:A:554:LYS:O	1:A:555:VAL:CG2	2.60	0.47
1:A:795:ARG:O	1:A:799:ARG:HG3	2.15	0.47
1:A:91:MET:HB2	1:A:129:ALA:HB3	1.96	0.47
1:A:94:THR:CG2	5:A:1087:HOH:O	2.63	0.47
1:A:144:LEU:HD12	1:A:147:MET:HE3	1.97	0.47
1:A:193:ARG:HB3	1:A:196:PHE:CD1	2.49	0.47
1:A:144:LEU:HD12	1:A:147:MET:CE	2.44	0.47
1:A:703:ALA:HB2	1:A:807:THR:CG2	2.44	0.47
1:A:286:PHE:CD2	1:A:385:GLU:HG2	2.50	0.47
1:A:592:LYS:HG3	1:A:593:GLU:HG2	1.97	0.46
1:A:169:LYS:HB2	1:A:176:MET:HB2	1.97	0.46
1:A:709:PHE:CD1	1:A:787:VAL:HG12	2.50	0.46
1:A:234:ARG:NH1	5:A:1026:HOH:O	2.49	0.46
1:A:424:ARG:NH1	1:A:473:GLU:OE1	2.41	0.46
1:A:430:LEU:HD22	1:A:443:HIS:HB3	1.97	0.46
1:A:110:GLU:O	1:A:113:TYR:HB3	2.15	0.46
1:A:592:LYS:HD2	1:A:592:LYS:O	2.16	0.46
1:A:367:VAL:O	1:A:371:THR:CG2	2.62	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:732:TYR:CZ	1:A:739:ARG:HG3	2.51	0.46
1:A:361:TRP:CH2	1:A:405:GLU:HG2	2.50	0.46
1:A:181:ASP:HB3	1:A:184:ARG:NH2	2.31	0.46
1:A:88:GLU:HG2	1:A:132:GLY:HA2	1.97	0.46
1:A:90:TYR:HE1	5:A:1043:HOH:O	1.95	0.45
1:A:580:CYS:CB	5:A:1230:HOH:O	2.49	0.45
1:A:341:HIS:HB2	1:A:342:PRO:HD3	1.97	0.45
1:A:325:ASN:HA	5:A:1185:HOH:O	2.16	0.45
1:A:601:ARG:NH1	1:A:784:GLN:OE1	2.42	0.45
1:A:562:LEU:HD21	1:A:662:LEU:HB2	1.98	0.45
1:A:678:ASN:ND2	1:A:679:MET:HG3	2.31	0.45
1:A:413:ARG:NH2	1:A:413:ARG:CG	2.66	0.45
1:A:708:PHE:HB3	1:A:710:ILE:HD11	1.96	0.45
1:A:313:SER:O	1:A:314:SER:C	2.54	0.44
1:A:564:ASP:O	1:A:603:VAL:HA	2.18	0.44
1:A:233:TYR:CE2	1:A:234:ARG:HD3	2.53	0.44
1:A:493:VAL:HG21	1:A:512:ILE:HD12	1.98	0.44
1:A:169:LYS:O	1:A:176:MET:N	2.45	0.44
1:A:252:PHE:C	1:A:254:LEU:H	2.19	0.44
1:A:515:LEU:HD13	1:A:809:GLY:HA2	1.99	0.44
1:A:205:ARG:HG2	1:A:216:VAL:HG12	2.00	0.44
1:A:475:GLU:CD	1:A:478:LYS:HE3	2.38	0.44
1:A:322:VAL:CG1	1:A:322:VAL:O	2.66	0.43
1:A:47:THR:HB	1:A:48:PRO:HD2	2.00	0.43
1:A:329:PHE:HD1	1:A:371:THR:HG21	1.84	0.43
1:A:128:ASP:OD2	1:A:651:SER:HB3	2.18	0.43
1:A:579:ASN:HD22	1:A:579:ASN:C	2.21	0.43
1:A:758:PHE:HD2	1:A:761:ILE:HD12	1.84	0.43
1:A:100:VAL:HG22	5:A:1184:HOH:O	2.19	0.42
1:A:687:LEU:HD22	1:A:797:TRP:CE2	2.54	0.42
1:A:170:ILE:HG12	1:A:646:GLU:HG3	2.00	0.42
1:A:28:LYS:HG3	1:A:111:ALA:HB1	2.02	0.42
1:A:754:GLN:CG	5:A:1233:HOH:O	2.67	0.42
1:A:424:ARG:HH12	1:A:473:GLU:CD	2.21	0.42
1:A:499:LEU:HD12	1:A:502:ILE:HD11	2.02	0.42
1:A:250:ASN:HA	1:A:269:ARG:HH22	1.85	0.42
1:A:251:ASP:O	1:A:255:LYS:N	2.38	0.42
1:A:596:LYS:O	1:A:639:ARG:NH1	2.52	0.41
1:A:59:VAL:HG21	1:A:99:MET:HE2	2.02	0.41
1:A:251:ASP:C	1:A:255:LYS:HB3	2.40	0.41
1:A:129:ALA:HB2	5:A:1087:HOH:O	2.19	0.41
1:A:834:LEU:HG	1:A:835:PRO:HD2	2.03	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:837:PRO:CD	1:A:838:ASP:H	2.32	0.41
1:A:518:LEU:HA	1:A:518:LEU:HD12	1.94	0.41
1:A:235:ASN:O	1:A:236:ASN:HB2	2.20	0.41
1:A:93:ARG:HH21	1:A:93:ARG:HG3	1.85	0.41
1:A:67:TRP:HA	1:A:238:VAL:HB	2.02	0.41
1:A:36:HIS:O	1:A:40:VAL:HA	2.21	0.41
1:A:77:LYS:HD2	1:A:77:LYS:HA	1.90	0.41
1:A:209:THR:O	1:A:211:GLN:N	2.53	0.41
1:A:320:ASP:CB	1:A:321:PRO:CD	2.84	0.41
1:A:291:LEU:O	1:A:295:GLN:HG3	2.20	0.41
1:A:839:GLU:C	1:A:840:LYS:HG3	2.39	0.41
1:A:467:ILE:HG23	1:A:468:PHE:CG	2.55	0.41
1:A:558:ASN:HA	1:A:559:PRO:HD3	1.86	0.41
1:A:522:LEU:HD12	1:A:522:LEU:HA	1.89	0.41
1:A:835:PRO:O	1:A:836:ALA:O	2.39	0.41
1:A:322:VAL:O	1:A:323:ARG:CB	2.66	0.41
1:A:627:GLY:O	1:A:631:ASN:HB2	2.21	0.41
1:A:458:ILE:HG22	5:A:1092:HOH:O	2.21	0.40
1:A:115:LEU:HA	1:A:115:LEU:HD12	1.92	0.40
1:A:81:ARG:CG	1:A:155:TYR:HE2	2.34	0.40
1:A:837:PRO:HD2	1:A:838:ASP:H	1.86	0.40
1:A:689:ILE:HA	1:A:709:PHE:HB2	2.03	0.40
1:A:143:PHE:CG	1:A:817:ILE:HD11	2.56	0.40
1:A:294:LYS:HG3	1:A:395:LEU:HD21	2.03	0.40
1:A:304:LEU:HD23	1:A:304:LEU:HA	1.94	0.40
1:A:689:ILE:O	1:A:689:ILE:HG23	2.20	0.40
1:A:549:LEU:HD12	1:A:549:LEU:HA	1.78	0.40
1:A:253:ASN:CG	5:A:1222:HOH:O	2.58	0.40
1:A:834:LEU:HD12	1:A:834:LEU:HA	1.86	0.40
1:A:693:ASP:O	1:A:696:ASN:HB2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	828/842 (98%)	769 (93%)	38 (5%)	21 (2%)	9 6

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	14	SER
1	A	210	SER
1	A	254	LEU
1	A	258	ASN
1	A	320	ASP
1	A	323	ARG
1	A	324	THR
1	A	555	VAL
1	A	556	HIS
1	A	839	GLU
1	A	840	LYS
1	A	259	VAL
1	A	836	ALA
1	A	838	ASP
1	A	43	ARG
1	A	314	SER
1	A	319	ARG
1	A	835	PRO
1	A	322	VAL
1	A	554	LYS
1	A	772	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	719/731 (98%)	610 (85%)	109 (15%)	4 4

All (109) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	ILE
1	A	15	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	16	ARG
1	A	18	LEU
1	A	22	GLU
1	A	23	ASN
1	A	27	LEU
1	A	29	LYS
1	A	33	ARG
1	A	39	LEU
1	A	45	VAL
1	A	69	ARG
1	A	90	TYR
1	A	93	ARG
1	A	94	THR
1	A	102	LEU
1	A	104	LEU
1	A	115	LEU
1	A	128	ASP
1	A	138	ARG
1	A	144	LEU
1	A	178	GLU
1	A	191	LYS
1	A	198	LEU
1	A	210	SER
1	A	211	GLN
1	A	216	VAL
1	A	234	ARG
1	A	235	ASN
1	A	243	LEU
1	A	247	LYS
1	A	253	ASN
1	A	254	LEU
1	A	255	LYS
1	A	257	PHE
1	A	258	ASN
1	A	287	GLU
1	A	292	ARG
1	A	306	ASP
1	A	314	SER
1	A	315	LYS
1	A	318	CYS
1	A	319	ARG
1	A	320	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	322	VAL
1	A	323	ARG
1	A	324	THR
1	A	335	ILE
1	A	337	LEU
1	A	358	ARG
1	A	363	LYS
1	A	371	THR
1	A	398	ARG
1	A	400	LEU
1	A	408	GLN
1	A	413	ARG
1	A	424	ARG
1	A	425	LEU
1	A	426	ARG
1	A	433	GLU
1	A	436	VAL
1	A	444	LEU
1	A	474	LEU
1	A	510	GLU
1	A	515	LEU
1	A	518	LEU
1	A	522	LEU
1	A	528	GLU
1	A	544	LYS
1	A	549	LEU
1	A	552	GLU
1	A	555	VAL
1	A	565	VAL
1	A	568	LYS
1	A	579	ASN
1	A	586	LEU
1	A	593	GLU
1	A	596	LYS
1	A	613	TYR
1	A	622	LEU
1	A	643	ILE
1	A	645	LEU
1	A	656	VAL
1	A	662	LEU
1	A	678	ASN
1	A	687	LEU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	706	GLU
1	A	708	PHE
1	A	721	LEU
1	A	724	ARG
1	A	734	ARG
1	A	742	ILE
1	A	756	ASP
1	A	763	ASN
1	A	764	MET
1	A	765	LEU
1	A	768	HIS
1	A	772	LYS
1	A	781	VAL
1	A	782	LYS
1	A	787	VAL
1	A	790	LEU
1	A	803	ARG
1	A	807	THR
1	A	830	SER
1	A	833	ARG
1	A	838	ASP
1	A	840	LYS
1	A	841	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	HIS
1	A	211	GLN
1	A	235	ASN
1	A	253	ASN
1	A	325	ASN
1	A	412	ASN
1	A	450	HIS
1	A	459	HIS
1	A	477	HIS
1	A	481	ASN
1	A	484	ASN
1	A	560	ASN
1	A	566	GLN
1	A	579	ASN
1	A	678	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	763	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	IMP	A	930	-	25,25,25	1.98	7 (28%)	35,38,38	9.88	9 (25%)
2	GL2	A	998	-	19,19,19	1.55	4 (21%)	30,30,30	3.09	6 (20%)
3	PLP	A	999	1	14,15,16	1.41	2 (14%)	20,22,23	1.08	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	IMP	A	930	-	-	0/10/26/26	0/1/3/3
2	GL2	A	998	-	-	0/2/44/44	0/2/2/2

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLP	A	999	1	-	0/6/6/8	0/1/1/1

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	930	IMP	C8-N7	4.92	1.44	1.34
4	A	930	IMP	C6-C5	3.98	1.47	1.41
2	A	998	GL2	O5-C1	3.85	1.49	1.43
2	A	998	GL2	C8-N1	-3.29	1.34	1.39
3	A	999	PLP	P-O2P	3.13	1.66	1.54
4	A	930	IMP	C5'-C4'	3.11	1.61	1.51
4	A	930	IMP	O4'-C1'	2.88	1.45	1.41
3	A	999	PLP	C5A-C5	2.58	1.58	1.51
4	A	930	IMP	P-O3P	-2.52	1.45	1.54
2	A	998	GL2	C7-N1	-2.38	1.33	1.37
4	A	930	IMP	C2-N1	2.19	1.41	1.35
2	A	998	GL2	O7-C7	2.11	1.26	1.22
4	A	930	IMP	C6-N1	2.10	1.40	1.37

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	930	IMP	C6-C5-N7	-57.74	126.36	134.14
2	A	998	GL2	N2-C8-N1	12.45	116.03	106.94
2	A	998	GL2	C7-N1-C8	-6.95	105.72	112.84
2	A	998	GL2	C2-C1-N2	-3.73	106.06	111.93
2	A	998	GL2	C1-N2-C8	-3.68	107.42	112.23
4	A	930	IMP	C8-N9-C4	3.47	109.55	106.90
2	A	998	GL2	C1-C7-N1	3.25	110.27	106.88
4	A	930	IMP	C4'-O4'-C1'	3.01	113.02	109.75
2	A	998	GL2	O8-C8-N1	-2.98	120.92	125.88
3	A	999	PLP	O3P-P-O1P	2.98	120.18	110.44
4	A	930	IMP	O4'-C4'-C3'	-2.90	99.29	105.17
4	A	930	IMP	C4-C5-N7	2.57	111.73	109.52
4	A	930	IMP	O4'-C4'-C5'	-2.45	100.61	109.36
4	A	930	IMP	C5-C6-N1	-2.33	107.73	113.81
4	A	930	IMP	O4'-C1'-C2'	-2.18	103.42	106.77
4	A	930	IMP	O2'-C2'-C1'	-2.02	105.11	111.23

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.