



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 06:28 AM GMT

PDB ID : 1FWM
Title : Crystal structure of the thymidylate synthase R166Q mutant
Authors : Sotelo-Mundo, R.R.; Changchien, L.; Maley, F.; Montfort, W.R.
Deposited on : 2000-09-23
Resolution : 2.20 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	3751 (2.20-2.20)
Ramachandran outliers	78287	3681 (2.20-2.20)
Sidechain outliers	78261	3682 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	264	
1	B	264	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4552 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called THYMIDYLATE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total	C	N	O	S	0	0	0
			2151	1374	369	396	12			
1	B	264	Total	C	N	O	S	0	0	0
			2151	1374	369	396	12			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	CXM	MET	MODIFIED RESIDUE	UNP P0A884
A	166	GLN	ARG	ENGINEERED	UNP P0A884
B	301	CXM	MET	MODIFIED RESIDUE	UNP P0A884
B	466	GLN	ARG	ENGINEERED	UNP P0A884

- Molecule 2 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0

- Molecule 3 is 10-PROPARGYL-5,8-DIDEAZAFOLICACID (three-letter code: CB3) (formula: C₂₄H₂₃N₅O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 35 24 5 6	0	0
3	B	1	Total C N O 35 24 5 6	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	104	Total O 104 104	0	0
4	B	66	Total O 66 66	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: THYMIDYLATE SYNTHASE

Chain A: 



• Molecule 1: THYMIDYLATE SYNTHASE

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	127.06Å 127.06Å 67.67Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	17.95 – 2.20	Depositor
% Data completeness (in resolution range)	79.6 (17.95-2.20)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.180 , 0.225	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4552	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CB3, SO4, CXM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/2200	0.67	0/2988
1	B	0.37	0/2200	0.64	0/2988
All	All	0.36	0/4400	0.66	0/5976

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2151	0	2075	50	0
1	B	2151	0	2075	66	0
2	A	10	0	0	0	0
3	A	35	0	21	0	0
3	B	35	0	21	4	0
4	A	104	0	0	0	0
4	B	66	0	0	1	0
All	All	4552	0	4192	114	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including

hydrogens) of the entry. The overall clashscore for this entry is 13.

All (114) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:215:GLN:NE2	1:A:215:GLN:H	1.65	0.94
1:B:515:GLN:H	1:B:515:GLN:HE21	0.99	0.90
1:A:215:GLN:N	1:A:215:GLN:HE21	1.69	0.88
1:A:110:ASP:O	1:A:114:THR:HG23	1.73	0.88
1:B:301:CXM:CN	1:B:346:THR:H	1.90	0.85
1:A:215:GLN:H	1:A:215:GLN:HE21	0.88	0.84
1:B:515:GLN:NE2	1:B:515:GLN:H	1.76	0.82
1:B:410:ASP:O	1:B:414:THR:HG23	1.80	0.81
1:B:377:VAL:CG2	1:B:379:ILE:HD12	2.16	0.76
1:B:562:VAL:HG13	1:B:564:ILE:HD13	1.68	0.75
1:B:379:ILE:HD13	1:B:380:TRP:N	2.04	0.73
1:A:52:LEU:O	1:A:56:ILE:HD13	1.89	0.73
1:B:515:GLN:N	1:B:515:GLN:HE21	1.81	0.73
1:A:44:LEU:CD2	1:A:52:LEU:HD21	2.23	0.69
1:B:379:ILE:HD13	1:B:380:TRP:H	1.56	0.69
1:B:377:VAL:HG22	1:B:379:ILE:HD12	1.77	0.66
1:B:484:LEU:HA	1:B:487:MET:CE	2.26	0.65
1:A:8:MET:HE3	1:A:220:LEU:HD22	1.79	0.65
1:A:45:VAL:HG22	1:A:50:CYS:SG	2.37	0.64
1:B:320:ASP:OD2	1:B:322:THR:HG22	1.98	0.62
1:A:52:LEU:HD12	1:A:56:ILE:HD11	1.82	0.61
1:A:37:ASN:C	1:A:37:ASN:HD22	2.04	0.61
1:B:322:THR:HG23	1:B:324:THR:H	1.66	0.60
1:B:436:GLY:HA3	4:B:683:HOH:O	2.00	0.60
1:A:28:SER:HB2	1:A:207:HIS:HB3	1.83	0.60
1:A:225:ARG:HB3	1:A:226:PRO:HD2	1.83	0.59
1:B:345:VAL:HG22	1:B:350:CYS:SG	2.44	0.58
1:B:552:TYR:CE2	1:B:554:PRO:HG3	2.38	0.57
1:A:44:LEU:HD22	1:A:52:LEU:HD21	1.86	0.57
1:A:233:LYS:HE3	1:A:248:GLU:HB2	1.88	0.56
1:B:445:PRO:HB2	1:B:448:ALA:HB2	1.88	0.56
1:B:555:HIS:HB3	1:B:556:PRO:HD2	1.87	0.56
1:B:345:VAL:CG2	1:B:350:CYS:SG	2.94	0.56
1:B:434:ASN:HD22	1:B:434:ASN:C	2.08	0.56
1:B:443:LEU:HD21	3:B:566:CB3:C8A	2.37	0.55
1:B:443:LEU:HD21	3:B:566:CB3:N1	2.22	0.55
1:B:320:ASP:CG	1:B:322:THR:HG22	2.26	0.54
1:B:484:LEU:HA	1:B:487:MET:HE3	1.90	0.54
1:B:318:LYS:HB2	1:B:326:THR:HG22	1.89	0.54
1:B:320:ASP:OD1	1:B:322:THR:HG22	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:356:ILE:HG12	1:B:483:LEU:HD11	1.90	0.54
1:B:481:TYR:O	1:B:485:VAL:HG23	2.09	0.53
1:B:525:ARG:HB3	1:B:526:PRO:HD2	1.92	0.52
1:A:205:ASP:OD2	1:B:426:ARG:HG2	2.10	0.52
1:A:37:ASN:ND2	1:A:39:GLN:H	2.08	0.52
1:B:487:MET:HB3	1:B:539:ILE:HD11	1.92	0.51
1:B:398:TRP:HB3	1:B:412:ILE:HD11	1.92	0.51
1:B:412:ILE:CD1	1:B:412:ILE:N	2.73	0.51
1:A:170:VAL:HB	1:A:208:LEU:HD13	1.93	0.51
1:A:56:ILE:N	1:A:56:ILE:CD1	2.74	0.51
1:A:56:ILE:N	1:A:56:ILE:HD12	2.25	0.51
1:B:379:ILE:N	1:B:379:ILE:CD1	2.74	0.51
1:B:398:TRP:O	1:B:412:ILE:HD13	2.11	0.50
1:B:529:LYS:NZ	1:B:529:LYS:HB2	2.27	0.50
1:A:133:TRP:CZ2	1:A:138:LEU:HD21	2.46	0.50
1:A:69:ILE:HD13	1:A:73:HIS:CD2	2.47	0.49
1:A:134:ASN:HD22	1:A:134:ASN:C	2.16	0.49
1:A:151:GLN:NE2	1:B:464:TYR:OH	2.44	0.49
1:A:73:HIS:HE1	1:A:81:ASP:OD1	1.96	0.48
1:B:369:ILE:HD13	1:B:373:HIS:CE1	2.47	0.48
1:A:44:LEU:HD21	1:A:52:LEU:HD21	1.95	0.48
1:B:377:VAL:HG23	1:B:379:ILE:HD12	1.95	0.48
1:B:372:LEU:O	1:B:377:VAL:HG13	2.14	0.48
1:B:379:ILE:HD11	1:B:380:TRP:HD1	1.78	0.48
1:B:446:CYS:HB3	3:B:566:CB3:NA2	2.29	0.47
1:A:33:GLN:HA	1:A:201:TRP:O	2.15	0.47
1:B:486:HIS:CE1	1:B:496:VAL:HG11	2.50	0.47
1:A:243:ARG:NH1	1:A:245:GLU:HG2	2.30	0.47
1:B:301:CXM:CN	1:B:347:THR:H	2.27	0.47
1:A:115:VAL:HA	1:A:118:GLN:HE21	1.80	0.46
1:A:86:GLU:H	1:A:86:GLU:CD	2.18	0.46
1:B:552:TYR:CZ	1:B:554:PRO:HG3	2.50	0.46
1:A:44:LEU:HD21	1:A:52:LEU:CD2	2.45	0.46
1:A:37:ASN:ND2	1:A:37:ASN:C	2.68	0.46
1:B:357:HIS:HD2	1:B:371:TYR:OH	1.99	0.46
1:A:27:LEU:HA	1:A:27:LEU:HD23	1.75	0.46
1:A:58:GLU:O	1:A:61:TRP:HB3	2.16	0.46
1:B:301:CXM:CN	1:B:346:THR:N	2.71	0.45
1:B:398:TRP:HB3	1:B:412:ILE:CD1	2.46	0.45
1:B:528:PRO:HG3	1:B:549:ILE:HD11	1.99	0.45
1:A:187:MET:HE3	1:A:242:TYR:CG	2.52	0.45
1:A:116:LEU:HD11	1:A:239:ILE:HB	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:110:ASP:OD2	1:A:113:THR:HG23	2.17	0.44
1:A:178:ILE:HD13	1:A:199:PHE:HE2	1.83	0.44
1:B:484:LEU:HA	1:B:487:MET:HE2	1.97	0.44
1:B:474:LEU:HB3	1:B:475:PRO:HD3	1.99	0.44
1:B:301:CXM:H	1:B:304:TYR:HB3	1.82	0.44
1:A:5:LEU:HD11	1:A:47:THR:HG21	2.00	0.43
1:A:243:ARG:HH11	1:A:245:GLU:HG2	1.83	0.43
1:B:536:PRO:HB2	1:B:541:ASP:HB2	2.01	0.43
1:A:245:GLU:CD	1:A:245:GLU:H	2.21	0.43
1:A:61:TRP:CD1	1:A:66:ASP:HB3	2.54	0.43
1:A:243:ARG:NH1	1:A:243:ARG:HB2	2.34	0.42
1:A:215:GLN:NE2	1:A:215:GLN:N	2.45	0.42
1:B:443:LEU:HD21	3:B:566:CB3:C2	2.49	0.42
1:B:358:GLU:O	1:B:361:TRP:HB3	2.19	0.42
1:B:487:MET:HB3	1:B:539:ILE:CD1	2.50	0.42
1:A:69:ILE:HD12	1:A:69:ILE:C	2.40	0.42
1:B:416:LEU:HD22	1:B:488:MET:SD	2.60	0.41
1:A:59:LEU:HD23	1:A:183:LEU:HD23	2.00	0.41
1:A:97:GLN:NE2	1:A:97:GLN:HA	2.34	0.41
1:A:70:ALA:O	1:A:74:GLU:HG3	2.20	0.41
1:B:525:ARG:HD2	1:B:553:ASP:O	2.20	0.41
1:A:222:ARG:NH1	1:A:258:ILE:HD11	2.36	0.41
1:B:301:CXM:CN	1:B:346:THR:HG1	2.32	0.41
1:B:501:TRP:CH2	1:B:503:GLY:HA3	2.56	0.41
1:B:515:GLN:NE2	1:B:515:GLN:N	2.55	0.41
1:B:465:GLN:NE2	1:B:477:ASN:OD1	2.50	0.41
1:B:529:LYS:HB2	1:B:529:LYS:HZ3	1.85	0.41
1:B:463:LEU:HD22	1:B:464:TYR:N	2.35	0.41
1:A:65:GLY:HA2	1:A:95:GLY:O	2.21	0.41
1:B:360:LEU:O	1:B:364:GLN:NE2	2.53	0.40
1:B:417:ASN:HA	1:B:417:ASN:HD22	1.74	0.40
1:A:174:LEU:HB3	1:A:175:PRO:HD3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	262/264 (99%)	248 (95%)	13 (5%)	1 (0%)	43	45
1	B	262/264 (99%)	251 (96%)	9 (3%)	2 (1%)	27	24
All	All	524/528 (99%)	499 (95%)	22 (4%)	3 (1%)	33	32

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	394	TYR
1	A	93	VAL
1	B	393	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/232 (100%)	217 (94%)	15 (6%)	24	25
1	B	232/232 (100%)	211 (91%)	21 (9%)	14	13
All	All	464/464 (100%)	428 (92%)	36 (8%)	18	17

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	27	LEU
1	A	28	SER
1	A	37	ASN
1	A	60	LEU
1	A	105	ASP
1	A	134	ASN
1	A	138	LEU
1	A	176	PHE
1	A	215	GLN
1	A	220	LEU
1	A	223	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	227	LEU
1	A	230	LEU
1	A	249	ILE
1	B	302	LYS
1	B	326	THR
1	B	338	LEU
1	B	354	SER
1	B	364	GLN
1	B	377	VAL
1	B	379	ILE
1	B	382	GLU
1	B	396	LYS
1	B	412	ILE
1	B	416	LEU
1	B	434	ASN
1	B	463	LEU
1	B	472	LEU
1	B	476	PHE
1	B	483	LEU
1	B	495	GLU
1	B	515	GLN
1	B	520	LEU
1	B	529	LYS
1	B	543	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	HIS
1	A	37	ASN
1	A	73	HIS
1	A	97	GLN
1	A	117	ASN
1	A	118	GLN
1	A	134	ASN
1	A	151	GLN
1	A	190	GLN
1	A	215	GLN
1	A	217	HIS
1	B	333	GLN
1	B	357	HIS
1	B	375	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	417	ASN
1	B	418	GLN
1	B	434	ASN
1	B	451	GLN
1	B	462	GLN
1	B	515	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CXM	A	1	1	10,10,11	5.87	2 (20%)	8,11,13	1.41	1 (12%)
1	CXM	B	301	1	10,10,11	48.28	3 (30%)	8,11,13	15.06	4 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CXM	A	1	1	-	0/8/10/12	0/0/0/0
1	CXM	B	301	1	-	0/8/10/12	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	301	CXM	CN-N	151.53	3.07	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	301	CXM	O-C	18.55	1.24	1.11
1	A	1	CXM	O-C	18.35	1.24	1.11
1	B	301	CXM	CA-C	2.38	1.52	1.48
1	A	1	CXM	CA-C	2.30	1.52	1.48

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	301	CXM	ON1-CN-N	-33.54	65.06	124.90
1	B	301	CXM	ON2-CN-N	-22.68	88.09	116.33
1	B	301	CXM	CA-N-CN	-12.95	101.88	121.67
1	A	1	CXM	ON1-CN-N	-3.36	118.91	124.90
1	B	301	CXM	ON2-CN-ON1	-2.08	119.57	122.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	265	-	4,4,4	0.25	0	6,6,6	0.07	0
3	CB3	A	266	-	37,37,37	2.70	14 (37%)	49,51,51	2.40	23 (46%)
2	SO4	A	565	-	4,4,4	0.23	0	6,6,6	0.07	0
3	CB3	B	566	-	37,37,37	2.81	10 (27%)	49,51,51	2.48	17 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	265	-	-	0/0/0/0	0/0/0/0
3	CB3	A	266	-	-	0/27/28/28	0/1/3/3
2	SO4	A	565	-	-	0/0/0/0	0/0/0/0
3	CB3	B	566	-	-	0/27/28/28	0/1/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	266	CB3	C2-NA2	8.03	1.44	1.32
3	B	566	CB3	CP1-N10	7.80	1.54	1.46
3	B	566	CB3	C2-NA2	7.14	1.43	1.32
3	A	266	CB3	CP1-N10	5.99	1.52	1.46
3	B	566	CB3	C2-N1	-5.79	1.27	1.36
3	B	566	CB3	C9-N10	5.73	1.54	1.46
3	A	266	CB3	C9-N10	5.12	1.53	1.46
3	A	266	CB3	C2-N1	-4.56	1.29	1.36
3	B	566	CB3	CP1-CP2	4.50	1.53	1.47
3	B	566	CB3	C2-N3	4.29	1.38	1.33
3	A	266	CB3	C16-C15	4.28	1.47	1.38
3	A	266	CB3	C2-N3	4.20	1.38	1.33
3	A	266	CB3	CP1-CP2	3.89	1.52	1.47
3	B	566	CB3	C7-C6	3.74	1.47	1.38
3	B	566	CB3	CB-CA	3.70	1.61	1.53
3	A	266	CB3	C14-N10	3.33	1.47	1.38
3	B	566	CB3	CG-CD	3.11	1.58	1.50
3	A	266	CB3	CB-CA	2.85	1.59	1.53
3	A	266	CB3	C13-C12	2.72	1.44	1.38
3	B	566	CB3	C15-C14	2.46	1.44	1.39
3	A	266	CB3	C9-C6	-2.33	1.47	1.51
3	A	266	CB3	CG-CD	2.30	1.56	1.50
3	A	266	CB3	C7-C6	2.28	1.44	1.38
3	A	266	CB3	OE1-CD	2.20	1.30	1.22

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	566	CB3	C5-C4A-C8A	6.00	122.59	118.25
3	B	566	CB3	CP1-N10-C9	5.49	125.24	115.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	566	CB3	C13-C12-C11	-5.04	114.73	120.76
3	A	266	CB3	C5-C4A-C8A	5.03	121.89	118.25
3	B	566	CB3	C16-C11-C12	4.89	125.62	118.63
3	B	566	CB3	C8-C8A-C4A	-4.84	118.77	121.72
3	B	566	CB3	CP2-CP1-N10	4.66	117.29	112.90
3	B	566	CB3	C4A-C4-N3	-4.55	118.39	123.72
3	A	266	CB3	C4A-C4-N3	-4.35	118.63	123.72
3	A	266	CB3	C8-C8A-C4A	-4.33	119.08	121.72
3	A	266	CB3	CP1-N10-C9	3.96	122.59	115.68
3	A	266	CB3	CG-CB-CA	-3.96	105.23	112.99
3	A	266	CB3	C16-C11-C12	3.95	124.28	118.63
3	B	566	CB3	OE2-CD-CG	3.72	127.36	114.22
3	A	266	CB3	C9-C6-C7	-3.61	114.01	120.78
3	A	266	CB3	CB-CG-CD	-3.35	104.76	112.88
3	B	566	CB3	CP1-N10-C14	-3.30	112.45	118.63
3	A	266	CB3	OE2-CD-CG	3.22	125.60	114.22
3	A	266	CB3	C13-C12-C11	-3.20	116.94	120.76
3	A	266	CB3	C11-C-N	-3.11	111.72	116.89
3	B	566	CB3	C12-C11-C	-3.09	110.97	120.56
3	A	266	CB3	C12-C11-C	-3.09	110.99	120.56
3	A	266	CB3	C4-N3-C2	2.99	120.14	116.91
3	B	566	CB3	C4-N3-C2	2.99	120.14	116.91
3	A	266	CB3	C7-C6-C5	2.96	123.08	118.98
3	B	566	CB3	CG-CB-CA	-2.91	107.28	112.99
3	A	266	CB3	CP1-N10-C14	-2.88	113.23	118.63
3	A	266	CB3	CP2-CP1-N10	2.87	115.60	112.90
3	A	266	CB3	O-C-C11	2.80	125.91	121.01
3	B	566	CB3	CB-CG-CD	-2.70	106.32	112.88
3	B	566	CB3	C12-C13-C14	2.63	123.97	120.44
3	A	266	CB3	NA2-C2-N3	-2.52	116.89	120.30
3	A	266	CB3	C6-C5-C4A	-2.49	116.62	122.10
3	B	566	CB3	C15-C16-C11	-2.33	117.98	120.76
3	A	266	CB3	C16-C15-C14	-2.32	117.32	120.44
3	B	566	CB3	OE2-CD-OE1	-2.29	117.46	123.30
3	B	566	CB3	OE1-CD-CG	-2.28	115.18	123.03
3	A	266	CB3	CA-N-C	-2.04	117.24	121.80
3	A	266	CB3	NA2-C2-N1	2.01	120.07	117.86
3	A	266	CB3	OE2-CD-OE1	-2.01	118.19	123.30

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.