



wwPDB X-ray Structure Validation Summary Report

Mar 1, 2014 – 12:32 AM GMT

PDB ID : 2G7M
Title : Crystal structure of B. fragilis N-succinylornithine transcarbamylase P90E mutant complexed with carbamoyl phosphate and N-acetylnorvaline
Authors : Shi, D.; Yu, X.; Roth, L.; Morizono, H.; Allewell, N.M.; Tuchman, M.
Deposited on : 2006-02-28
Resolution : 2.90 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1053 (2.90-2.90)
Clashscore	79885	1326 (2.90-2.90)
Ramachandran outliers	78287	1290 (2.90-2.90)
Sidechain outliers	78261	1292 (2.90-2.90)
RSRZ outliers	66119	1054 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	C	338	
1	D	338	
1	E	338	
1	X	338	
1	Y	338	
1	Z	338	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	AN0	D	745	-	X
3	AN0	Z	545	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 15784 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called putative ornithine carbamoyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	X	321	Total	C	N	O	S	0	0	0
			2584	1645	444	479	16			
1	Y	321	Total	C	N	O	S	0	0	0
			2584	1645	444	479	16			
1	Z	320	Total	C	N	O	S	0	0	0
			2580	1643	443	478	16			
1	C	320	Total	C	N	O	S	0	0	0
			2580	1643	443	478	16			
1	D	320	Total	C	N	O	S	0	0	0
			2580	1643	443	478	16			
1	E	320	Total	C	N	O	S	0	0	0
			2580	1643	443	478	16			

There are 132 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	-19	MET	-	CLONING ARTIFACT	GB 60491451
X	-18	GLY	-	CLONING ARTIFACT	GB 60491451
X	-17	SER	-	CLONING ARTIFACT	GB 60491451
X	-16	SER	-	CLONING ARTIFACT	GB 60491451
X	-15	HIS	-	EXPRESSION TAG	GB 60491451
X	-14	HIS	-	EXPRESSION TAG	GB 60491451
X	-13	HIS	-	EXPRESSION TAG	GB 60491451
X	-12	HIS	-	EXPRESSION TAG	GB 60491451
X	-11	HIS	-	EXPRESSION TAG	GB 60491451
X	-10	HIS	-	EXPRESSION TAG	GB 60491451
X	-9	SER	-	CLONING ARTIFACT	GB 60491451
X	-8	SER	-	CLONING ARTIFACT	GB 60491451
X	-7	GLY	-	CLONING ARTIFACT	GB 60491451
X	-6	LEU	-	CLONING ARTIFACT	GB 60491451
X	-5	VAL	-	CLONING ARTIFACT	GB 60491451
X	-4	PRO	-	CLONING ARTIFACT	GB 60491451
X	-3	ARG	-	CLONING ARTIFACT	GB 60491451

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	-2	GLY	-	CLONING ARTIFACT	GB 60491451
X	-1	SER	-	CLONING ARTIFACT	GB 60491451
X	0	HIS	-	CLONING ARTIFACT	GB 60491451
X	90	GLU	PRO	ENGINEERED	GB 60491451
X	242	LEU	THR	ENGINEERED	GB 60491451
Y	-19	MET	-	CLONING ARTIFACT	GB 60491451
Y	-18	GLY	-	CLONING ARTIFACT	GB 60491451
Y	-17	SER	-	CLONING ARTIFACT	GB 60491451
Y	-16	SER	-	CLONING ARTIFACT	GB 60491451
Y	-15	HIS	-	EXPRESSION TAG	GB 60491451
Y	-14	HIS	-	EXPRESSION TAG	GB 60491451
Y	-13	HIS	-	EXPRESSION TAG	GB 60491451
Y	-12	HIS	-	EXPRESSION TAG	GB 60491451
Y	-11	HIS	-	EXPRESSION TAG	GB 60491451
Y	-10	HIS	-	EXPRESSION TAG	GB 60491451
Y	-9	SER	-	CLONING ARTIFACT	GB 60491451
Y	-8	SER	-	CLONING ARTIFACT	GB 60491451
Y	-7	GLY	-	CLONING ARTIFACT	GB 60491451
Y	-6	LEU	-	CLONING ARTIFACT	GB 60491451
Y	-5	VAL	-	CLONING ARTIFACT	GB 60491451
Y	-4	PRO	-	CLONING ARTIFACT	GB 60491451
Y	-3	ARG	-	CLONING ARTIFACT	GB 60491451
Y	-2	GLY	-	CLONING ARTIFACT	GB 60491451
Y	-1	SER	-	CLONING ARTIFACT	GB 60491451
Y	0	HIS	-	CLONING ARTIFACT	GB 60491451
Y	90	GLU	PRO	ENGINEERED	GB 60491451
Y	242	LEU	THR	ENGINEERED	GB 60491451
Z	-19	MET	-	CLONING ARTIFACT	GB 60491451
Z	-18	GLY	-	CLONING ARTIFACT	GB 60491451
Z	-17	SER	-	CLONING ARTIFACT	GB 60491451
Z	-16	SER	-	CLONING ARTIFACT	GB 60491451
Z	-15	HIS	-	EXPRESSION TAG	GB 60491451
Z	-14	HIS	-	EXPRESSION TAG	GB 60491451
Z	-13	HIS	-	EXPRESSION TAG	GB 60491451
Z	-12	HIS	-	EXPRESSION TAG	GB 60491451
Z	-11	HIS	-	EXPRESSION TAG	GB 60491451
Z	-10	HIS	-	EXPRESSION TAG	GB 60491451
Z	-9	SER	-	CLONING ARTIFACT	GB 60491451
Z	-8	SER	-	CLONING ARTIFACT	GB 60491451
Z	-7	GLY	-	CLONING ARTIFACT	GB 60491451
Z	-6	LEU	-	CLONING ARTIFACT	GB 60491451
Z	-5	VAL	-	CLONING ARTIFACT	GB 60491451

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
Z	-4	PRO	-	CLONING ARTIFACT	GB 60491451
Z	-3	ARG	-	CLONING ARTIFACT	GB 60491451
Z	-2	GLY	-	CLONING ARTIFACT	GB 60491451
Z	-1	SER	-	CLONING ARTIFACT	GB 60491451
Z	0	HIS	-	CLONING ARTIFACT	GB 60491451
Z	90	GLU	PRO	ENGINEERED	GB 60491451
Z	242	LEU	THR	ENGINEERED	GB 60491451
C	-19	MET	-	CLONING ARTIFACT	GB 60491451
C	-18	GLY	-	CLONING ARTIFACT	GB 60491451
C	-17	SER	-	CLONING ARTIFACT	GB 60491451
C	-16	SER	-	CLONING ARTIFACT	GB 60491451
C	-15	HIS	-	EXPRESSION TAG	GB 60491451
C	-14	HIS	-	EXPRESSION TAG	GB 60491451
C	-13	HIS	-	EXPRESSION TAG	GB 60491451
C	-12	HIS	-	EXPRESSION TAG	GB 60491451
C	-11	HIS	-	EXPRESSION TAG	GB 60491451
C	-10	HIS	-	EXPRESSION TAG	GB 60491451
C	-9	SER	-	CLONING ARTIFACT	GB 60491451
C	-8	SER	-	CLONING ARTIFACT	GB 60491451
C	-7	GLY	-	CLONING ARTIFACT	GB 60491451
C	-6	LEU	-	CLONING ARTIFACT	GB 60491451
C	-5	VAL	-	CLONING ARTIFACT	GB 60491451
C	-4	PRO	-	CLONING ARTIFACT	GB 60491451
C	-3	ARG	-	CLONING ARTIFACT	GB 60491451
C	-2	GLY	-	CLONING ARTIFACT	GB 60491451
C	-1	SER	-	CLONING ARTIFACT	GB 60491451
C	0	HIS	-	CLONING ARTIFACT	GB 60491451
C	90	GLU	PRO	ENGINEERED	GB 60491451
C	242	LEU	THR	ENGINEERED	GB 60491451
D	-19	MET	-	CLONING ARTIFACT	GB 60491451
D	-18	GLY	-	CLONING ARTIFACT	GB 60491451
D	-17	SER	-	CLONING ARTIFACT	GB 60491451
D	-16	SER	-	CLONING ARTIFACT	GB 60491451
D	-15	HIS	-	EXPRESSION TAG	GB 60491451
D	-14	HIS	-	EXPRESSION TAG	GB 60491451
D	-13	HIS	-	EXPRESSION TAG	GB 60491451
D	-12	HIS	-	EXPRESSION TAG	GB 60491451
D	-11	HIS	-	EXPRESSION TAG	GB 60491451
D	-10	HIS	-	EXPRESSION TAG	GB 60491451
D	-9	SER	-	CLONING ARTIFACT	GB 60491451
D	-8	SER	-	CLONING ARTIFACT	GB 60491451
D	-7	GLY	-	CLONING ARTIFACT	GB 60491451

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-6	LEU	-	CLONING ARTIFACT	GB 60491451
D	-5	VAL	-	CLONING ARTIFACT	GB 60491451
D	-4	PRO	-	CLONING ARTIFACT	GB 60491451
D	-3	ARG	-	CLONING ARTIFACT	GB 60491451
D	-2	GLY	-	CLONING ARTIFACT	GB 60491451
D	-1	SER	-	CLONING ARTIFACT	GB 60491451
D	0	HIS	-	CLONING ARTIFACT	GB 60491451
D	90	GLU	PRO	ENGINEERED	GB 60491451
D	242	LEU	THR	ENGINEERED	GB 60491451
E	-19	MET	-	CLONING ARTIFACT	GB 60491451
E	-18	GLY	-	CLONING ARTIFACT	GB 60491451
E	-17	SER	-	CLONING ARTIFACT	GB 60491451
E	-16	SER	-	CLONING ARTIFACT	GB 60491451
E	-15	HIS	-	EXPRESSION TAG	GB 60491451
E	-14	HIS	-	EXPRESSION TAG	GB 60491451
E	-13	HIS	-	EXPRESSION TAG	GB 60491451
E	-12	HIS	-	EXPRESSION TAG	GB 60491451
E	-11	HIS	-	EXPRESSION TAG	GB 60491451
E	-10	HIS	-	EXPRESSION TAG	GB 60491451
E	-9	SER	-	CLONING ARTIFACT	GB 60491451
E	-8	SER	-	CLONING ARTIFACT	GB 60491451
E	-7	GLY	-	CLONING ARTIFACT	GB 60491451
E	-6	LEU	-	CLONING ARTIFACT	GB 60491451
E	-5	VAL	-	CLONING ARTIFACT	GB 60491451
E	-4	PRO	-	CLONING ARTIFACT	GB 60491451
E	-3	ARG	-	CLONING ARTIFACT	GB 60491451
E	-2	GLY	-	CLONING ARTIFACT	GB 60491451
E	-1	SER	-	CLONING ARTIFACT	GB 60491451
E	0	HIS	-	CLONING ARTIFACT	GB 60491451
E	90	GLU	PRO	ENGINEERED	GB 60491451
E	242	LEU	THR	ENGINEERED	GB 60491451

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	Y	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is N-ACETYL-L-NORVALINE (three-letter code: AN0) (formula: $C_7H_{13}NO_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	X	1	Total	C	N	O	0	0
			11	7	1	3		
3	Y	1	Total	C	N	O	0	0
			11	7	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	Z	1	Total	C	N	O	0	0
			11	7	1	3		
3	C	1	Total	C	N	O	0	0
			11	7	1	3		
3	D	1	Total	C	N	O	0	0
			11	7	1	3		
3	E	1	Total	C	N	O	0	0
			11	7	1	3		

- Molecule 4 is PHOSPHORIC ACID MONO(FORMAMIDE)ESTER (three-letter code: CP) (formula: CH₄NO₅P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	X	1	Total	C	N	O	P	0	0
			8	1	1	5	1		
4	Y	1	Total	C	N	O	P	0	0
			8	1	1	5	1		
4	Z	1	Total	C	N	O	P	0	0
			8	1	1	5	1		
4	C	1	Total	C	N	O	P	0	0
			8	1	1	5	1		
4	D	1	Total	C	N	O	P	0	0
			8	1	1	5	1		
4	E	1	Total	C	N	O	P	0	0
			8	1	1	5	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	3	Total 3	O 3	0	0
5	D	11	Total 11	O 11	0	0
5	E	23	Total 23	O 23	0	0
5	X	33	Total 33	O 33	0	0
5	Y	63	Total 63	O 63	0	0
5	Z	39	Total 39	O 39	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: putative ornithine carbamoyltransferase

Chain X: 




- Molecule 1: putative ornithine carbamoyltransferase


Chain Y: 



- Molecule 1: putative ornithine carbamoyltransferase


Chain Z: 






• Molecule 1: putative ornithine carbamoyltransferase

Chain C:




• Molecule 1: putative ornithine carbamoyltransferase


Chain D:



• Molecule 1: putative ornithine carbamoyltransferase

Chain E:





4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	156.65Å 156.65Å 120.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.78 – 2.90 19.78 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.6 (19.78-2.90) 99.7 (19.78-2.90)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.89 (at 2.88Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.218 , 0.236 0.216 , 0.234	Depositor DCC
R_{free} test set	3234 reflections (5.05%)	DCC
Wilson B-factor (Å ²)	55.9	Xtriage
Anisotropy	0.056	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 28.3	EDS
Estimated twinning fraction	0.025 for h,-k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 64024 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	15784	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CP, AN0, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.34	0/2639	0.62	0/3574
1	D	0.35	0/2639	0.63	0/3574
1	E	0.36	0/2639	0.63	0/3574
1	X	0.39	0/2643	0.64	0/3579
1	Y	0.42	0/2643	0.65	0/3579
1	Z	0.39	0/2639	0.64	0/3574
All	All	0.38	0/15842	0.64	0/21454

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2580	0	2547	83	0
1	D	2580	0	2547	78	0
1	E	2580	0	2547	78	0
1	X	2584	0	2550	68	0
1	Y	2584	0	2550	84	0
1	Z	2580	0	2547	84	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	5	0	0	0	0
2	Y	5	0	0	0	0
3	C	11	0	12	2	0
3	D	11	0	12	1	0
3	E	11	0	12	0	0
3	X	11	0	12	0	0
3	Y	11	0	12	0	0
3	Z	11	0	12	1	0
4	C	8	0	2	1	0
4	D	8	0	2	0	0
4	E	8	0	2	0	0
4	X	8	0	2	0	0
4	Y	8	0	2	0	0
4	Z	8	0	2	0	0
5	C	3	0	0	1	0
5	D	11	0	0	3	0
5	E	23	0	0	3	0
5	X	33	0	0	0	0
5	Y	63	0	0	1	0
5	Z	39	0	0	5	0
All	All	15784	0	15372	458	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.

The worst 5 of 458 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:24:LYS:HZ2	1:D:301:ASN:HD21	1.08	1.00
1:E:24:LYS:HZ3	1:E:301:ASN:HD21	1.03	0.97
1:Z:24:LYS:HZ3	1:Z:301:ASN:HD21	1.13	0.96
1:X:24:LYS:HZ3	1:X:301:ASN:HD21	1.07	0.95
1:Y:24:LYS:HZ3	1:Y:301:ASN:HD21	1.03	0.95

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	318/338 (94%)	293 (92%)	22 (7%)	3 (1%)	25	66
1	D	318/338 (94%)	292 (92%)	23 (7%)	3 (1%)	25	66
1	E	318/338 (94%)	293 (92%)	22 (7%)	3 (1%)	25	66
1	X	319/338 (94%)	292 (92%)	24 (8%)	3 (1%)	25	66
1	Y	319/338 (94%)	295 (92%)	21 (7%)	3 (1%)	25	66
1	Z	318/338 (94%)	291 (92%)	24 (8%)	3 (1%)	25	66
All	All	1910/2028 (94%)	1756 (92%)	136 (7%)	18 (1%)	25	66

5 of 18 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	X	142	GLU
1	Y	142	GLU
1	Z	142	GLU
1	C	142	GLU
1	D	142	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	279/294 (95%)	266 (95%)	13 (5%)	36	75
1	D	279/294 (95%)	266 (95%)	13 (5%)	36	75
1	E	279/294 (95%)	267 (96%)	12 (4%)	40	78
1	X	279/294 (95%)	266 (95%)	13 (5%)	36	75
1	Y	279/294 (95%)	267 (96%)	12 (4%)	40	78
1	Z	279/294 (95%)	266 (95%)	13 (5%)	36	75
All	All	1674/1764 (95%)	1598 (96%)	76 (4%)	38	77

5 of 76 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Z	267	ASN
1	C	132	GLN
1	E	163	LYS
1	Z	277	VAL
1	C	0	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 46 such sidechains are listed below:

Mol	Chain	Res	Type
1	Z	255	ASN
1	C	64	ASN
1	E	267	ASN
1	Z	267	ASN
1	Z	301	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	AN0	C	645	-	10,10,10	0.61	0	12,12,12	0.86	0
4	CP	C	646	-	7,7,7	2.04	2 (28%)	9,10,10	0.98	0
2	SO4	D	356	-	4,4,4	0.28	0	6,6,6	0.12	0
3	AN0	D	745	-	10,10,10	0.61	0	12,12,12	1.21	1 (8%)
4	CP	D	746	-	7,7,7	3.00	5 (71%)	9,10,10	1.07	0
3	AN0	E	845	-	10,10,10	0.64	0	12,12,12	1.74	2 (16%)
4	CP	E	846	-	7,7,7	1.87	2 (28%)	9,10,10	1.61	2 (22%)
3	AN0	X	345	-	10,10,10	0.60	0	12,12,12	1.16	1 (8%)
4	CP	X	346	-	7,7,7	1.97	1 (14%)	9,10,10	1.53	1 (11%)
2	SO4	Y	355	-	4,4,4	0.15	0	6,6,6	0.18	0
3	AN0	Y	445	-	10,10,10	0.72	0	12,12,12	1.11	1 (8%)
4	CP	Y	446	-	7,7,7	2.12	2 (28%)	9,10,10	2.46	1 (11%)
3	AN0	Z	545	-	10,10,10	0.68	0	12,12,12	1.21	1 (8%)
4	CP	Z	546	-	7,7,7	2.43	3 (42%)	9,10,10	1.20	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AN0	C	645	-	-	0/11/11/11	0/0/0/0
4	CP	C	646	-	-	0/3/5/5	0/0/0/0
2	SO4	D	356	-	-	0/0/0/0	0/0/0/0
3	AN0	D	745	-	-	0/11/11/11	0/0/0/0
4	CP	D	746	-	-	0/3/5/5	0/0/0/0
3	AN0	E	845	-	-	0/11/11/11	0/0/0/0
4	CP	E	846	-	-	0/3/5/5	0/0/0/0
3	AN0	X	345	-	-	0/11/11/11	0/0/0/0
4	CP	X	346	-	-	0/3/5/5	0/0/0/0
2	SO4	Y	355	-	-	0/0/0/0	0/0/0/0
3	AN0	Y	445	-	-	0/11/11/11	0/0/0/0
4	CP	Y	446	-	-	0/3/5/5	0/0/0/0
3	AN0	Z	545	-	-	0/11/11/11	0/0/0/0
4	CP	Z	546	-	-	0/3/5/5	0/0/0/0

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	746	CP	O4P-C	5.40	1.48	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Z	546	CP	O4P-C	4.60	1.46	1.37
4	X	346	CP	O4P-C	4.32	1.46	1.37
4	C	646	CP	O4P-C	3.97	1.45	1.37
4	Y	446	CP	O4P-C	3.95	1.45	1.37

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	Y	446	CP	O4P-C-O	-6.82	120.76	124.86
3	E	845	AN0	CB-CA-N1	-5.02	101.28	110.83
3	Z	545	AN0	C-CA-N1	3.61	119.83	110.53
4	X	346	CP	O4P-C-O	-3.45	122.79	124.86
4	E	846	CP	O4P-C-O	3.29	126.83	124.86

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	C	320/338 (94%)	0.27	17 (5%)	25 31	57, 80, 97, 112	0
1	D	320/338 (94%)	0.25	18 (5%)	24 28	52, 72, 94, 104	0
1	E	320/338 (94%)	-0.09	9 (2%)	50 59	35, 60, 78, 98	0
1	X	321/338 (94%)	-0.40	4 (1%)	75 83	28, 46, 65, 77	0
1	Y	321/338 (94%)	-0.56	1 (0%)	91 95	22, 34, 53, 66	0
1	Z	320/338 (94%)	-0.36	5 (1%)	68 78	28, 44, 63, 82	0
All	All	1922/2028 (94%)	-0.15	54 (2%)	50 59	22, 56, 91, 112	0

The worst 5 of 54 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	-1	SER	4.9
1	C	0	HIS	4.9
1	E	318	PRO	4.5
1	C	318	PRO	4.4
1	D	0	HIS	4.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	AN0	D	745	11/11	0.27	2.03	52,55,58,58	0
3	AN0	Z	545	11/11	0.22	2.01	52,53,54,54	0
3	AN0	C	645	11/11	0.23	1.75	75,77,77,77	0
3	AN0	X	345	11/11	0.17	0.89	41,44,47,47	0
3	AN0	E	845	11/11	0.18	0.73	56,58,60,60	0
3	AN0	Y	445	11/11	0.14	0.13	28,33,35,37	0
4	CP	Y	446	8/8	0.12	-0.09	27,28,31,31	0
4	CP	X	346	8/8	0.11	-0.59	41,45,47,47	0
4	CP	Z	546	8/8	0.12	-0.80	32,35,40,41	0
4	CP	D	746	8/8	0.15	-0.84	63,67,69,69	0
2	SO4	D	356	5/5	0.18	-1.28	83,83,85,85	0
4	CP	E	846	8/8	0.11	-1.73	49,49,51,52	0
4	CP	C	646	8/8	0.12	-2.68	75,76,79,80	0
2	SO4	Y	355	5/5	0.09	-7.04	48,49,50,51	0

6.5 Other polymers ⓘ

There are no such residues in this entry.