



# Full wwPDB X-ray Structure Validation Report

Mar 1, 2014 – 03:28 AM GMT

PDB ID : 1GDH  
Title : CRYSTAL STRUCTURE OF A NAD-DEPENDENT D-GLYCERATE DE-HYDROGENASE AT 2.4 ANGSTROMS RESOLUTION  
Authors : Goldberg, J.D.; Yoshida, T.; Brick, P.  
Deposited on : 1993-09-22  
Resolution : 2.40 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)
RSRZ outliers	66119	2210 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	320	
1	B	320	

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 5036 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-GLYCERATE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	320	Total	C	N	O	S	7	0	0
			2416	1530	404	472	10			
1	B	320	Total	C	N	O	S	3	0	0
			2413	1527	404	472	10			

- Molecule 2 is SULFATE ION (three-letter code: SO<sub>4</sub>) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	100	Total 100	O 100	0	0
3	B	97	Total 97	O 97	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: D-GLYCERATE DEHYDROGENASE

Chain A: 



#### • Molecule 1: D-GLYCERATE DEHYDROGENASE

Chain B: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	60.41Å 60.53Å 66.29Å 102.30° 113.73° 102.73°	Depositor
Resolution (Å)	(Not available) – 2.40 19.95 – 2.40	Depositor EDS
% Data completeness (in resolution range)	(Not available) ((Not available)-2.40) 80.9 (19.95-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.12 (at 2.41Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.189 , (Not available) 0.169 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	36.8	Xtriage
Anisotropy	0.411	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 76.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	0 of 24904 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	5036	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.31% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.53	0/2465	0.68	3/3351 (0.1%)
1	B	0.52	0/2462	0.64	1/3348 (0.0%)
All	All	0.52	0/4927	0.66	4/6699 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	10
1	B	0	5
All	All	0	15

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	296	ARG	NE-CZ-NH2	-7.49	116.56	120.30
1	A	118	ARG	NE-CZ-NH2	-5.91	117.35	120.30
1	A	180	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	B	165	ARG	NE-CZ-NH2	-5.08	117.76	120.30

There are no chirality outliers.

All (15) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	118	ARG	Sidechain
1	A	119	ARG	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	A	165	ARG	Sidechain
1	A	18	ARG	Sidechain
1	A	180	ARG	Sidechain
1	A	189	TYR	Sidechain
1	A	240	ARG	Sidechain
1	A	288	ILE	Mainchain
1	A	296	ARG	Sidechain
1	A	318	TYR	Sidechain
1	B	165	ARG	Sidechain
1	B	219	TYR	Sidechain
1	B	288	ILE	Mainchain
1	B	318	TYR	Sidechain
1	B	90	ARG	Sidechain

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2416	0	2323	71	0
1	B	2413	0	2317	70	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	100	0	0	3	0
3	B	97	0	0	5	0
All	All	5036	0	4640	133	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 14.

All (133) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:31:ASP:CB	1:B:32:PRO:HD3	1.76	1.14
1:A:31:ASP:CB	1:A:32:PRO:HD3	1.88	1.04
1:B:223:LYS:H	1:B:248:LEU:HD23	1.17	1.03
1:A:31:ASP:HB3	1:A:32:PRO:CD	1.87	1.02

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:31:ASP:HB3	1:A:32:PRO:HD3	1.02	1.01
1:B:31:ASP:CB	1:B:32:PRO:CD	2.44	0.94
1:A:222:ASN:HB2	1:A:248:LEU:HD12	1.49	0.94
1:B:99:HIS:HB2	1:B:302:GLN:HE22	1.36	0.90
1:B:53:LEU:HD13	1:B:53:LEU:H	1.42	0.82
1:B:30:ASP:O	1:B:31:ASP:O	1.98	0.81
1:B:223:LYS:N	1:B:248:LEU:HD23	1.97	0.79
1:B:306:LEU:HD22	1:B:316:MET:HB3	1.66	0.77
1:A:149:THR:H	1:A:205:GLN:NE2	1.84	0.76
1:A:101:VAL:HG22	3:A:351:HOH:O	1.84	0.76
1:B:30:ASP:O	1:B:31:ASP:C	2.25	0.74
1:B:136:GLU:HB2	3:B:381:HOH:O	1.88	0.72
1:A:53:LEU:H	1:A:53:LEU:HD13	1.56	0.69
1:A:43:ALA:HB1	1:A:69:ILE:CD1	2.24	0.68
1:A:149:THR:H	1:A:205:GLN:HE21	1.40	0.67
1:A:30:ASP:O	1:A:31:ASP:C	2.30	0.67
1:A:293:THR:O	1:A:297:GLU:HG3	1.96	0.64
1:B:213:SER:HB2	1:B:240:ARG:HD3	1.79	0.63
1:B:95:GLY:HA3	1:B:306:LEU:HD13	1.81	0.63
1:A:43:ALA:HB1	1:A:69:ILE:HD13	1.81	0.62
1:B:180:ARG:HD2	1:B:193:PHE:CD2	2.34	0.62
1:B:62:ILE:HD12	1:B:87:CYS:SG	2.39	0.62
1:A:96:ASN:O	1:A:306:LEU:HD11	2.00	0.62
1:A:223:LYS:H	1:A:248:LEU:CD1	2.13	0.62
1:B:66:PRO:HB2	1:B:68:ASN:OD1	2.00	0.61
1:B:75:TYR:HE1	1:B:300:ALA:HB2	1.66	0.61
1:A:31:ASP:CB	1:A:32:PRO:CD	2.64	0.60
1:A:222:ASN:H	1:A:222:ASN:HD22	1.49	0.60
1:A:306:LEU:HD21	1:A:318:TYR:H	1.67	0.60
1:B:266:PHE:O	1:B:269:GLU:HG2	2.01	0.60
1:B:99:HIS:HB2	1:B:302:GLN:NE2	2.12	0.59
1:A:5:ILE:HG22	1:A:48:ALA:HB3	1.85	0.59
1:A:167:GLN:HG2	1:A:173:ILE:HD12	1.85	0.58
1:A:144:LYS:H	1:B:294:GLN:HE22	1.51	0.58
1:A:223:LYS:HB2	1:A:248:LEU:HD13	1.86	0.57
1:B:16:MET:HB3	1:B:20:ARG:HH21	1.70	0.57
1:B:53:LEU:CD1	1:B:53:LEU:H	2.16	0.57
1:A:53:LEU:HA	1:A:81:HIS:CD2	2.39	0.56
1:A:144:LYS:H	1:B:294:GLN:NE2	2.02	0.56
1:A:294:GLN:HE22	1:B:144:LYS:H	1.53	0.55
1:B:306:LEU:HD21	1:B:318:TYR:CD2	2.42	0.54
1:A:223:LYS:H	1:A:248:LEU:HD13	1.72	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:99:HIS:HB2	1:A:302:GLN:NE2	2.22	0.54
1:A:62:ILE:HD12	1:A:87:CYS:SG	2.48	0.54
1:B:222:ASN:HB2	1:B:248:LEU:CD2	2.37	0.54
1:B:8:THR:OG1	1:B:51:ILE:HA	2.08	0.54
1:A:201:LEU:HD11	1:A:225:THR:HG23	1.90	0.53
1:B:149:THR:H	1:B:205:GLN:NE2	2.06	0.53
1:A:252:ALA:HB1	1:A:257:ARG:HB3	1.89	0.53
1:B:75:TYR:CE1	1:B:300:ALA:HB2	2.42	0.53
1:A:306:LEU:CD2	1:A:318:TYR:H	2.23	0.52
1:A:95:GLY:HA3	1:A:306:LEU:HD13	1.91	0.52
1:B:222:ASN:HB2	1:B:248:LEU:HD22	1.92	0.51
1:A:30:ASP:O	1:A:31:ASP:O	2.29	0.51
1:A:104:ALA:O	1:B:118:ARG:NH2	2.43	0.51
1:B:96:ASN:O	1:B:306:LEU:HD11	2.11	0.51
1:B:223:LYS:O	1:B:227:LYS:HG2	2.11	0.51
1:B:273:ASN:HD22	1:B:274:GLU:N	2.08	0.51
1:B:58:ARG:HB3	3:B:375:HOH:O	2.10	0.51
1:A:90:ARG:O	1:A:90:ARG:HG3	2.10	0.51
1:A:43:ALA:HB1	1:A:69:ILE:HD11	1.92	0.51
1:B:71:CYS:SG	1:B:310:LEU:HG	2.51	0.50
1:A:222:ASN:N	1:A:222:ASN:HD22	2.06	0.50
1:A:11:LEU:HB3	1:A:12:PRO:HD2	1.94	0.49
1:B:262:GLY:HA2	1:B:283:PHE:O	2.10	0.49
1:B:306:LEU:CD2	1:B:318:TYR:H	2.26	0.49
1:B:214:THR:HG22	1:B:216:GLU:H	1.77	0.49
1:A:99:HIS:HB2	1:A:302:GLN:HE22	1.78	0.48
1:B:288:ILE:HB	1:B:291:ALA:HB3	1.95	0.48
1:B:173:ILE:HD12	1:B:173:ILE:N	2.28	0.48
1:A:8:THR:OG1	1:A:51:ILE:HA	2.13	0.48
1:A:15:ALA:HB1	1:A:300:ALA:HB1	1.93	0.48
1:A:244:VAL:HG13	1:A:249:VAL:HG21	1.95	0.48
1:B:167:GLN:HG2	1:B:173:ILE:CD1	2.44	0.48
1:A:36:ILE:HD13	1:A:61:VAL:HG21	1.96	0.48
1:A:68:ASN:HD22	1:A:68:ASN:C	2.16	0.47
1:A:165:ARG:HD3	1:B:169:PHE:CD2	2.50	0.47
1:B:4:LYS:HA	1:B:24:ASP:O	2.15	0.47
1:B:7:ILE:HG13	1:B:25:VAL:HG13	1.96	0.47
1:A:223:LYS:CB	1:A:248:LEU:HD13	2.44	0.47
1:B:306:LEU:HD21	1:B:318:TYR:H	1.79	0.47
1:B:217:THR:O	1:B:220:PHE:HB3	2.15	0.47
1:A:73:SER:OG	1:A:306:LEU:HD12	2.16	0.46
1:B:257:ARG:HG3	1:B:257:ARG:HH11	1.79	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:168:GLY:HA3	3:B:327:HOH:O	2.15	0.46
1:A:186:GLU:OE2	1:A:193:PHE:HB2	2.15	0.46
1:B:44:LYS:HG2	1:B:66:PRO:CG	2.46	0.46
1:A:180:ARG:HD2	1:A:186:GLU:OE2	2.16	0.46
1:A:43:ALA:O	1:A:69:ILE:HD11	2.16	0.46
1:A:165:ARG:NH2	3:A:341:HOH:O	2.47	0.46
1:B:265:VAL:HG12	1:B:287:HIS:CE1	2.51	0.46
1:A:262:GLY:HA2	1:A:283:PHE:O	2.17	0.45
1:A:9:TRP:CE3	1:A:30:ASP:HB3	2.52	0.45
1:A:223:LYS:H	1:A:248:LEU:HD12	1.80	0.45
1:B:201:LEU:O	1:B:229:LEU:HD23	2.17	0.45
1:A:75:TYR:CE2	1:B:137:PRO:HB3	2.52	0.45
1:B:55:GLU:O	1:B:81:HIS:HD2	2.00	0.44
1:B:302:GLN:O	1:B:305:ASP:HB2	2.16	0.44
1:A:84:LEU:HD11	1:A:320:LEU:HB3	2.00	0.44
1:B:108:ILE:HG13	1:B:289:GLY:HA2	2.00	0.44
1:A:207:PHE:CE2	1:A:209:LEU:HD21	2.53	0.44
1:B:95:GLY:CA	1:B:306:LEU:HD13	2.47	0.43
1:B:222:ASN:HD22	1:B:222:ASN:H	1.67	0.43
1:A:74:THR:HG22	1:A:95:GLY:O	2.19	0.43
1:A:207:PHE:HE2	1:A:209:LEU:HD21	1.83	0.43
1:B:53:LEU:HA	1:B:81:HIS:CD2	2.53	0.43
1:B:149:THR:H	1:B:205:GLN:HE21	1.64	0.43
1:A:214:THR:HG22	1:A:216:GLU:N	2.34	0.43
1:B:296:ARG:HA	1:B:296:ARG:HD3	1.73	0.42
1:A:43:ALA:HB3	1:A:66:PRO:HG2	2.01	0.42
1:B:68:ASN:N	1:B:68:ASN:OD1	2.51	0.42
1:A:143:GLU:HG3	1:A:148:LYS:NZ	2.34	0.42
1:A:53:LEU:H	1:A:53:LEU:CD1	2.29	0.42
1:B:298:ASP:O	1:B:302:GLN:HG3	2.19	0.42
1:A:137:PRO:HB3	1:B:75:TYR:CE2	2.55	0.42
1:A:229:LEU:HA	1:A:229:LEU:HD23	1.91	0.42
1:A:144:LYS:HG3	1:B:294:GLN:HE21	1.85	0.41
1:B:90:ARG:NH1	3:B:352:HOH:O	2.52	0.41
1:A:132:TRP:HA	1:A:133:PRO:HD3	1.90	0.41
1:B:65:ILE:O	1:B:90:ARG:NH2	2.49	0.41
1:A:43:ALA:O	1:A:46:VAL:HG22	2.20	0.41
1:A:62:ILE:HA	1:A:65:ILE:HD12	2.02	0.41
1:A:279:LEU:HD23	1:A:279:LEU:HA	1.94	0.41
1:B:118:ARG:HA	1:B:118:ARG:HD2	1.87	0.41
1:B:101:VAL:HG22	3:B:354:HOH:O	2.21	0.40
1:B:44:LYS:HG2	1:B:66:PRO:HG2	2.03	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:9:TRP:CZ3	1:A:30:ASP:HB2	2.56	0.40
3:A:343:HOH:O	1:B:137:PRO:HG2	2.20	0.40
1:B:12:PRO:HB2	1:B:297:GLU:HG2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	318/320 (99%)	300 (94%)	14 (4%)	4 (1%)	18	24
1	B	318/320 (99%)	294 (92%)	21 (7%)	3 (1%)	25	35
All	All	636/640 (99%)	594 (93%)	35 (6%)	7 (1%)	21	29

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	31	ASP
1	B	33	LYS
1	A	33	LYS
1	A	291	ALA
1	A	31	ASP
1	A	32	PRO
1	B	32	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/256 (96%)	221 (90%)	24 (10%)	12	17
1	B	245/256 (96%)	222 (91%)	23 (9%)	13	18
All	All	490/512 (96%)	443 (90%)	47 (10%)	12	17

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	ASP
1	A	31	ASP
1	A	33	LYS
1	A	34	ILE
1	A	53	LEU
1	A	68	ASN
1	A	73	SER
1	A	90	ARG
1	A	118	ARG
1	A	129	THR
1	A	180	ARG
1	A	183	SER
1	A	184	SER
1	A	188	SER
1	A	202	SER
1	A	213	SER
1	A	214	THR
1	A	222	ASN
1	A	240	ARG
1	A	260	TYR
1	A	288	ILE
1	A	294	GLN
1	A	298	ASP
1	A	317	SER
1	B	33	LYS
1	B	50	LEU
1	B	53	LEU
1	B	73	SER
1	B	130	ARG
1	B	155	PHE
1	B	157	SER
1	B	164	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	174	ASP
1	B	183	SER
1	B	184	SER
1	B	188	SER
1	B	202	SER
1	B	213	SER
1	B	214	THR
1	B	220	PHE
1	B	222	ASN
1	B	225	THR
1	B	228	SER
1	B	260	TYR
1	B	273	ASN
1	B	294	GLN
1	B	317	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	HIS
1	A	68	ASN
1	A	190	GLN
1	A	205	GLN
1	A	222	ASN
1	A	231	GLN
1	B	190	GLN
1	B	205	GLN
1	B	222	ASN
1	B	231	GLN
1	B	246	ASN
1	B	273	ASN
1	B	294	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	322	-	4,4,4	1.54	1 (25%)	6,6,6	0.85	0
2	SO4	B	322	-	4,4,4	1.16	0	6,6,6	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	322	-	-	0/0/0/0	0/0/0/0
2	SO4	B	322	-	-	0/0/0/0	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	322	SO4	O1-S	-2.33	1.39	1.47

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	320/320 (100%)	-0.82	3 (0%) 81 81	6, 29, 60, 76	2 (0%)
1	B	320/320 (100%)	-0.80	1 (0%) 91 92	8, 29, 50, 71	1 (0%)
All	All	640/640 (100%)	-0.81	4 (0%) 86 86	6, 29, 57, 76	3 (0%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	72	ILE	2.5
1	A	73	SER	2.2
1	A	31	ASP	2.1
1	B	50	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	A	322	5/5	0.08	0.29	38,42,42,47	0
2	SO4	B	322	5/5	0.06	-1.51	42,46,48,48	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.