



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 10:51 AM GMT

PDB ID : 4GEJ
Title : N-terminal domain of VDUP-1
Authors : Polekhina, G.; Kok, S.F.; Ascher, D.B.; Waltham, M.
Deposited on : 2012-08-02
Resolution : 2.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1053 (2.90-2.90)
Clashscore	79885	1326 (2.90-2.90)
Ramachandran outliers	78287	1290 (2.90-2.90)
Sidechain outliers	78261	1292 (2.90-2.90)
RSRZ outliers	66119	1054 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	150	
1	B	150	
1	C	150	
1	D	150	
1	E	150	
1	F	150	
1	G	150	
1	H	150	
1	I	150	
1	J	150	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	CA	C	201	-	X
2	CA	H	201	-	X
2	CA	I	201	-	X

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 10938 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thioredoxin-interactingprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	134	Total	C	N	O	S	0	0	0
			1077	693	179	201	4			
1	B	136	Total	C	N	O	S	0	0	0
			1094	702	181	207	4			
1	C	136	Total	C	N	O	S	0	0	0
			1094	702	181	207	4			
1	D	131	Total	C	N	O	S	0	0	0
			1049	670	174	201	4			
1	E	142	Total	C	N	O	S	0	0	0
			1138	727	189	218	4			
1	F	136	Total	C	N	O	S	0	0	0
			1094	702	181	207	4			
1	G	136	Total	C	N	O	S	0	0	0
			1094	702	181	207	4			
1	H	139	Total	C	N	O	S	0	0	0
			1116	713	184	215	4			
1	I	142	Total	C	N	O	S	0	0	0
			1138	727	189	218	4			
1	J	129	Total	C	N	O	S	0	0	0
			1039	665	172	198	4			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	EXPRESSION TAG	UNP Q9H3M7
A	1	ASN	-	EXPRESSION TAG	UNP Q9H3M7
A	26	ARG	LYS	SEE REMARK 999	UNP Q9H3M7
A	36	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
A	49	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
A	120	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
B	0	SER	-	EXPRESSION TAG	UNP Q9H3M7
B	1	ASN	-	EXPRESSION TAG	UNP Q9H3M7
B	26	ARG	LYS	SEE REMARK 999	UNP Q9H3M7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	36	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
B	49	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
B	120	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
C	0	SER	-	EXPRESSION TAG	UNP Q9H3M7
C	1	ASN	-	EXPRESSION TAG	UNP Q9H3M7
C	26	ARG	LYS	SEE REMARK 999	UNP Q9H3M7
C	36	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
C	49	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
C	120	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
D	0	SER	-	EXPRESSION TAG	UNP Q9H3M7
D	1	ASN	-	EXPRESSION TAG	UNP Q9H3M7
D	26	ARG	LYS	SEE REMARK 999	UNP Q9H3M7
D	36	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
D	49	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
D	120	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
E	0	SER	-	EXPRESSION TAG	UNP Q9H3M7
E	1	ASN	-	EXPRESSION TAG	UNP Q9H3M7
E	26	ARG	LYS	SEE REMARK 999	UNP Q9H3M7
E	36	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
E	49	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
E	120	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
F	0	SER	-	EXPRESSION TAG	UNP Q9H3M7
F	1	ASN	-	EXPRESSION TAG	UNP Q9H3M7
F	26	ARG	LYS	SEE REMARK 999	UNP Q9H3M7
F	36	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
F	49	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
F	120	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
G	0	SER	-	EXPRESSION TAG	UNP Q9H3M7
G	1	ASN	-	EXPRESSION TAG	UNP Q9H3M7
G	26	ARG	LYS	SEE REMARK 999	UNP Q9H3M7
G	36	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
G	49	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
G	120	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
H	0	SER	-	EXPRESSION TAG	UNP Q9H3M7
H	1	ASN	-	EXPRESSION TAG	UNP Q9H3M7
H	26	ARG	LYS	SEE REMARK 999	UNP Q9H3M7
H	36	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
H	49	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
H	120	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
I	0	SER	-	EXPRESSION TAG	UNP Q9H3M7
I	1	ASN	-	EXPRESSION TAG	UNP Q9H3M7
I	26	ARG	LYS	SEE REMARK 999	UNP Q9H3M7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	36	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
I	49	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
I	120	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
J	0	SER	-	EXPRESSION TAG	UNP Q9H3M7
J	1	ASN	-	EXPRESSION TAG	UNP Q9H3M7
J	26	ARG	LYS	SEE REMARK 999	UNP Q9H3M7
J	36	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
J	49	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7
J	120	SER	CYS	ENGINEERED MUTATION	UNP Q9H3M7

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	H	1	Total Ca 1 1	0	0
2	I	1	Total Ca 1 1	0	0
2	A	1	Total Ca 1 1	0	0
2	D	1	Total Ca 1 1	0	0
2	C	1	Total Ca 1 1	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Thioredoxin-interactingprotein

Chain A: 




• Molecule 1: Thioredoxin-interactingprotein

Chain B: 




• Molecule 1: Thioredoxin-interactingprotein

Chain C: 




• Molecule 1: Thioredoxin-interactingprotein

Chain D: 




- Molecule 1: Thioredoxin-interactingprotein


Chain E:



- Molecule 1: Thioredoxin-interactingprotein

Chain F:





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	79.74Å 178.81Å 81.89Å 90.00° 113.32° 90.00°	Depositor
Resolution (Å)	46.00 – 2.90 46.71 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.4 (46.00-2.90) 99.4 (46.71-2.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.68 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.212 , 0.294 0.221 , 0.293	Depositor DCC
R_{free} test set	2320 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	74.7	Xtriage
Anisotropy	0.307	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 53.6	EDS
Estimated twinning fraction	0.024 for l,-k,h	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 46328 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10938	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.64	0/1099	0.78	0/1479
1	B	0.79	1/1116 (0.1%)	1.02	3/1502 (0.2%)
1	C	0.75	1/1116 (0.1%)	0.93	3/1502 (0.2%)
1	D	0.63	0/1068	0.80	0/1438
1	E	0.81	1/1162 (0.1%)	1.05	7/1567 (0.4%)
1	F	0.66	2/1116 (0.2%)	0.78	2/1502 (0.1%)
1	G	0.70	0/1116	0.89	3/1502 (0.2%)
1	H	0.70	0/1139	0.91	1/1537 (0.1%)
1	I	0.68	2/1162 (0.2%)	0.84	2/1567 (0.1%)
1	J	0.61	1/1058 (0.1%)	0.78	1/1425 (0.1%)
All	All	0.70	8/11152 (0.1%)	0.88	22/15021 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	E	0	2
1	G	0	1
1	I	0	1
All	All	0	5

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	56	TRP	CD2-CE2	7.80	1.50	1.41
1	C	56	TRP	CD2-CE2	7.38	1.50	1.41
1	E	56	TRP	CD2-CE2	7.01	1.49	1.41
1	F	56	TRP	CD2-CE2	5.74	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	56	TRP	CD2-CE2	5.63	1.48	1.41
1	F	21	TYR	CG-CD2	5.53	1.46	1.39
1	J	56	TRP	CD2-CE2	5.52	1.48	1.41
1	I	124	TRP	CD2-CE2	5.09	1.47	1.41

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	74	ASP	CB-CG-OD1	9.41	126.77	118.30
1	B	55	LEU	CA-CB-CG	8.93	135.83	115.30
1	H	46	ILE	CG1-CB-CG2	-8.13	93.52	111.40
1	C	55	LEU	CA-CB-CG	8.05	133.81	115.30
1	B	55	LEU	CB-CG-CD2	-7.88	97.60	111.00
1	E	74	ASP	CB-CG-OD2	-7.69	111.38	118.30
1	J	77	LEU	CA-CB-CG	6.06	129.23	115.30
1	E	46	ILE	CG1-CB-CG2	-6.05	98.08	111.40
1	E	45	ARG	NE-CZ-NH1	-6.02	117.29	120.30
1	F	55	LEU	CA-CB-CG	5.99	129.07	115.30
1	C	74	ASP	CB-CG-OD2	-5.91	112.98	118.30
1	I	55	LEU	CB-CG-CD2	5.67	120.64	111.00
1	E	55	LEU	CB-CG-CD1	5.60	120.53	111.00
1	E	87	GLU	N-CA-C	-5.48	96.21	111.00
1	F	55	LEU	CB-CG-CD1	5.41	120.19	111.00
1	G	66	THR	N-CA-C	-5.22	96.91	111.00
1	G	56	TRP	N-CA-C	5.22	125.09	111.00
1	C	74	ASP	CB-CG-OD1	5.16	122.95	118.30
1	E	77	LEU	CA-CB-CG	5.15	127.15	115.30
1	I	74	ASP	CB-CG-OD2	-5.08	113.73	118.30
1	B	148	LEU	CA-CB-CG	5.03	126.87	115.30
1	G	51	VAL	CB-CA-C	-5.00	101.89	111.40

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	15	ASN	Peptide
1	E	79	GLU	Peptide
1	E	80	ASP	Peptide
1	G	56	TRP	Peptide
1	I	85	GLU	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1077	0	0	7	0
1	B	1094	0	0	5	0
1	C	1094	0	0	4	0
1	D	1049	0	0	0	0
1	E	1138	0	0	13	0
1	F	1094	0	0	12	0
1	G	1094	0	0	10	0
1	H	1116	0	0	8	0
1	I	1138	0	0	12	0
1	J	1039	0	0	3	0
2	A	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	H	1	0	0	0	0
2	I	1	0	0	0	0
All	All	10938	0	0	64	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

All (64) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:61:GLN:NE2	1:F:56:TRP:CH2	2.19	1.11
1:A:65:GLN:NE2	1:B:60:SER:CB	2.48	0.76
1:H:118:TYR:CD2	1:H:118:TYR:N	2.52	0.76
1:I:80:ASP:OD1	1:I:80:ASP:N	2.21	0.72
1:B:39:THR:CG2	1:B:131:ARG:NH1	2.55	0.69
1:F:115:LYS:NZ	1:G:118:TYR:OH	2.27	0.68
1:B:61:GLN:OE1	1:C:117:LYS:CE	2.43	0.66
1:B:71:ARG:NH2	1:B:73:GLU:OE1	2.30	0.64
1:A:71:ARG:NH2	1:A:73:GLU:OE1	2.31	0.64
1:A:22:GLY:N	1:A:25:GLU:OE2	2.31	0.64
1:E:58:GLN:O	1:E:61:GLN:CG	2.47	0.62
1:F:78:LEU:O	1:F:80:ASP:N	2.34	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:119:GLY:CA	1:E:120:SER:CB	2.79	0.61
1:I:82:PRO:C	1:I:84:GLY:N	2.54	0.60
1:E:30:ARG:NH1	1:E:98:GLU:OE1	2.35	0.59
1:J:78:LEU:O	1:J:80:ASP:N	2.37	0.57
1:F:23:SER:OG	1:F:108:GLY:O	2.25	0.55
1:G:21:TYR:N	1:G:21:TYR:CD1	2.74	0.55
1:E:50:GLY:N	1:E:70:LEU:O	2.42	0.53
1:G:113:SER:OG	1:G:145:VAL:N	2.43	0.52
1:E:26:ARG:NH2	1:H:84:GLY:O	2.43	0.52
1:E:71:ARG:NH2	1:E:73:GLU:OE1	2.44	0.51
1:G:64:LYS:NZ	1:G:64:LYS:CB	2.74	0.51
1:I:58:GLN:O	1:I:61:GLN:CB	2.59	0.51
1:C:50:GLY:N	1:C:70:LEU:O	2.44	0.50
1:G:71:ARG:NH2	1:G:73:GLU:OE1	2.45	0.50
1:I:81:GLN:NE2	1:I:87:GLU:CB	2.74	0.50
1:F:39:THR:CG2	1:F:131:ARG:NH1	2.75	0.50
1:G:114:PHE:CD1	1:G:144:GLU:OE1	2.64	0.49
1:F:79:GLU:C	1:F:80:ASP:OD2	2.51	0.49
1:H:59:GLY:C	1:H:61:GLN:N	2.67	0.48
1:I:61:GLN:NE2	1:I:63:CYS:SG	2.87	0.48
1:E:45:ARG:O	1:E:128:PHE:N	2.47	0.48
1:G:121:VAL:CG1	1:G:123:TYR:CE1	2.98	0.46
1:A:75:THR:N	1:F:74:ASP:OD1	2.49	0.46
1:A:66:THR:CG2	1:A:67:SER:N	2.80	0.45
1:I:115:LYS:O	1:I:118:TYR:CD2	2.70	0.45
1:F:65:GLN:CG	1:F:65:GLN:O	2.64	0.45
1:E:132:PRO:O	1:E:133:SER:CB	2.65	0.45
1:E:50:GLY:O	1:E:69:TYR:N	2.50	0.45
1:E:117:LYS:CE	1:E:118:TYR:CE1	2.99	0.45
1:G:112:THR:N	1:G:121:VAL:CG2	2.80	0.44
1:F:50:GLY:O	1:F:69:TYR:N	2.51	0.44
1:I:78:LEU:O	1:I:81:GLN:N	2.51	0.44
1:B:113:SER:O	1:B:114:PHE:CB	2.65	0.44
1:G:112:THR:CG2	1:G:113:SER:CB	2.96	0.43
1:H:130:ASP:OD1	1:H:136:THR:OG1	2.35	0.43
1:J:71:ARG:NH2	1:J:73:GLU:OE1	2.51	0.43
1:C:16:ASP:OD2	1:C:16:ASP:N	2.52	0.43
1:E:83:THR:N	1:H:79:GLU:OE2	2.51	0.43
1:H:71:ARG:NH2	1:H:73:GLU:OE1	2.52	0.42
1:H:114:PHE:CE1	1:H:118:TYR:CD2	3.07	0.42
1:A:75:THR:OG1	1:F:72:TYR:OH	2.37	0.42
1:I:110:LEU:N	1:I:147:ASP:OD1	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:F:115:LYS:CE	1:G:118:TYR:OH	2.67	0.42
1:I:65:GLN:CG	1:J:61:GLN:CG	2.98	0.41
1:A:42:LYS:N	1:A:130:ASP:O	2.54	0.41
1:I:84:GLY:O	1:I:86:ASN:N	2.54	0.41
1:I:111:GLY:C	1:I:113:SER:N	2.74	0.41
1:I:67:SER:O	1:I:68:GLU:CB	2.68	0.41
1:F:50:GLY:N	1:F:70:LEU:O	2.54	0.41
1:H:56:TRP:NE1	1:H:58:GLN:NE2	2.69	0.41
1:C:71:ARG:NH2	1:C:73:GLU:OE1	2.54	0.40
1:E:41:VAL:N	1:E:89:VAL:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	130/150 (87%)	115 (88%)	11 (8%)	4 (3%)	7	26
1	B	132/150 (88%)	119 (90%)	9 (7%)	4 (3%)	7	27
1	C	132/150 (88%)	123 (93%)	8 (6%)	1 (1%)	27	68
1	D	125/150 (83%)	116 (93%)	8 (6%)	1 (1%)	27	68
1	E	140/150 (93%)	121 (86%)	14 (10%)	5 (4%)	5	22
1	F	132/150 (88%)	119 (90%)	10 (8%)	3 (2%)	10	36
1	G	132/150 (88%)	116 (88%)	13 (10%)	3 (2%)	10	36
1	H	135/150 (90%)	121 (90%)	14 (10%)	0	100	100
1	I	140/150 (93%)	123 (88%)	14 (10%)	3 (2%)	11	39
1	J	123/150 (82%)	114 (93%)	8 (6%)	1 (1%)	27	68
All	All	1321/1500 (88%)	1187 (90%)	109 (8%)	25 (2%)	12	42

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	113	SER
1	A	117	LYS
1	B	113	SER
1	B	114	PHE
1	E	80	ASP
1	E	120	SER
1	A	118	TYR
1	E	114	PHE
1	F	79	GLU
1	F	114	PHE
1	I	54	VAL
1	B	78	LEU
1	B	148	LEU
1	C	133	SER
1	D	10	PHE
1	E	109	PRO
1	G	113	SER
1	I	68	GLU
1	A	58	GLN
1	E	148	LEU
1	G	112	THR
1	G	117	LYS
1	I	87	GLU
1	J	79	GLU
1	F	106	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	118/133 (89%)	103 (87%)	15 (13%)	6	18
1	B	120/133 (90%)	101 (84%)	19 (16%)	4	11
1	C	120/133 (90%)	98 (82%)	22 (18%)	2	7
1	D	116/133 (87%)	103 (89%)	13 (11%)	9	25
1	E	125/133 (94%)	108 (86%)	17 (14%)	5	15
1	F	120/133 (90%)	101 (84%)	19 (16%)	4	11
1	G	120/133 (90%)	108 (90%)	12 (10%)	11	32

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	123/133 (92%)	105 (85%)	18 (15%)	5	13
1	I	125/133 (94%)	111 (89%)	14 (11%)	9	25
1	J	115/133 (86%)	103 (90%)	12 (10%)	10	29
All	All	1202/1330 (90%)	1041 (87%)	161 (13%)	6	15

All (161) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	LYS
1	A	34	GLU
1	A	36	SER
1	A	40	ARG
1	A	46	ILE
1	A	65	GLN
1	A	67	SER
1	A	71	ARG
1	A	87	GLU
1	A	115	LYS
1	A	133	SER
1	A	141	LYS
1	A	146	VAL
1	A	147	ASP
1	A	148	LEU
1	B	18	GLU
1	B	23	SER
1	B	26	ARG
1	B	36	SER
1	B	39	THR
1	B	46	ILE
1	B	53	LYS
1	B	55	LEU
1	B	58	GLN
1	B	60	SER
1	B	62	GLN
1	B	66	THR
1	B	67	SER
1	B	79	GLU
1	B	112	THR
1	B	113	SER
1	B	115	LYS
1	B	121	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	148	LEU
1	C	8	LYS
1	C	26	ARG
1	C	36	SER
1	C	46	ILE
1	C	53	LYS
1	C	55	LEU
1	C	60	SER
1	C	68	GLU
1	C	78	LEU
1	C	79	GLU
1	C	90	ILE
1	C	100	LYS
1	C	104	GLU
1	C	112	THR
1	C	115	LYS
1	C	117	LYS
1	C	121	VAL
1	C	133	SER
1	C	140	LYS
1	C	144	GLU
1	C	146	VAL
1	C	149	VAL
1	D	21	TYR
1	D	37	GLU
1	D	39	THR
1	D	53	LYS
1	D	54	VAL
1	D	62	GLN
1	D	64	LYS
1	D	75	THR
1	D	77	LEU
1	D	80	ASP
1	D	88	MET
1	D	136	THR
1	D	145	VAL
1	E	9	SER
1	E	16	ASP
1	E	37	GLU
1	E	46	ILE
1	E	53	LYS
1	E	55	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	58	GLN
1	E	61	GLN
1	E	64	LYS
1	E	71	ARG
1	E	79	GLU
1	E	81	GLN
1	E	86	ASN
1	E	115	LYS
1	E	117	LYS
1	E	147	ASP
1	E	148	LEU
1	F	11	GLU
1	F	23	SER
1	F	46	ILE
1	F	55	LEU
1	F	57	MET
1	F	60	SER
1	F	62	GLN
1	F	65	GLN
1	F	67	SER
1	F	71	ARG
1	F	77	LEU
1	F	80	ASP
1	F	87	GLU
1	F	115	LYS
1	F	117	LYS
1	F	118	TYR
1	F	120	SER
1	F	141	LYS
1	F	147	ASP
1	G	21	TYR
1	G	23	SER
1	G	51	VAL
1	G	58	GLN
1	G	70	LEU
1	G	71	ARG
1	G	79	GLU
1	G	80	ASP
1	G	107	GLN
1	G	112	THR
1	G	126	LYS
1	G	141	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	37	GLU
1	H	39	THR
1	H	46	ILE
1	H	49	SER
1	H	57	MET
1	H	58	GLN
1	H	71	ARG
1	H	80	ASP
1	H	85	GLU
1	H	87	GLU
1	H	112	THR
1	H	114	PHE
1	H	118	TYR
1	H	121	VAL
1	H	136	THR
1	H	146	VAL
1	H	148	LEU
1	H	149	VAL
1	I	46	ILE
1	I	61	GLN
1	I	64	LYS
1	I	77	LEU
1	I	80	ASP
1	I	87	GLU
1	I	88	MET
1	I	92	ARG
1	I	115	LYS
1	I	117	LYS
1	I	121	VAL
1	I	141	LYS
1	I	147	ASP
1	I	149	VAL
1	J	42	LYS
1	J	55	LEU
1	J	58	GLN
1	J	60	SER
1	J	64	LYS
1	J	71	ARG
1	J	120	SER
1	J	122	ASP
1	J	145	VAL
1	J	147	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	148	LEU
1	J	149	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 5 ligands modelled in this entry, 5 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	134/150 (89%)	1.12	29 (21%) 1 2	47, 101, 172, 203	0
1	B	136/150 (90%)	0.26	3 (2%) 59 67	44, 67, 107, 123	0
1	C	136/150 (90%)	0.40	7 (5%) 27 33	36, 71, 132, 139	0
1	D	131/150 (87%)	0.70	11 (8%) 11 14	46, 94, 146, 173	0
1	E	142/150 (94%)	0.32	3 (2%) 60 69	40, 61, 109, 154	0
1	F	136/150 (90%)	1.34	40 (29%) 1 1	56, 127, 170, 217	0
1	G	136/150 (90%)	0.50	10 (7%) 14 17	56, 82, 121, 150	0
1	H	139/150 (92%)	0.38	3 (2%) 59 67	41, 74, 119, 150	0
1	I	142/150 (94%)	0.62	12 (8%) 11 13	55, 80, 117, 179	0
1	J	129/150 (86%)	0.58	8 (6%) 20 23	54, 92, 133, 170	0
All	All	1361/1500 (90%)	0.62	126 (9%) 9 11	36, 83, 149, 217	0

All (126) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	149	VAL	12.4
1	I	149	VAL	9.4
1	F	149	VAL	8.9
1	D	149	VAL	8.6
1	E	149	VAL	7.7
1	E	148	LEU	7.2
1	A	148	LEU	6.9
1	F	91	MET	6.7
1	H	148	LEU	6.5
1	F	10	PHE	6.5
1	F	100	LYS	6.4
1	J	148	LEU	6.3
1	H	149	VAL	6.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	149	VAL	6.0
1	D	91	MET	5.8
1	A	38	VAL	5.6
1	A	31	VAL	5.5
1	F	31	VAL	4.8
1	D	10	PHE	4.8
1	F	115	LYS	4.8
1	F	117	LYS	4.6
1	A	97	TYR	4.6
1	F	148	LEU	4.5
1	D	90	ILE	4.4
1	G	148	LEU	4.4
1	A	14	PHE	4.3
1	D	41	VAL	4.1
1	F	97	TYR	4.1
1	A	34	GLU	4.0
1	A	91	MET	4.0
1	I	111	GLY	4.0
1	I	148	LEU	4.0
1	A	118	TYR	3.9
1	F	145	VAL	3.8
1	F	33	VAL	3.8
1	F	118	TYR	3.8
1	F	32	ILE	3.8
1	A	117	LYS	3.7
1	D	38	VAL	3.7
1	F	12	VAL	3.6
1	C	149	VAL	3.6
1	G	56	TRP	3.6
1	F	77	LEU	3.6
1	F	129	LEU	3.6
1	G	149	VAL	3.5
1	A	98	GLU	3.5
1	I	39	THR	3.5
1	F	28	ALA	3.4
1	D	148	LEU	3.4
1	A	133	SER	3.4
1	C	148	LEU	3.4
1	C	36	SER	3.3
1	J	110	LEU	3.3
1	B	148	LEU	3.3
1	A	10	PHE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	98	GLU	3.2
1	A	110	LEU	3.2
1	D	129	LEU	3.1
1	J	92	ARG	3.1
1	A	32	ILE	3.1
1	A	99	TYR	3.1
1	E	118	TYR	3.0
1	F	9	SER	3.0
1	F	96	LYS	3.0
1	F	114	PHE	3.0
1	F	125	VAL	3.0
1	A	114	PHE	2.9
1	A	129	LEU	2.9
1	I	110	LEU	2.9
1	H	60	SER	2.9
1	I	112	THR	2.9
1	A	78	LEU	2.9
1	I	38	VAL	2.8
1	C	91	MET	2.8
1	J	40	ARG	2.8
1	J	38	VAL	2.8
1	B	77	LEU	2.8
1	A	95	ASN	2.8
1	F	104	GLU	2.8
1	C	97	TYR	2.7
1	F	146	VAL	2.7
1	A	90	ILE	2.7
1	A	111	GLY	2.7
1	F	99	TYR	2.6
1	F	131	ARG	2.6
1	A	96	LYS	2.6
1	F	14	PHE	2.6
1	A	36	SER	2.5
1	F	116	GLY	2.5
1	A	33	VAL	2.5
1	C	38	VAL	2.5
1	D	39	THR	2.4
1	J	10	PHE	2.4
1	F	44	VAL	2.4
1	F	92	ARG	2.4
1	F	110	LEU	2.4
1	J	39	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	36	SER	2.4
1	A	115	LYS	2.4
1	D	137	GLN	2.4
1	F	30	ARG	2.4
1	G	107	GLN	2.3
1	G	10	PHE	2.3
1	G	55	LEU	2.3
1	B	56	TRP	2.3
1	F	140	LYS	2.3
1	F	102	GLY	2.3
1	F	11	GLU	2.2
1	I	115	LYS	2.2
1	F	41	VAL	2.2
1	D	97	TYR	2.2
1	A	40	ARG	2.2
1	G	87	GLU	2.2
1	F	42	LYS	2.1
1	I	114	PHE	2.1
1	F	119	GLY	2.1
1	I	20	VAL	2.1
1	A	130	ASP	2.1
1	G	110	LEU	2.1
1	I	56	TRP	2.1
1	F	130	ASP	2.1
1	F	143	PHE	2.0
1	G	129	LEU	2.0
1	I	36	SER	2.0
1	A	35	VAL	2.0
1	C	129	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CA	H	201	1/1	0.34	7.28	64,64,64,64	0
2	CA	I	201	1/1	0.34	2.37	68,68,68,68	0
2	CA	C	201	1/1	0.26	2.01	74,74,74,74	0
2	CA	D	201	1/1	0.22	-0.06	77,77,77,77	0
2	CA	A	201	1/1	0.17	-0.71	99,99,99,99	0

6.5 Other polymers

There are no such residues in this entry.