



wwPDB X-ray Structure Validation Summary Report i

Feb 28, 2014 – 10:56 AM GMT

PDB ID : 4GEZ
Title : Structure of a neuraminidase-like protein from A/bat/Guatemala/164/2009
Authors : Yang, H.; Carney, P.J.; Donis, R.O.; Stevens, J.
Deposited on : 2012-08-02
Resolution : 2.50 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2784 (2.50-2.50)
Clashscore	79885	3562 (2.50-2.50)
Ramachandran outliers	78287	3480 (2.50-2.50)
Sidechain outliers	78261	3482 (2.50-2.50)
RSRZ outliers	66119	2785 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	378	
1	B	378	
1	C	378	
1	D	378	
1	E	378	
1	F	378	
1	G	378	
1	H	378	
1	I	378	
1	J	378	
1	K	378	
1	L	378	

The following table lists non-polymeric compounds that are outliers for geometric or electron-

density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	NAG	B	505	-	X
3	NAG	D	502	-	X
3	NAG	D	504	-	X
3	NAG	F	505	-	X
3	NAG	K	502	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 35035 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neuraminidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	365	Total	C	N	O	S	0	0	0
			2858	1804	487	547	20			
1	B	365	Total	C	N	O	S	0	0	0
			2858	1804	487	547	20			
1	C	365	Total	C	N	O	S	0	0	0
			2858	1804	487	547	20			
1	D	365	Total	C	N	O	S	0	0	0
			2858	1804	487	547	20			
1	E	365	Total	C	N	O	S	0	0	0
			2858	1804	487	547	20			
1	F	365	Total	C	N	O	S	0	0	0
			2858	1804	487	547	20			
1	G	365	Total	C	N	O	S	0	0	0
			2858	1804	487	547	20			
1	H	365	Total	C	N	O	S	0	0	0
			2858	1804	487	547	20			
1	I	365	Total	C	N	O	S	0	0	0
			2858	1804	487	547	20			
1	J	363	Total	C	N	O	S	0	0	0
			2832	1784	484	544	20			
1	K	364	Total	C	N	O	S	0	0	0
			2846	1795	486	545	20			
1	L	365	Total	C	N	O	S	0	0	0
			2858	1804	487	547	20			

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	65	GLY	-	EXPRESSION TAG	UNP H6QM85
A	66	SER	-	EXPRESSION TAG	UNP H6QM85
A	67	GLY	-	EXPRESSION TAG	UNP H6QM85
A	68	ASP	-	EXPRESSION TAG	UNP H6QM85
A	69	SER	-	EXPRESSION TAG	UNP H6QM85

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	70	GLY	-	EXPRESSION TAG	UNP H6QM85
A	71	SER	-	EXPRESSION TAG	UNP H6QM85
A	72	PRO	-	EXPRESSION TAG	UNP H6QM85
A	73	GLY	-	EXPRESSION TAG	UNP H6QM85
B	65	GLY	-	EXPRESSION TAG	UNP H6QM85
B	66	SER	-	EXPRESSION TAG	UNP H6QM85
B	67	GLY	-	EXPRESSION TAG	UNP H6QM85
B	68	ASP	-	EXPRESSION TAG	UNP H6QM85
B	69	SER	-	EXPRESSION TAG	UNP H6QM85
B	70	GLY	-	EXPRESSION TAG	UNP H6QM85
B	71	SER	-	EXPRESSION TAG	UNP H6QM85
B	72	PRO	-	EXPRESSION TAG	UNP H6QM85
B	73	GLY	-	EXPRESSION TAG	UNP H6QM85
C	65	GLY	-	EXPRESSION TAG	UNP H6QM85
C	66	SER	-	EXPRESSION TAG	UNP H6QM85
C	67	GLY	-	EXPRESSION TAG	UNP H6QM85
C	68	ASP	-	EXPRESSION TAG	UNP H6QM85
C	69	SER	-	EXPRESSION TAG	UNP H6QM85
C	70	GLY	-	EXPRESSION TAG	UNP H6QM85
C	71	SER	-	EXPRESSION TAG	UNP H6QM85
C	72	PRO	-	EXPRESSION TAG	UNP H6QM85
C	73	GLY	-	EXPRESSION TAG	UNP H6QM85
D	65	GLY	-	EXPRESSION TAG	UNP H6QM85
D	66	SER	-	EXPRESSION TAG	UNP H6QM85
D	67	GLY	-	EXPRESSION TAG	UNP H6QM85
D	68	ASP	-	EXPRESSION TAG	UNP H6QM85
D	69	SER	-	EXPRESSION TAG	UNP H6QM85
D	70	GLY	-	EXPRESSION TAG	UNP H6QM85
D	71	SER	-	EXPRESSION TAG	UNP H6QM85
D	72	PRO	-	EXPRESSION TAG	UNP H6QM85
D	73	GLY	-	EXPRESSION TAG	UNP H6QM85
E	65	GLY	-	EXPRESSION TAG	UNP H6QM85
E	66	SER	-	EXPRESSION TAG	UNP H6QM85
E	67	GLY	-	EXPRESSION TAG	UNP H6QM85
E	68	ASP	-	EXPRESSION TAG	UNP H6QM85
E	69	SER	-	EXPRESSION TAG	UNP H6QM85
E	70	GLY	-	EXPRESSION TAG	UNP H6QM85
E	71	SER	-	EXPRESSION TAG	UNP H6QM85
E	72	PRO	-	EXPRESSION TAG	UNP H6QM85
E	73	GLY	-	EXPRESSION TAG	UNP H6QM85
F	65	GLY	-	EXPRESSION TAG	UNP H6QM85
F	66	SER	-	EXPRESSION TAG	UNP H6QM85

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	67	GLY	-	EXPRESSION TAG	UNP H6QM85
F	68	ASP	-	EXPRESSION TAG	UNP H6QM85
F	69	SER	-	EXPRESSION TAG	UNP H6QM85
F	70	GLY	-	EXPRESSION TAG	UNP H6QM85
F	71	SER	-	EXPRESSION TAG	UNP H6QM85
F	72	PRO	-	EXPRESSION TAG	UNP H6QM85
F	73	GLY	-	EXPRESSION TAG	UNP H6QM85
G	65	GLY	-	EXPRESSION TAG	UNP H6QM85
G	66	SER	-	EXPRESSION TAG	UNP H6QM85
G	67	GLY	-	EXPRESSION TAG	UNP H6QM85
G	68	ASP	-	EXPRESSION TAG	UNP H6QM85
G	69	SER	-	EXPRESSION TAG	UNP H6QM85
G	70	GLY	-	EXPRESSION TAG	UNP H6QM85
G	71	SER	-	EXPRESSION TAG	UNP H6QM85
G	72	PRO	-	EXPRESSION TAG	UNP H6QM85
G	73	GLY	-	EXPRESSION TAG	UNP H6QM85
H	65	GLY	-	EXPRESSION TAG	UNP H6QM85
H	66	SER	-	EXPRESSION TAG	UNP H6QM85
H	67	GLY	-	EXPRESSION TAG	UNP H6QM85
H	68	ASP	-	EXPRESSION TAG	UNP H6QM85
H	69	SER	-	EXPRESSION TAG	UNP H6QM85
H	70	GLY	-	EXPRESSION TAG	UNP H6QM85
H	71	SER	-	EXPRESSION TAG	UNP H6QM85
H	72	PRO	-	EXPRESSION TAG	UNP H6QM85
H	73	GLY	-	EXPRESSION TAG	UNP H6QM85
I	65	GLY	-	EXPRESSION TAG	UNP H6QM85
I	66	SER	-	EXPRESSION TAG	UNP H6QM85
I	67	GLY	-	EXPRESSION TAG	UNP H6QM85
I	68	ASP	-	EXPRESSION TAG	UNP H6QM85
I	69	SER	-	EXPRESSION TAG	UNP H6QM85
I	70	GLY	-	EXPRESSION TAG	UNP H6QM85
I	71	SER	-	EXPRESSION TAG	UNP H6QM85
I	72	PRO	-	EXPRESSION TAG	UNP H6QM85
I	73	GLY	-	EXPRESSION TAG	UNP H6QM85
J	65	GLY	-	EXPRESSION TAG	UNP H6QM85
J	66	SER	-	EXPRESSION TAG	UNP H6QM85
J	67	GLY	-	EXPRESSION TAG	UNP H6QM85
J	68	ASP	-	EXPRESSION TAG	UNP H6QM85
J	69	SER	-	EXPRESSION TAG	UNP H6QM85
J	70	GLY	-	EXPRESSION TAG	UNP H6QM85
J	71	SER	-	EXPRESSION TAG	UNP H6QM85
J	72	PRO	-	EXPRESSION TAG	UNP H6QM85

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	73	GLY	-	EXPRESSION TAG	UNP H6QM85
K	65	GLY	-	EXPRESSION TAG	UNP H6QM85
K	66	SER	-	EXPRESSION TAG	UNP H6QM85
K	67	GLY	-	EXPRESSION TAG	UNP H6QM85
K	68	ASP	-	EXPRESSION TAG	UNP H6QM85
K	69	SER	-	EXPRESSION TAG	UNP H6QM85
K	70	GLY	-	EXPRESSION TAG	UNP H6QM85
K	71	SER	-	EXPRESSION TAG	UNP H6QM85
K	72	PRO	-	EXPRESSION TAG	UNP H6QM85
K	73	GLY	-	EXPRESSION TAG	UNP H6QM85
L	65	GLY	-	EXPRESSION TAG	UNP H6QM85
L	66	SER	-	EXPRESSION TAG	UNP H6QM85
L	67	GLY	-	EXPRESSION TAG	UNP H6QM85
L	68	ASP	-	EXPRESSION TAG	UNP H6QM85
L	69	SER	-	EXPRESSION TAG	UNP H6QM85
L	70	GLY	-	EXPRESSION TAG	UNP H6QM85
L	71	SER	-	EXPRESSION TAG	UNP H6QM85
L	72	PRO	-	EXPRESSION TAG	UNP H6QM85
L	73	GLY	-	EXPRESSION TAG	UNP H6QM85

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	1	Total Ca 1 1	0	0
2	J	1	Total Ca 1 1	0	0
2	D	1	Total Ca 1 1	0	0
2	K	1	Total Ca 1 1	0	0
2	E	1	Total Ca 1 1	0	0
2	H	1	Total Ca 1 1	0	0
2	B	1	Total Ca 1 1	0	0
2	I	1	Total Ca 1 1	0	0
2	C	1	Total Ca 1 1	0	0
2	A	1	Total Ca 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	L	1	Total	Ca	0	0
			1	1		
2	F	1	Total	Ca	0	0
			1	1		

- Molecule 3 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	F	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	G	1	Total	C	N	O	0	0
			14	8	1	5		
3	H	1	Total	C	N	O	0	0
			14	8	1	5		
3	I	1	Total	C	N	O	0	0
			14	8	1	5		
3	K	1	Total	C	N	O	0	0
			14	8	1	5		
3	L	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	2	Total	C	N	O	0	0
			24	14	1	9		
4	E	2	Total	C	N	O	0	0
			24	14	1	9		
4	I	2	Total	C	N	O	0	0
			24	14	1	9		

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	65	GLY	-	EXPRESSION TAG	UNP H6QM85
A	66	SER	-	EXPRESSION TAG	UNP H6QM85
A	67	GLY	-	EXPRESSION TAG	UNP H6QM85
A	68	ASP	-	EXPRESSION TAG	UNP H6QM85
A	69	SER	-	EXPRESSION TAG	UNP H6QM85
A	70	GLY	-	EXPRESSION TAG	UNP H6QM85
A	71	SER	-	EXPRESSION TAG	UNP H6QM85
A	72	PRO	-	EXPRESSION TAG	UNP H6QM85
A	73	GLY	-	EXPRESSION TAG	UNP H6QM85
E	65	GLY	-	EXPRESSION TAG	UNP H6QM85
E	66	SER	-	EXPRESSION TAG	UNP H6QM85
E	67	GLY	-	EXPRESSION TAG	UNP H6QM85
E	68	ASP	-	EXPRESSION TAG	UNP H6QM85
E	69	SER	-	EXPRESSION TAG	UNP H6QM85
E	70	GLY	-	EXPRESSION TAG	UNP H6QM85
E	71	SER	-	EXPRESSION TAG	UNP H6QM85
E	72	PRO	-	EXPRESSION TAG	UNP H6QM85
E	73	GLY	-	EXPRESSION TAG	UNP H6QM85

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	65	GLY	-	EXPRESSION TAG	UNP H6QM85
I	66	SER	-	EXPRESSION TAG	UNP H6QM85
I	67	GLY	-	EXPRESSION TAG	UNP H6QM85
I	68	ASP	-	EXPRESSION TAG	UNP H6QM85
I	69	SER	-	EXPRESSION TAG	UNP H6QM85
I	70	GLY	-	EXPRESSION TAG	UNP H6QM85
I	71	SER	-	EXPRESSION TAG	UNP H6QM85
I	72	PRO	-	EXPRESSION TAG	UNP H6QM85
I	73	GLY	-	EXPRESSION TAG	UNP H6QM85


- Molecule 5 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	3	Total	C	N	O	0	0
			38	22	2	14		
5	F	3	Total	C	N	O	0	0
			38	22	2	14		

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	65	GLY	-	EXPRESSION TAG	UNP H6QM85
B	66	SER	-	EXPRESSION TAG	UNP H6QM85
B	67	GLY	-	EXPRESSION TAG	UNP H6QM85
B	68	ASP	-	EXPRESSION TAG	UNP H6QM85
B	69	SER	-	EXPRESSION TAG	UNP H6QM85
B	70	GLY	-	EXPRESSION TAG	UNP H6QM85
B	71	SER	-	EXPRESSION TAG	UNP H6QM85
B	72	PRO	-	EXPRESSION TAG	UNP H6QM85
B	73	GLY	-	EXPRESSION TAG	UNP H6QM85
F	65	GLY	-	EXPRESSION TAG	UNP H6QM85
F	66	SER	-	EXPRESSION TAG	UNP H6QM85
F	67	GLY	-	EXPRESSION TAG	UNP H6QM85
F	68	ASP	-	EXPRESSION TAG	UNP H6QM85
F	69	SER	-	EXPRESSION TAG	UNP H6QM85
F	70	GLY	-	EXPRESSION TAG	UNP H6QM85
F	71	SER	-	EXPRESSION TAG	UNP H6QM85
F	72	PRO	-	EXPRESSION TAG	UNP H6QM85
F	73	GLY	-	EXPRESSION TAG	UNP H6QM85

- Molecule 6 is SUGAR (ALPHA-L-FUCOSE) (three-letter code: FUC) (formula: C₆H₁₂O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	O	0	0
			10	6	4		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	55	Total	O	0	0
			55	55		
7	B	54	Total	O	0	0
			54	54		
7	C	45	Total	O	0	0
			45	45		
7	D	46	Total	O	0	0
			46	46		
7	E	60	Total	O	0	0
			60	60		
7	F	41	Total	O	0	0
			41	41		
7	G	31	Total	O	0	0
			31	31		
7	H	15	Total	O	0	0
			15	15		
7	I	14	Total	O	0	0
			14	14		
7	J	25	Total	O	0	0
			25	25		
7	K	17	Total	O	0	0
			17	17		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	L	8	Total	O	0	0
			8	8		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Neuraminidase

Chain A: 




• Molecule 1: Neuraminidase

Chain B: 




• Molecule 1: Neuraminidase

Chain C: 




• Molecule 1: Neuraminidase

Chain D: 




- Molecule 1: Neuraminidase

Chain E:




- Molecule 1: Neuraminidase

Chain F:




- Molecule 1: Neuraminidase

Chain G:




- Molecule 1: Neuraminidase

Chain H:




• Molecule 1: Neuraminidase

Chain I:




• Molecule 1: Neuraminidase

Chain J:




• Molecule 1: Neuraminidase

Chain K:



• Molecule 1: Neuraminidase

Chain L: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	113.33Å 113.33Å 114.31Å 81.47° 81.55° 67.72°	Depositor
Resolution (Å)	29.88 – 2.50 29.88 – 2.50	Depositor EDS
% Data completeness (in resolution range)	97.2 (29.88-2.50) 91.6 (29.88-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, R_{free}	0.218 , 0.262 0.192 , 0.215	Depositor DCC
R_{free} test set	8263 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	48.6	Xtriage
Anisotropy	0.504	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 12.3	EDS
Estimated twinning fraction	0.370 for -k,-h,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Outliers	0 of 174667 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	35035	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, CA, FUL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/2926	0.53	0/3966
1	B	0.29	0/2926	0.51	0/3966
1	C	0.29	0/2926	0.52	0/3966
1	D	0.29	0/2926	0.53	0/3966
1	E	0.29	0/2926	0.52	0/3966
1	F	0.30	0/2926	0.53	0/3966
1	G	0.29	0/2926	0.52	0/3966
1	H	0.28	0/2926	0.54	0/3966
1	I	0.28	0/2926	0.54	0/3966
1	J	0.27	0/2897	0.52	0/3925
1	K	0.27	0/2913	0.53	1/3948 (0.0%)
1	L	0.27	0/2926	0.53	0/3966
All	All	0.29	0/35070	0.53	1/47533 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	G	0	1
1	I	0	1
1	J	0	1
All	All	0	5

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	293	LEU	CA-CB-CG	5.86	128.77	115.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	344	LYS	Peptide
1	C	344	LYS	Peptide
1	G	344	LYS	Peptide
1	I	344	LYS	Peptide
1	J	344	LYS	Peptide

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2858	0	12	35	2
1	B	2858	0	12	40	2
1	C	2858	0	11	40	1
1	D	2858	0	12	39	0
1	E	2858	0	8	34	2
1	F	2858	0	8	34	1
1	G	2858	0	11	28	1
1	H	2858	0	11	27	0
1	I	2858	0	12	33	0
1	J	2832	0	12	38	0
1	K	2846	0	12	40	0
1	L	2858	0	9	35	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	I	1	0	0	0	0
2	J	1	0	0	0	0
2	K	1	0	0	0	0
2	L	1	0	0	0	0
3	A	28	0	26	2	0
3	B	14	0	13	1	0
3	C	14	0	13	1	0
3	D	42	0	39	1	0
3	E	14	0	13	1	0
3	F	14	0	13	1	0
3	G	14	0	13	0	0
3	H	14	0	13	0	0
3	I	14	0	13	2	0
3	K	14	0	13	0	0
3	L	14	0	12	1	0
4	A	24	0	22	0	0
4	E	24	0	22	0	1
4	I	24	0	22	0	0
5	B	38	0	34	2	0
5	F	38	0	34	1	0
6	D	10	0	10	0	0
7	A	55	0	0	11	0
7	B	54	0	0	18	0
7	C	45	0	0	18	0
7	D	46	0	0	15	0
7	E	60	0	0	12	0
7	F	41	0	0	13	0
7	G	31	0	0	9	0
7	H	15	0	0	4	0
7	I	14	0	0	11	0
7	J	25	0	0	14	0
7	K	17	0	0	8	0
7	L	8	0	0	3	0
All	All	35035	0	455	418	5

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 12.

The worst 5 of 418 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:G:432:ASN:ND2	7:G:624:HOH:O	1.83	1.10
1:G:239:ASN:ND2	7:G:626:HOH:O	1.89	1.05

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:J:373:GLY:N	7:J:625:HOH:O	1.90	1.04
1:D:187:GLY:O	7:D:612:HOH:O	1.83	0.96
1:C:309:ASN:OD1	7:C:645:HOH:O	1.85	0.95

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:254:GLN:OE1	1:G:88:LYS:NZ[1_455]	2.12	0.08
1:A:257:LYS:NZ	1:F:254:GLN:O[1_455]	2.15	0.05
1:B:299:GLU:OE2	4:E:504:FUC:O3[1_545]	2.15	0.05
1:C:88:LYS:NZ	1:E:254:GLN:OE1[1_545]	2.17	0.03
1:B:254:GLN:O	1:E:257:LYS:NZ[1_545]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	363/378 (96%)	340 (94%)	22 (6%)	1 (0%)	50	73
1	B	363/378 (96%)	339 (93%)	22 (6%)	2 (1%)	33	55
1	C	363/378 (96%)	342 (94%)	20 (6%)	1 (0%)	50	73
1	D	363/378 (96%)	344 (95%)	18 (5%)	1 (0%)	50	73
1	E	363/378 (96%)	343 (94%)	19 (5%)	1 (0%)	50	73
1	F	363/378 (96%)	342 (94%)	20 (6%)	1 (0%)	50	73
1	G	363/378 (96%)	340 (94%)	22 (6%)	1 (0%)	50	73
1	H	363/378 (96%)	341 (94%)	21 (6%)	1 (0%)	50	73
1	I	363/378 (96%)	338 (93%)	24 (7%)	1 (0%)	50	73
1	J	361/378 (96%)	338 (94%)	21 (6%)	2 (1%)	33	55
1	K	362/378 (96%)	339 (94%)	22 (6%)	1 (0%)	50	73
1	L	363/378 (96%)	344 (95%)	18 (5%)	1 (0%)	50	73
All	All	4353/4536 (96%)	4090 (94%)	249 (6%)	14 (0%)	50	73

5 of 14 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	398	ASP
1	E	398	ASP
1	F	398	ASP
1	B	398	ASP
1	C	398	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/327 (97%)	310 (98%)	8 (2%)	60	85
1	B	318/327 (97%)	308 (97%)	10 (3%)	52	79
1	C	318/327 (97%)	309 (97%)	9 (3%)	56	82
1	D	318/327 (97%)	307 (96%)	11 (4%)	48	74
1	E	318/327 (97%)	310 (98%)	8 (2%)	60	85
1	F	318/327 (97%)	308 (97%)	10 (3%)	52	79
1	G	318/327 (97%)	304 (96%)	14 (4%)	39	64
1	H	318/327 (97%)	310 (98%)	8 (2%)	60	85
1	I	318/327 (97%)	307 (96%)	11 (4%)	48	74
1	J	316/327 (97%)	308 (98%)	8 (2%)	60	85
1	K	317/327 (97%)	306 (96%)	11 (4%)	48	74
1	L	318/327 (97%)	311 (98%)	7 (2%)	64	88
All	All	3813/3924 (97%)	3698 (97%)	115 (3%)	53	80

5 of 115 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	348	THR
1	G	344	LYS
1	K	400	ILE
1	F	361	VAL
1	G	169	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

12 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	504	1,4	12,14,15	0.64	0	15,19,21	0.72	0
4	FUC	A	505	4	9,10,11	0.53	0	10,14,16	0.63	0
5	NAG	B	502	1,5	12,14,15	0.62	0	15,19,21	1.77	1 (6%)
5	NAG	B	503	5	12,14,15	0.49	0	15,19,21	1.85	3 (20%)
5	FUL	B	504	5	9,10,11	1.37	2 (22%)	10,14,16	1.49	2 (20%)
4	NAG	E	503	1,4	12,14,15	0.84	1 (8%)	15,19,21	1.44	2 (13%)
4	FUC	E	504	4	9,10,11	0.52	0	10,14,16	0.59	0
5	NAG	F	502	1,5	12,14,15	0.64	0	15,19,21	2.00	1 (6%)
5	NAG	F	503	5	12,14,15	0.59	0	15,19,21	1.52	2 (13%)
5	FUL	F	504	5	9,10,11	1.21	1 (11%)	10,14,16	1.84	3 (30%)
4	NAG	I	503	1,4	12,14,15	0.64	0	15,19,21	1.16	2 (13%)
4	FUC	I	504	4	9,10,11	0.72	0	10,14,16	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	504	1,4	-	0/6/23/26	0/1/1/1
4	FUC	A	505	4	-	0/0/17/20	0/1/1/1
5	NAG	B	502	1,5	-	0/6/23/26	0/1/1/1
5	NAG	B	503	5	-	0/6/23/26	0/1/1/1
5	FUL	B	504	5	-	0/0/17/20	0/1/1/1
4	NAG	E	503	1,4	-	0/6/23/26	0/1/1/1
4	FUC	E	504	4	-	0/0/17/20	0/1/1/1
5	NAG	F	502	1,5	-	0/6/23/26	0/1/1/1
5	NAG	F	503	5	-	0/6/23/26	0/1/1/1
5	FUL	F	504	5	-	0/0/17/20	0/1/1/1
4	NAG	I	503	1,4	-	0/6/23/26	0/1/1/1
4	FUC	I	504	4	-	0/0/17/20	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	504	FUL	C4-C5	2.81	1.58	1.52
4	E	503	NAG	O5-C5	-2.61	1.40	1.45
5	F	504	FUL	C4-C5	2.51	1.58	1.52
5	B	504	FUL	C4-C3	2.05	1.57	1.52

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	502	NAG	O5-C5-C6	7.15	114.48	106.98
5	B	502	NAG	O5-C5-C6	6.28	113.57	106.98
5	F	504	FUL	O5-C5-C4	4.20	116.56	110.22
5	B	503	NAG	O5-C5-C4	4.15	115.92	110.65
5	B	503	NAG	O5-C5-C6	3.95	111.13	106.98

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.6 Ligand geometry ⓘ

Of 27 ligands modelled in this entry, 12 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	502	1	12,14,15	0.55	0	15,19,21	0.88	1 (6%)
3	NAG	A	503	1	12,14,15	0.63	0	15,19,21	1.46	2 (13%)
3	NAG	B	505	-	12,14,15	0.62	0	15,19,21	1.05	0
3	NAG	C	502	1	12,14,15	0.72	1 (8%)	15,19,21	1.00	1 (6%)
3	NAG	D	502	-	12,14,15	0.57	0	15,19,21	1.24	2 (13%)
3	NAG	D	503	-	12,14,15	0.81	1 (8%)	15,19,21	1.05	0
3	NAG	D	504	-	12,14,15	0.51	0	15,19,21	2.25	3 (20%)
6	FUC	D	505	-	9,10,11	1.13	1 (11%)	10,14,16	0.92	0
3	NAG	E	502	1	12,14,15	0.63	0	15,19,21	1.21	1 (6%)
3	NAG	F	505	-	12,14,15	0.67	1 (8%)	15,19,21	0.67	0
3	NAG	G	502	1	12,14,15	0.68	1 (8%)	15,19,21	0.66	0
3	NAG	H	502	1	12,14,15	0.69	1 (8%)	15,19,21	0.60	0
3	NAG	I	502	1	12,14,15	0.56	0	15,19,21	1.24	1 (6%)
3	NAG	K	502	1	12,14,15	0.70	1 (8%)	15,19,21	0.84	0
3	NAG	L	502	1	12,14,15	0.59	0	15,19,21	0.96	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	502	1	-	0/6/23/26	0/1/1/1
3	NAG	A	503	1	-	0/6/23/26	1/1/1/1
3	NAG	B	505	-	-	0/6/23/26	0/1/1/1
3	NAG	C	502	1	-	0/6/23/26	0/1/1/1
3	NAG	D	502	-	-	0/6/23/26	0/1/1/1
3	NAG	D	503	-	-	0/6/23/26	0/1/1/1
3	NAG	D	504	-	-	0/6/23/26	1/1/1/1
6	FUC	D	505	-	-	0/0/17/20	0/1/1/1
3	NAG	E	502	1	-	0/6/23/26	0/1/1/1
3	NAG	F	505	-	-	0/6/23/26	0/1/1/1
3	NAG	G	502	1	-	0/6/23/26	0/1/1/1
3	NAG	H	502	1	-	0/6/23/26	0/1/1/1
3	NAG	I	502	1	-	0/6/23/26	0/1/1/1
3	NAG	K	502	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	L	502	1	-	0/6/23/26	0/1/1/1

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	505	FUC	C3-C2	2.84	1.59	1.52
3	D	503	NAG	O5-C5	-2.36	1.41	1.45
3	C	502	NAG	O5-C5	-2.17	1.41	1.45
3	K	502	NAG	O5-C5	-2.13	1.41	1.45
3	H	502	NAG	O5-C5	-2.12	1.41	1.45

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	504	NAG	O5-C5-C6	7.68	115.04	106.98
3	E	502	NAG	O5-C5-C6	3.88	111.05	106.98
3	A	503	NAG	C3-C2-N2	-3.45	106.50	111.76
3	I	502	NAG	O5-C5-C4	3.23	114.76	110.65
3	A	503	NAG	C2-N2-C7	3.00	128.12	123.09

There are no chirality outliers.

There are no torsion outliers.

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	504	NAG	C1-C2-C3-C4-C5-O5
3	A	503	NAG	C1-C2-C3-C4-C5-O5

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	365/378 (96%)	0.00	5 (1%) 72 74	10, 33, 79, 133	0
1	B	365/378 (96%)	-0.03	9 (2%) 54 57	11, 34, 71, 137	0
1	C	365/378 (96%)	-0.04	15 (4%) 35 36	12, 39, 81, 141	0
1	D	365/378 (96%)	0.12	11 (3%) 48 50	11, 38, 88, 148	0
1	E	365/378 (96%)	0.01	11 (3%) 48 50	11, 34, 82, 133	0
1	F	365/378 (96%)	-0.06	4 (1%) 77 79	12, 34, 69, 140	0
1	G	365/378 (96%)	0.19	19 (5%) 26 27	14, 46, 93, 135	0
1	H	365/378 (96%)	0.26	22 (6%) 21 21	13, 45, 96, 139	0
1	I	365/378 (96%)	0.31	15 (4%) 35 36	39, 65, 106, 137	0
1	J	363/378 (96%)	0.45	19 (5%) 26 27	47, 75, 104, 146	0
1	K	364/378 (96%)	0.54	22 (6%) 21 21	45, 87, 112, 149	0
1	L	365/378 (96%)	0.62	31 (8%) 11 10	45, 84, 116, 145	0
All	All	4377/4536 (96%)	0.20	183 (4%) 35 36	10, 51, 104, 149	0

The worst 5 of 183 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	399	LEU	14.7
1	J	399	LEU	11.5
1	A	140	THR	10.4
1	G	140	THR	10.2
1	K	141	SER	9.6

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	NAG	F	502	14/15	0.13	20.33	55,67,75,82	0
4	FUC	E	504	10/11	0.20	1.70	54,57,61,63	0
4	FUC	A	505	10/11	0.17	0.15	26,46,53,63	0
5	FUL	B	504	10/11	0.14	-0.29	68,80,83,84	0
5	FUL	F	504	10/11	0.11	-0.39	54,61,69,70	0
4	FUC	I	504	10/11	0.15	-0.46	74,79,86,87	0
4	NAG	E	503	14/15	0.12	-0.77	45,48,54,55	0
4	NAG	A	504	14/15	0.09	-0.81	38,48,52,52	0
4	NAG	I	503	14/15	0.13	-1.02	35,55,67,68	0
5	NAG	B	502	14/15	0.10	-2.60	60,69,80,83	0
5	NAG	B	503	14/15	0.14	-	86,92,96,96	0
5	NAG	F	503	14/15	0.25	-	89,95,101,102	0

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	NAG	D	504	14/15	0.18	60.00	30,81,85,85	0
3	NAG	K	502	14/15	0.27	26.64	73,86,92,93	0
3	NAG	D	502	14/15	0.17	4.74	75,87,90,91	0
3	NAG	B	505	14/15	0.22	2.90	64,76,81,83	0
3	NAG	F	505	14/15	0.23	2.15	63,81,85,86	0
3	NAG	H	502	14/15	0.15	1.52	54,67,82,84	0
2	CA	E	501	1/1	0.17	1.26	41,41,41,41	0
3	NAG	A	503	14/15	0.31	1.17	83,99,103,104	0
6	FUC	D	505	10/11	0.18	1.15	46,59,84,86	0
2	CA	A	501	1/1	0.17	1.06	34,34,34,34	0
2	CA	H	501	1/1	0.17	0.67	37,37,37,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NAG	E	502	14/15	0.19	0.54	83,97,100,101	0
3	NAG	D	503	14/15	0.16	0.53	49,73,79,83	0
3	NAG	I	502	14/15	0.28	0.36	79,85,89,91	0
2	CA	C	501	1/1	0.14	0.31	37,37,37,37	0
2	CA	D	501	1/1	0.15	0.28	33,33,33,33	0
2	CA	B	501	1/1	0.14	0.00	42,42,42,42	0
2	CA	I	501	1/1	0.15	-0.14	51,51,51,51	0
2	CA	F	501	1/1	0.13	-0.20	45,45,45,45	0
3	NAG	G	502	14/15	0.16	-0.46	64,72,75,75	0
3	NAG	L	502	14/15	0.16	-0.48	75,86,94,96	0
2	CA	J	501	1/1	0.13	-0.55	65,65,65,65	0
3	NAG	A	502	14/15	0.19	-0.81	82,102,105,105	0
2	CA	L	501	1/1	0.12	-1.10	84,84,84,84	0
2	CA	G	501	1/1	0.07	-1.48	28,28,28,28	0
2	CA	K	501	1/1	0.08	-1.72	51,51,51,51	0
3	NAG	C	502	14/15	0.11	-2.00	44,53,61,64	0

6.5 Other polymers ⓘ

There are no such residues in this entry.