



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 27, 2014 – 08:16 AM GMT

PDB ID : 1GOX
Title : REFINED STRUCTURE OF SPINACH GLYCOLATE OXIDASE AT 2
ANGSTROMS RESOLUTION
Authors : Lindqvist, Y.
Deposited on : 1989-06-14
Resolution : 2.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	370	

2 Entry composition i


There are 3 unique types of molecules in this entry. The entry contains 3028 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called (S)-2-HYDROXY-ACID OXIDASE, PEROXISOMAL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	351	2699	1720	471	495	13	0	0	0

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	31	17	4	9	1	0	0

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	298	Total	O	0	0
			298	298		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: (S)-2-HYDROXY-ACID OXIDASE, PEROXISOMAL



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	148.10Å 148.10Å 135.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.00	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.189 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3028	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, ACE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.92	0/2745	1.71	43/3717 (1.2%)

There are no bond length outliers.

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	331	ARG	NE-CZ-NH2	-16.13	112.23	120.30
1	A	164	ARG	NE-CZ-NH1	13.69	127.14	120.30
1	A	359	ASP	CB-CG-OD2	-13.24	106.38	118.30
1	A	239	ARG	NE-CZ-NH1	-13.06	113.77	120.30
1	A	160	ARG	NE-CZ-NH2	-12.62	113.99	120.30
1	A	357	ASP	CB-CG-OD2	12.23	129.31	118.30
1	A	128	LEU	CA-CB-CG	11.15	140.96	115.30
1	A	160	ARG	NE-CZ-NH1	10.89	125.75	120.30
1	A	164	ARG	NE-CZ-NH2	-9.91	115.34	120.30
1	A	332	ASP	CB-CG-OD1	8.96	126.36	118.30
1	A	2	GLU	OE1-CD-OE2	-8.82	112.71	123.30
1	A	142	ARG	CD-NE-CZ	-8.82	111.25	123.60
1	A	257	ARG	CD-NE-CZ	-8.12	112.24	123.60
1	A	142	ARG	NE-CZ-NH2	8.00	124.30	120.30
1	A	239	ARG	NH1-CZ-NH2	7.29	127.42	119.40
1	A	94	ARG	NE-CZ-NH2	-7.27	116.66	120.30
1	A	98	ALA	CB-CA-C	7.24	120.96	110.10
1	A	359	ASP	CB-CG-OD1	7.18	124.76	118.30
1	A	128	LEU	N-CA-CB	-7.12	96.17	110.40
1	A	143	ARG	NE-CZ-NH2	-6.90	116.85	120.30
1	A	163	ARG	NE-CZ-NH1	6.90	123.75	120.30
1	A	108	TRP	CA-CB-CG	6.75	126.52	113.70
1	A	44	ARG	NE-CZ-NH2	6.47	123.54	120.30
1	A	114	GLU	CG-CD-OE1	6.29	130.89	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	331	ARG	NE-CZ-NH1	6.28	123.44	120.30
1	A	331	ARG	CD-NE-CZ	-6.26	114.83	123.60
1	A	209	ARG	NE-CZ-NH1	6.04	123.32	120.30
1	A	108	TRP	CB-CA-C	-6.04	98.33	110.40
1	A	39	ARG	NE-CZ-NH1	6.03	123.31	120.30
1	A	113	VAL	CA-CB-CG2	6.00	119.90	110.90
1	A	145	GLU	OE1-CD-OE2	-5.96	116.15	123.30
1	A	271	GLU	CG-CD-OE1	5.90	130.11	118.30
1	A	318	GLU	OE1-CD-OE2	-5.89	116.24	123.30
1	A	129	TYR	CB-CG-CD1	-5.88	117.47	121.00
1	A	87	GLU	OE1-CD-OE2	-5.81	116.33	123.30
1	A	2	GLU	CG-CD-OE1	5.75	129.80	118.30
1	A	48	ARG	NE-CZ-NH1	-5.70	117.45	120.30
1	A	90	TYR	CB-CG-CD1	5.63	124.38	121.00
1	A	312	VAL	CA-CB-CG2	5.52	119.17	110.90
1	A	333	GLU	OE1-CD-OE2	-5.32	116.92	123.30
1	A	184	GLU	OE1-CD-OE2	5.15	129.49	123.30
1	A	115	GLU	N-CA-CB	5.02	119.64	110.60
1	A	300	LEU	CA-CB-CG	5.02	126.85	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2699	0	2756	76	0
2	A	31	0	19	1	0
3	A	298	0	0	8	2
All	All	3028	0	2775	77	2

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 14.

All (77) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:174:LEU:HD12	1:A:175:PRO:HD2	1.49	0.93
1:A:108:TRP:HZ3	1:A:131:TYR:HH	0.96	0.93
1:A:279:ARG:HG2	1:A:279:ARG:HH11	1.42	0.85
1:A:164:ARG:HD3	1:A:257:ARG:HB3	1.63	0.81
1:A:37:GLU:OE1	1:A:44:ARG:NH2	2.14	0.80
1:A:264:ALA:HB3	1:A:267:MET:HG2	1.67	0.76
1:A:5:ASN:OD1	1:A:8:GLU:HG3	1.84	0.76
1:A:68:LYS:HB2	1:A:68:LYS:NZ	2.03	0.74
1:A:320:GLU:OE1	1:A:324:LYS:NZ	2.21	0.72
1:A:108:TRP:HZ3	1:A:131:TYR:OH	1.73	0.70
1:A:64:ILE:HD12	1:A:69:ILE:HD11	1.78	0.65
1:A:199:LEU:O	1:A:203:VAL:HG13	1.96	0.65
1:A:123:ILE:HD11	3:A:541:HOH:O	1.98	0.64
1:A:60:MET:HE1	1:A:331:ARG:HB2	1.83	0.61
1:A:212:SER:OG	1:A:214:LYS:HD2	2.01	0.61
1:A:179:THR:HG21	1:A:184:GLU:OE2	2.00	0.60
1:A:277:GLN:HG3	3:A:646:HOH:O	2.04	0.58
1:A:78:THR:O	1:A:79:ALA:HB2	2.04	0.57
1:A:3:ILE:HD11	1:A:12:ILE:CD1	2.35	0.56
1:A:68:LYS:HB2	1:A:68:LYS:HZ3	1.73	0.54
1:A:279:ARG:NH1	1:A:279:ARG:HG2	2.13	0.53
1:A:331:ARG:NH1	3:A:389:HOH:O	2.32	0.53
1:A:68:LYS:HB2	1:A:68:LYS:HZ2	1.74	0.53
1:A:126:PHE:HB2	1:A:149:PHE:CD1	2.45	0.52
1:A:51:ILE:HG22	3:A:412:HOH:O	2.10	0.52
1:A:326:VAL:O	1:A:330:MET:HG3	2.10	0.52
1:A:266:ILE:HD11	1:A:300:LEU:HD23	1.92	0.51
1:A:199:LEU:HB2	3:A:594:HOH:O	2.10	0.50
1:A:75:ILE:HG23	1:A:311:VAL:HG21	1.93	0.50
1:A:60:MET:HE3	1:A:71:MET:HB3	1.94	0.49
1:A:85:HIS:CD2	1:A:87:GLU:H	2.30	0.49
1:A:85:HIS:HD2	1:A:87:GLU:H	1.61	0.49
1:A:3:ILE:HD11	1:A:12:ILE:HD13	1.94	0.49
1:A:242:VAL:HG11	1:A:279:ARG:HD3	1.94	0.49
1:A:356:ALA:HB3	1:A:359:ASP:OD1	2.13	0.49
2:A:370:FMN:C4	3:A:404:HOH:O	2.61	0.49
1:A:64:ILE:HD13	1:A:74:MET:SD	2.53	0.48
1:A:254:HIS:O	1:A:257:ARG:HG3	2.14	0.48
1:A:80:MET:HE2	1:A:174:LEU:HD13	1.96	0.47
1:A:345:SER:OG	1:A:348:GLU:HG3	2.15	0.47
1:A:235:ALA:HB2	1:A:271:GLU:HG2	1.97	0.47
1:A:240:LEU:O	1:A:244:HIS:HD2	1.98	0.47
1:A:252:SER:HA	1:A:265:THR:HG21	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:274:LYS:HE2	1:A:274:LYS:HB3	1.71	0.46
1:A:54:ASP:O	1:A:344:ARG:HD2	2.16	0.46
1:A:12:ILE:O	1:A:16:LYS:HG2	2.17	0.45
1:A:142:ARG:NH2	1:A:145:GLU:OE2	2.48	0.45
1:A:270:GLU:O	1:A:274:LYS:HG3	2.17	0.45
1:A:46:LEU:O	1:A:354:ILE:HA	2.17	0.44
1:A:16:LYS:HG3	1:A:17:LEU:N	2.33	0.44
1:A:127:GLN:HA	1:A:153:ALA:O	2.17	0.44
1:A:347:LYS:NZ	1:A:347:LYS:HB3	2.33	0.44
1:A:224:SER:HB2	3:A:507:HOH:O	2.17	0.44
1:A:179:THR:HG22	1:A:181:LYS:HD2	2.00	0.43
1:A:214:LYS:HD3	1:A:215:ASP:N	2.33	0.43
1:A:80:MET:CE	1:A:174:LEU:HD13	2.48	0.43
1:A:325:LYS:HB2	1:A:325:LYS:HE3	1.82	0.43
1:A:51:ILE:H	1:A:51:ILE:HG13	1.60	0.42
1:A:80:MET:HA	1:A:110:THR:HG23	2.01	0.42
1:A:165:GLU:O	1:A:169:LYS:HG3	2.19	0.42
1:A:37:GLU:HG3	1:A:264:ALA:HB2	2.01	0.42
1:A:76:ALA:HB2	1:A:306:PHE:HB3	2.00	0.42
1:A:82:LYS:HG2	1:A:86:PRO:O	2.19	0.42
1:A:62:THR:HB	1:A:346:LEU:HD12	2.00	0.42
1:A:267:MET:HB3	1:A:267:MET:HE2	1.80	0.42
1:A:62:THR:HB	1:A:346:LEU:CD1	2.50	0.42
1:A:112:SER:HA	1:A:182:ASN:OD1	2.20	0.42
1:A:257:ARG:HD2	1:A:257:ARG:HH11	1.60	0.41
1:A:280:ILE:HB	1:A:281:PRO:HD2	2.01	0.41
1:A:131:TYR:O	1:A:134:ARG:NH1	2.53	0.41
1:A:330:MET:HB3	1:A:330:MET:HE2	1.96	0.41
1:A:135:ASN:O	1:A:139:GLN:HG3	2.21	0.40
1:A:80:MET:HE1	1:A:172:PHE:HZ	1.86	0.40
1:A:341:SER:HB3	3:A:414:HOH:O	2.21	0.40
1:A:284:LEU:O	1:A:305:VAL:HA	2.22	0.40
1:A:328:GLN:NE2	1:A:332:ASP:OD2	2.55	0.40
1:A:1:MET:H	1:A:1:MET:HG2	1.52	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
3:A:656:HOH:O	3:A:656:HOH:O[16_555]	2.09	0.11
3:A:405:HOH:O	3:A:428:HOH:O[4_565]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	347/370 (94%)	331 (95%)	15 (4%)	1 (0%)	50 44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	88	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	280/294 (95%)	258 (92%)	22 (8%)	18 11

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	15	GLN
1	A	20	MET
1	A	68	LYS
1	A	108	TRP
1	A	110	THR
1	A	114	GLU
1	A	128	LEU
1	A	142	ARG
1	A	173	VAL
1	A	179	THR
1	A	200	SER
1	A	214	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	219	LEU
1	A	277	GLN
1	A	279	ARG
1	A	300	LEU
1	A	331	ARG
1	A	344	ARG
1	A	347	LYS
1	A	351	ARG
1	A	354	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	85	HIS
1	A	244	HIS
1	A	328	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FMN	A	370	-	33,33,33	1.78	8 (24%)	46,50,50	2.36	10 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	A	370	-	-	0/18/18/18	0/0/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	370	FMN	C5'-C4'	4.59	1.59	1.51
2	A	370	FMN	C4-C4A	4.43	1.48	1.41
2	A	370	FMN	C1'-N10	4.29	1.53	1.48
2	A	370	FMN	C1'-C2'	3.32	1.54	1.51
2	A	370	FMN	C4A-N5	-2.49	1.30	1.36
2	A	370	FMN	P-O1P	2.11	1.58	1.51
2	A	370	FMN	C6-C5A	2.07	1.44	1.41
2	A	370	FMN	P-O2P	2.02	1.62	1.54

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	370	FMN	C2-N1-C10	8.14	123.18	114.98
2	A	370	FMN	C9A-N10-C10	-7.27	114.63	121.77
2	A	370	FMN	C4A-C10-N10	5.52	123.26	120.51
2	A	370	FMN	C4A-C10-N1	-4.58	118.16	122.73
2	A	370	FMN	C5'-C4'-C3'	-3.66	105.15	112.06
2	A	370	FMN	C1'-N10-C9A	3.49	122.26	118.87
2	A	370	FMN	O3P-P-O5'	2.96	114.82	106.65
2	A	370	FMN	C1'-N10-C10	2.77	123.10	119.17
2	A	370	FMN	O3P-P-O1P	-2.58	102.01	110.44
2	A	370	FMN	C5A-C9A-N10	2.38	119.14	116.80

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.