



Full wwPDB X-ray Structure Validation Report

(i)

Feb 27, 2014 – 03:38 AM GMT

PDB ID : 2GWX
Title : MOLECULAR RECOGNITION OF FATTY ACIDS BY PEROXISOME PROLIFERATOR-ACTIVATEDRECEPTORS
Authors : Xu, H.E.; Lambert, M.H.; Montana, V.G.; Park, D.J.; Blanchard, S.; Brown, P.; Sternbach, D.; Lehmann, J.; Bruce, G.W.; Willson, T.M.; Kliewer, S.A.; Milburn, M.V.
Deposited on : 1999-03-11
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance (i)


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 4384 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (PPAR-DELTA).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	266	2087	1347	356	375	9	0	0	1
1	B	267	2112	1365	357	380	10	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	430	GLN	TYR	CONFLICT	UNP Q03181
B	430	GLN	TYR	CONFLICT	UNP Q03181

- Molecule 2 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
			Total		
2	A	96	96	0	0
2	B	89	89	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PROTEIN (PPAR-DELTA)

Chain A:



- Molecule 1: PROTEIN (PPAR-DELTA)

Chain B:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	39.77Å 94.22Å 96.70Å 90.00° 97.77° 90.00°	Depositor
Resolution (Å)	8.00 – 2.30 8.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	87.5 (8.00-2.30) 72.0 (8.00-2.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$< I/\sigma(I) >$ ¹	2.66 (at 2.00Å)	Xtriage
Refinement program	CNS 0.5	Depositor
R , R_{free}	0.246 , 0.288 0.251 , 0.290	Depositor DCC
R_{free} test set	3380 reflections (11.10%)	DCC
Wilson B-factor (Å ²)	29.0	Xtriage
Anisotropy	0.105	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.49 , 88.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$< L > = 0.48$, $< L^2 > = 0.31$	Xtriage
Outliers	0 of 33836 reflections	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	4384	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.45	0/2130	0.72	5/2883 (0.2%)
1	B	0.41	0/2157	0.66	0/2919
All	All	0.43	0/4287	0.69	5/5802 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	245	ALA	N-CA-C	12.12	143.73	111.00
1	A	244	THR	C-N-CA	6.20	137.19	121.70
1	A	262	LEU	CA-CB-CG	5.66	128.32	115.30
1	A	272	PRO	N-CA-CB	5.66	110.10	103.30
1	A	393	LEU	CA-CB-CG	-5.29	103.12	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2087	0	2097	81	0
1	B	2112	0	2119	101	0
2	A	96	0	0	2	0
2	B	89	0	0	1	0
All	All	4384	0	4216	182	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 22.

All (182) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:266:GLN:NE2	1:B:284:ARG:HH21	1.58	1.00
1:B:312:ASN:H	1:B:312:ASN:HD22	1.14	0.89
1:B:272:PRO:HD2	1:B:275:LYS:CB	2.04	0.87
1:A:384:LEU:O	1:A:388:ILE:HG22	1.73	0.87
1:A:445:LEU:O	1:A:448:GLU:HG3	1.76	0.85
1:B:266:GLN:HE22	1:B:284:ARG:NH2	1.73	0.84
1:A:228:MET:HG2	1:A:333:ILE:HD11	1.60	0.83
1:A:244:THR:O	1:A:246:PRO:HD2	1.79	0.83
1:A:312:ASN:H	1:A:312:ASN:HD22	1.28	0.81
1:B:432:PHE:HB3	1:B:433:PRO:CD	2.10	0.81
1:A:325:ALA:HB1	1:A:388:ILE:HD13	1.61	0.80
1:A:271:LEU:HB3	1:A:276:GLU:HA	1.64	0.78
1:B:269:ASN:HD21	1:B:271:LEU:HG	1.48	0.77
1:B:266:GLN:HE22	1:B:284:ARG:HH21	1.22	0.76
1:B:312:ASN:N	1:B:312:ASN:HD22	1.85	0.75
1:A:325:ALA:CB	1:A:388:ILE:HD13	2.17	0.75
1:B:432:PHE:HB3	1:B:433:PRO:HD3	1.67	0.74
1:B:266:GLN:NE2	1:B:284:ARG:NH2	2.30	0.74
1:B:240:LYS:HG3	1:B:241:ALA:H	1.51	0.74
1:A:270:GLY:O	1:A:271:LEU:HD23	1.88	0.73
1:B:465:LEU:H	1:B:465:LEU:HD22	1.54	0.72
1:B:460:GLU:O	1:B:463:THR:HG22	1.92	0.69
1:A:305:SER:HB2	1:A:409:ILE:HD13	1.75	0.69
1:B:339:LEU:HD23	1:B:340:LEU:O	1.93	0.69
1:B:455:ARG:HH21	1:B:455:ARG:HG2	1.57	0.69
1:A:270:GLY:O	1:A:275:LYS:CB	2.41	0.68
1:A:333:ILE:HG22	1:A:333:ILE:O	1.93	0.68
1:A:333:ILE:CG2	1:A:340:LEU:HB2	2.23	0.67
1:B:432:PHE:CB	1:B:433:PRO:HD3	2.24	0.67
1:A:300:ALA:O	1:A:303:ILE:HG23	1.94	0.67
1:B:357:ARG:HG2	1:B:359:PRO:HD2	1.75	0.67
1:B:358:LYS:CA	1:B:358:LYS:HE2	2.26	0.66
1:A:322:VAL:O	1:A:326:ILE:HG13	1.96	0.66
1:B:358:LYS:N	1:B:358:LYS:HE2	2.10	0.65
1:B:327:PHE:CZ	1:B:367:LYS:HE3	2.31	0.65
1:B:358:LYS:HA	1:B:358:LYS:HE2	1.80	0.64
1:A:262:LEU:HD12	1:A:263:VAL:O	1.97	0.64
1:A:317:LEU:HD13	1:A:400:LEU:HD21	1.78	0.64
1:B:271:LEU:CD2	1:B:277:ILE:HA	2.28	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:228:MET:HE1	1:B:233:ALA:HA	1.79	0.63
1:A:264:TRP:HB3	1:A:284:ARG:HH22	1.62	0.63
1:A:312:ASN:N	1:A:312:ASN:HD22	1.97	0.63
1:B:271:LEU:HD21	1:B:277:ILE:HA	1.80	0.63
1:A:228:MET:HG2	1:A:333:ILE:CD1	2.30	0.62
1:B:236:ILE:O	1:B:237:LEU:HB2	1.98	0.62
1:B:338:GLY:HA3	1:B:347:PHE:CZ	2.34	0.62
1:B:432:PHE:CB	1:B:433:PRO:CD	2.73	0.62
1:A:250:HIS:CE1	1:A:251:ASP:OD2	2.53	0.62
1:A:324:GLU:OE2	1:A:443:ARG:HD3	2.00	0.62
1:B:432:PHE:HB3	1:B:433:PRO:HD2	1.81	0.62
1:A:330:LEU:HD13	1:A:334:VAL:HG21	1.83	0.61
1:A:293:VAL:HG22	1:A:322:VAL:HG21	1.83	0.61
1:A:393:LEU:HD22	1:A:409:ILE:HG21	1.83	0.60
1:A:388:ILE:O	1:A:388:ILE:HD12	2.00	0.60
1:A:379:LEU:HD11	1:A:435:LEU:HD21	1.84	0.60
1:A:333:ILE:HG23	1:A:340:LEU:HD12	1.85	0.59
1:A:271:LEU:HB3	1:A:276:GLU:CA	2.32	0.59
1:A:333:ILE:HG22	1:A:340:LEU:H	1.68	0.59
1:B:330:LEU:O	1:B:334:VAL:HG23	2.03	0.58
1:B:270:GLY:O	1:B:271:LEU:HB2	2.04	0.58
1:A:423:ALA:O	1:A:426:PRO:HD3	2.04	0.57
1:A:264:TRP:HB3	1:A:284:ARG:NH2	2.20	0.57
1:A:333:ILE:HG21	1:A:340:LEU:HB2	1.86	0.57
1:A:262:LEU:HD12	1:A:262:LEU:O	2.05	0.57
1:B:271:LEU:HD11	1:B:277:ILE:HB	1.87	0.56
1:A:305:SER:HB2	1:A:409:ILE:CD1	2.35	0.56
1:B:264:TRP:C	1:B:265:LYS:HG3	2.25	0.56
1:A:330:LEU:CD1	1:A:334:VAL:HG21	2.37	0.55
1:B:320:TYR:CZ	1:B:398:PRO:HG2	2.42	0.54
1:A:296:LEU:HD13	1:A:322:VAL:HG23	1.88	0.54
1:B:271:LEU:HD22	1:B:276:GLU:C	2.28	0.54
1:B:294:ARG:CG	1:B:294:ARG:HH11	2.20	0.54
1:B:268:VAL:CB	2:B:487:HOH:O	2.55	0.54
1:B:330:LEU:HD11	1:B:339:LEU:HD11	1.89	0.54
1:B:356:LEU:O	1:B:361:SER:HB3	2.08	0.53
1:B:264:TRP:HB3	1:B:266:GLN:NE2	2.23	0.53
1:B:272:PRO:HB2	1:B:273:PRO:CD	2.38	0.53
1:B:271:LEU:HD22	1:B:276:GLU:O	2.09	0.53
1:B:455:ARG:O	1:B:459:THR:HG22	2.08	0.53
1:A:363:ILE:HG22	1:A:452:MET:SD	2.49	0.53
1:A:388:ILE:HD11	1:A:392:ILE:HD11	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:310:PHE:HB3	1:B:312:ASN:ND2	2.24	0.52
1:B:312:ASN:H	1:B:312:ASN:ND2	1.93	0.52
1:B:247:PHE:CZ	1:B:257:GLN:HG3	2.46	0.51
1:B:236:ILE:HG13	1:B:236:ILE:O	2.11	0.51
1:A:270:GLY:C	1:A:271:LEU:HD23	2.31	0.51
1:A:358:LYS:O	1:A:362:ASP:OD2	2.30	0.50
1:A:258:ALA:C	1:A:260:LYS:H	2.14	0.50
1:B:366:PRO:HA	1:B:369:GLU:OE2	2.10	0.50
1:A:241:ALA:O	1:A:242:SER:C	2.49	0.50
1:A:255:LEU:HD23	1:A:277:ILE:CD1	2.42	0.50
1:A:386:LEU:HD13	1:A:417:LEU:HA	1.92	0.50
1:A:294:ARG:HH11	1:A:294:ARG:HG2	1.76	0.50
1:A:411:ASP:O	1:A:415:ARG:HG3	2.11	0.50
1:B:246:PRO:HB2	1:B:347:PHE:HB2	1.94	0.50
1:A:264:TRP:O	1:A:265:LYS:O	2.30	0.50
1:A:241:ALA:O	1:A:242:SER:O	2.30	0.49
1:B:411:ASP:O	1:B:415:ARG:HG3	2.11	0.49
1:B:386:LEU:HD13	1:B:417:LEU:HA	1.93	0.49
1:B:340:LEU:HD23	1:B:347:PHE:HD2	1.78	0.49
1:B:432:PHE:CD2	1:B:433:PRO:HD3	2.48	0.48
1:B:261:GLY:O	1:B:262:LEU:HD23	2.12	0.48
1:A:277:ILE:HD11	1:A:352:PHE:HZ	1.79	0.48
1:B:312:ASN:ND2	1:B:312:ASN:N	2.56	0.48
1:B:329:MET:HG2	1:B:388:ILE:HD11	1.95	0.47
1:A:238:THR:O	1:A:238:THR:HG22	2.15	0.47
1:A:460:GLU:HB3	1:A:463:THR:HG23	1.97	0.47
1:A:255:LEU:HD23	1:A:277:ILE:HD13	1.96	0.47
1:A:262:LEU:HD12	1:A:262:LEU:C	2.35	0.47
1:B:256:TRP:O	1:B:260:LYS:HG3	2.15	0.47
1:B:363:ILE:HG22	1:B:452:MET:SD	2.55	0.47
1:A:364:ILE:HG23	2:A:512:HOH:O	2.14	0.47
1:A:466:HIS:CD2	1:A:468:LEU:H	2.33	0.47
1:A:403:VAL:HB	1:A:404:PRO:HD3	1.97	0.47
1:A:269:ASN:O	1:A:270:GLY:O	2.33	0.46
1:B:277:ILE:HG23	1:B:278:SER:N	2.31	0.46
1:B:455:ARG:HG2	1:B:455:ARG:NH2	2.29	0.46
1:B:254:THR:HA	1:B:257:GLN:HG2	1.97	0.46
1:B:434:LYS:O	1:B:438:LYS:HG2	2.16	0.46
1:B:269:ASN:C	1:B:270:GLY:O	2.54	0.46
1:B:271:LEU:CD1	1:B:277:ILE:HB	2.46	0.46
1:A:294:ARG:NH1	1:A:294:ARG:HG2	2.31	0.46
1:B:324:GLU:HG3	1:B:446:VAL:HG21	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:310:PHE:HB3	1:B:312:ASN:HD21	1.79	0.46
1:A:356:LEU:HB2	1:A:361:SER:HB3	1.98	0.46
1:B:289:THR:O	1:B:293:VAL:HG23	2.16	0.45
1:B:247:PHE:HZ	1:B:257:GLN:HG3	1.82	0.45
1:B:266:GLN:O	1:B:267:LEU:C	2.53	0.45
1:B:271:LEU:N	1:B:272:PRO:CD	2.80	0.45
1:B:379:LEU:HD11	1:B:435:LEU:HD21	1.99	0.45
1:A:259:GLU:HA	1:A:259:GLU:OE1	2.16	0.45
1:B:242:SER:C	1:B:244:THR:H	2.18	0.45
1:B:241:ALA:C	1:B:243:HIS:H	2.20	0.45
1:A:303:ILE:HA	1:A:304:PRO:HD3	1.88	0.45
1:B:230:LYS:O	1:B:234:ARG:HG2	2.16	0.44
1:B:450:ALA:O	1:B:454:GLN:HG3	2.17	0.44
1:B:380:ASP:OD2	1:B:424:ASN:ND2	2.51	0.44
1:B:237:LEU:O	1:B:238:THR:CB	2.65	0.44
1:B:264:TRP:HB3	1:B:266:GLN:HE22	1.82	0.44
1:A:259:GLU:OE2	1:A:280:HIS:CE1	2.71	0.44
1:A:320:TYR:CB	1:A:397:ARG:HD2	2.48	0.44
1:A:312:ASN:H	1:A:312:ASN:ND2	2.06	0.43
1:B:365:GLU:N	1:B:366:PRO:CD	2.81	0.43
1:B:322:VAL:O	1:B:326:ILE:HG13	2.17	0.43
1:B:264:TRP:CB	1:B:266:GLN:HE22	2.31	0.43
1:B:294:ARG:NH1	1:B:294:ARG:CG	2.81	0.43
1:A:271:LEU:HA	1:A:275:LYS:C	2.39	0.43
1:A:262:LEU:CD1	1:A:262:LEU:O	2.67	0.43
1:A:325:ALA:HB2	1:A:388:ILE:HD13	1.97	0.43
1:A:466:HIS:HD2	1:A:468:LEU:HB3	1.83	0.43
1:B:389:ALA:O	1:B:393:LEU:HD23	2.18	0.43
1:B:427:ASP:O	1:B:428:ALA:O	2.37	0.43
1:A:214:PHE:CZ	1:A:218:ILE:HD11	2.54	0.43
1:B:467:PRO:O	1:B:471:GLU:HG2	2.18	0.43
1:B:402:ASN:HD22	1:B:402:ASN:C	2.22	0.43
1:B:271:LEU:N	1:B:271:LEU:HD23	2.33	0.43
1:B:419:PHE:O	1:B:422:GLN:N	2.52	0.42
1:A:466:HIS:CD2	1:A:468:LEU:HB3	2.54	0.42
1:B:211:LEU:HA	1:B:211:LEU:HD12	1.87	0.42
1:B:419:PHE:O	1:B:420:HIS:C	2.58	0.42
1:B:444:GLN:NE2	1:B:448:GLU:OE2	2.52	0.42
1:B:284:ARG:HA	1:B:284:ARG:HD3	1.77	0.42
1:A:244:THR:C	1:A:246:PRO:HD2	2.39	0.42
1:B:459:THR:HG23	1:B:460:GLU:N	2.35	0.42
1:A:255:LEU:CD2	1:A:277:ILE:CD1	2.98	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:397:ARG:HA	1:A:398:PRO:HD3	1.82	0.42
1:A:325:ALA:CB	1:A:388:ILE:CD1	2.94	0.42
1:B:403:VAL:HB	1:B:404:PRO:HD3	2.01	0.41
1:B:334:VAL:CG1	1:B:335:ASN:N	2.82	0.41
1:B:237:LEU:HD21	1:B:335:ASN:ND2	2.34	0.41
1:A:357:ARG:HB3	1:A:359:PRO:HD3	2.00	0.41
1:A:448:GLU:HB3	2:A:567:HOH:O	2.20	0.41
1:B:294:ARG:HG3	1:B:294:ARG:HH11	1.85	0.41
1:B:339:LEU:CD2	1:B:340:LEU:O	2.67	0.41
1:A:393:LEU:HD22	1:A:409:ILE:CG2	2.48	0.41
1:B:264:TRP:O	1:B:265:LYS:HG3	2.21	0.41
1:B:286:GLN:HB2	1:B:469:LEU:HD11	2.02	0.41
1:A:240:LYS:HE2	1:A:240:LYS:HB3	1.89	0.41
1:B:228:MET:HE1	1:B:236:ILE:HD11	2.04	0.40
1:A:466:HIS:HD2	1:A:468:LEU:H	1.68	0.40
1:A:265:LYS:O	1:A:266:GLN:CB	2.67	0.40
1:B:465:LEU:N	1:B:465:LEU:HD13	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	264/267 (99%)	233 (88%)	15 (6%)	16 (6%)	2 1
1	B	265/267 (99%)	227 (86%)	22 (8%)	16 (6%)	2 1
All	All	529/534 (99%)	460 (87%)	37 (7%)	32 (6%)	2 1

All (32) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	242	SER
1	A	245	ALA
1	A	246	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	263	VAL
1	A	264	TRP
1	A	265	LYS
1	A	266	GLN
1	A	272	PRO
1	B	237	LEU
1	B	238	THR
1	B	268	VAL
1	B	304	PRO
1	B	428	ALA
1	A	270	GLY
1	A	474	LYS
1	B	232	LYS
1	B	266	GLN
1	A	240	LYS
1	A	259	GLU
1	B	242	SER
1	B	272	PRO
1	B	342	ALA
1	A	359	PRO
1	B	239	GLY
1	A	238	THR
1	B	245	ALA
1	B	263	VAL
1	B	359	PRO
1	B	461	THR
1	A	271	LEU
1	A	274	TYR
1	B	358	LYS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	222/236 (94%)	201 (90%)	21 (10%)	12 14
1	B	225/236 (95%)	208 (92%)	17 (8%)	19 22
All	All	447/472 (95%)	409 (92%)	38 (8%)	15 18

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	223	LEU
1	A	227	ASN
1	A	228	MET
1	A	234	ARG
1	A	237	LEU
1	A	242	SER
1	A	244	THR
1	A	257	GLN
1	A	262	LEU
1	A	264	TRP
1	A	303	ILE
1	A	312	ASN
1	A	317	LEU
1	A	353	LEU
1	A	358	LYS
1	A	388	ILE
1	A	393	LEU
1	A	424	ASN
1	A	448	GLU
1	A	461	THR
1	A	469	LEU
1	B	266	GLN
1	B	271	LEU
1	B	294	ARG
1	B	304	PRO
1	B	312	ASN
1	B	364	ILE
1	B	368	PHE
1	B	384	LEU
1	B	402	ASN
1	B	414	LEU
1	B	418	GLU
1	B	424	ASN
1	B	431	LEU
1	B	455	ARG
1	B	458	LYS
1	B	465	LEU
1	B	468	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	220	ASN
1	A	250	HIS
1	A	257	GLN
1	A	280	HIS
1	A	312	ASN
1	A	314	GLN
1	A	420	HIS
1	A	424	ASN
1	A	437	GLN
1	A	454	GLN
1	A	466	HIS
1	B	217	HIS
1	B	220	ASN
1	B	225	ASN
1	B	266	GLN
1	B	269	ASN
1	B	312	ASN
1	B	375	ASN
1	B	402	ASN
1	B	424	ASN
1	B	437	GLN

5.3.3 RNA (i)

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	266/267 (99%)	0.41	22 (8%) 11 18	15, 34, 94, 102	0
1	B	267/267 (100%)	0.50	25 (9%) 9 14	20, 42, 88, 102	0
All	All	533/534 (99%)	0.45	47 (8%) 10 16	15, 38, 93, 102	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	270	GLY	10.2
1	B	263	VAL	10.1
1	A	239	GLY	9.4
1	A	272	PRO	9.1
1	B	264	TRP	9.1
1	A	270	GLY	8.6
1	A	241	ALA	8.5
1	A	264	TRP	8.3
1	A	268	VAL	7.6
1	A	273	PRO	7.5
1	A	267	LEU	6.7
1	A	271	LEU	6.4
1	B	267	LEU	6.0
1	A	263	VAL	5.8
1	B	269	ASN	5.4
1	B	240	LYS	5.4
1	B	242	SER	5.2
1	A	265	LYS	5.0
1	B	273	PRO	5.0
1	A	242	SER	4.7
1	A	269	ASN	4.5
1	B	428	ALA	4.5
1	A	262	LEU	4.4
1	B	241	ALA	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	428	ALA	4.1
1	B	244	THR	4.1
1	B	272	PRO	4.1
1	B	266	GLN	4.0
1	B	262	LEU	4.0
1	A	240	LYS	3.8
1	B	274	TYR	3.7
1	A	266	GLN	3.7
1	B	265	LYS	3.7
1	B	303	ILE	3.5
1	B	271	LEU	2.9
1	B	238	THR	2.9
1	A	277	ILE	2.8
1	B	247	PHE	2.7
1	B	419	PHE	2.6
1	A	243	HIS	2.5
1	A	244	THR	2.5
1	B	239	GLY	2.5
1	B	243	HIS	2.5
1	B	268	VAL	2.3
1	A	246	PRO	2.1
1	B	245	ALA	2.1
1	A	333	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.