



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 27, 2014 – 08:58 AM GMT

PDB ID : 3GWB  
Title : Crystal structure of peptidase M16 inactive domain from *Pseudomonas fluorescens*. Northeast Structural Genomics target PIR293L  
Authors : Seetharaman, J.; Chen, Y.; Fang, F.; Xiao, R.; Everett, J.K.; Acton, T.B.; Rost, B.; Montelione, G.T.; Tong, L.; Hunt, J.F.; Northeast Structural Genomics Consortium (NESG)  
Deposited on : 2009-03-31  
Resolution : 1.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	3684 (1.90-1.90)
Clashscore	79885	4465 (1.90-1.90)
Ramachandran outliers	78287	4413 (1.90-1.90)
Sidechain outliers	78261	4414 (1.90-1.90)
RSRZ outliers	66119	3686 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	434	
1	B	434	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6636 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidase M16 inactive domain family protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	412	Total	C	N	O	Se	0	0	0
			3074	1941	529	590	14			
1	B	412	Total	C	N	O	Se	0	0	0
			3078	1945	529	590	14			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	428	GLU	-	EXPRESSION TAG	UNP Q4K4B6
A	429	HIS	-	EXPRESSION TAG	UNP Q4K4B6
A	430	HIS	-	EXPRESSION TAG	UNP Q4K4B6
A	431	HIS	-	EXPRESSION TAG	UNP Q4K4B6
A	432	HIS	-	EXPRESSION TAG	UNP Q4K4B6
A	433	HIS	-	EXPRESSION TAG	UNP Q4K4B6
A	434	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	428	GLU	-	EXPRESSION TAG	UNP Q4K4B6
B	429	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	430	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	431	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	432	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	433	HIS	-	EXPRESSION TAG	UNP Q4K4B6
B	434	HIS	-	EXPRESSION TAG	UNP Q4K4B6

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	228	Total	O	0	0
			228	228		
2	B	256	Total	O	0	0
			256	256		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Peptidase M16 inactive domain family protein

Chain A:



- Molecule 1: Peptidase M16 inactive domain family protein

Chain B:



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.67Å 64.84Å 114.97Å 90.00° 96.39° 90.00°	Depositor
Resolution (Å)	50.00 – 1.90 33.83 – 1.89	Depositor EDS
% Data completeness (in resolution range)	77.5 (50.00-1.90) 93.5 (33.83-1.89)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.06 (at 1.89Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.204 , 0.240 0.230 , 0.263	Depositor DCC
$R_{free}$ test set	2807 reflections (4.80%)	DCC
Wilson B-factor (Å <sup>2</sup> )	16.4	Xtriage
Anisotropy	0.169	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 36.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 128080 reflections	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	6636	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.32% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.46	0/3113	0.59	0/4184
1	B	0.46	0/3117	0.66	2/4189 (0.0%)
All	All	0.46	0/6230	0.63	2/8373 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	280	GLY	N-CA-C	12.98	145.54	113.10
1	B	279	GLY	N-CA-C	5.10	125.85	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3074	0	3091	90	0
1	B	3078	0	3096	97	0
2	A	228	0	0	10	0
2	B	256	0	0	7	0
All	All	6636	0	6187	182	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.

All (182) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:280:GLY:O	1:B:286:MSE:HE3	1.64	0.96
1:A:141:GLU:HA	1:A:144:LYS:HE2	1.50	0.90
1:B:404:MSE:HA	1:B:404:MSE:HE2	1.51	0.90
1:A:324:GLU:OE2	1:A:424:GLN:HG3	1.74	0.88
1:A:246:PRO:HG2	1:B:246:PRO:HB3	1.55	0.88
1:B:230:ILE:H	1:B:307:GLN:NE2	1.74	0.84
1:A:143:GLN:HG2	1:A:149:LYS:HD2	1.62	0.81
1:B:190:LYS:HG2	1:B:227:LEU:HD21	1.65	0.78
1:A:296:THR:HG21	1:A:299:VAL:CG2	2.13	0.77
1:B:35:MSE:SE	1:B:100:ARG:HH21	2.18	0.77
1:B:112:LEU:HD13	1:B:213:ILE:HD12	1.67	0.76
1:B:141:GLU:O	1:B:144:LYS:HG2	1.87	0.75
1:A:112:LEU:HD13	1:A:213:ILE:HD12	1.68	0.75
1:A:296:THR:HG21	1:A:299:VAL:HG23	1.68	0.74
1:B:269:VAL:HG12	1:B:404:MSE:HE3	1.72	0.72
1:B:15:GLN:NE2	1:B:207:ARG:HG3	2.05	0.71
1:B:113:LYS:O	1:B:117:GLU:HG3	1.92	0.70
1:B:270:SER:O	1:B:274:GLN:HG3	1.94	0.68
1:B:149:LYS:O	1:B:153:LEU:HD13	1.94	0.68
1:A:321:GLU:O	1:A:322:MSE:HE2	1.94	0.67
1:B:147:PRO:HG3	1:B:245:PHE:CD2	2.30	0.66
1:B:41:ILE:N	1:B:41:ILE:HD12	2.10	0.66
1:A:318:THR:HG21	1:A:326:THR:HG21	1.76	0.66
1:B:348:ASP:O	1:B:352:ARG:HG3	1.95	0.66
1:A:177:PRO:HB2	1:A:178:PRO:HD3	1.79	0.65
1:A:425:LYS:N	1:A:426:PRO:HD3	2.12	0.65
1:A:249:GLN:HE21	1:A:317:GLN:HG2	1.62	0.64
1:B:128:SER:O	1:B:132:ILE:HG12	1.97	0.64
1:A:41:ILE:N	1:A:41:ILE:HD12	2.13	0.64
1:B:254:LEU:HD22	1:B:415:ILE:HG12	1.79	0.63
1:A:396:THR:OG1	1:A:398:GLU:HG2	1.99	0.63
1:B:249:GLN:NE2	1:B:319:ARG:HD3	2.15	0.62
1:A:287:SER:O	1:A:291:GLU:HB3	1.99	0.62
1:B:163:HIS:HE1	1:B:231:GLU:O	1.82	0.62
1:B:39:ARG:NH1	2:B:436:HOH:O	2.32	0.61
1:A:246:PRO:HG2	1:B:246:PRO:CB	2.29	0.59
1:B:404:MSE:HA	1:B:404:MSE:CE	2.27	0.59
1:A:112:LEU:CD1	1:A:213:ILE:HD12	2.33	0.59
1:B:261:ARG:HG2	1:B:378:TYR:CD2	2.39	0.58
1:B:247:SER:O	1:B:420:PRO:HG3	2.04	0.57
1:B:15:GLN:HE22	1:B:207:ARG:HG3	1.67	0.57
1:A:28:VAL:HG23	1:A:372:LEU:HD11	1.87	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:230:ILE:H	1:B:307:GLN:HE21	1.51	0.57
1:A:250:THR:OG1	1:A:323:SER:HB3	2.04	0.57
1:B:287:SER:HA	1:B:291:GLU:HB3	1.87	0.57
1:A:347:LEU:HG	1:A:351:LYS:HD2	1.86	0.56
1:A:293:ARG:NH2	1:A:329:LEU:HD11	2.20	0.56
1:A:425:LYS:N	1:A:426:PRO:CD	2.68	0.56
1:B:230:ILE:H	1:B:307:GLN:HE22	1.50	0.56
1:A:235:GLU:OE1	1:A:257:LEU:HD12	2.06	0.55
1:A:250:THR:HG23	1:A:320:ALA:HA	1.88	0.55
1:A:289:VAL:HG12	1:A:296:THR:HG22	1.89	0.54
1:B:271:LEU:HD12	1:B:274:GLN:OE1	2.07	0.54
1:A:163:HIS:HE1	1:A:231:GLU:O	1.89	0.54
1:A:73:GLY:O	1:A:77:GLN:HG3	2.08	0.54
1:A:362:THR:OG1	1:B:77:GLN:NE2	2.41	0.54
1:A:49:ASP:OD2	1:A:167:HIS:HE1	1.91	0.54
1:A:163:HIS:CD2	1:A:165:TYR:H	2.26	0.53
1:B:181:LEU:HD12	1:B:181:LEU:H	1.74	0.53
1:A:48:GLN:NE2	1:A:230:ILE:HD11	2.24	0.53
1:A:100:ARG:HH11	1:A:100:ARG:HB2	1.73	0.53
1:A:209:ASP:O	1:A:213:ILE:HG12	2.08	0.53
1:B:409:ASN:HB3	1:B:412:LYS:CG	2.39	0.53
1:A:424:GLN:HG2	2:A:662:HOH:O	2.09	0.53
1:B:112:LEU:CD1	1:B:213:ILE:HD12	2.39	0.53
1:A:425:LYS:O	1:A:425:LYS:HG2	2.09	0.53
1:A:295:LEU:O	1:A:318:THR:HG22	2.07	0.53
1:B:153:LEU:HD12	2:B:655:HOH:O	2.08	0.52
1:A:324:GLU:CD	1:A:424:GLN:HG3	2.29	0.52
1:A:303:PHE:C	1:A:305:PRO:HD3	2.30	0.52
1:B:57:LEU:CD2	1:B:136:MSE:HE2	2.40	0.51
1:B:318:THR:HG21	1:B:326:THR:HG21	1.92	0.51
1:A:153:LEU:O	1:A:157:LYS:HG3	2.09	0.51
1:B:176:ILE:HB	1:B:177:PRO:HD3	1.92	0.51
1:B:196:ASN:ND2	1:B:227:LEU:H	2.09	0.51
1:B:163:HIS:CD2	1:B:165:TYR:H	2.27	0.51
1:B:255:ALA:HB2	1:B:313:MSE:HG2	1.92	0.51
1:B:246:PRO:O	1:B:247:SER:HB2	2.11	0.51
1:A:128:SER:O	1:A:132:ILE:HG12	2.11	0.50
1:A:29:GLU:HG3	1:A:205:LEU:O	2.10	0.50
1:A:160:TYR:HB3	1:A:163:HIS:HB3	1.93	0.50
1:B:249:GLN:HE22	1:B:319:ARG:HD3	1.76	0.50
1:B:132:ILE:HG22	1:B:136:MSE:HE3	1.92	0.49
1:A:163:HIS:HD2	1:A:165:TYR:H	1.60	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:209:ASP:O	1:B:213:ILE:HG12	2.12	0.49
1:B:396:THR:HG23	1:B:399:GLN:HE21	1.78	0.49
1:A:30:ALA:HB1	1:A:32:GLU:OE1	2.12	0.49
1:B:409:ASN:HB3	1:B:412:LYS:HG3	1.94	0.49
1:A:167:HIS:HD2	2:A:534:HOH:O	1.95	0.49
1:A:100:ARG:NH1	1:A:100:ARG:HB2	2.29	0.48
1:B:80:GLU:HG3	2:B:634:HOH:O	2.13	0.48
1:A:146:ASN:CG	1:A:149:LYS:HG3	2.33	0.48
1:B:385:LEU:O	1:B:389:MSE:HG2	2.13	0.48
1:B:28:VAL:HG23	1:B:372:LEU:HD11	1.96	0.48
1:B:254:LEU:HD21	1:B:327:LEU:CD1	2.43	0.48
1:B:253:MSE:C	1:B:254:LEU:HD23	2.34	0.48
1:B:284:ARG:HD3	1:B:346:GLU:OE2	2.14	0.48
1:B:44:ALA:HB2	1:B:191:ALA:HB1	1.95	0.48
1:A:343:THR:OG1	1:A:346:GLU:HG3	2.14	0.47
1:A:261:ARG:HG2	1:A:378:TYR:CD2	2.49	0.47
1:B:181:LEU:HD12	1:B:181:LEU:N	2.30	0.47
1:B:254:LEU:CD2	1:B:415:ILE:HG23	2.44	0.47
1:A:363:ALA:HB3	1:A:368:ILE:HD11	1.96	0.47
1:B:197:VAL:HG22	1:B:198:VAL:N	2.29	0.47
1:B:154:GLU:OE1	1:B:154:GLU:HA	2.15	0.47
1:B:286:MSE:O	1:B:290:ARG:HB3	2.14	0.47
1:A:408:LEU:HD22	2:A:660:HOH:O	2.14	0.47
1:B:351:LYS:HB3	1:B:393:GLN:OE1	2.14	0.47
1:A:290:ARG:HE	1:B:134:ASN:ND2	2.13	0.47
1:A:147:PRO:HG3	1:A:245:PHE:CD2	2.50	0.46
1:B:133:LYS:NZ	1:B:179:ILE:HB	2.30	0.46
1:A:270:SER:O	1:A:274:GLN:HG3	2.15	0.46
1:A:129:LEU:O	1:A:133:LYS:HG3	2.15	0.46
1:B:223:LYS:HD2	2:B:522:HOH:O	2.16	0.46
1:B:289:VAL:HG12	1:B:296:THR:HG22	1.97	0.46
1:A:321:GLU:CD	1:A:425:LYS:HE3	2.36	0.46
1:A:322:MSE:CE	1:A:425:LYS:HB3	2.46	0.46
1:B:163:HIS:HD2	1:B:165:TYR:H	1.64	0.46
1:B:242:HIS:HD2	1:B:417:SER:OG	1.99	0.46
1:B:343:THR:OG1	1:B:346:GLU:HG3	2.16	0.46
1:A:109:GLU:HB2	1:A:110:PRO:HD3	1.97	0.46
1:B:254:LEU:HD21	1:B:327:LEU:HD11	1.98	0.45
1:B:259:ILE:HD13	1:B:269:VAL:HG21	1.99	0.45
1:A:317:GLN:NE2	1:B:145:GLN:HE22	2.15	0.45
1:A:396:THR:OG1	1:A:399:GLN:HG3	2.16	0.45
1:A:268:ALA:HA	1:A:395:LEU:HD13	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:280:GLY:O	1:B:286:MSE:CE	2.52	0.45
1:B:41:ILE:N	1:B:41:ILE:CD1	2.80	0.45
1:A:129:LEU:HD22	1:A:181:LEU:HD23	1.99	0.45
1:B:147:PRO:HG3	1:B:245:PHE:CE2	2.52	0.45
1:B:68:ALA:HA	2:B:551:HOH:O	2.17	0.45
1:A:321:GLU:OE2	1:A:425:LYS:HE3	2.16	0.44
1:B:132:ILE:CG2	1:B:136:MSE:HE3	2.47	0.44
1:B:287:SER:O	1:B:291:GLU:HB3	2.17	0.44
1:A:41:ILE:N	1:A:41:ILE:CD1	2.81	0.44
1:A:254:LEU:HD12	1:A:254:LEU:N	2.32	0.44
1:B:213:ILE:HD11	2:B:495:HOH:O	2.17	0.44
1:A:256:GLN:NE2	2:A:660:HOH:O	2.50	0.44
1:A:253:MSE:HE2	1:A:313:MSE:SE	2.68	0.44
1:B:356:GLY:O	1:B:357:SER:HB3	2.17	0.44
1:A:91:TYR:HB2	2:A:530:HOH:O	2.17	0.44
1:A:153:LEU:HD23	2:A:533:HOH:O	2.17	0.43
1:B:269:VAL:HG12	1:B:404:MSE:CE	2.46	0.43
1:A:250:THR:HG22	1:A:419:GLY:HA3	1.99	0.43
1:B:149:LYS:HE3	1:B:153:LEU:HD11	2.00	0.43
1:A:250:THR:CG2	1:A:320:ALA:HA	2.49	0.43
1:B:356:GLY:O	1:B:357:SER:CB	2.66	0.43
1:B:352:ARG:HH11	1:B:352:ARG:HG2	1.84	0.43
1:B:160:TYR:HB3	1:B:163:HIS:HB3	2.02	0.42
1:B:321:GLU:HG2	2:B:534:HOH:O	2.18	0.42
1:A:144:LYS:HA	1:A:150:LEU:HD21	2.00	0.42
1:B:15:GLN:HE21	1:B:207:ARG:HH11	1.67	0.42
1:B:57:LEU:HD13	1:B:170:ASP:HA	2.01	0.42
1:A:179:ILE:HA	1:A:183:GLN:OE1	2.20	0.42
1:A:321:GLU:OE1	1:A:425:LYS:HE3	2.20	0.42
1:A:426:PRO:HG2	2:A:448:HOH:O	2.20	0.42
1:A:72:VAL:HG13	1:A:73:GLY:N	2.33	0.42
1:B:35:MSE:HE3	1:B:35:MSE:HB2	1.90	0.42
1:B:245:PHE:CD1	1:B:246:PRO:HD2	2.54	0.42
1:A:299:VAL:HG22	1:A:316:LEU:CB	2.48	0.42
1:A:177:PRO:CB	1:A:178:PRO:HD3	2.44	0.42
1:A:100:ARG:HD3	2:A:592:HOH:O	2.18	0.42
1:A:296:THR:CG2	1:A:299:VAL:HG23	2.46	0.41
1:A:40:LEU:C	1:A:41:ILE:HD12	2.39	0.41
1:B:32:GLU:CD	1:B:32:GLU:H	2.24	0.41
1:B:306:MSE:HE3	1:B:310:GLY:HA2	2.02	0.41
1:A:366:ALA:O	1:A:369:VAL:HG12	2.20	0.41
1:A:106:ASP:OD2	1:A:107:LYS:HE3	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:84:ALA:HB1	1:B:99:LEU:HD11	2.02	0.41
1:A:268:ALA:HA	1:A:395:LEU:CD1	2.51	0.41
1:A:363:ALA:CB	1:A:368:ILE:HD11	2.50	0.41
1:B:347:LEU:O	1:B:350:ALA:HB3	2.20	0.41
1:B:131:ARG:O	1:B:135:GLN:HG3	2.21	0.41
1:A:33:LEU:O	1:A:204:ASP:HB2	2.21	0.40
1:B:132:ILE:O	1:B:136:MSE:HG3	2.21	0.40
1:B:202:VAL:HG21	1:B:368:ILE:HG22	2.02	0.40
1:B:306:MSE:HE2	1:B:311:PRO:HD2	2.03	0.40
1:A:344:GLN:NE2	2:A:446:HOH:O	2.40	0.40
1:A:299:VAL:HG22	1:A:316:LEU:HB2	2.03	0.40
1:B:254:LEU:HD22	1:B:415:ILE:HG23	2.03	0.40
1:A:364:SER:HB2	2:A:498:HOH:O	2.21	0.40
1:A:281:PHE:HD1	1:A:286:MSE:HE3	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	408/434 (94%)	398 (98%)	8 (2%)	2 (0%)	38	23
1	B	408/434 (94%)	397 (97%)	10 (2%)	1 (0%)	56	44
All	All	816/868 (94%)	795 (97%)	18 (2%)	3 (0%)	43	29

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	247	SER
1	A	246	PRO
1	A	425	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	316/322 (98%)	311 (98%)	5 (2%)	75	70
1	B	316/322 (98%)	309 (98%)	7 (2%)	64	57
All	All	632/644 (98%)	620 (98%)	12 (2%)	69	63

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	LEU
1	A	249	GLN
1	A	293	ARG
1	A	362	THR
1	A	389	MSE
1	B	12	LEU
1	B	77	GLN
1	B	101	SER
1	B	154	GLU
1	B	207	ARG
1	B	316	LEU
1	B	379	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	48	GLN
1	A	88	ASN
1	A	163	HIS
1	A	167	HIS
1	A	249	GLN
1	A	273	ASN
1	A	317	GLN
1	A	331	GLN
1	A	344	GLN
1	A	391	GLN
1	A	405	ASN
1	B	15	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	77	GLN
1	B	134	ASN
1	B	145	GLN
1	B	163	HIS
1	B	183	GLN
1	B	196	ASN
1	B	242	HIS
1	B	249	GLN
1	B	273	ASN
1	B	307	GLN
1	B	317	GLN
1	B	371	GLN
1	B	399	GLN
1	B	405	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	412/434 (94%)	0.50	13 (3%) 45 46	7, 19, 35, 49	0
1	B	412/434 (94%)	0.52	17 (4%) 35 36	7, 18, 34, 57	0
All	All	824/868 (94%)	0.51	30 (3%) 41 42	7, 18, 34, 57	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	280	GLY	9.8
1	B	281	PHE	8.7
1	A	361	SER	6.2
1	B	389	MSE	4.8
1	A	362	THR	4.7
1	B	355	ALA	4.5
1	B	12	LEU	4.5
1	B	279	GLY	3.8
1	B	356	GLY	3.7
1	B	357	SER	3.5
1	A	246	PRO	3.4
1	A	142	TYR	3.2
1	A	425	LYS	3.1
1	A	354	LEU	3.1
1	B	428	GLU	3.1
1	A	356	GLY	2.9
1	A	389	MSE	2.8
1	A	247	SER	2.8
1	B	142	TYR	2.6
1	B	354	LEU	2.6
1	B	235	GLU	2.3
1	B	253	MSE	2.3
1	A	353	GLU	2.2
1	A	313	MSE	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	349	ASP	2.1
1	B	393	GLN	2.1
1	B	348	ASP	2.1
1	A	355	ALA	2.1
1	B	353	GLU	2.0
1	A	291	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

There are no ligands in this entry.

## 6.5 Other polymers ⓘ

There are no such residues in this entry.