



Full wwPDB X-ray Structure Validation Report

Mar 1, 2014 – 04:34 AM GMT

PDB ID : 2H0R
Title : Structure of the Yeast Nicotinamidase Pnc1p
Authors : Taylor, A.B.; Hu, G.; Hart, P.J.; McAlister-Henn, L.
Deposited on : 2006-05-15
Resolution : 2.90 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1053 (2.90-2.90)
Clashscore	79885	1326 (2.90-2.90)
Ramachandran outliers	78287	1290 (2.90-2.90)
Sidechain outliers	78261	1292 (2.90-2.90)
RSRZ outliers	66119	1054 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	216	
1	B	216	
1	C	216	
1	D	216	
1	E	216	
1	F	216	
1	G	216	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	ZN	A	301	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
2	ZN	B	301	-	X
2	ZN	C	301	-	X

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 12348 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nicotinamidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	216	Total	C	N	O	S	0	0	0
			1763	1122	299	335	7			
1	B	216	Total	C	N	O	S	0	0	0
			1763	1122	299	335	7			
1	C	216	Total	C	N	O	S	0	0	0
			1763	1122	299	335	7			
1	D	216	Total	C	N	O	S	0	0	0
			1763	1122	299	335	7			
1	E	216	Total	C	N	O	S	0	0	0
			1763	1122	299	335	7			
1	F	216	Total	C	N	O	S	0	0	0
			1763	1122	299	335	7			
1	G	216	Total	C	N	O	S	0	0	0
			1763	1122	299	335	7			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	G	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		
2	E	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		
2	F	1	Total	Zn	0	0
			1	1		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nicotinamidase

Chain A: 




- Molecule 1: Nicotinamidase

Chain B: 




- Molecule 1: Nicotinamidase

Chain C: 




- Molecule 1: Nicotinamidase

Chain D: 




- Molecule 1: Nicotinamidase

Chain E: 




• Molecule 1: Nicotinamidase

Chain F: 



• Molecule 1: Nicotinamidase

Chain G: 



4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	302.04Å 302.04Å 112.12Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.90 48.77 – 2.89	Depositor EDS
% Data completeness (in resolution range)	100.0 (50.00-2.90) 99.9 (48.77-2.89)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.24 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.189 , 0.220 0.195 , 0.223	Depositor DCC
R_{free} test set	4226 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	65.6	Xtriage
Anisotropy	0.105	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 94.9	EDS
Estimated twinning fraction	0.011 for h,-h-k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 84903 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12348	wwPDB-VP
Average B, all atoms (Å ²)	77.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	1/1809 (0.1%)	0.79	2/2459 (0.1%)
1	B	0.55	1/1809 (0.1%)	0.70	1/2459 (0.0%)
1	C	0.51	0/1809	0.68	0/2459
1	D	0.46	0/1809	0.61	0/2459
1	E	0.59	3/1809 (0.2%)	0.63	1/2459 (0.0%)
1	F	0.71	5/1809 (0.3%)	0.64	1/2459 (0.0%)
1	G	0.59	4/1809 (0.2%)	0.71	2/2459 (0.1%)
All	All	0.60	14/12663 (0.1%)	0.68	7/17213 (0.0%)

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	105	VAL	CB-CG1	11.09	1.76	1.52
1	E	106	ASP	C-O	9.56	1.41	1.23
1	F	105	VAL	CB-CG2	9.37	1.72	1.52
1	F	103	GLN	C-N	8.41	1.53	1.34
1	G	106	ASP	C-O	8.32	1.39	1.23
1	G	41	ARG	CZ-NH1	7.94	1.43	1.33
1	F	102	SER	CB-OG	7.74	1.52	1.42
1	E	106	ASP	C-N	6.57	1.49	1.34
1	G	31	PRO	N-CD	6.30	1.56	1.47
1	G	41	ARG	CZ-NH2	6.15	1.41	1.33
1	E	105	VAL	C-O	5.91	1.34	1.23
1	F	102	SER	C-O	5.36	1.33	1.23
1	B	203	LYS	CD-CE	5.36	1.64	1.51
1	A	62	LYS	CD-CE	5.29	1.64	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	41	ARG	NE-CZ-NH2	-14.18	113.21	120.30
1	A	130	TYR	CB-CA-C	-6.82	96.75	110.40
1	G	41	ARG	NE-CZ-NH1	6.35	123.48	120.30
1	A	144	ASP	N-CA-CB	-5.98	99.83	110.60
1	B	144	ASP	N-CA-CB	-5.46	100.77	110.60
1	F	105	VAL	CA-CB-CG1	-5.40	102.80	110.90
1	E	106	ASP	C-N-CA	-5.19	108.73	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1763	0	1723	13	0
1	B	1763	0	1723	15	0
1	C	1763	0	1723	18	0
1	D	1763	0	1723	16	0
1	E	1763	0	1723	28	0
1	F	1763	0	1723	25	0
1	G	1763	0	1723	14	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
All	All	12348	0	12061	123	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 5.

All (123) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:F:105:VAL:CB	1:F:105:VAL:CG1	1.76	1.62
1:D:2:LYS:HE2	1:D:41:ARG:O	1.74	0.85
1:G:100:TRP:HA	1:G:103:GLN:NE2	1.95	0.82
1:F:105:VAL:CA	1:F:105:VAL:CG1	2.62	0.76
1:F:25:GLY:HA2	1:F:190:ARG:HG3	1.68	0.76
1:F:12:ASP:OD2	1:F:101:GLY:HA3	1.87	0.74
1:G:27:GLU:HB2	1:G:190:ARG:HH12	1.54	0.73
1:C:201:LYS:O	1:C:205:GLU:HB2	1.88	0.73
1:E:6:VAL:HB	1:E:48:VAL:HG12	1.74	0.69
1:E:12:ASP:OD2	1:E:101:GLY:HA3	1.93	0.68
1:G:129:GLU:HB3	1:G:137:ILE:HD13	1.74	0.67
1:D:1:MET:HB2	1:D:153:HIS:O	1.99	0.62
1:D:76:HIS:HA	1:D:85:THR:HG22	1.81	0.61
1:G:100:TRP:HA	1:G:103:GLN:HE22	1.67	0.58
1:C:123:GLY:HA2	1:C:130:TYR:CD1	2.39	0.57
1:E:50:ARG:HE	1:E:119:ILE:HG21	1.69	0.57
1:E:50:ARG:HH21	1:E:119:ILE:HD13	1.70	0.56
1:F:33:SER:O	1:F:37:GLN:NE2	2.38	0.56
1:E:69:PRO:O	1:E:70:TYR:HB2	2.05	0.56
1:E:156:GLU:HB3	1:E:181:LYS:HB2	1.88	0.56
1:G:36:MET:HE1	1:G:111:GLN:HG2	1.88	0.55
1:E:96:VAL:O	1:E:102:SER:HB3	2.06	0.55
1:E:30:ASN:HB2	1:E:31:PRO:HD3	1.89	0.55
1:D:22:VAL:HG22	1:D:192:ILE:HG13	1.89	0.54
1:E:24:LYS:HB2	1:E:190:ARG:HD2	1.90	0.54
1:G:2:LYS:HG3	1:G:156:GLU:HG3	1.90	0.53
1:G:36:MET:CE	1:G:111:GLN:HG2	2.38	0.53
1:C:169:LYS:HD2	1:C:205:GLU:OE1	2.08	0.53
1:F:36:MET:CE	1:F:111:GLN:HG2	2.39	0.53
1:F:6:VAL:HB	1:F:48:VAL:HG12	1.91	0.53
1:G:6:VAL:HB	1:G:48:VAL:HG12	1.90	0.53
1:D:50:ARG:NH1	1:D:52:TRP:CZ3	2.77	0.52
1:F:100:TRP:HA	1:F:103:GLN:OE1	2.09	0.52
1:A:27:GLU:OE1	1:A:190:ARG:NH1	2.42	0.52
1:B:118:LYS:NZ	1:B:144:ASP:OD2	2.31	0.52
1:B:27:GLU:HB2	1:B:190:ARG:HH12	1.74	0.52
1:C:197:GLU:OE2	1:C:201:LYS:HG3	2.10	0.51
1:E:165:GLU:HG2	1:E:166:TYR:CD2	2.46	0.51
1:C:58:ILE:O	1:C:64:HIS:HE1	1.94	0.51
1:E:162:VAL:HB	1:E:163:ALA:HA	1.93	0.50
1:B:156:GLU:HB3	1:B:181:LYS:HB3	1.93	0.50
1:B:2:LYS:HG3	1:B:156:GLU:HG3	1.92	0.50
1:F:36:MET:HE2	1:F:111:GLN:HG2	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:182:THR:HB	1:E:211:ILE:HG12	1.93	0.49
1:E:123:GLY:HA2	1:E:130:TYR:CD1	2.48	0.49
1:F:76:HIS:HA	1:F:85:THR:HG22	1.94	0.49
1:D:100:TRP:O	1:D:103:GLN:HB2	2.12	0.48
1:D:118:LYS:HD3	1:D:148:TYR:CD2	2.49	0.48
1:B:151:LYS:HD3	1:D:17:LEU:CD2	2.44	0.48
1:B:27:GLU:HB2	1:B:190:ARG:NH1	2.29	0.48
1:C:27:GLU:HB2	1:C:190:ARG:HH12	1.78	0.48
1:B:100:TRP:O	1:B:103:GLN:HB2	2.14	0.48
1:C:96:VAL:O	1:C:102:SER:HB3	2.14	0.47
1:B:123:GLY:HA2	1:B:130:TYR:CD1	2.48	0.47
1:E:11:ASN:HB3	1:E:100:TRP:CH2	2.49	0.47
1:D:148:TYR:CE2	1:D:152:HIS:NE2	2.82	0.47
1:F:175:ALA:O	1:F:180:TYR:HB2	2.14	0.47
1:G:164:LEU:HD22	1:G:199:ILE:HG23	1.95	0.47
1:D:50:ARG:HE	1:D:119:ILE:HG21	1.79	0.47
1:B:2:LYS:CE	1:B:41:ARG:O	2.63	0.47
1:B:147:LYS:HD3	1:B:147:LYS:HA	1.70	0.47
1:A:164:LEU:HA	1:A:168:VAL:HB	1.97	0.47
1:G:123:GLY:HA2	1:G:130:TYR:CD1	2.51	0.46
1:F:200:ASN:N	1:F:200:ASN:OD1	2.48	0.46
1:D:118:LYS:NZ	1:D:144:ASP:OD2	2.30	0.46
1:E:27:GLU:HB2	1:E:190:ARG:HH12	1.80	0.46
1:E:141:HIS:NE2	1:F:106:ASP:OD2	2.47	0.46
1:C:83:ASP:N	1:C:83:ASP:OD1	2.49	0.46
1:A:203:LYS:O	1:A:207:LYS:HG3	2.16	0.46
1:E:51:ASP:O	1:E:95:CYS:HB3	2.16	0.45
1:D:151:LYS:HE3	1:E:17:LEU:CD2	2.46	0.45
1:A:1:MET:HB3	1:A:1:MET:HE2	1.81	0.45
1:C:112:VAL:HA	1:C:117:ILE:HD12	1.98	0.45
1:G:198:VAL:C	1:G:200:ASN:H	2.20	0.45
1:F:2:LYS:HE2	1:F:41:ARG:O	2.15	0.45
1:A:123:GLY:HA2	1:A:130:TYR:CD1	2.51	0.45
1:D:123:GLY:HA2	1:D:130:TYR:CD1	2.51	0.45
1:E:199:ILE:O	1:E:203:LYS:HB2	2.17	0.44
1:C:41:ARG:HB3	1:C:43:TRP:CE2	2.53	0.44
1:A:99:THR:O	1:A:100:TRP:C	2.55	0.44
1:F:67:LYS:HE3	1:F:90:LEU:HD11	2.00	0.44
1:E:197:GLU:OE2	1:E:201:LYS:HG3	2.18	0.44
1:C:38:ASP:O	1:C:41:ARG:HB2	2.17	0.43
1:B:159:ILE:CD1	1:B:172:ALA:HA	2.48	0.43
1:A:110:ASP:O	1:A:114:THR:HG23	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:23:PRO:HG2	1:A:194:ASP:HB3	2.01	0.43
1:G:182:THR:HB	1:G:211:ILE:HG12	2.00	0.43
1:A:187:ASP:HB2	1:A:215:ASP:O	2.18	0.43
1:F:123:GLY:HA2	1:F:130:TYR:CD1	2.53	0.43
1:F:11:ASN:HB3	1:F:100:TRP:CH2	2.54	0.43
1:B:159:ILE:HD13	1:B:172:ALA:HA	2.01	0.43
1:E:1:MET:HG3	1:E:153:HIS:HB2	2.01	0.43
1:E:130:TYR:N	1:E:130:TYR:CD1	2.87	0.43
1:C:62:LYS:O	1:C:62:LYS:HG2	2.19	0.42
1:A:100:TRP:CE3	1:C:147:LYS:HG3	2.54	0.42
1:D:28:LEU:HD11	1:D:190:ARG:HG2	2.02	0.42
1:E:201:LYS:O	1:E:205:GLU:HB2	2.20	0.42
1:G:7:VAL:HA	1:G:49:THR:OG1	2.19	0.42
1:C:130:TYR:CD1	1:C:130:TYR:N	2.88	0.42
1:A:199:ILE:O	1:A:203:LYS:HB2	2.20	0.42
1:E:147:LYS:HE3	1:F:100:TRP:HB3	2.02	0.42
1:F:87:GLU:HA	1:F:87:GLU:OE1	2.20	0.41
1:F:37:GLN:HE21	1:F:37:GLN:N	2.18	0.41
1:D:130:TYR:N	1:D:130:TYR:CD1	2.89	0.41
1:C:41:ARG:HA	1:C:41:ARG:HD3	1.77	0.41
1:A:118:LYS:HD3	1:A:148:TYR:CD2	2.55	0.41
1:F:96:VAL:O	1:F:102:SER:HB3	2.20	0.41
1:F:37:GLN:H	1:F:37:GLN:HE21	1.68	0.41
1:E:163:ALA:HB1	1:E:192:ILE:HG13	2.02	0.41
1:E:159:ILE:HD13	1:E:172:ALA:HA	2.01	0.41
1:B:79:ARG:HB3	1:B:82:ASP:HB3	2.02	0.41
1:B:191:PRO:HG3	1:B:199:ILE:HD11	2.01	0.41
1:C:122:LYS:HD3	1:C:133:ALA:HA	2.03	0.41
1:D:99:THR:O	1:D:100:TRP:C	2.58	0.41
1:G:199:ILE:H	1:G:199:ILE:HG13	1.53	0.41
1:C:79:ARG:HA	1:C:80:PRO:HD3	1.93	0.41
1:F:105:VAL:HG23	1:F:108:ILE:HG13	2.02	0.41
1:E:50:ARG:NE	1:E:119:ILE:HG21	2.36	0.41
1:B:2:LYS:HE3	1:B:41:ARG:O	2.20	0.41
1:F:16:PRO:HD3	1:F:26:GLU:OE1	2.21	0.41
1:A:106:ASP:HB3	1:C:124:PHE:CD2	2.56	0.40
1:E:61:ALA:HB2	1:E:90:LEU:HB3	2.03	0.40
1:F:43:TRP:HA	1:F:43:TRP:CE3	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	214/216 (99%)	205 (96%)	9 (4%)	0	100	100
1	B	214/216 (99%)	200 (94%)	14 (6%)	0	100	100
1	C	214/216 (99%)	198 (92%)	16 (8%)	0	100	100
1	D	214/216 (99%)	203 (95%)	10 (5%)	1 (0%)	38	79
1	E	214/216 (99%)	195 (91%)	17 (8%)	2 (1%)	25	66
1	F	214/216 (99%)	195 (91%)	18 (8%)	1 (0%)	38	79
1	G	214/216 (99%)	195 (91%)	16 (8%)	3 (1%)	16	52
All	All	1498/1512 (99%)	1391 (93%)	100 (7%)	7 (0%)	38	79

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	84	SER
1	E	38	ASP
1	G	199	ILE
1	F	38	ASP
1	G	215	ASP
1	G	38	ASP
1	E	93	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	199/199 (100%)	192 (96%)	7 (4%)	48	85
1	B	199/199 (100%)	186 (94%)	13 (6%)	24	58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	199/199 (100%)	190 (96%)	9 (4%)	38	77
1	D	199/199 (100%)	184 (92%)	15 (8%)	19	49
1	E	199/199 (100%)	187 (94%)	12 (6%)	27	63
1	F	199/199 (100%)	183 (92%)	16 (8%)	17	45
1	G	199/199 (100%)	184 (92%)	15 (8%)	19	49
All	All	1393/1393 (100%)	1306 (94%)	87 (6%)	26	61

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	LYS
1	A	51	ASP
1	A	72	THR
1	A	79	ARG
1	A	130	TYR
1	A	167	CYS
1	A	204	GLU
1	B	24	LYS
1	B	51	ASP
1	B	56	ARG
1	B	62	LYS
1	B	65	LYS
1	B	72	THR
1	B	79	ARG
1	B	97	LYS
1	B	130	TYR
1	B	150	GLU
1	B	167	CYS
1	B	204	GLU
1	B	210	ASN
1	C	24	LYS
1	C	37	GLN
1	C	79	ARG
1	C	111	GLN
1	C	130	TYR
1	C	144	ASP
1	C	201	LYS
1	C	204	GLU
1	C	212	ASN
1	D	26	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	42	ASP
1	D	51	ASP
1	D	55	SER
1	D	79	ARG
1	D	97	LYS
1	D	111	GLN
1	D	118	LYS
1	D	130	TYR
1	D	142	LYS
1	D	144	ASP
1	D	167	CYS
1	D	181	LYS
1	D	192	ILE
1	D	214	VAL
1	E	2	LYS
1	E	12	ASP
1	E	24	LYS
1	E	55	SER
1	E	65	LYS
1	E	79	ARG
1	E	109	MET
1	E	114	THR
1	E	130	TYR
1	E	139	ASN
1	E	197	GLU
1	E	212	ASN
1	F	37	GLN
1	F	42	ASP
1	F	65	LYS
1	F	79	ARG
1	F	82	ASP
1	F	105	VAL
1	F	111	GLN
1	F	114	THR
1	F	130	TYR
1	F	142	LYS
1	F	144	ASP
1	F	165	GLU
1	F	182	THR
1	F	200	ASN
1	F	204	GLU
1	F	212	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	24	LYS
1	G	51	ASP
1	G	65	LYS
1	G	72	THR
1	G	79	ARG
1	G	82	ASP
1	G	111	GLN
1	G	113	VAL
1	G	130	TYR
1	G	144	ASP
1	G	165	GLU
1	G	192	ILE
1	G	197	GLU
1	G	199	ILE
1	G	214	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	141	HIS
1	C	44	HIS
1	C	64	HIS
1	C	111	GLN
1	E	37	GLN
1	E	139	ASN
1	E	212	ASN
1	F	37	GLN
1	F	111	GLN
1	F	209	HIS
1	G	103	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 7 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	216/216 (100%)	0.21	0 100 100	67, 75, 86, 95	0
1	B	216/216 (100%)	0.32	2 (0%) 81 88	66, 75, 90, 96	0
1	C	216/216 (100%)	0.38	5 (2%) 57 66	67, 76, 89, 93	0
1	D	216/216 (100%)	0.60	20 (9%) 9 11	66, 77, 84, 92	0
1	E	216/216 (100%)	1.31	57 (26%) 1 1	70, 77, 89, 92	0
1	F	216/216 (100%)	1.50	66 (30%) 1 1	70, 77, 90, 91	0
1	G	216/216 (100%)	0.76	30 (13%) 4 5	70, 77, 90, 92	0
All	All	1512/1512 (100%)	0.73	180 (11%) 5 7	66, 76, 89, 96	0

All (180) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	213	VAL	9.7
1	E	213	VAL	8.9
1	E	216	LYS	7.5
1	F	194	ASP	7.3
1	F	214	VAL	7.2
1	F	72	THR	6.5
1	F	211	ILE	6.1
1	F	75	TYR	6.0
1	E	70	TYR	5.7
1	F	89	ILE	5.6
1	E	214	VAL	5.5
1	F	164	LEU	5.5
1	E	199	ILE	5.3
1	F	184	VAL	5.3
1	D	66	ASP	5.2
1	F	70	TYR	5.2
1	E	90	LEU	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	213	VAL	5.1
1	E	73	TYR	5.0
1	F	196	PRO	5.0
1	D	216	LYS	5.0
1	F	193	SER	5.0
1	F	192	ILE	4.9
1	F	198	VAL	4.9
1	E	66	ASP	4.9
1	G	198	VAL	4.8
1	F	203	LYS	4.8
1	F	159	ILE	4.8
1	E	67	LYS	4.8
1	F	88	GLY	4.8
1	E	71	SER	4.8
1	D	67	LYS	4.7
1	E	72	THR	4.7
1	G	216	LYS	4.6
1	E	204	GLU	4.5
1	F	181	LYS	4.5
1	G	75	TYR	4.5
1	F	199	ILE	4.5
1	B	216	LYS	4.4
1	E	2	LYS	4.4
1	F	216	LYS	4.4
1	E	182	THR	4.4
1	E	196	PRO	4.4
1	E	184	VAL	4.3
1	F	40	ASP	4.3
1	E	211	ILE	4.3
1	G	199	ILE	4.2
1	E	198	VAL	4.2
1	E	1	MET	4.1
1	D	65	LYS	4.1
1	F	73	TYR	4.0
1	F	209	HIS	4.0
1	F	207	LYS	4.0
1	E	158	TYR	4.0
1	G	201	LYS	4.0
1	F	90	LEU	4.0
1	E	164	LEU	3.9
1	F	212	ASN	3.9
1	G	211	ILE	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	168	VAL	3.8
1	G	65	LYS	3.8
1	E	74	THR	3.8
1	E	181	LYS	3.8
1	G	193	SER	3.8
1	E	88	GLY	3.8
1	E	62	LYS	3.7
1	E	157	VAL	3.7
1	F	64	HIS	3.7
1	G	87	GLU	3.7
1	F	62	LYS	3.7
1	E	89	ILE	3.7
1	E	40	ASP	3.6
1	D	70	TYR	3.6
1	F	42	ASP	3.6
1	F	66	ASP	3.6
1	F	91	TRP	3.5
1	E	75	TYR	3.5
1	D	72	THR	3.5
1	D	75	TYR	3.5
1	E	206	LEU	3.4
1	F	87	GLU	3.4
1	F	71	SER	3.4
1	D	87	GLU	3.4
1	F	43	TRP	3.4
1	F	197	GLU	3.3
1	D	73	TYR	3.3
1	F	158	TYR	3.3
1	F	65	LYS	3.2
1	F	201	LYS	3.2
1	F	195	ASP	3.2
1	E	42	ASP	3.1
1	F	204	GLU	3.1
1	D	88	GLY	3.1
1	E	68	GLU	3.1
1	E	212	ASN	3.0
1	C	216	LYS	3.0
1	F	202	VAL	3.0
1	F	68	GLU	3.0
1	C	66	ASP	3.0
1	G	90	LEU	3.0
1	F	206	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	207	LYS	3.0
1	D	89	ILE	2.9
1	E	187	ASP	2.9
1	E	58	ILE	2.9
1	D	86	GLN	2.9
1	E	193	SER	2.9
1	D	211	ILE	2.9
1	E	188	TYR	2.8
1	F	86	GLN	2.8
1	F	210	ASN	2.8
1	G	184	VAL	2.8
1	E	183	THR	2.8
1	E	148	TYR	2.7
1	E	159	ILE	2.7
1	F	67	LYS	2.7
1	F	69	PRO	2.7
1	E	13	PHE	2.7
1	G	66	ASP	2.7
1	B	213	VAL	2.7
1	G	196	PRO	2.7
1	F	188	TYR	2.7
1	G	203	LYS	2.6
1	E	91	TRP	2.6
1	G	214	VAL	2.6
1	E	64	HIS	2.6
1	C	209	HIS	2.5
1	G	204	GLU	2.5
1	F	63	ASN	2.5
1	E	202	VAL	2.5
1	C	65	LYS	2.5
1	E	65	LYS	2.5
1	G	72	THR	2.5
1	C	198	VAL	2.5
1	D	181	LYS	2.5
1	E	43	TRP	2.5
1	D	90	LEU	2.5
1	F	185	LEU	2.5
1	E	203	LYS	2.4
1	E	186	LEU	2.4
1	G	207	LYS	2.4
1	E	180	TYR	2.4
1	D	214	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	165	GLU	2.4
1	F	215	ASP	2.4
1	F	20	LEU	2.4
1	F	74	THR	2.4
1	F	76	HIS	2.3
1	E	155	ASP	2.3
1	F	182	THR	2.3
1	E	69	PRO	2.3
1	E	87	GLU	2.3
1	G	210	ASN	2.3
1	E	209	HIS	2.3
1	F	1	MET	2.3
1	E	194	ASP	2.3
1	E	152	HIS	2.3
1	F	2	LYS	2.2
1	D	64	HIS	2.2
1	F	17	LEU	2.2
1	G	197	GLU	2.2
1	G	86	GLN	2.2
1	D	68	GLU	2.2
1	F	157	VAL	2.2
1	G	206	LEU	2.2
1	F	156	GLU	2.2
1	G	194	ASP	2.2
1	D	184	VAL	2.1
1	F	13	PHE	2.1
1	D	213	VAL	2.1
1	F	180	TYR	2.1
1	F	160	VAL	2.1
1	G	159	ILE	2.1
1	E	197	GLU	2.1
1	G	181	LYS	2.1
1	G	212	ASN	2.1
1	G	202	VAL	2.0
1	F	131	TYR	2.0
1	G	67	LYS	2.0
1	G	46	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	ZN	A	301	1/1	0.40	7.95	84,84,84,84	0
2	ZN	B	301	1/1	0.30	4.41	87,87,87,87	0
2	ZN	C	301	1/1	0.29	3.39	90,90,90,90	0
2	ZN	G	301	1/1	0.18	-0.60	88,88,88,88	0
2	ZN	D	301	1/1	0.18	-0.81	87,87,87,87	0
2	ZN	F	301	1/1	0.06	-1.88	92,92,92,92	0
2	ZN	E	301	1/1	0.08	-2.51	97,97,97,97	0

6.5 Other polymers ⓘ

There are no such residues in this entry.