



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 10:57 AM GMT

PDB ID : 1H2T
Title : STRUCTURE OF THE HUMAN NUCLEAR CAP-BINDING-COMPLEX
(CBC) IN COMPLEX WITH A CAP ANALOGUE M7GPPPG
Authors : Mazza, C.; Segref, A.; Mattaj, I.W.; Cusack, S.
Deposited on : 2002-08-16
Resolution : 2.10 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3012 (2.10-2.10)
Clashscore	79885	3649 (2.10-2.10)
Ramachandran outliers	78287	3610 (2.10-2.10)
Sidechain outliers	78261	3611 (2.10-2.10)
RSRZ outliers	66119	3013 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	C	723	
2	Z	156	

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 7356 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 80 KDA NUCLEAR CAP BINDING PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	C	704	5746	3711	969	1028	38	0	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	479	SER	ALA	ENGINEERED MUTATION	UNP Q09161

- Molecule 2 is a protein called 20 KDA NUCLEAR CAP BINDING PROTEIN.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	Z	146	1193	743	213	231	6	0	0	0

- Molecule 3 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	Z	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 4 is 7N-METHYL-8-HYDROGUANOSINE-5'-MONOPHOSPHATE (three-letter code: 7MG) (formula: $C_{11}H_{18}N_5O_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	Z	1	Total	C	N	O	P	0	0
			24	11	5	7	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	302	Total	O	0	0
			302	302		
5	Z	63	Total	O	0	0
			63	63		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 80 KDA NUCLEAR CAP BINDING PROTEIN



• Molecule 2: 20 KDA NUCLEAR CAP BINDING PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	112.78Å 112.78Å 158.31Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.76 – 2.10 19.76 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.6 (19.76-2.10) 97.1 (19.76-2.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 2.01Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.232 , 0.269 0.232 , 0.270	Depositor DCC
R_{free} test set	3419 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	37.0	Xtriage
Anisotropy	0.207	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.0	EDS
Estimated twinning fraction	0.018 for -h,-k,l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 76717 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7356	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, 7MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.36	0/5900	0.52	0/8015
2	Z	0.35	0/1213	0.57	0/1619
All	All	0.36	0/7113	0.53	0/9634

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	5746	0	5723	108	0
2	Z	1193	0	1147	29	0
3	Z	28	0	12	2	0
4	Z	24	0	16	1	0
5	C	302	0	0	5	0
5	Z	63	0	0	3	0
All	All	7356	0	6898	137	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 10.

All (137) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:153:VAL:HG21	1:C:195:ILE:HG23	1.61	0.81
1:C:150:GLU:HG2	1:C:195:ILE:HD11	1.60	0.81
1:C:716:ARG:HA	1:C:716:ARG:HH11	1.49	0.75
1:C:513:THR:HG22	1:C:516:GLU:HG3	1.68	0.75
2:Z:107:ASP:HB3	5:Z:2023:HOH:O	1.88	0.74
1:C:146:VAL:O	1:C:150:GLU:HG3	1.94	0.68
2:Z:143:ASP:HB3	2:Z:146:ARG:HB2	1.73	0.68
2:Z:22:ASP:HB3	2:Z:25:PHE:HB2	1.78	0.66
2:Z:57:TYR:CD2	2:Z:69:ILE:HD12	2.32	0.64
1:C:153:VAL:HG21	1:C:195:ILE:CG2	2.29	0.62
1:C:516:GLU:O	1:C:520:ILE:HG13	2.00	0.62
1:C:191:GLU:HA	1:C:194:ARG:NH1	2.14	0.61
1:C:144:SER:HB3	1:C:268:LEU:HB2	1.82	0.61
1:C:712:VAL:O	1:C:716:ARG:HG2	2.01	0.61
1:C:54:ALA:HA	1:C:93:LEU:HD11	1.81	0.61
1:C:61:LEU:N	1:C:62:PRO:HD2	2.16	0.60
1:C:500:VAL:HG11	1:C:524:VAL:HG22	1.83	0.60
1:C:609:ILE:HD11	1:C:619:VAL:HG21	1.83	0.60
1:C:154:SER:HB3	5:C:2053:HOH:O	2.01	0.59
1:C:83:LEU:HD11	1:C:130:PHE:HA	1.82	0.59
1:C:623:ILE:HD13	1:C:641:LEU:HB2	1.85	0.58
1:C:211:VAL:HB	1:C:212:PRO:HD3	1.86	0.58
1:C:635:LEU:O	1:C:639:GLU:HG3	2.04	0.57
1:C:218:THR:OG1	1:C:404:THR:HB	2.03	0.57
3:Z:1151:GDP:O1B	4:Z:1152:7MG:H81	2.07	0.54
1:C:87:THR:HG21	1:C:133:ASP:HB3	1.90	0.54
1:C:505:ALA:HA	1:C:554:LEU:HD11	1.90	0.54
1:C:557:LYS:HD3	1:C:561:HIS:NE2	2.22	0.54
1:C:493:ASN:HD22	1:C:493:ASN:N	2.06	0.53
1:C:387:LEU:HB3	1:C:388:PRO:HD3	1.89	0.53
1:C:35:ILE:O	1:C:38:VAL:HG12	2.08	0.52
1:C:55:GLY:HA2	1:C:96:ARG:NH1	2.24	0.52
1:C:498:HIS:NE2	1:C:502:LEU:HD11	2.24	0.52
1:C:382:LEU:C	1:C:384:PRO:HD3	2.29	0.52
1:C:605:VAL:HA	1:C:608:MET:HE2	1.91	0.52
2:Z:73:LEU:O	2:Z:125:TYR:HA	2.10	0.52
2:Z:46:ASN:HA	2:Z:146:ARG:HH21	1.75	0.51
1:C:258:SER:HB2	5:C:2106:HOH:O	2.10	0.51
1:C:148:MET:HE3	1:C:268:LEU:HD13	1.91	0.51
1:C:52:GLY:O	1:C:56:VAL:HG23	2.11	0.51
2:Z:21:ARG:HG3	2:Z:21:ARG:HH11	1.76	0.51
2:Z:91:ARG:O	2:Z:95:GLU:HG3	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:493:ASN:HD22	1:C:494:SER:N	2.10	0.50
2:Z:56:ILE:HD13	2:Z:84:CYS:SG	2.52	0.50
1:C:588:ARG:HA	5:C:2242:HOH:O	2.12	0.50
1:C:582:GLY:O	1:C:586:VAL:HG23	2.13	0.49
1:C:142:ALA:HB3	1:C:143:PRO:HD3	1.95	0.49
2:Z:52:THR:OG1	2:Z:55:GLN:HG3	2.12	0.49
1:C:517:ILE:HA	1:C:520:ILE:HD12	1.95	0.48
1:C:37:LYS:O	1:C:40:GLU:HG3	2.14	0.48
1:C:608:MET:HB3	1:C:613:ILE:HB	1.95	0.48
2:Z:34:LYS:O	2:Z:38:LYS:HD3	2.14	0.48
1:C:642:HIS:CE1	1:C:750:ILE:HD13	2.49	0.48
1:C:648:MET:CE	1:C:705:GLU:HG2	2.44	0.47
1:C:431:GLU:CD	1:C:431:GLU:H	2.17	0.47
2:Z:28:ASP:OD2	2:Z:30:GLU:HB3	2.15	0.47
1:C:188:LYS:HD2	1:C:191:GLU:OE2	2.14	0.47
2:Z:24:HIS:HB3	5:Z:2015:HOH:O	2.14	0.47
1:C:525:PRO:HD3	5:C:2228:HOH:O	2.14	0.47
1:C:484:ILE:HD11	1:C:596:ASN:ND2	2.29	0.47
1:C:733:THR:HG22	1:C:734:SER:H	1.80	0.47
1:C:109:ILE:HD11	1:C:268:LEU:HD22	1.97	0.46
2:Z:20:TYR:O	2:Z:21:ARG:HG3	2.15	0.46
2:Z:106:LEU:O	2:Z:107:ASP:HB2	2.16	0.46
1:C:476:LEU:HD12	1:C:476:LEU:N	2.30	0.46
1:C:469:VAL:HG21	1:C:477:CYS:SG	2.56	0.46
1:C:383:GLN:N	1:C:384:PRO:HD3	2.30	0.46
1:C:642:HIS:HE1	1:C:750:ILE:HD13	1.80	0.46
1:C:762:MET:O	1:C:766:GLU:HG3	2.15	0.46
1:C:605:VAL:HA	1:C:608:MET:CE	2.46	0.46
2:Z:134:VAL:O	2:Z:137:GLU:HB2	2.16	0.46
1:C:501:ALA:HA	1:C:504:LEU:HD12	1.97	0.46
1:C:544:ILE:HD11	1:C:576:LEU:O	2.16	0.45
1:C:648:MET:HE3	1:C:705:GLU:HG2	1.98	0.45
1:C:493:ASN:N	1:C:493:ASN:ND2	2.64	0.45
2:Z:102:ASN:HB2	2:Z:113:THR:OG1	2.16	0.45
1:C:485:TYR:HB2	1:C:553:HIS:HD2	1.81	0.45
1:C:716:ARG:HA	1:C:716:ARG:NH1	2.26	0.45
1:C:485:TYR:HB2	1:C:553:HIS:CD2	2.52	0.45
1:C:41:LYS:O	1:C:41:LYS:HG3	2.16	0.45
1:C:484:ILE:HD11	1:C:596:ASN:HD21	1.82	0.45
2:Z:48:SER:HB2	2:Z:109:ARG:HD2	1.99	0.44
1:C:544:ILE:HG12	1:C:576:LEU:HB3	1.99	0.44
2:Z:46:ASN:HA	2:Z:146:ARG:NH2	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:498:HIS:O	1:C:502:LEU:HG	2.18	0.44
1:C:742:ASN:O	1:C:746:ARG:HG2	2.17	0.44
2:Z:21:ARG:HG3	2:Z:21:ARG:NH1	2.32	0.44
1:C:737:THR:HB	1:C:738:PRO:HD2	2.00	0.44
1:C:601:ILE:O	1:C:605:VAL:HG23	2.17	0.43
2:Z:5:LEU:HB3	2:Z:10:ARG:NH1	2.33	0.43
2:Z:108:ASP:HB2	5:Z:2053:HOH:O	2.18	0.43
1:C:192:MET:O	1:C:196:PHE:HD2	2.01	0.43
2:Z:57:TYR:CE2	2:Z:69:ILE:HD12	2.53	0.43
1:C:597:HIS:CD2	1:C:600:MET:HB2	2.53	0.43
1:C:233:TRP:O	1:C:237:GLN:HG2	2.17	0.43
1:C:458:ARG:HD2	2:Z:58:GLU:CD	2.39	0.43
2:Z:15:VAL:HG12	2:Z:15:VAL:O	2.18	0.43
1:C:513:THR:CG2	1:C:516:GLU:HG3	2.43	0.43
1:C:188:LYS:HB3	1:C:191:GLU:HB2	2.00	0.43
1:C:555:ALA:C	1:C:557:LYS:H	2.22	0.43
1:C:483:CYS:HB2	1:C:594:TRP:CH2	2.53	0.43
1:C:708:ASN:O	1:C:712:VAL:HG23	2.18	0.43
1:C:83:LEU:CD1	1:C:130:PHE:HA	2.48	0.43
1:C:206:ARG:CZ	1:C:229:LEU:HD12	2.49	0.43
1:C:180:VAL:HG22	1:C:180:VAL:O	2.18	0.42
2:Z:143:ASP:OD2	2:Z:146:ARG:HG3	2.19	0.42
1:C:61:LEU:N	1:C:62:PRO:CD	2.82	0.42
2:Z:127:ARG:HD2	3:Z:1151:GDP:O2B	2.18	0.42
1:C:380:CYS:SG	1:C:387:LEU:HD12	2.59	0.42
1:C:517:ILE:N	1:C:517:ILE:HD12	2.35	0.42
1:C:486:LYS:O	1:C:491:SER:HB3	2.19	0.42
1:C:579:SER:O	1:C:583:LYS:HG3	2.20	0.42
1:C:38:VAL:O	1:C:38:VAL:HG13	2.20	0.42
1:C:185:TYR:O	1:C:189:ASP:HB3	2.20	0.42
1:C:512:ALA:HB3	1:C:517:ILE:HD11	2.02	0.42
1:C:219:ALA:HB2	1:C:404:THR:HG21	2.01	0.42
1:C:383:GLN:HB2	1:C:387:LEU:HB2	2.01	0.42
1:C:487:TYR:HE1	1:C:546:VAL:HG12	1.85	0.42
1:C:464:ARG:O	1:C:468:ILE:HG23	2.20	0.42
1:C:101:GLY:O	1:C:105:VAL:HG23	2.20	0.41
1:C:191:GLU:HG3	1:C:194:ARG:HH12	1.85	0.41
1:C:714:PHE:O	1:C:718:ILE:HG13	2.20	0.41
1:C:513:THR:O	1:C:517:ILE:HD13	2.20	0.41
2:Z:56:ILE:HD12	2:Z:71:MET:SD	2.60	0.41
1:C:191:GLU:HA	1:C:194:ARG:HH11	1.81	0.41
1:C:89:LEU:O	1:C:93:LEU:HD13	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:573:PHE:HB3	1:C:613:ILE:HD12	2.03	0.41
1:C:106:GLU:HG2	1:C:110:ARG:NH1	2.36	0.41
1:C:500:VAL:HG11	1:C:524:VAL:CG2	2.51	0.41
1:C:451:GLU:CD	1:C:635:LEU:HD13	2.42	0.41
1:C:180:VAL:HG22	1:C:184:LEU:HG	2.03	0.41
1:C:231:CYS:O	1:C:235:GLN:HG3	2.20	0.41
1:C:485:TYR:CZ	1:C:487:TYR:HB2	2.56	0.40
2:Z:74:ASP:OD2	2:Z:131:GLY:HA3	2.21	0.40
1:C:99:ASN:ND2	5:C:2031:HOH:O	2.54	0.40
1:C:148:MET:CE	1:C:268:LEU:HD13	2.50	0.40
1:C:311:ARG:O	1:C:315:GLU:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	700/723 (97%)	672 (96%)	26 (4%)	2 (0%)	50	49
2	Z	144/156 (92%)	137 (95%)	7 (5%)	0	100	100
All	All	844/879 (96%)	809 (96%)	33 (4%)	2 (0%)	56	57

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	491	SER
1	C	511	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	645/662 (97%)	635 (98%)	10 (2%)	75	79
2	Z	123/130 (95%)	117 (95%)	6 (5%)	35	31
All	All	768/792 (97%)	752 (98%)	16 (2%)	66	70

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	114	GLU
1	C	243	ARG
1	C	246	GLU
1	C	432	ASP
1	C	464	ARG
1	C	493	ASN
1	C	597	HIS
1	C	627	GLU
1	C	733	THR
1	C	759	GLN
2	Z	23	GLN
2	Z	26	ARG
2	Z	57	TYR
2	Z	106	LEU
2	Z	137	GLU
2	Z	140	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	49	ASN
1	C	99	ASN
1	C	122	ASN
1	C	198	ASN
1	C	245	GLN
1	C	343	ASN
1	C	493	ASN
1	C	596	ASN
1	C	649	ASN
1	C	703	GLN
1	C	706	GLN
1	C	708	ASN
1	C	753	GLN
1	C	756	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	Z	140	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GDP	Z	1151	4	30,30,30	0.80	0	44,47,47	4.38	4 (9%)
4	7MG	Z	1152	3	24,26,27	2.54	3 (12%)	34,39,42	2.02	6 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GDP	Z	1151	4	-	0/16/32/32	0/1/3/3
4	7MG	Z	1152	3	-	0/8/37/38	0/1/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Z	1152	7MG	C8-N9	-10.67	1.37	1.46
4	Z	1152	7MG	P-OP1	4.76	1.52	1.46
4	Z	1152	7MG	C8-N7	-3.03	1.37	1.45

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	Z	1151	GDP	C6-C5-N7	-28.27	130.33	134.14
4	Z	1152	7MG	N7-C8-N9	7.37	112.83	103.08
4	Z	1152	7MG	C4-C5-N7	4.21	111.67	106.82
4	Z	1152	7MG	C2-N3-C4	-3.91	112.05	117.61
4	Z	1152	7MG	CM7-N7-C8	3.41	127.68	119.23
3	Z	1151	GDP	C6-N1-C2	3.27	125.23	119.51
4	Z	1152	7MG	C6-N1-C2	3.26	125.22	119.51
4	Z	1152	7MG	C8-N7-C5	-2.84	103.03	108.81
3	Z	1151	GDP	O2B-PB-O1B	2.80	119.59	110.44
3	Z	1151	GDP	C2-N3-C4	-2.21	111.99	115.09

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	704/723 (97%)	0.47	71 (10%) 7 8	21, 41, 83, 106	0
2	Z	146/156 (93%)	0.64	17 (11%) 5 6	22, 47, 69, 79	0
All	All	850/879 (96%)	0.50	88 (10%) 7 7	21, 42, 79, 106	0

All (88) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	488	GLY	8.3
1	C	527	PRO	6.4
1	C	43	ALA	5.9
1	C	489	ASP	5.8
1	C	538	SER	5.7
1	C	41	LYS	5.6
2	Z	50	TYR	5.3
2	Z	26	ARG	5.2
1	C	493	ASN	5.0
1	C	490	GLU	4.7
1	C	491	SER	4.5
1	C	492	SER	4.4
1	C	494	SER	4.0
1	C	652	VAL	4.0
2	Z	129	ARG	3.8
1	C	513	THR	3.7
1	C	540	ASN	3.6
1	C	263	ALA	3.6
1	C	471	PRO	3.5
2	Z	149	TYR	3.4
1	C	495	LEU	3.3
2	Z	24	HIS	3.3
1	C	264	LEU	3.3
1	C	525	PRO	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	539	PHE	3.3
1	C	262	GLU	3.2
1	C	526	ASN	3.1
2	Z	76	MET	3.0
1	C	523	ASP	3.0
1	C	733	THR	2.9
2	Z	5	LEU	2.9
1	C	653	GLY	2.9
2	Z	28	ASP	2.9
1	C	524	VAL	2.8
1	C	508	PHE	2.8
1	C	515	ASP	2.8
1	C	568	LYS	2.8
2	Z	131	GLY	2.8
1	C	734	SER	2.7
1	C	522	LYS	2.7
1	C	299	GLU	2.7
1	C	243	ARG	2.6
1	C	500	VAL	2.6
1	C	521	LEU	2.6
1	C	554	LEU	2.6
1	C	44	CYS	2.6
2	Z	19	GLN	2.6
2	Z	30	GLU	2.6
1	C	551	LEU	2.5
1	C	542	LEU	2.5
1	C	578	GLU	2.5
2	Z	141	ASP	2.5
1	C	519	SER	2.5
1	C	630	ARG	2.5
1	C	476	LEU	2.4
1	C	557	LYS	2.4
1	C	497	GLY	2.4
1	C	498	HIS	2.4
1	C	185	TYR	2.3
1	C	520	ILE	2.3
1	C	548	VAL	2.3
1	C	504	LEU	2.3
1	C	42	SER	2.3
1	C	159	GLU	2.3
1	C	261	CYS	2.2
1	C	485	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	487	TYR	2.2
2	Z	128	GLY	2.2
2	Z	77	LYS	2.2
1	C	90	VAL	2.2
1	C	549	GLN	2.2
1	C	442	GLU	2.2
1	C	547	PHE	2.1
1	C	552	LEU	2.1
2	Z	135	ARG	2.1
1	C	544	ILE	2.1
1	C	501	ALA	2.1
1	C	566	LEU	2.1
1	C	486	LYS	2.1
2	Z	125	TYR	2.1
2	Z	142	TYR	2.1
1	C	516	GLU	2.0
1	C	567	ALA	2.0
1	C	730	THR	2.0
1	C	157	GLN	2.0
1	C	561	HIS	2.0
1	C	569	PHE	2.0
1	C	517	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	GDP	Z	1151	28/28	0.27	1.74	54,74,84,84	0
4	7MG	Z	1152	24/25	0.14	-0.81	38,47,51,56	0

6.5 Other polymers ⓘ

There are no such residues in this entry.