



Full wwPDB X-ray Structure Validation Report

Mar 1, 2014 – 02:32 AM GMT

PDB ID : 4H24
Title : Cytochrome P450BM3-CIS cyclopropanation catalyst
Authors : Coelho, P.S.; Wang, Z.J.; Ener, M.E.; Baril, S.A.; Kannan, A.; Arnold, F.H.;
Brustad, E.M.
Deposited on : 2012-09-11
Resolution : 2.50 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2784 (2.50-2.50)
Clashscore	79885	3562 (2.50-2.50)
Ramachandran outliers	78287	3480 (2.50-2.50)
Sidechain outliers	78261	3482 (2.50-2.50)
RSRZ outliers	66119	2785 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	470	
1	B	470	
1	C	470	
1	D	470	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14761 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450-BM3 variant P450BM3-Cis.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	457	Total	C	N	O	S	0	2	0
			3624	2317	615	675	17			
1	B	452	Total	C	N	O	S	0	0	0
			3589	2297	613	662	17			
1	C	456	Total	C	N	O	S	0	0	0
			3605	2309	615	664	17			
1	D	455	Total	C	N	O	S	0	0	0
			3574	2284	611	662	17			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	78	ALA	VAL	ENGINEERED MUTATION	UNP P14779
A	87	VAL	PHE	ENGINEERED MUTATION	UNP P14779
A	142	SER	PRO	ENGINEERED MUTATION	UNP P14779
A	175	ILE	THR	ENGINEERED MUTATION	UNP P14779
A	184	VAL	ALA	ENGINEERED MUTATION	UNP P14779
A	226	ARG	SER	ENGINEERED MUTATION	UNP P14779
A	236	GLN	HIS	ENGINEERED MUTATION	UNP P14779
A	252	GLY	GLU	ENGINEERED MUTATION	UNP P14779
A	268	ALA	THR	ENGINEERED MUTATION	UNP P14779
A	290	VAL	ALA	ENGINEERED MUTATION	UNP P14779
A	353	VAL	LEU	ENGINEERED MUTATION	UNP P14779
A	366	VAL	ILE	ENGINEERED MUTATION	UNP P14779
A	442	LYS	GLU	ENGINEERED MUTATION	UNP P14779
A	464	HIS	-	EXPRESSION TAG	UNP P14779
A	465	HIS	-	EXPRESSION TAG	UNP P14779
A	466	HIS	-	EXPRESSION TAG	UNP P14779
A	467	HIS	-	EXPRESSION TAG	UNP P14779
A	468	HIS	-	EXPRESSION TAG	UNP P14779
A	469	HIS	-	EXPRESSION TAG	UNP P14779
B	78	ALA	VAL	ENGINEERED MUTATION	UNP P14779
B	87	VAL	PHE	ENGINEERED MUTATION	UNP P14779

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	142	SER	PRO	ENGINEERED MUTATION	UNP P14779
B	175	ILE	THR	ENGINEERED MUTATION	UNP P14779
B	184	VAL	ALA	ENGINEERED MUTATION	UNP P14779
B	226	ARG	SER	ENGINEERED MUTATION	UNP P14779
B	236	GLN	HIS	ENGINEERED MUTATION	UNP P14779
B	252	GLY	GLU	ENGINEERED MUTATION	UNP P14779
B	268	ALA	THR	ENGINEERED MUTATION	UNP P14779
B	290	VAL	ALA	ENGINEERED MUTATION	UNP P14779
B	353	VAL	LEU	ENGINEERED MUTATION	UNP P14779
B	366	VAL	ILE	ENGINEERED MUTATION	UNP P14779
B	442	LYS	GLU	ENGINEERED MUTATION	UNP P14779
B	464	HIS	-	EXPRESSION TAG	UNP P14779
B	465	HIS	-	EXPRESSION TAG	UNP P14779
B	466	HIS	-	EXPRESSION TAG	UNP P14779
B	467	HIS	-	EXPRESSION TAG	UNP P14779
B	468	HIS	-	EXPRESSION TAG	UNP P14779
B	469	HIS	-	EXPRESSION TAG	UNP P14779
C	78	ALA	VAL	ENGINEERED MUTATION	UNP P14779
C	87	VAL	PHE	ENGINEERED MUTATION	UNP P14779
C	142	SER	PRO	ENGINEERED MUTATION	UNP P14779
C	175	ILE	THR	ENGINEERED MUTATION	UNP P14779
C	184	VAL	ALA	ENGINEERED MUTATION	UNP P14779
C	226	ARG	SER	ENGINEERED MUTATION	UNP P14779
C	236	GLN	HIS	ENGINEERED MUTATION	UNP P14779
C	252	GLY	GLU	ENGINEERED MUTATION	UNP P14779
C	268	ALA	THR	ENGINEERED MUTATION	UNP P14779
C	290	VAL	ALA	ENGINEERED MUTATION	UNP P14779
C	353	VAL	LEU	ENGINEERED MUTATION	UNP P14779
C	366	VAL	ILE	ENGINEERED MUTATION	UNP P14779
C	442	LYS	GLU	ENGINEERED MUTATION	UNP P14779
C	464	HIS	-	EXPRESSION TAG	UNP P14779
C	465	HIS	-	EXPRESSION TAG	UNP P14779
C	466	HIS	-	EXPRESSION TAG	UNP P14779
C	467	HIS	-	EXPRESSION TAG	UNP P14779
C	468	HIS	-	EXPRESSION TAG	UNP P14779
C	469	HIS	-	EXPRESSION TAG	UNP P14779
D	78	ALA	VAL	ENGINEERED MUTATION	UNP P14779
D	87	VAL	PHE	ENGINEERED MUTATION	UNP P14779
D	142	SER	PRO	ENGINEERED MUTATION	UNP P14779
D	175	ILE	THR	ENGINEERED MUTATION	UNP P14779
D	184	VAL	ALA	ENGINEERED MUTATION	UNP P14779
D	226	ARG	SER	ENGINEERED MUTATION	UNP P14779

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	236	GLN	HIS	ENGINEERED MUTATION	UNP P14779
D	252	GLY	GLU	ENGINEERED MUTATION	UNP P14779
D	268	ALA	THR	ENGINEERED MUTATION	UNP P14779
D	290	VAL	ALA	ENGINEERED MUTATION	UNP P14779
D	353	VAL	LEU	ENGINEERED MUTATION	UNP P14779
D	366	VAL	ILE	ENGINEERED MUTATION	UNP P14779
D	442	LYS	GLU	ENGINEERED MUTATION	UNP P14779
D	464	HIS	-	EXPRESSION TAG	UNP P14779
D	465	HIS	-	EXPRESSION TAG	UNP P14779
D	466	HIS	-	EXPRESSION TAG	UNP P14779
D	467	HIS	-	EXPRESSION TAG	UNP P14779
D	468	HIS	-	EXPRESSION TAG	UNP P14779
D	469	HIS	-	EXPRESSION TAG	UNP P14779

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	72	Total 72	O 72	0	0
3	B	41	Total 41	O 41	0	0
3	C	46	Total 46	O 46	0	0
3	D	38	Total 38	O 38	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome P450-BM3 variant P450BM3-Cis

Chain A: 




- Molecule 1: Cytochrome P450-BM3 variant P450BM3-Cis

Chain B: 




- Molecule 1: Cytochrome P450-BM3 variant P450BM3-Cis

Chain C: 



- Molecule 1: Cytochrome P450-BM3 variant P450BM3-Cis

Chain D: 



4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	187.79Å 62.74Å 210.28Å 90.00° 115.75° 90.00°	Depositor
Resolution (Å)	48.58 – 2.50 48.57 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.6 (48.58-2.50) 98.6 (48.57-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.93 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.184 , 0.247 0.184 , 0.245	Depositor DCC
R_{free} test set	3821 reflections (5.30%)	DCC
Wilson B-factor (Å ²)	47.4	Xtriage
Anisotropy	0.055	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 22.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 75906 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14761	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.86	2/3712 (0.1%)	0.86	4/5030 (0.1%)
1	B	0.82	1/3670 (0.0%)	0.82	3/4965 (0.1%)
1	C	0.80	3/3687 (0.1%)	0.79	2/4992 (0.0%)
1	D	0.79	0/3656	0.82	3/4955 (0.1%)
All	All	0.82	6/14725 (0.0%)	0.82	12/19942 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	143	GLU	CG-CD	7.14	1.62	1.51
1	B	247	GLU	CG-CD	6.46	1.61	1.51
1	C	35	GLU	CB-CG	6.27	1.64	1.52
1	C	35	GLU	CG-CD	6.17	1.61	1.51
1	A	156	CYS	CB-SG	-5.19	1.73	1.81
1	C	21	ASN	CB-CG	5.05	1.62	1.51

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	222	ASP	CB-CG-OD1	6.64	124.28	118.30
1	B	436	THR	C-N-CA	-6.25	106.08	121.70
1	A	425	ASP	CB-CG-OD1	6.22	123.89	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	418	LEU	CA-CB-CG	-6.05	101.39	115.30
1	B	296	ARG	NE-CZ-NH2	-5.73	117.44	120.30
1	C	418	LEU	CA-CB-CG	-5.55	102.53	115.30
1	D	161	ARG	NE-CZ-NH1	5.55	123.08	120.30
1	B	215	LEU	CA-CB-CG	-5.33	103.03	115.30
1	C	238	LEU	CB-CG-CD1	-5.26	102.06	111.00
1	D	161	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	D	425	ASP	CB-CG-OD1	5.09	122.88	118.30
1	A	274	SER	N-CA-CB	5.03	118.05	110.50

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	421	PHE	Peptide

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3624	0	0	10	0
1	B	3589	0	0	11	0
1	C	3605	0	0	9	0
1	D	3574	0	0	11	0
2	A	43	0	0	0	0
2	B	43	0	0	0	0
2	C	43	0	0	2	0
2	D	43	0	0	0	0
3	A	72	0	0	1	0
3	B	41	0	0	2	0
3	C	46	0	0	1	0
3	D	38	0	0	2	0
All	All	14761	0	0	42	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including

hydrogens) of the entry. The overall clashscore for this entry is 3.

All (42) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:436:THR:OG1	1:A:437:LEU:N	2.17	0.74
1:C:436:THR:OG1	1:C:437:LEU:N	2.22	0.72
1:C:245:THR:O	1:C:247:GLU:N	2.23	0.71
1:B:55:GLN:NE2	1:B:387:GLN:O	2.26	0.69
1:B:217:ASP:OD1	1:B:255:ARG:NH1	2.32	0.63
1:B:452:LYS:NZ	3:B:630:HOH:O	2.32	0.62
1:D:290:VAL:CG1	1:D:418:LEU:CD1	2.79	0.60
1:C:79:ARG:NH2	1:C:93:GLU:OE1	2.37	0.57
1:C:405:PHE:CD1	2:C:500:HEM:CBB	2.88	0.56
1:C:403:GLN:NE2	3:C:642:HOH:O	2.39	0.55
1:A:312:LYS:CG	1:A:316:MET:CE	2.85	0.54
1:A:282:LYS:NZ	1:A:429:TYR:O	2.40	0.54
1:B:420:HIS:CD2	3:B:604:HOH:O	2.61	0.53
1:B:387:GLN:CG	1:B:388:HIS:CD2	2.93	0.52
1:D:100:HIS:ND1	3:D:633:HOH:O	2.33	0.52
1:D:309:LYS:CE	3:D:634:HOH:O	2.56	0.52
1:B:79:ARG:NH1	1:B:93:GLU:OE2	2.43	0.52
1:C:293:GLU:OE2	1:C:313:TYR:N	2.43	0.51
1:A:116:HIS:CD2	1:A:408:HIS:NE2	2.79	0.51
1:A:162:PHE:CE1	1:A:215:LEU:CD2	2.95	0.49
2:C:500:HEM:CBB	2:C:500:HEM:CMB	2.91	0.49
1:D:179:ARG:NH2	1:D:208:ASP:OD1	2.46	0.48
1:B:129:LYS:NZ	1:B:144:ASP:OD1	2.48	0.47
1:D:38:GLU:OE2	1:D:56:ARG:NH2	2.48	0.46
1:B:98:LYS:NZ	1:B:248:PRO:O	2.48	0.46
1:A:50:ARG:NH1	1:A:352:GLU:O	2.49	0.46
1:D:282:LYS:NZ	1:D:429:TYR:O	2.49	0.45
1:B:116:HIS:CD2	1:B:408:HIS:NE2	2.85	0.45
1:D:339:THR:O	1:D:347:LEU:N	2.50	0.45
1:A:420:HIS:CE1	3:A:662:HOH:O	2.70	0.45
1:D:217:ASP:OD1	1:D:255:ARG:NH2	2.49	0.45
1:C:177:MET:SD	1:C:266:HIS:NE2	2.90	0.44
1:B:218:LYS:O	1:B:219:ILE:C	2.55	0.44
1:B:377:GLU:O	1:B:380:GLU:CG	2.65	0.44
1:D:106:SER:O	1:D:115:TYR:OH	2.37	0.43
1:D:242:ASP:O	1:D:246:GLY:N	2.52	0.42
1:C:364:LYS:C	1:C:366:VAL:N	2.73	0.42
1:A:158:PHE:N	1:A:158:PHE:CD1	2.87	0.42
1:A:225:ALA:O	1:A:226:ARG:CB	2.67	0.42
1:A:320:GLU:OE1	1:A:323:ARG:NE	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:129:LYS:NZ	1:D:144:ASP:OD1	2.55	0.40
1:C:267:GLU:OE2	1:C:267:GLU:CA	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	457/470 (97%)	426 (93%)	26 (6%)	5 (1%)	21	34
1	B	448/470 (95%)	428 (96%)	19 (4%)	1 (0%)	56	79
1	C	454/470 (97%)	427 (94%)	25 (6%)	2 (0%)	43	66
1	D	453/470 (96%)	432 (95%)	17 (4%)	4 (1%)	25	42
All	All	1812/1880 (96%)	1713 (94%)	87 (5%)	12 (1%)	30	50

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	47	ARG
1	A	226	ARG
1	C	246	GLY
1	D	191	ALA
1	D	222	ASP
1	A	196	PRO
1	A	229	GLN
1	A	230	SER
1	C	267	GLU
1	D	45	PRO
1	D	172	PRO
1	B	193	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	384/411 (93%)	372 (97%)	12 (3%)	52	79
1	B	381/411 (93%)	365 (96%)	16 (4%)	40	66
1	C	381/411 (93%)	366 (96%)	15 (4%)	43	70
1	D	374/411 (91%)	362 (97%)	12 (3%)	51	77
All	All	1520/1644 (92%)	1465 (96%)	55 (4%)	47	73

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	GLU
1	A	17	LEU
1	A	21	ASN
1	A	148	LEU
1	A	182	ASP
1	A	185	MET
1	A	187	LYS
1	A	266	HIS
1	A	353	VAL
1	A	369	ASP
1	A	418	LEU
1	A	422	ASP
1	B	21	ASN
1	B	22	THR
1	B	34	ASP
1	B	41	LYS
1	B	47	ARG
1	B	68	ASP
1	B	93	GLU
1	B	210	LYS
1	B	218	LYS
1	B	266	HIS
1	B	267	GLU
1	B	333	LEU
1	B	353	VAL
1	B	381	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	418	LEU
1	B	442	LYS
1	C	5	MET
1	C	22	THR
1	C	47	ARG
1	C	136	ASP
1	C	148	LEU
1	C	193	PRO
1	C	215	LEU
1	C	230	SER
1	C	231	ASP
1	C	235	THR
1	C	250	ASP
1	C	267	GLU
1	C	353	VAL
1	C	366	VAL
1	C	418	LEU
1	D	21	ASN
1	D	148	LEU
1	D	176	SER
1	D	179	ARG
1	D	192	ASN
1	D	203	ARG
1	D	231	ASP
1	D	267	GLU
1	D	287	LEU
1	D	366	VAL
1	D	381	ASN
1	D	401	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	HEM	A	500	1,3	49,50,50	2.36	13 (26%)	46,82,82	1.83	10 (21%)
2	HEM	B	500	1	49,50,50	2.29	12 (24%)	46,82,82	2.32	11 (23%)
2	HEM	C	500	1,3	49,50,50	3.24	19 (38%)	46,82,82	2.34	11 (23%)
2	HEM	D	500	1	49,50,50	2.59	15 (30%)	46,82,82	1.93	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	500	1,3	-	0/14/114/114	0/0/8/8
2	HEM	B	500	1	-	0/14/114/114	0/0/8/8
2	HEM	C	500	1,3	-	0/14/114/114	0/0/8/8
2	HEM	D	500	1	-	0/14/114/114	0/0/8/8

All (59) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	500	HEM	C3D-C4D	10.75	1.47	1.44
2	D	500	HEM	C2B-C1B	10.08	1.47	1.44
2	C	500	HEM	C2B-C1B	8.99	1.46	1.44
2	A	500	HEM	C2B-C1B	8.16	1.46	1.44
2	B	500	HEM	C2B-C1B	8.00	1.46	1.44
2	C	500	HEM	C2D-C1D	7.56	1.46	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	500	HEM	C3C-C2C	-6.66	1.32	1.43
2	C	500	HEM	C3D-C2D	6.04	1.54	1.43
2	D	500	HEM	C3D-C2D	5.99	1.54	1.43
2	A	500	HEM	C3D-C2D	5.82	1.53	1.43
2	D	500	HEM	C3C-C2C	-5.73	1.33	1.43
2	A	500	HEM	C3C-C2C	-5.34	1.34	1.43
2	B	500	HEM	C3C-C2C	-5.22	1.34	1.43
2	C	500	HEM	C4A-C3A	4.90	1.46	1.40
2	C	500	HEM	C3B-C2B	-4.85	1.35	1.43
2	B	500	HEM	C3D-C2D	4.56	1.51	1.43
2	B	500	HEM	C3B-CAB	4.47	1.54	1.40
2	C	500	HEM	C3C-CAC	4.43	1.54	1.40
2	D	500	HEM	C3C-CAC	4.43	1.54	1.40
2	A	500	HEM	C3B-C2B	-4.41	1.36	1.43
2	B	500	HEM	C3C-CAC	4.25	1.53	1.40
2	B	500	HEM	C3B-C2B	-4.23	1.36	1.43
2	D	500	HEM	C3B-CAB	4.23	1.53	1.40
2	C	500	HEM	C3B-CAB	4.23	1.53	1.40
2	D	500	HEM	C3B-C2B	-4.17	1.36	1.43
2	A	500	HEM	C3B-CAB	4.17	1.53	1.40
2	D	500	HEM	C4A-C3A	4.10	1.45	1.40
2	A	500	HEM	C3C-CAC	4.03	1.53	1.40
2	A	500	HEM	FE-NA	3.93	2.09	1.92
2	B	500	HEM	C4A-C3A	3.66	1.44	1.40
2	A	500	HEM	CMB-C2B	3.56	1.58	1.47
2	D	500	HEM	FE-NA	3.25	2.06	1.92
2	B	500	HEM	CMC-C2C	3.17	1.57	1.47
2	D	500	HEM	CMB-C2B	3.17	1.57	1.47
2	C	500	HEM	FE-NA	3.07	2.05	1.92
2	B	500	HEM	FE-NC	3.03	2.09	1.97
2	D	500	HEM	CMC-C2C	2.92	1.56	1.47
2	B	500	HEM	CMB-C2B	2.87	1.56	1.47
2	C	500	HEM	CMB-C2B	2.84	1.56	1.47
2	A	500	HEM	CMC-C2C	2.83	1.56	1.47
2	C	500	HEM	CHB-C1B	2.73	1.39	1.35
2	A	500	HEM	C4A-C3A	2.64	1.43	1.40
2	C	500	HEM	CHA-C4D	2.62	1.39	1.35
2	B	500	HEM	CMD-C2D	2.57	1.55	1.47
2	C	500	HEM	FE-ND	2.57	2.07	1.97
2	C	500	HEM	CMC-C2C	2.47	1.55	1.47
2	C	500	HEM	FE-NC	2.38	2.06	1.97
2	C	500	HEM	CMD-C2D	2.34	1.54	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	HEM	C2D-C1D	2.33	1.45	1.44
2	C	500	HEM	FE-NB	2.24	2.06	1.97
2	D	500	HEM	C3D-C4D	-2.23	1.44	1.44
2	D	500	HEM	CAA-C2A	2.22	1.55	1.52
2	D	500	HEM	CMD-C2D	2.20	1.54	1.47
2	D	500	HEM	C2D-C1D	2.19	1.45	1.44
2	D	500	HEM	CHB-C1B	2.17	1.39	1.35
2	A	500	HEM	O1A-CGA	2.15	1.29	1.22
2	B	500	HEM	FE-ND	2.10	2.05	1.97
2	A	500	HEM	CMD-C2D	2.05	1.53	1.47
2	C	500	HEM	CAA-C2A	2.04	1.55	1.52

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	500	HEM	C3B-C4B-NB	-9.10	107.49	114.00
2	B	500	HEM	C3B-C4B-NB	-8.55	107.89	114.00
2	D	500	HEM	C3B-C4B-NB	-7.99	108.28	114.00
2	A	500	HEM	C3B-C4B-NB	-7.22	108.84	114.00
2	B	500	HEM	CHC-C4B-NB	5.49	129.15	124.58
2	C	500	HEM	C4D-ND-C1D	5.47	110.76	105.16
2	B	500	HEM	C4D-ND-C1D	5.22	110.50	105.16
2	C	500	HEM	CBA-CAA-C2A	-4.93	104.00	112.69
2	B	500	HEM	CBD-CAD-C3D	-4.81	103.88	114.37
2	D	500	HEM	CBD-CAD-C3D	-4.77	103.95	114.37
2	D	500	HEM	C4D-ND-C1D	4.35	109.61	105.16
2	C	500	HEM	CHC-C4B-NB	3.99	127.90	124.58
2	B	500	HEM	CHD-C1D-ND	3.96	127.88	124.58
2	A	500	HEM	C4D-ND-C1D	3.95	109.20	105.16
2	C	500	HEM	CBD-CAD-C3D	-3.79	106.10	114.37
2	D	500	HEM	CHC-C4B-NB	3.63	127.60	124.58
2	C	500	HEM	C1B-NB-C4B	3.32	108.56	105.16
2	B	500	HEM	CAD-C3D-C4D	3.19	130.26	124.53
2	A	500	HEM	CMA-C3A-C4A	-3.13	123.81	128.62
2	C	500	HEM	C1A-CHA-C4D	-3.13	123.35	127.47
2	C	500	HEM	CHD-C4C-NC	3.12	127.44	124.73
2	B	500	HEM	C2D-C1D-ND	-2.98	109.41	112.93
2	A	500	HEM	CMA-C3A-C2A	2.84	130.30	124.94
2	C	500	HEM	CMA-C3A-C4A	-2.72	124.43	128.62
2	B	500	HEM	CMA-C3A-C4A	-2.70	124.47	128.62
2	B	500	HEM	C1B-NB-C4B	2.61	107.84	105.16
2	D	500	HEM	C1B-NB-C4B	2.61	107.83	105.16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	HEM	C1A-C2A-C3A	2.57	109.58	106.92
2	A	500	HEM	CBA-CAA-C2A	-2.53	108.23	112.69
2	C	500	HEM	C2D-C1D-ND	-2.50	109.98	112.93
2	D	500	HEM	CMA-C3A-C4A	-2.42	124.91	128.62
2	D	500	HEM	CBA-CAA-C2A	-2.41	108.45	112.69
2	A	500	HEM	CHC-C4B-NB	2.37	126.56	124.58
2	C	500	HEM	C3A-C4A-NA	-2.34	107.65	109.41
2	B	500	HEM	O1D-CGD-CBD	-2.29	115.15	123.03
2	A	500	HEM	C2D-C1D-ND	-2.24	110.28	112.93
2	D	500	HEM	O1A-CGA-CBA	-2.20	115.45	123.03
2	A	500	HEM	CBD-CAD-C3D	-2.06	109.88	114.37
2	A	500	HEM	C2A-C1A-NA	-2.01	106.95	109.73
2	B	500	HEM	CBA-CAA-C2A	2.00	116.22	112.69

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	457/470 (97%)	-0.23	3 (0%) 84 86	27, 42, 72, 108	0
1	B	452/470 (96%)	-0.20	7 (1%) 70 72	28, 47, 78, 97	0
1	C	456/470 (97%)	-0.28	2 (0%) 90 92	29, 47, 70, 95	0
1	D	455/470 (96%)	-0.27	6 (1%) 74 76	31, 45, 71, 94	0
All	All	1820/1880 (96%)	-0.25	18 (0%) 79 81	27, 45, 74, 108	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	227	GLY	4.9
1	B	1	THR	4.0
1	A	191	ALA	3.6
1	D	196	PRO	3.6
1	C	227	GLY	3.1
1	C	229	GLN	3.0
1	B	366	VAL	2.9
1	D	228	GLU	2.9
1	B	383	SER	2.8
1	A	196	PRO	2.7
1	D	197	ALA	2.3
1	B	384	ALA	2.3
1	B	385	ILE	2.3
1	D	191	ALA	2.3
1	D	198	TYR	2.2
1	B	382	PRO	2.2
1	B	343	GLY	2.1
1	A	456	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	HEM	B	500	43/43	0.14	0.53	29,33,38,42	0
2	HEM	C	500	43/43	0.13	0.28	28,37,41,44	0
2	HEM	A	500	43/43	0.14	-0.03	20,26,32,39	0
2	HEM	D	500	43/43	0.12	-0.07	28,33,37,40	0

6.5 Other polymers

There are no such residues in this entry.