



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 07:19 PM GMT

PDB ID : 1H3F
Title : TYROSYL-TRNA SYNTHETASE FROM THERMUS THERMOPHILUS
COMPLEXED WITH TYROSINOL
Authors : Cusack, S.; Yaremchuk, A.; Kriklivyi, I.; Tukalo, M.
Deposited on : 2002-08-28
Resolution : 2.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	4888 (2.00-2.00)
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)
RSRZ outliers	66119	4890 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	432	
1	B	432	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	TYE	A	1433	-	X
3	TYE	B	1433	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6777 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TYROSYL-TRNA SYNTHETASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	403	Total	C	N	O	S	0	0	0
			3229	2056	574	589	10			
1	B	406	Total	C	N	O	S	0	0	0
			3245	2066	576	592	11			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 4-[(2S)-2-AMINO-3-HYDROXYPROPYL]PHENOL (three-letter code: TYE) (formula: C₉H₁₃NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			12	9	1	2		
3	B	1	Total	C	N	O	0	0
			12	9	1	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	146	Total	O	0	0
			146	146		
4	B	108	Total	O	0	0
			108	108		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: TYROSYL-TRNA SYNTHETASE



• Molecule 1: TYROSYL-TRNA SYNTHETASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	67.79Å 111.05Å 141.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.00 25.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.5 (25.00-2.00) 97.6 (25.00-2.00)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 1.99Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.234 , 0.261 0.234 , 0.262	Depositor DCC
R_{free} test set	3559 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	25.1	Xtriage
Anisotropy	0.484	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 41.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 70950 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6777	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.58 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.5682e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TYE, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/3291	0.56	0/4445
1	B	0.32	0/3307	0.57	0/4467
All	All	0.32	0/6598	0.56	0/8912

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3229	0	3295	70	0
1	B	3245	0	3311	62	0
2	A	25	0	0	1	0
3	A	12	0	12	7	0
3	B	12	0	12	3	0
4	A	146	0	0	9	0
4	B	108	0	0	1	0
All	All	6777	0	6630	130	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including

hydrogens) of the entry. The overall clashscore for this entry is 10.

All (130) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:286:VAL:HG23	1:A:287:PRO:HD3	1.18	1.13
1:A:405:ASP:HA	4:A:2134:HOH:O	1.55	1.07
1:A:197:GLN:NE2	3:A:1433:TYE:HNA	1.64	0.94
1:A:358:THR:HG21	1:A:432:ASP:HB2	1.49	0.91
1:A:286:VAL:CG2	1:A:287:PRO:HD3	2.04	0.86
1:A:208:GLN:NE2	1:A:216:GLN:H	1.79	0.80
1:B:294:ARG:NH2	1:B:328:LYS:HA	1.97	0.79
1:A:333:GLU:O	1:A:337:ARG:HG3	1.84	0.78
1:A:197:GLN:HE22	3:A:1433:TYE:HNA	0.83	0.77
1:B:323:ALA:HB3	1:B:327:ASP:OD2	1.85	0.76
1:B:364:LEU:HD13	1:B:369:ILE:HB	1.69	0.74
1:A:406:PRO:HD2	4:A:2134:HOH:O	1.86	0.73
1:A:431:SER:HA	4:A:2142:HOH:O	1.87	0.72
1:A:208:GLN:HE22	1:A:216:GLN:H	1.38	0.72
1:B:326:ARG:C	1:B:328:LYS:H	1.93	0.71
1:B:267:ARG:HD3	4:B:2084:HOH:O	1.92	0.69
1:B:431:SER:O	1:B:432:ASP:HB2	1.93	0.68
1:B:431:SER:O	1:B:432:ASP:CB	2.43	0.66
1:A:340:ALA:O	1:A:344:GLU:HG3	1.96	0.65
1:B:273:GLU:HB2	1:B:276:GLU:HG3	1.79	0.65
1:B:332:PRO:HG2	1:B:335:VAL:HB	1.78	0.64
1:B:20:GLU:HG2	1:B:195:THR:CG2	2.27	0.64
1:B:320:ALA:O	1:B:327:ASP:OD2	2.14	0.64
1:B:280:LEU:HD22	1:B:288:ALA:HA	1.80	0.63
1:B:328:LYS:HG3	1:B:339:GLU:OE1	1.98	0.63
1:B:20:GLU:HG2	1:B:195:THR:HG22	1.81	0.63
1:A:20:GLU:HG2	1:A:195:THR:HG22	1.80	0.62
1:B:370:TRP:HZ2	1:B:388:ARG:HD3	1.63	0.62
1:B:332:PRO:O	1:B:336:ARG:HB3	2.00	0.62
1:B:280:LEU:HD21	1:B:291:VAL:HG21	1.81	0.61
1:B:98:LEU:HD23	1:B:98:LEU:O	2.00	0.61
1:A:24:PRO:HG2	1:A:27:GLU:HB2	1.80	0.61
3:A:1433:TYE:H	3:A:1433:TYE:HD1	1.81	0.61
1:A:136:THR:OG1	1:A:139:GLU:HG3	2.01	0.61
1:B:159:LYS:O	1:B:163:GLU:HG3	2.01	0.60
1:B:317:LEU:O	1:B:331:GLY:HA2	2.00	0.60
1:A:286:VAL:HG23	1:A:287:PRO:CD	2.12	0.60
1:A:150:ALA:O	1:A:154:GLU:HG2	2.02	0.60
3:A:1433:TYE:H	3:A:1433:TYE:CD1	2.32	0.59
1:A:47:THR:C	1:A:48:ARG:HD2	2.23	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:160:LYS:HA	1:A:160:LYS:HE2	1.85	0.58
1:B:155:ARG:NH1	1:B:176:PRO:HG3	2.19	0.57
1:A:294:ARG:HH21	1:A:328:LYS:HG2	1.70	0.57
1:A:20:GLU:HG2	1:A:195:THR:CG2	2.35	0.57
1:B:323:ALA:HB3	1:B:327:ASP:CG	2.24	0.56
1:B:326:ARG:O	1:B:328:LYS:N	2.31	0.56
1:B:43:GLY:HA3	3:B:1433:TYE:CE1	2.35	0.56
1:B:197:GLN:OE1	3:B:1433:TYE:N	2.38	0.56
1:B:286:VAL:HB	1:B:287:PRO:HD3	1.89	0.55
1:A:51:LEU:HD21	1:A:108:TYR:CE2	2.42	0.55
1:B:262:LEU:HB2	1:B:263:PRO:HD3	1.89	0.54
1:B:370:TRP:CZ2	1:B:388:ARG:HD3	2.43	0.54
1:A:294:ARG:NH2	1:A:328:LYS:HG2	2.23	0.54
1:B:326:ARG:C	1:B:328:LYS:N	2.62	0.53
1:A:77:GLY:HA2	1:A:128:ASN:ND2	2.24	0.53
1:B:274:GLU:O	1:B:278:GLU:HG3	2.08	0.53
1:B:252:LYS:HE3	1:B:256:ARG:NH2	2.23	0.53
1:A:257:VAL:O	1:A:289:HIS:HE1	1.91	0.52
1:A:7:THR:OG1	1:A:10:GLU:HG3	2.10	0.52
1:A:263:PRO:O	1:A:267:ARG:HG3	2.09	0.52
1:A:169:SER:OG	1:A:171:HIS:HD2	1.93	0.52
1:B:74:LEU:HD21	1:B:108:TYR:HE1	1.75	0.52
1:B:138:LYS:HE2	1:B:142:ARG:NH2	2.25	0.52
1:A:258:PRO:HD2	1:A:261:LEU:HD12	1.92	0.52
1:A:179:GLN:OE1	3:A:1433:TYE:N	2.43	0.52
1:A:208:GLN:HE22	1:A:216:GLN:CB	2.23	0.51
1:A:151:GLN:O	1:A:154:GLU:HB2	2.12	0.50
1:B:74:LEU:HD21	1:B:108:TYR:CE1	2.47	0.49
1:A:138:LYS:HG3	1:B:83:ILE:HD13	1.92	0.49
1:A:208:GLN:NE2	1:A:216:GLN:HG2	2.28	0.49
1:A:43:GLY:HA3	3:A:1433:TYE:CE2	2.43	0.49
1:A:23:VAL:HG23	1:A:218:CYS:HB2	1.95	0.49
1:A:60:ARG:HD3	4:A:2099:HOH:O	2.13	0.49
1:A:262:LEU:HB2	1:A:263:PRO:HD3	1.94	0.49
1:A:48:ARG:N	1:A:48:ARG:HD2	2.28	0.48
1:B:378:ALA:HB1	1:B:426:VAL:HG11	1.95	0.48
1:A:326:ARG:HD3	4:A:2115:HOH:O	2.12	0.48
1:B:294:ARG:NH2	1:B:328:LYS:CA	2.74	0.48
1:A:24:PRO:HG2	1:A:27:GLU:CB	2.42	0.48
1:A:102:ARG:HD3	4:A:2039:HOH:O	2.13	0.48
1:A:208:GLN:HE22	1:A:216:GLN:N	2.08	0.47
1:A:170:LEU:HD23	1:B:177:PHE:CE2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:294:ARG:HD3	1:B:319:TYR:CZ	2.50	0.47
1:A:138:LYS:HG3	1:B:83:ILE:CD1	2.45	0.47
1:A:60:ARG:NH2	1:A:271:ASP:OD2	2.47	0.47
1:B:198:ARG:HG3	1:B:198:ARG:HH11	1.80	0.47
1:A:208:GLN:HE22	1:A:216:GLN:HB3	1.79	0.47
1:B:322:GLU:O	1:B:324:PHE:HD1	1.98	0.47
1:B:373:ARG:NE	1:B:377:LEU:HD23	2.30	0.46
1:B:97:THR:HG22	1:B:98:LEU:N	2.29	0.46
1:A:46:PRO:HG3	1:A:76:ILE:CG2	2.45	0.46
1:B:373:ARG:HA	1:B:384:ASN:OD1	2.16	0.45
1:A:105:ALA:O	1:A:109:VAL:HG23	2.16	0.45
1:B:429:ARG:HH11	1:B:429:ARG:HG3	1.82	0.45
1:A:31:LYS:HE3	4:A:2076:HOH:O	2.16	0.44
1:A:328:LYS:HG2	1:A:339:GLU:OE2	2.17	0.44
1:B:337:ARG:O	1:B:341:ARG:HG2	2.18	0.44
1:A:48:ARG:HG2	1:A:48:ARG:HH11	1.83	0.44
1:B:328:LYS:O	1:B:328:LYS:HG2	2.17	0.44
1:B:179:GLN:OE1	3:B:1433:TYE:N	2.48	0.44
1:A:170:LEU:HB3	1:B:144:THR:O	2.18	0.44
1:A:195:THR:OG1	1:A:223:LEU:CD2	2.66	0.44
1:A:156:GLU:HG3	1:A:157:ASP:H	1.81	0.44
1:B:311:ARG:O	1:B:315:GLU:HG3	2.18	0.44
1:B:274:GLU:HG3	1:B:278:GLU:OE2	2.18	0.43
1:A:252:LYS:HD2	4:A:2094:HOH:O	2.17	0.43
1:B:276:GLU:HB3	1:B:321:TRP:CZ2	2.54	0.43
1:B:420:ARG:O	1:B:424:ARG:HB2	2.18	0.43
1:B:284:GLY:C	1:B:287:PRO:HD2	2.39	0.43
1:A:248:GLU:HG3	1:A:249:ALA:N	2.33	0.43
1:B:364:LEU:HD22	1:B:364:LEU:N	2.34	0.43
1:A:49:PRO:HG2	1:A:50:ASP:H	1.84	0.43
1:B:100:GLU:HG2	1:B:100:GLU:H	1.60	0.43
1:A:310:ASP:HB2	4:A:2100:HOH:O	2.20	0.42
1:A:45:ASP:C	1:A:45:ASP:OD2	2.57	0.42
1:A:60:ARG:HH22	1:A:271:ASP:CG	2.23	0.42
1:B:102:ARG:O	1:B:106:LYS:HG3	2.20	0.42
1:A:197:GLN:NE2	3:A:1433:TYE:N	2.45	0.42
1:B:137:PHE:O	1:B:141:VAL:HG23	2.20	0.41
1:A:284:GLY:O	1:A:287:PRO:HD2	2.20	0.41
1:B:313:PHE:O	1:B:317:LEU:HG	2.20	0.41
1:A:21:GLU:HG2	1:A:23:VAL:HG13	2.02	0.41
1:A:48:ARG:HG2	2:A:502:SO4:O4	2.20	0.41
1:A:77:GLY:HA2	1:A:128:ASN:HD21	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:23:VAL:HA	1:A:24:PRO:HA	1.77	0.41
1:A:284:GLY:C	1:A:287:PRO:HD2	2.41	0.40
1:B:115:ILE:HG23	1:B:305:ILE:HD11	2.03	0.40
1:A:405:ASP:HB3	1:A:408:LEU:HB2	2.03	0.40
1:A:414:ARG:CZ	1:A:416:ARG:HH12	2.34	0.40
1:B:151:GLN:O	1:B:154:GLU:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	397/432 (92%)	388 (98%)	8 (2%)	1 (0%)	50	44
1	B	400/432 (93%)	386 (96%)	10 (2%)	4 (1%)	22	12
All	All	797/864 (92%)	774 (97%)	18 (2%)	5 (1%)	33	24

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	431	SER
1	B	327	ASP
1	B	156	GLU
1	B	431	SER
1	B	324	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	341/363 (94%)	336 (98%)	5 (2%)	76	79
1	B	343/363 (94%)	336 (98%)	7 (2%)	68	69
All	All	684/726 (94%)	672 (98%)	12 (2%)	71	73

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	ARG
1	A	238	ASP
1	A	248	GLU
1	A	286	VAL
1	A	423	ASP
1	B	50	ASP
1	B	99	GLU
1	B	119	GLU
1	B	280	LEU
1	B	327	ASP
1	B	336	ARG
1	B	377	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	171	HIS
1	A	197	GLN
1	A	200	ASN
1	A	208	GLN
1	A	289	HIS
1	A	392	GLN
1	A	409	GLN
1	B	64	GLN
1	B	392	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	TYE	A	1433	-	12,12,12	1.21	1 (8%)	15,15,15	0.66	1 (6%)
2	SO4	A	501	-	4,4,4	0.24	0	6,6,6	0.10	0
2	SO4	A	502	-	4,4,4	0.23	0	6,6,6	0.08	0
2	SO4	A	503	-	4,4,4	0.22	0	6,6,6	0.09	0
2	SO4	A	504	-	4,4,4	0.28	0	6,6,6	0.09	0
2	SO4	A	505	-	4,4,4	0.28	0	6,6,6	0.06	0
3	TYE	B	1433	-	12,12,12	1.21	1 (8%)	15,15,15	0.89	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TYE	A	1433	-	-	0/6/6/6	0/1/1/1
2	SO4	A	501	-	-	0/0/0/0	0/0/0/0
2	SO4	A	502	-	-	0/0/0/0	0/0/0/0
2	SO4	A	503	-	-	0/0/0/0	0/0/0/0
2	SO4	A	504	-	-	0/0/0/0	0/0/0/0
2	SO4	A	505	-	-	0/0/0/0	0/0/0/0
3	TYE	B	1433	-	-	0/6/6/6	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1433	TYE	O-C	-3.70	1.26	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1433	TYE	O-C	-3.69	1.26	1.42

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1433	TYE	O-C-CA	3.09	118.75	111.87
3	A	1433	TYE	O-C-CA	2.12	116.58	111.87

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	403/432 (93%)	0.29	23 (5%) 23 22	14, 28, 49, 66	0
1	B	406/432 (93%)	0.40	32 (7%) 13 12	15, 31, 59, 81	0
All	All	809/864 (93%)	0.34	55 (6%) 17 16	14, 30, 55, 81	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	432	ASP	6.1
1	A	48	ARG	5.3
1	A	353	GLU	5.2
1	A	352	GLU	4.7
1	B	48	ARG	4.7
1	A	102	ARG	4.6
1	A	103	GLU	4.4
1	B	326	ARG	4.3
1	B	328	LYS	4.3
1	B	103	GLU	4.2
1	B	337	ARG	4.1
1	B	432	ASP	4.0
1	B	156	GLU	3.9
1	A	101	THR	3.8
1	A	366	GLU	3.8
1	A	347	LYS	3.7
1	A	365	LYS	3.7
1	B	370	TRP	3.6
1	A	49	PRO	3.6
1	B	98	LEU	3.6
1	B	97	THR	3.4
1	B	329	GLU	3.4
1	B	83	ILE	3.4
1	A	46	PRO	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	5	GLY	3.3
1	B	100	GLU	3.2
1	B	341	ARG	3.2
1	B	99	GLU	3.1
1	B	401	GLU	3.1
1	B	336	ARG	3.1
1	A	329	GLU	3.0
1	B	5	GLY	3.0
1	A	105	ALA	3.0
1	B	327	ASP	2.9
1	B	431	SER	2.9
1	B	354	ILE	2.8
1	A	431	SER	2.7
1	B	248	GLU	2.7
1	B	324	PHE	2.6
1	B	102	ARG	2.6
1	A	326	ARG	2.5
1	B	365	LYS	2.5
1	B	278	GLU	2.4
1	B	333	GLU	2.4
1	A	235	LYS	2.4
1	A	423	ASP	2.3
1	B	362	SER	2.3
1	A	156	GLU	2.3
1	B	409	GLN	2.2
1	B	282	LYS	2.2
1	A	45	ASP	2.2
1	B	377	LEU	2.1
1	A	361	ALA	2.1
1	A	392	GLN	2.1
1	B	236	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	TYE	B	1433	12/12	0.30	5.52	37,50,61,64	0
3	TYE	A	1433	12/12	0.30	3.28	35,53,64,66	0
2	SO4	A	501	5/5	0.27	0.40	84,84,85,85	0
2	SO4	A	504	5/5	0.10	0.33	49,50,52,53	0
2	SO4	A	505	5/5	0.22	0.24	64,65,67,67	0
2	SO4	A	502	5/5	0.14	-0.47	57,57,61,61	0
2	SO4	A	503	5/5	0.09	-0.83	45,51,54,54	0

6.5 Other polymers ⓘ

There are no such residues in this entry.