



wwPDB X-ray Structure Validation Summary Report i

Feb 26, 2014 – 07:41 PM GMT

PDB ID : 4H5U
Title : Structural insights into yeast Nit2: wild-type yeast Nit2
Authors : Liu, H.; Qiu, X.; Zhang, M.; Gao, Y.; Niu, L.; Teng, M.
Deposited on : 2012-09-18
Resolution : 1.92 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	4387 (1.94-1.90)
Clashscore	79885	5258 (1.94-1.90)
Ramachandran outliers	78287	5193 (1.94-1.90)
Sidechain outliers	78261	5194 (1.94-1.90)
RSRZ outliers	66119	4389 (1.94-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	341	
1	B	341	
1	C	341	
1	D	341	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	GOL	A	403	-	X
2	GOL	A	404	-	X
2	GOL	B	402	-	X
2	GOL	B	403	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
2	GOL	B	404	-	X
2	GOL	C	402	-	X
2	GOL	D	402	-	X
2	GOL	D	403	-	X
3	CAC	B	405	X	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10365 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable hydrolase NIT2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	303	Total	As	C	N	O	S	0	4	0
			2410	1	1533	420	443	13			
1	B	303	Total	As	C	N	O	S	0	1	0
			2396	1	1520	417	447	11			
1	C	296	Total	As	C	N	O	S	0	3	0
			2353	1	1493	409	439	11			
1	D	302	Total	As	C	N	O	S	0	3	0
			2339	1	1492	396	438	12			

There are 136 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-33	MET	-	EXPRESSION TAG	UNP P47016
A	-32	GLY	-	EXPRESSION TAG	UNP P47016
A	-31	SER	-	EXPRESSION TAG	UNP P47016
A	-30	SER	-	EXPRESSION TAG	UNP P47016
A	-29	HIS	-	EXPRESSION TAG	UNP P47016
A	-28	HIS	-	EXPRESSION TAG	UNP P47016
A	-27	HIS	-	EXPRESSION TAG	UNP P47016
A	-26	HIS	-	EXPRESSION TAG	UNP P47016
A	-25	HIS	-	EXPRESSION TAG	UNP P47016
A	-24	HIS	-	EXPRESSION TAG	UNP P47016
A	-23	SER	-	EXPRESSION TAG	UNP P47016
A	-22	SER	-	EXPRESSION TAG	UNP P47016
A	-21	GLY	-	EXPRESSION TAG	UNP P47016
A	-20	LEU	-	EXPRESSION TAG	UNP P47016
A	-19	VAL	-	EXPRESSION TAG	UNP P47016
A	-18	PRO	-	EXPRESSION TAG	UNP P47016
A	-17	ARG	-	EXPRESSION TAG	UNP P47016
A	-16	GLY	-	EXPRESSION TAG	UNP P47016
A	-15	SER	-	EXPRESSION TAG	UNP P47016
A	-14	HIS	-	EXPRESSION TAG	UNP P47016
A	-13	MET	-	EXPRESSION TAG	UNP P47016

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	ALA	-	EXPRESSION TAG	UNP P47016
A	-11	SER	-	EXPRESSION TAG	UNP P47016
A	-10	MET	-	EXPRESSION TAG	UNP P47016
A	-9	THR	-	EXPRESSION TAG	UNP P47016
A	-8	GLY	-	EXPRESSION TAG	UNP P47016
A	-7	GLY	-	EXPRESSION TAG	UNP P47016
A	-6	GLN	-	EXPRESSION TAG	UNP P47016
A	-5	GLN	-	EXPRESSION TAG	UNP P47016
A	-4	MET	-	EXPRESSION TAG	UNP P47016
A	-3	GLY	-	EXPRESSION TAG	UNP P47016
A	-2	ARG	-	EXPRESSION TAG	UNP P47016
A	-1	GLY	-	EXPRESSION TAG	UNP P47016
A	0	SER	-	EXPRESSION TAG	UNP P47016
B	-33	MET	-	EXPRESSION TAG	UNP P47016
B	-32	GLY	-	EXPRESSION TAG	UNP P47016
B	-31	SER	-	EXPRESSION TAG	UNP P47016
B	-30	SER	-	EXPRESSION TAG	UNP P47016
B	-29	HIS	-	EXPRESSION TAG	UNP P47016
B	-28	HIS	-	EXPRESSION TAG	UNP P47016
B	-27	HIS	-	EXPRESSION TAG	UNP P47016
B	-26	HIS	-	EXPRESSION TAG	UNP P47016
B	-25	HIS	-	EXPRESSION TAG	UNP P47016
B	-24	HIS	-	EXPRESSION TAG	UNP P47016
B	-23	SER	-	EXPRESSION TAG	UNP P47016
B	-22	SER	-	EXPRESSION TAG	UNP P47016
B	-21	GLY	-	EXPRESSION TAG	UNP P47016
B	-20	LEU	-	EXPRESSION TAG	UNP P47016
B	-19	VAL	-	EXPRESSION TAG	UNP P47016
B	-18	PRO	-	EXPRESSION TAG	UNP P47016
B	-17	ARG	-	EXPRESSION TAG	UNP P47016
B	-16	GLY	-	EXPRESSION TAG	UNP P47016
B	-15	SER	-	EXPRESSION TAG	UNP P47016
B	-14	HIS	-	EXPRESSION TAG	UNP P47016
B	-13	MET	-	EXPRESSION TAG	UNP P47016
B	-12	ALA	-	EXPRESSION TAG	UNP P47016
B	-11	SER	-	EXPRESSION TAG	UNP P47016
B	-10	MET	-	EXPRESSION TAG	UNP P47016
B	-9	THR	-	EXPRESSION TAG	UNP P47016
B	-8	GLY	-	EXPRESSION TAG	UNP P47016
B	-7	GLY	-	EXPRESSION TAG	UNP P47016
B	-6	GLN	-	EXPRESSION TAG	UNP P47016
B	-5	GLN	-	EXPRESSION TAG	UNP P47016

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	MET	-	EXPRESSION TAG	UNP P47016
B	-3	GLY	-	EXPRESSION TAG	UNP P47016
B	-2	ARG	-	EXPRESSION TAG	UNP P47016
B	-1	GLY	-	EXPRESSION TAG	UNP P47016
B	0	SER	-	EXPRESSION TAG	UNP P47016
C	-33	MET	-	EXPRESSION TAG	UNP P47016
C	-32	GLY	-	EXPRESSION TAG	UNP P47016
C	-31	SER	-	EXPRESSION TAG	UNP P47016
C	-30	SER	-	EXPRESSION TAG	UNP P47016
C	-29	HIS	-	EXPRESSION TAG	UNP P47016
C	-28	HIS	-	EXPRESSION TAG	UNP P47016
C	-27	HIS	-	EXPRESSION TAG	UNP P47016
C	-26	HIS	-	EXPRESSION TAG	UNP P47016
C	-25	HIS	-	EXPRESSION TAG	UNP P47016
C	-24	HIS	-	EXPRESSION TAG	UNP P47016
C	-23	SER	-	EXPRESSION TAG	UNP P47016
C	-22	SER	-	EXPRESSION TAG	UNP P47016
C	-21	GLY	-	EXPRESSION TAG	UNP P47016
C	-20	LEU	-	EXPRESSION TAG	UNP P47016
C	-19	VAL	-	EXPRESSION TAG	UNP P47016
C	-18	PRO	-	EXPRESSION TAG	UNP P47016
C	-17	ARG	-	EXPRESSION TAG	UNP P47016
C	-16	GLY	-	EXPRESSION TAG	UNP P47016
C	-15	SER	-	EXPRESSION TAG	UNP P47016
C	-14	HIS	-	EXPRESSION TAG	UNP P47016
C	-13	MET	-	EXPRESSION TAG	UNP P47016
C	-12	ALA	-	EXPRESSION TAG	UNP P47016
C	-11	SER	-	EXPRESSION TAG	UNP P47016
C	-10	MET	-	EXPRESSION TAG	UNP P47016
C	-9	THR	-	EXPRESSION TAG	UNP P47016
C	-8	GLY	-	EXPRESSION TAG	UNP P47016
C	-7	GLY	-	EXPRESSION TAG	UNP P47016
C	-6	GLN	-	EXPRESSION TAG	UNP P47016
C	-5	GLN	-	EXPRESSION TAG	UNP P47016
C	-4	MET	-	EXPRESSION TAG	UNP P47016
C	-3	GLY	-	EXPRESSION TAG	UNP P47016
C	-2	ARG	-	EXPRESSION TAG	UNP P47016
C	-1	GLY	-	EXPRESSION TAG	UNP P47016
C	0	SER	-	EXPRESSION TAG	UNP P47016
D	-33	MET	-	EXPRESSION TAG	UNP P47016
D	-32	GLY	-	EXPRESSION TAG	UNP P47016
D	-31	SER	-	EXPRESSION TAG	UNP P47016

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-30	SER	-	EXPRESSION TAG	UNP P47016
D	-29	HIS	-	EXPRESSION TAG	UNP P47016
D	-28	HIS	-	EXPRESSION TAG	UNP P47016
D	-27	HIS	-	EXPRESSION TAG	UNP P47016
D	-26	HIS	-	EXPRESSION TAG	UNP P47016
D	-25	HIS	-	EXPRESSION TAG	UNP P47016
D	-24	HIS	-	EXPRESSION TAG	UNP P47016
D	-23	SER	-	EXPRESSION TAG	UNP P47016
D	-22	SER	-	EXPRESSION TAG	UNP P47016
D	-21	GLY	-	EXPRESSION TAG	UNP P47016
D	-20	LEU	-	EXPRESSION TAG	UNP P47016
D	-19	VAL	-	EXPRESSION TAG	UNP P47016
D	-18	PRO	-	EXPRESSION TAG	UNP P47016
D	-17	ARG	-	EXPRESSION TAG	UNP P47016
D	-16	GLY	-	EXPRESSION TAG	UNP P47016
D	-15	SER	-	EXPRESSION TAG	UNP P47016
D	-14	HIS	-	EXPRESSION TAG	UNP P47016
D	-13	MET	-	EXPRESSION TAG	UNP P47016
D	-12	ALA	-	EXPRESSION TAG	UNP P47016
D	-11	SER	-	EXPRESSION TAG	UNP P47016
D	-10	MET	-	EXPRESSION TAG	UNP P47016
D	-9	THR	-	EXPRESSION TAG	UNP P47016
D	-8	GLY	-	EXPRESSION TAG	UNP P47016
D	-7	GLY	-	EXPRESSION TAG	UNP P47016
D	-6	GLN	-	EXPRESSION TAG	UNP P47016
D	-5	GLN	-	EXPRESSION TAG	UNP P47016
D	-4	MET	-	EXPRESSION TAG	UNP P47016
D	-3	GLY	-	EXPRESSION TAG	UNP P47016
D	-2	ARG	-	EXPRESSION TAG	UNP P47016
D	-1	GLY	-	EXPRESSION TAG	UNP P47016
D	0	SER	-	EXPRESSION TAG	UNP P47016

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is CACODYLATE ION (three-letter code: CAC) (formula: $\text{C}_2\text{H}_6\text{AsO}_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	As	C	O	0	0
			5	1	2	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	222	Total	O	0	0
			222	222		
4	B	211	Total	O	0	0
			211	211		
4	C	202	Total	O	0	0
			202	202		
4	D	149	Total	O	0	0
			149	149		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable hydrolase NIT2

Chain A: 




- Molecule 1: Probable hydrolase NIT2

Chain B: 




- Molecule 1: Probable hydrolase NIT2

Chain C: 



- Molecule 1: Probable hydrolase NIT2

Chain D: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	65.26Å 125.67Å 77.67Å 90.00° 95.23° 90.00°	Depositor
Resolution (Å)	48.00 – 1.92 47.66 – 1.92	Depositor EDS
% Data completeness (in resolution range)	99.7 (48.00-1.92) 99.7 (47.66-1.92)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.64 (at 1.92Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.171 , 0.202 0.172 , 0.204	Depositor DCC
R_{free} test set	4767 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	15.1	Xtriage
Anisotropy	0.078	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 37.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 95056 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10365	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CAC, GOL, CAF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	1/2461 (0.0%)	0.57	0/3329
1	B	0.46	0/2438	0.58	0/3301
1	C	0.53	0/2399	0.57	0/3248
1	D	0.43	0/2386	0.55	1/3237 (0.0%)
All	All	0.48	1/9684 (0.0%)	0.57	1/13115 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	231	SER	CB-OG	-5.52	1.35	1.42

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	5	LEU	CA-CB-CG	5.56	128.09	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	169	CAF	Mainchain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2410	0	2429	16	0
1	B	2396	0	2401	13	0
1	C	2353	0	2329	28	0
1	D	2339	0	2272	28	0
2	A	24	0	32	0	0
2	B	24	0	31	0	0
2	C	12	0	16	0	0
2	D	18	0	24	6	0
3	B	5	0	0	0	0
4	A	222	0	0	1	0
4	B	211	0	0	0	0
4	C	202	0	0	0	0
4	D	149	0	0	2	0
All	All	10365	0	9534	84	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

The worst 5 of 84 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:80:ARG:HG3	1:C:80:ARG:HH11	1.11	1.14
1:C:80:ARG:HG3	1:C:80:ARG:NH1	1.74	0.96
1:C:80:ARG:HH11	1:C:80:ARG:CG	1.81	0.92
1:C:111:VAL:HG11	1:C:124[A]:GLU:HG3	1.57	0.85
1:B:270:ASP:H	1:B:277:GLN:HE22	1.30	0.80

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	304/341 (89%)	302 (99%)	2 (1%)	0	100	100
1	B	301/341 (88%)	299 (99%)	2 (1%)	0	100	100
1	C	294/341 (86%)	288 (98%)	6 (2%)	0	100	100
1	D	300/341 (88%)	296 (99%)	3 (1%)	1 (0%)	50	37
All	All	1199/1364 (88%)	1185 (99%)	13 (1%)	1 (0%)	59	48

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	170	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/299 (89%)	262 (98%)	4 (2%)	76	72
1	B	264/299 (88%)	260 (98%)	4 (2%)	76	72
1	C	255/299 (85%)	248 (97%)	7 (3%)	57	46
1	D	246/299 (82%)	242 (98%)	4 (2%)	75	70
All	All	1031/1196 (86%)	1012 (98%)	19 (2%)	69	65

5 of 19 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	53	ASN
1	C	83	SER
1	D	35	GLN
1	B	195	PHE
1	D	137	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 26 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	72	GLN
1	B	277	GLN
1	D	52	GLN
1	B	123	GLN
1	B	148	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CAF	A	169	1	8,9,10	11.18	5 (62%)	8,12,14	3.43	3 (37%)
1	CAF	B	169	1	8,9,10	10.98	5 (62%)	8,12,14	4.82	4 (50%)
1	CAF	C	169	1	8,9,10	4.92	4 (50%)	8,12,14	5.71	7 (87%)
1	CAF	D	169	1	8,9,10	6.30	3 (37%)	8,12,14	5.73	7 (87%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CAF	A	169	1	-	0/2/8/10	0/0/0/0
1	CAF	B	169	1	-	0/2/8/10	0/0/0/0
1	CAF	C	169	1	-	0/2/8/10	0/0/0/0
1	CAF	D	169	1	-	0/2/8/10	0/0/0/0

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	169	CAF	AS-CE1	-19.64	1.58	1.90
1	A	169	CAF	O-C	19.29	1.24	1.11
1	A	169	CAF	AS-CE2	-18.31	1.60	1.90
1	D	169	CAF	O-C	17.00	1.23	1.11
1	B	169	CAF	AS-CE2	-16.91	1.63	1.90

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	169	CAF	C-CA-N	13.00	126.81	113.83
1	D	169	CAF	C-CA-N	12.63	126.45	113.83
1	B	169	CAF	C-CA-N	11.77	125.59	113.83
1	A	169	CAF	C-CA-N	7.92	121.74	113.83
1	D	169	CAF	CA-CB-SG	5.98	125.33	113.06

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	A	401	-	5,5,5	0.29	0	5,5,5	0.34	0
2	GOL	A	402	-	5,5,5	0.32	0	5,5,5	0.27	0
2	GOL	A	403	-	5,5,5	0.32	0	5,5,5	0.31	0
2	GOL	A	404	-	5,5,5	0.42	0	5,5,5	0.19	0
2	GOL	B	401	-	5,5,5	0.29	0	5,5,5	0.35	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	B	402	-	5,5,5	0.33	0	5,5,5	0.21	0
2	GOL	B	403	-	5,5,5	0.29	0	5,5,5	0.34	0
2	GOL	B	404	-	5,5,5	1.35	1 (20%)	5,5,5	0.78	0
3	CAC	B	405	-	4,4,4	3.98	4 (100%)	6,6,6	7.05	2 (33%)
2	GOL	C	401	-	5,5,5	0.36	0	5,5,5	0.23	0
2	GOL	C	402	-	5,5,5	0.31	0	5,5,5	0.22	0
2	GOL	D	401	-	5,5,5	0.31	0	5,5,5	0.30	0
2	GOL	D	402	-	5,5,5	0.41	0	5,5,5	0.34	0
2	GOL	D	403	-	5,5,5	0.47	0	5,5,5	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	401	-	-	0/4/4/4	0/0/0/0
2	GOL	A	402	-	-	0/4/4/4	0/0/0/0
2	GOL	A	403	-	-	0/4/4/4	0/0/0/0
2	GOL	A	404	-	-	0/4/4/4	0/0/0/0
2	GOL	B	401	-	-	0/4/4/4	0/0/0/0
2	GOL	B	402	-	-	0/4/4/4	0/0/0/0
2	GOL	B	403	-	-	0/4/4/4	0/0/0/0
2	GOL	B	404	-	-	0/4/4/4	0/0/0/0
3	CAC	B	405	-	-	0/0/0/0	0/0/0/0
2	GOL	C	401	-	-	0/4/4/4	0/0/0/0
2	GOL	C	402	-	-	0/4/4/4	0/0/0/0
2	GOL	D	401	-	-	0/4/4/4	0/0/0/0
2	GOL	D	402	-	-	0/4/4/4	0/0/0/0
2	GOL	D	403	-	-	0/4/4/4	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	405	CAC	O2-AS	5.86	1.74	1.68
3	B	405	CAC	AS-C2	3.71	1.96	1.90
3	B	405	CAC	AS-C1	2.79	1.95	1.90
3	B	405	CAC	O1-AS	2.72	1.75	1.66
2	B	404	GOL	O3-C3	-2.27	1.32	1.42

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	405	CAC	O2-AS-O1	-16.97	108.88	112.54
3	B	405	CAC	O2-AS-C1	-3.07	106.64	109.15

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	303/341 (88%)	-0.03	7 (2%) 57 59	5, 10, 24, 35	0
1	B	303/341 (88%)	-0.11	6 (1%) 62 64	6, 12, 26, 35	0
1	C	296/341 (86%)	-0.14	3 (1%) 79 81	7, 12, 25, 37	0
1	D	302/341 (88%)	0.26	17 (5%) 24 24	10, 21, 35, 52	0
All	All	1204/1364 (88%)	-0.00	33 (2%) 52 53	5, 13, 29, 52	0

The worst 5 of 33 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	274	VAL	5.5
1	A	274	VAL	4.5
1	D	5	LEU	4.3
1	B	137	ASN	4.2
1	D	244	LEU	4.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	CAF	C	169	10/11	0.17	3.20	20,20,20,20	4
1	CAF	A	169	10/11	0.17	2.38	20,20,20,20	4
1	CAF	B	169	10/11	0.12	1.92	20,20,20,20	4
1	CAF	D	169	10/11	0.11	0.64	20,20,20,20	4

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	CAC	B	405	5/5	0.25	15.15	30,31,32,35	5
2	GOL	B	404	6/6	0.20	7.22	20,20,20,20	0
2	GOL	D	403	6/6	0.29	6.59	23,26,28,30	0
2	GOL	D	402	6/6	0.20	5.35	24,28,28,29	0
2	GOL	A	404	6/6	0.21	4.43	29,30,31,32	0
2	GOL	C	402	6/6	0.17	3.36	19,23,24,24	0
2	GOL	B	403	6/6	0.18	3.17	39,39,39,39	0
2	GOL	A	403	6/6	0.19	2.43	25,28,28,28	0
2	GOL	B	402	6/6	0.18	2.07	30,32,33,34	0
2	GOL	C	401	6/6	0.13	0.94	24,25,25,26	0
2	GOL	A	401	6/6	0.12	0.82	19,20,21,21	0
2	GOL	D	401	6/6	0.18	0.22	30,30,31,32	0
2	GOL	B	401	6/6	0.09	-1.53	12,13,13,14	0
2	GOL	A	402	6/6	0.07	-1.65	13,13,14,14	0

6.5 Other polymers ⓘ

There are no such residues in this entry.