



# Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 04:28 PM GMT

PDB ID : 1HJ5  
Title : CYTOCHROME CD1 NITRITE REDUCTASE, REOXIDISED ENZYME  
Authors : Sjogren, T.; Hajdu, J.  
Deposited on : 2001-01-08  
Resolution : 1.46 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 21963  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 1.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	2834 (1.50-1.42)
Ramachandran outliers	78287	2769 (1.50-1.42)
Sidechain outliers	78261	2767 (1.50-1.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	567	
1	B	567	

## 2 Entry composition i


There are 6 unique types of molecules in this entry. The entry contains 9814 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NITRITE REDUCTASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	559	Total	C	N	O	S	0	0	0
			4345	2743	728	860	14			
1	B	559	Total	C	N	O	S	0	0	0
			4345	2743	728	860	14			

- Molecule 2 is HEME C (three-letter code: HEC) (formula:  $C_{34}H_{34}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is HEME D (three-letter code: DHE) (formula:  $C_{34}H_{32}FeN_4O_{10}$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	0	0
			49	34	1	4	10		
3	B	1	Total	C	Fe	N	O	0	0
			49	34	1	4	10		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is SULFATE ION (three-letter code: SO<sub>4</sub>) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	440	Total	O	0	0
			440	440		
6	B	451	Total	O	0	0
			451	451		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


#### • Molecule 1: NITRITE REDUCTASE

Chain A: 



#### • Molecule 1: NITRITE REDUCTASE

Chain B: 



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.82Å 60.97Å 100.33Å 90.00° 112.24° 90.00°	Depositor
Resolution (Å)	30.00 – 1.46	Depositor
% Data completeness (in resolution range)	91.2 (30.00-1.46)	Depositor
$R_{merge}$	0.05	Depositor
$R_{sym}$	0.05	Depositor
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.195 , 0.215	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	9814	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, DHE, SO4, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.58	0/4451	0.76	2/6056 (0.0%)
1	B	0.57	0/4451	0.77	2/6056 (0.0%)
All	All	0.57	0/8902	0.77	4/12112 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	391	ARG	NE-CZ-NH2	-6.50	117.05	120.30
1	A	391	ARG	NE-CZ-NH1	5.89	123.24	120.30
1	B	354	ARG	NE-CZ-NH2	-5.68	117.46	120.30
1	A	391	ARG	NE-CZ-NH2	-5.42	117.59	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	521	VAL	Mainchain
1	B	360	ALA	Mainchain



## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4345	0	4177	34	0
1	B	4345	0	4177	43	0
2	A	43	0	30	1	0
2	B	43	0	30	3	0
3	A	49	0	26	7	0
3	B	49	0	28	4	0
4	A	18	0	23	18	0
4	B	6	0	8	7	0
5	A	10	0	0	0	0
5	B	15	0	0	4	0
6	A	440	0	0	5	0
6	B	451	0	0	2	0
All	All	9814	0	8499	100	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

All (100) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:A:613:GOL:C2	4:A:613:GOL:C1	1.86	1.52
4:B:611:GOL:C1	4:B:611:GOL:C2	1.87	1.51
4:A:612:GOL:C2	4:A:612:GOL:C1	1.89	1.49
4:A:611:GOL:C2	4:A:611:GOL:C1	1.87	1.49
1:B:354:ARG:HD2	5:B:623:SO4:O3	1.67	0.92
4:A:612:GOL:C3	4:A:612:GOL:C1	2.53	0.87
4:B:611:GOL:C1	4:B:611:GOL:C3	2.53	0.86
4:A:611:GOL:C1	4:A:611:GOL:C3	2.53	0.85
4:A:613:GOL:C1	4:A:613:GOL:C3	2.55	0.84
1:B:57:ALA:HA	1:B:123:MET:HE1	1.62	0.81
1:A:198:ALA:HB3	1:A:216:ARG:HD2	1.71	0.72
1:A:375:LYS:HE3	6:B:2254:HOH:O	1.94	0.66
4:A:611:GOL:C1	4:A:611:GOL:H31	2.26	0.65
4:A:612:GOL:C1	4:A:612:GOL:O2	2.46	0.64
4:A:612:GOL:C2	4:A:612:GOL:O1	2.46	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
4:B:611:GOL:C1	4:B:611:GOL:H31	2.27	0.64
1:B:426:ASP:O	1:B:430:LYS:HD3	1.97	0.64
4:A:612:GOL:C1	4:A:612:GOL:H31	2.27	0.64
1:A:105:GLY:HA2	4:A:611:GOL:H11	1.82	0.62
3:A:602:DHE:HBD2	3:A:602:DHE:HMD1	1.82	0.62
1:A:177:GLY:HA2	1:A:197:TYR:O	2.00	0.62
1:A:201:ILE:HD12	1:A:203:ARG:HG2	1.80	0.62
4:A:613:GOL:C1	4:A:613:GOL:H31	2.29	0.61
4:B:611:GOL:O1	4:B:611:GOL:C2	2.48	0.61
1:A:216:ARG:NH2	3:A:602:DHE:O2B	2.34	0.60
3:B:602:DHE:HMD1	3:B:602:DHE:HBD2	1.83	0.59
4:A:611:GOL:C1	4:A:611:GOL:O2	2.49	0.58
4:B:611:GOL:C1	4:B:611:GOL:O2	2.48	0.58
1:B:105:GLY:HA2	4:B:611:GOL:H11	1.86	0.57
1:B:57:ALA:HA	1:B:123:MET:CE	2.33	0.57
1:A:537:LYS:HG2	6:A:2405:HOH:O	2.05	0.56
4:A:611:GOL:C2	4:A:611:GOL:O1	2.50	0.56
1:B:201:ILE:HD13	3:B:602:DHE:O2A	2.05	0.56
1:B:102:SER:HB3	2:B:601:HEC:HBB2	1.88	0.56
1:B:14:LEU:O	1:B:18:LYS:HB2	2.06	0.56
1:B:151:ALA:HB1	1:B:153:GLU:OE2	2.06	0.55
1:A:222:MET:HE1	1:A:274:GLU:HA	1.88	0.55
1:B:153:GLU:CD	1:B:153:GLU:H	2.07	0.55
1:A:155:ARG:HG2	6:A:2179:HOH:O	2.06	0.55
1:A:9:ASP:HB2	1:A:10:PRO:HD2	1.89	0.55
1:B:438:LEU:HG	1:B:471:ALA:HB2	1.90	0.54
1:A:9:ASP:HB2	1:A:10:PRO:CD	2.38	0.54
1:B:308:TYR:HE2	5:B:623:SO4:O4	1.91	0.54
1:B:60:ILE:HD12	1:B:123:MET:HE1	1.88	0.53
1:A:500:GLU:HG2	6:A:2400:HOH:O	2.09	0.52
1:A:444:PHE:CE1	3:A:602:DHE:HBD1	2.45	0.52
1:A:18:LYS:HE2	1:A:18:LYS:HA	1.91	0.52
1:A:334:LYS:HB3	1:A:334:LYS:NZ	2.24	0.52
1:A:216:ARG:HH22	3:A:602:DHE:CBB	2.23	0.52
1:A:74:LYS:HG3	1:A:296:PRO:HG3	1.91	0.51
1:B:297:GLU:N	1:B:298:PRO:HD3	2.26	0.51
1:B:142:MET:CE	1:B:269:VAL:HG21	2.41	0.50
1:A:297:GLU:N	1:A:298:PRO:HD3	2.26	0.50
1:A:201:ILE:HD13	3:A:602:DHE:O2A	2.12	0.50
1:B:201:ILE:HD12	1:B:203:ARG:HG2	1.94	0.50
1:B:501:GLY:HA3	1:B:527:GLN:NE2	2.26	0.50
1:B:136:GLU:CD	1:B:285:ARG:HH22	2.16	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:380:GLU:HG3	1:B:429:TRP:O	2.10	0.49
1:B:17:HIS:CE1	2:B:601:HEC:NB	2.81	0.49
1:B:22:ASP:HA	1:B:409:MET:HE2	1.95	0.49
4:A:613:GOL:H31	6:A:2437:HOH:O	2.12	0.49
1:A:108:ASN:O	1:A:109:TRP:HB3	2.13	0.48
1:B:372:LYS:HD2	5:B:623:SO4:O4	2.13	0.48
1:B:74:LYS:HG3	1:B:296:PRO:HG3	1.95	0.48
4:A:613:GOL:C1	4:A:613:GOL:O2	2.54	0.47
1:B:450:ASN:HB3	6:B:2397:HOH:O	2.13	0.47
1:A:102:SER:HB3	2:A:601:HEC:HBB2	1.96	0.47
1:B:17:HIS:HB3	1:B:101:GLY:O	2.15	0.47
1:B:559:VAL:O	1:B:563:MET:HG2	2.14	0.47
1:B:166:GLU:HB3	1:B:512:LYS:HD2	1.97	0.47
1:B:444:PHE:CE1	3:B:602:DHE:HBD1	2.50	0.47
1:A:304:LEU:HD21	1:A:348:GLY:HA2	1.97	0.46
1:A:470:VAL:HG22	1:A:490:LEU:HB2	1.98	0.46
1:B:222:MET:HG2	1:B:234:ALA:HB3	1.97	0.46
1:B:71:VAL:HG22	1:B:297:GLU:OE2	2.16	0.46
1:B:304:LEU:HD21	1:B:348:GLY:HA2	1.97	0.46
1:B:102:SER:CB	2:B:601:HEC:HBB2	2.46	0.46
1:B:105:GLY:HA2	4:B:611:GOL:C1	2.46	0.45
4:A:613:GOL:C2	4:A:613:GOL:O1	2.52	0.45
1:B:29:LEU:HD12	1:B:71:VAL:CG1	2.48	0.44
1:A:25:TYR:CE2	3:A:602:DHE:HGB2	2.53	0.43
1:B:563:MET:HG3	1:B:564:THR:HG23	2.01	0.43
1:B:263:TYR:OH	3:B:602:DHE:HHB	2.18	0.43
1:B:29:LEU:HD12	1:B:71:VAL:HG13	2.01	0.43
1:A:263:TYR:CD1	1:A:299:ARG:HB3	2.53	0.43
1:A:309:ARG:HB3	1:A:310:PRO:HD2	2.01	0.43
1:A:200:HIS:HB2	6:A:2160:HOH:O	2.18	0.42
1:A:424:HIS:NE2	4:A:612:GOL:O3	2.48	0.42
1:A:488:LYS:HE2	1:A:539:LEU:HD12	2.02	0.41
1:B:399:THR:HG21	1:B:479:THR:O	2.20	0.41
1:B:25:TYR:HE2	1:B:345:HIS:HE2	1.67	0.41
1:B:308:TYR:OH	5:B:623:SO4:O3	2.32	0.41
1:A:563:MET:HG3	1:A:564:THR:HG23	2.03	0.41
1:A:119:GLN:O	1:A:123:MET:HG2	2.20	0.41
1:A:25:TYR:CD2	3:A:602:DHE:HGB2	2.56	0.41
1:B:22:ASP:HA	1:B:409:MET:CE	2.51	0.41
1:A:438:LEU:HG	1:A:471:ALA:HB2	2.04	0.40
1:A:264:TRP:HA	1:A:265:PRO:C	2.41	0.40
1:B:484:ASP:HA	1:B:485:PRO:HD3	1.95	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:172:THR:O	1:B:553:PRO:HA	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	557/567 (98%)	532 (96%)	23 (4%)	2 (0%)	43	15
1	B	557/567 (98%)	532 (96%)	23 (4%)	2 (0%)	43	15
All	All	1114/1134 (98%)	1064 (96%)	46 (4%)	4 (0%)	43	15

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	109	TRP
1	A	507	GLN
1	B	507	GLN
1	B	174	ARG

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	462/469 (98%)	460 (100%)	2 (0%)	95	85
1	B	462/469 (98%)	461 (100%)	1 (0%)	96	88
All	All	924/938 (98%)	921 (100%)	3 (0%)	96	88

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	HIS
1	A	216	ARG
1	B	55	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	385	GLN
1	B	282	GLN
1	B	502	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	HEC	A	601	1	50,50,50	2.72	9 (18%)	56,82,82	1.84	14 (25%)
3	DHE	A	602	1	56,56,56	4.13	15 (26%)	78,94,94	2.64	20 (25%)
4	GOL	A	611	-	5,5,5	3.77	1 (20%)	5,5,5	2.20	3 (60%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GOL	A	612	-	5,5,5	3.99	1 (20%)	5,5,5	2.62	3 (60%)
4	GOL	A	613	-	5,5,5	3.72	1 (20%)	5,5,5	1.85	1 (20%)
5	SO4	A	621	-	4,4,4	0.99	0	6,6,6	0.06	0
5	SO4	A	622	-	4,4,4	0.99	0	6,6,6	0.09	0
2	HEC	B	601	1	50,50,50	2.69	11 (22%)	56,82,82	1.84	14 (25%)
3	DHE	B	602	1	56,56,56	4.14	16 (28%)	78,94,94	2.73	26 (33%)
4	GOL	B	611	-	5,5,5	3.85	1 (20%)	5,5,5	2.34	3 (60%)
5	SO4	B	622	-	4,4,4	1.00	0	6,6,6	0.12	0
5	SO4	B	623	-	4,4,4	0.95	0	6,6,6	0.23	0
5	SO4	B	624	-	4,4,4	0.99	0	6,6,6	0.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	601	1	-	0/10/54/54	0/0/8/8
3	DHE	A	602	1	-	0/20/108/108	0/0/8/8
4	GOL	A	611	-	-	0/4/4/4	0/0/0/0
4	GOL	A	612	-	-	0/4/4/4	0/0/0/0
4	GOL	A	613	-	-	0/4/4/4	0/0/0/0
5	SO4	A	621	-	-	0/0/0/0	0/0/0/0
5	SO4	A	622	-	-	0/0/0/0	0/0/0/0
2	HEC	B	601	1	-	0/10/54/54	0/0/8/8
3	DHE	B	602	1	-	0/20/108/108	0/0/8/8
4	GOL	B	611	-	-	0/4/4/4	0/0/0/0
5	SO4	B	622	-	-	0/0/0/0	0/0/0/0
5	SO4	B	623	-	-	0/0/0/0	0/0/0/0
5	SO4	B	624	-	-	0/0/0/0	0/0/0/0

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	DHE	OMC-C2C	16.39	1.54	1.22
3	B	602	DHE	OMB-C2B	16.27	1.54	1.22
3	B	602	DHE	OMC-C2C	16.04	1.53	1.22
3	A	602	DHE	OMB-C2B	16.02	1.53	1.22
3	A	602	DHE	C3C-C2C	-11.33	1.33	1.52
3	B	602	DHE	C3B-C2B	-11.16	1.34	1.52
3	B	602	DHE	C3C-C2C	-11.14	1.34	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	DHE	C3B-C2B	-10.89	1.34	1.52
2	A	601	HEC	C3C-CAC	10.76	1.57	1.35
2	B	601	HEC	C3B-CAB	10.52	1.57	1.35
2	B	601	HEC	C3C-CAC	10.49	1.57	1.35
2	A	601	HEC	C3B-CAB	10.49	1.57	1.35
4	A	612	GOL	C1-C2	8.90	1.89	1.52
4	B	611	GOL	C1-C2	8.59	1.87	1.52
4	A	611	GOL	C1-C2	8.40	1.87	1.52
4	A	613	GOL	C1-C2	8.12	1.86	1.52
3	A	602	DHE	CAC-CBC	-6.04	1.29	1.50
3	B	602	DHE	CAB-CBB	-5.84	1.29	1.50
3	B	602	DHE	CAC-CBC	-5.63	1.30	1.50
3	A	602	DHE	CAB-CBB	-5.62	1.30	1.50
2	B	601	HEC	C1C-C2C	4.18	1.45	1.40
2	A	601	HEC	C1C-C2C	4.11	1.45	1.40
2	A	601	HEC	C1D-C2D	4.06	1.45	1.40
2	B	601	HEC	C1D-C2D	3.91	1.45	1.40
2	A	601	HEC	C1B-C2B	3.90	1.45	1.40
3	B	602	DHE	C3C-C4C	-3.85	1.44	1.52
2	B	601	HEC	C1B-C2B	3.72	1.44	1.40
3	B	602	DHE	C1D-C2D	3.68	1.44	1.40
2	A	601	HEC	C3C-C2C	-3.68	1.33	1.41
2	A	601	HEC	C3B-C2B	-3.66	1.33	1.41
2	B	601	HEC	C3C-C2C	-3.63	1.33	1.41
2	B	601	HEC	C3B-C2B	-3.56	1.33	1.41
3	A	602	DHE	C3C-C4C	-3.50	1.45	1.52
3	A	602	DHE	C1D-C2D	3.49	1.44	1.40
3	A	602	DHE	C3B-C4B	-3.46	1.44	1.51
3	B	602	DHE	C3B-C4B	-3.27	1.45	1.51
3	A	602	DHE	C4A-C3A	3.25	1.44	1.40
3	B	602	DHE	C4A-C3A	3.03	1.43	1.40
3	B	602	DHE	CHB-C1B	2.82	1.39	1.35
2	B	601	HEC	CBC-CAC	-2.82	1.37	1.49
3	A	602	DHE	CHB-C1B	2.77	1.39	1.35
2	A	601	HEC	CBC-CAC	-2.51	1.38	1.49
3	B	602	DHE	CAB-C3B	-2.47	1.44	1.53
3	A	602	DHE	O1C-CBC	2.30	1.30	1.22
2	B	601	HEC	FE-NA	2.28	2.02	1.92
2	A	601	HEC	CBB-CAB	-2.20	1.40	1.49
3	A	602	DHE	CAA-C2A	2.14	1.55	1.52
3	B	602	DHE	FE-ND	2.11	2.01	1.92
2	B	601	HEC	C3C-C4C	2.08	1.44	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	DHE	FE-ND	2.08	2.01	1.92
3	B	602	DHE	FE-NA	2.07	2.01	1.92
3	B	602	DHE	CMA-C3A	2.07	1.56	1.51
3	B	602	DHE	O1B-CBB	2.06	1.29	1.22
2	B	601	HEC	FE-ND	2.05	2.01	1.92
3	A	602	DHE	FE-NA	2.00	2.01	1.92

All (84) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	DHE	C2B-C3B-C4B	14.19	107.92	100.69
3	B	602	DHE	C2B-C3B-C4B	14.14	107.89	100.69
3	B	602	DHE	C2C-C3C-C4C	9.75	108.04	100.86
3	A	602	DHE	C2C-C3C-C4C	9.55	107.89	100.86
2	B	601	HEC	CBB-CAB-C3B	-5.90	111.82	128.44
2	A	601	HEC	CBB-CAB-C3B	-5.67	112.49	128.44
2	A	601	HEC	CBC-CAC-C3C	-5.24	113.68	128.44
3	B	602	DHE	C3B-CAB-CBB	4.96	122.39	114.50
3	A	602	DHE	C3C-CAC-CBC	4.71	121.99	114.50
3	B	602	DHE	C3C-C4C-CHD	4.47	126.41	122.27
3	B	602	DHE	CGB-C3B-CAB	4.46	113.73	109.44
3	B	602	DHE	CGB-C3B-C2B	-4.37	97.38	109.59
2	B	601	HEC	CBC-CAC-C3C	-4.37	116.15	128.44
3	A	602	DHE	CGB-C3B-C2B	-4.30	97.58	109.59
3	A	602	DHE	CGB-C3B-CAB	4.12	113.41	109.44
3	A	602	DHE	C3C-C4C-CHD	3.97	125.94	122.27
4	A	612	GOL	C3-C2-C1	-3.85	94.26	111.26
4	B	611	GOL	C3-C2-C1	-3.66	95.09	111.26
3	B	602	DHE	CMD-C2D-C1D	-3.64	123.02	128.62
4	A	611	GOL	C3-C2-C1	-3.60	95.36	111.26
2	B	601	HEC	CMC-C2C-C1C	-3.57	123.14	128.62
3	A	602	DHE	CBD-CAD-C3D	3.40	118.71	112.35
3	B	602	DHE	CBD-CAD-C3D	3.39	118.69	112.35
2	B	601	HEC	CMC-C2C-C3C	3.39	129.46	125.72
2	A	601	HEC	CMC-C2C-C1C	-3.38	123.42	128.62
2	A	601	HEC	CMD-C2D-C1D	-3.37	123.44	128.62
3	B	602	DHE	OMC-C2C-C3C	3.33	130.21	126.10
2	B	601	HEC	CMD-C2D-C1D	-3.33	123.51	128.62
2	A	601	HEC	CMB-C2B-C1B	-3.33	123.50	128.62
2	A	601	HEC	CMB-C2B-C3B	3.31	129.38	125.72
3	A	602	DHE	OMC-C2C-C3C	3.27	130.14	126.10
3	A	602	DHE	CMA-C3A-C4A	-3.27	123.59	128.62

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	DHE	O2C-CBC-O1C	-3.26	115.00	123.30
2	A	601	HEC	CMC-C2C-C3C	3.19	129.24	125.72
2	B	601	HEC	CMB-C2B-C3B	3.17	129.22	125.72
3	A	602	DHE	CMD-C2D-C1D	-3.15	123.77	128.62
4	A	612	GOL	O1-C1-C2	-3.13	94.44	109.71
2	B	601	HEC	CMB-C2B-C1B	-3.11	123.83	128.62
3	B	602	DHE	OMB-C2B-C1B	-3.10	123.26	127.77
4	A	612	GOL	O2-C2-C1	-3.10	94.09	108.22
3	A	602	DHE	OMB-C2B-C1B	-3.08	123.29	127.77
2	B	601	HEC	C4B-C3B-C2B	3.06	108.63	106.68
3	B	602	DHE	O2C-CBC-O1C	-3.00	115.66	123.30
2	A	601	HEC	C4B-C3B-C2B	3.00	108.59	106.68
3	B	602	DHE	CAB-C3B-C2B	2.98	120.14	111.61
3	B	602	DHE	CMA-C3A-C4A	-2.97	124.05	128.62
4	A	613	GOL	C3-C2-C1	-2.95	98.22	111.26
2	A	601	HEC	C4C-C3C-C2C	2.92	108.54	106.68
3	A	602	DHE	C3B-C4B-NB	-2.77	108.64	112.11
3	A	602	DHE	OMB-C2B-C3B	2.75	129.49	126.10
3	A	602	DHE	O2C-CBC-CAC	2.71	124.19	114.63
3	B	602	DHE	C3C-CAC-CBC	2.67	118.75	114.50
4	B	611	GOL	O2-C2-C1	-2.64	96.20	108.22
3	B	602	DHE	O2B-CBB-O1B	-2.64	116.59	123.30
3	B	602	DHE	CGB-C3B-C4B	-2.63	98.19	110.73
3	A	602	DHE	CAA-CBA-CGA	2.63	121.91	113.47
2	B	601	HEC	C4C-C3C-C2C	2.61	108.34	106.68
4	B	611	GOL	O1-C1-C2	-2.59	97.09	109.71
3	B	602	DHE	CAA-CBA-CGA	2.57	121.74	113.47
3	B	602	DHE	C3B-C4B-NB	-2.57	108.89	112.11
3	B	602	DHE	OMB-C2B-C3B	2.57	129.27	126.10
2	B	601	HEC	CBA-CAA-C2A	2.55	117.12	112.35
2	B	601	HEC	CMA-C3A-C2A	2.53	129.71	124.94
2	B	601	HEC	CBD-CAD-C3D	2.53	117.14	112.69
2	A	601	HEC	CMA-C3A-C2A	2.51	129.67	124.94
3	B	602	DHE	C4D-CHA-C1A	-2.49	124.19	127.47
3	B	602	DHE	O2C-CBC-CAC	2.46	123.31	114.63
3	B	602	DHE	O2B-CBB-CAB	2.43	123.19	114.63
3	A	602	DHE	O2B-CBB-O1B	-2.42	117.14	123.30
3	A	602	DHE	OMC-C2C-C1C	-2.42	122.62	126.31
2	A	601	HEC	CBD-CAD-C3D	2.37	116.86	112.69
4	A	611	GOL	O1-C1-C2	-2.34	98.28	109.71
4	A	611	GOL	O2-C2-C1	-2.34	97.58	108.22
3	B	602	DHE	OMC-C2C-C1C	-2.26	122.85	126.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	602	DHE	C1D-CHD-C4C	-2.25	125.37	130.06
3	A	602	DHE	CGC-C3C-C4C	-2.17	100.92	110.67
2	A	601	HEC	CMD-C2D-C3D	2.14	128.97	124.94
3	B	602	DHE	C4A-C3A-C2A	2.13	108.48	107.00
2	A	601	HEC	CBA-CAA-C2A	2.06	116.21	112.35
2	B	601	HEC	CMD-C2D-C3D	2.05	128.81	124.94
2	A	601	HEC	C3C-C4C-NC	-2.04	108.57	111.52
3	B	602	DHE	CGC-C3C-C4C	-2.02	101.63	110.67
2	B	601	HEC	O1A-CGA-CBA	-2.00	116.13	123.03
3	B	602	DHE	CMD-C2D-C3D	2.00	128.72	124.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.