



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 12:46 PM GMT

PDB ID : 1HM0
Title : CRYSTAL STRUCTURE OF S.PNEUMONIAE N-
ACETYLGLUCOSAMINE 1-PHOSPHATE URIDYLTRANSFERASE,
GLMU
Authors : Sulzenbacher, G.; Gal, L.; Peneff, C.; Fassy, F.; Bourne, Y.
Deposited on : 2000-12-04
Resolution : 2.30 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	468	
1	B	468	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	CA	A	902	-	X
2	CA	B	902	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6815 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N-ACETYLGLUCOSAMINE 1-PHOSPHATE URIDYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	440	Total	C	N	O	S	0	0	0
			3312	2076	568	660	8			
1	B	440	Total	C	N	O	S	0	0	0
			3312	2076	568	660	8			

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	3	Total	Ca	0	0
			3	3		
2	A	3	Total	Ca	0	0
			3	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	97	Total	O	0	0
			97	97		
3	B	88	Total	O	0	0
			88	88		

4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	92.72Å 92.72Å 280.39Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	40.00 – 2.30 39.74 – 2.30	Depositor EDS
% Data completeness (in resolution range)	94.5 (40.00-2.30) 94.5 (39.74-2.30)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.75 (at 2.29Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.207 , 0.244 0.199 , 0.232	Depositor DCC
R_{free} test set	3766 reflections (11.06%)	DCC
Wilson B-factor (Å ²)	34.1	Xtriage
Anisotropy	0.092	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 34.5	EDS
Estimated twinning fraction	0.467 for -h-k,k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 37758 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6815	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	0/3358	0.71	1/4554 (0.0%)
1	B	0.56	0/3358	0.72	1/4554 (0.0%)
All	All	0.56	0/6716	0.72	2/9108 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	370	GLU	N-CA-C	-6.04	94.69	111.00
1	A	370	GLU	N-CA-C	-5.72	95.57	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3312	0	3311	83	0
1	B	3312	0	3311	89	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	97	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	88	0	0	3	0
All	All	6815	0	6622	172	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 13.

All (172) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:12:LYS:HA	1:B:12:LYS:NZ	1.86	0.91
1:B:124:VAL:HA	1:B:176:ASP:OD2	1.81	0.80
1:A:63:LEU:HD23	1:A:63:LEU:H	1.45	0.79
1:A:124:VAL:HA	1:A:176:ASP:OD2	1.86	0.76
1:B:12:LYS:HA	1:B:12:LYS:HZ2	1.51	0.73
1:A:63:LEU:N	1:A:63:LEU:HD23	2.03	0.73
1:A:33:LEU:HD23	1:A:63:LEU:HD12	1.69	0.72
1:B:63:LEU:H	1:B:63:LEU:HD23	1.54	0.71
1:A:124:VAL:HG21	1:A:210:GLU:HB3	1.77	0.66
1:A:106:ILE:HA	1:A:222:GLU:HG3	1.78	0.66
1:B:63:LEU:HD23	1:B:63:LEU:N	2.10	0.66
1:A:206:ARG:HG2	1:A:206:ARG:HH11	1.60	0.66
1:B:206:ARG:HG2	1:B:206:ARG:HH11	1.61	0.65
1:B:12:LYS:HZ3	1:B:12:LYS:CA	2.11	0.64
1:A:86:GLU:HB3	1:A:87:PRO:HD3	1.79	0.64
1:B:187:ILE:O	1:B:191:ASN:HB2	1.98	0.63
1:B:86:GLU:HB3	1:B:87:PRO:HD3	1.81	0.63
1:A:82:VAL:HG11	1:A:198:ILE:HD13	1.81	0.63
1:B:12:LYS:HA	1:B:12:LYS:HZ3	1.62	0.62
1:A:62:VAL:HB	1:A:63:LEU:HD23	1.81	0.62
1:B:33:LEU:HD23	1:B:63:LEU:HD12	1.82	0.61
1:A:187:ILE:O	1:A:191:ASN:HB2	2.01	0.61
1:B:124:VAL:HG21	1:B:210:GLU:HB3	1.81	0.61
1:A:191:ASN:ND2	1:A:193:GLN:HB3	2.15	0.61
1:B:12:LYS:N	1:B:12:LYS:HZ3	1.99	0.61
1:B:12:LYS:CA	1:B:12:LYS:NZ	2.63	0.61
1:B:332:ARG:HB3	1:B:333:PRO:CD	2.31	0.60
1:B:72:GLN:HG3	1:B:72:GLN:O	1.99	0.60
1:B:12:LYS:H	1:B:12:LYS:HZ3	1.49	0.60
1:B:191:ASN:ND2	1:B:193:GLN:HB3	2.16	0.59
1:B:431:PRO:HG2	1:B:434:ALA:HB2	1.84	0.59
1:A:206:ARG:NH1	1:A:206:ARG:HG2	2.18	0.59
1:B:106:ILE:HA	1:B:222:GLU:HG3	1.83	0.59
1:A:31:SER:OG	1:A:34:GLU:HG3	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:10:ALA:O	1:A:11:GLY:O	2.21	0.58
1:B:62:VAL:HB	1:B:63:LEU:HD23	1.84	0.58
1:B:82:VAL:HG11	1:B:198:ILE:HD13	1.86	0.58
1:A:150:LEU:HG	1:A:206:ARG:HH22	1.68	0.57
1:A:332:ARG:HB3	1:A:333:PRO:CD	2.34	0.57
1:A:72:GLN:HG3	1:A:72:GLN:O	2.05	0.57
1:B:206:ARG:HG2	1:B:206:ARG:NH1	2.20	0.56
1:B:149:VAL:HB	1:B:212:VAL:O	2.04	0.56
1:A:33:LEU:HD23	1:A:63:LEU:CD1	2.36	0.56
1:A:57:GLU:HA	1:A:60:GLU:OE1	2.06	0.56
1:A:419:LEU:HD23	1:A:419:LEU:C	2.26	0.56
1:B:60:GLU:O	1:B:64:ALA:HB2	2.07	0.55
1:A:111:LEU:O	1:A:114:LEU:HB3	2.07	0.55
1:B:227:ASN:HB2	3:B:1039:HOH:O	2.07	0.55
1:B:111:LEU:O	1:B:114:LEU:HB3	2.07	0.55
1:A:127:ILE:HD13	1:A:152:ILE:HD11	1.89	0.55
1:A:195:GLU:H	1:A:195:GLU:CD	2.10	0.54
1:B:21:PRO:HG3	1:B:55:LYS:HB2	1.90	0.54
1:A:149:VAL:HB	1:A:212:VAL:O	2.07	0.54
1:B:419:LEU:C	1:B:419:LEU:HD23	2.28	0.54
1:A:133:ASP:OD1	1:A:166:LYS:NZ	2.42	0.53
1:A:60:GLU:O	1:A:64:ALA:HB2	2.08	0.53
1:A:419:LEU:HD23	1:A:420:VAL:N	2.23	0.53
1:B:195:GLU:CD	1:B:195:GLU:H	2.11	0.53
1:A:168:ILE:HD12	1:A:168:ILE:C	2.30	0.53
1:B:162:GLU:C	1:B:164:GLN:H	2.13	0.53
1:A:227:ASN:ND2	3:A:985:HOH:O	2.39	0.52
1:A:162:GLU:C	1:A:164:GLN:H	2.12	0.52
1:B:151:ARG:HH11	1:B:151:ARG:HG2	1.73	0.52
1:A:21:PRO:HG3	1:A:55:LYS:HB2	1.90	0.52
1:A:78:THR:O	1:A:82:VAL:HG12	2.10	0.52
1:A:57:GLU:O	1:A:61:GLU:N	2.37	0.52
1:B:168:ILE:C	1:B:168:ILE:HD12	2.31	0.51
1:B:57:GLU:O	1:B:61:GLU:N	2.37	0.51
1:B:57:GLU:HA	1:B:60:GLU:OE1	2.10	0.51
1:A:63:LEU:CD2	1:A:63:LEU:H	2.08	0.51
1:B:218:LYS:N	1:B:218:LYS:HD3	2.25	0.51
1:A:431:PRO:HG2	1:A:434:ALA:HB2	1.93	0.50
1:A:332:ARG:HB3	1:A:333:PRO:HD2	1.93	0.50
1:A:178:GLU:O	1:A:182:GLU:HG3	2.12	0.50
1:B:140:ARG:HB3	1:B:165:ILE:HD12	1.94	0.50
1:A:56:ALA:O	1:A:60:GLU:HG3	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:183:ALA:O	1:B:187:ILE:HG13	2.12	0.49
1:A:128:LEU:HB3	1:A:172:THR:HB	1.93	0.49
1:B:159:THR:O	1:B:161:PHE:N	2.46	0.48
1:B:31:SER:OG	1:B:34:GLU:HG3	2.12	0.48
1:B:332:ARG:HB3	1:B:333:PRO:HD2	1.96	0.48
1:B:127:ILE:HD13	1:B:152:ILE:HD11	1.96	0.48
1:B:66:GLN:O	1:B:67:THR:HB	2.14	0.48
1:B:227:ASN:ND2	3:B:1068:HOH:O	2.46	0.48
1:B:419:LEU:HD23	1:B:420:VAL:N	2.28	0.48
1:A:327:PRO:O	1:A:345:ASN:HA	2.13	0.47
1:A:40:VAL:O	1:A:43:ILE:HG12	2.14	0.47
1:A:159:THR:O	1:A:161:PHE:N	2.47	0.47
1:B:270:PRO:O	1:B:271:GLU:HB2	2.13	0.47
1:A:53:GLY:O	1:A:56:ALA:HB2	2.15	0.47
1:B:150:LEU:HG	1:B:206:ARG:HH22	1.79	0.47
1:A:218:LYS:N	1:A:218:LYS:HD3	2.29	0.46
1:A:62:VAL:CB	1:A:63:LEU:HD23	2.45	0.46
1:A:140:ARG:HB3	1:A:165:ILE:HD12	1.97	0.46
1:B:40:VAL:O	1:B:43:ILE:HG12	2.16	0.46
1:A:395:VAL:HB	1:A:413:GLU:HG3	1.97	0.46
1:A:362:HIS:N	1:A:362:HIS:CD2	2.84	0.46
1:A:227:ASN:HB2	3:A:927:HOH:O	2.15	0.46
1:B:367:GLY:O	1:B:385:ASN:ND2	2.49	0.46
1:B:206:ARG:O	1:B:206:ARG:HD3	2.16	0.46
1:B:395:VAL:HB	1:B:413:GLU:HG3	1.98	0.45
1:B:62:VAL:CB	1:B:63:LEU:HD23	2.47	0.45
1:B:431:PRO:HG2	1:B:434:ALA:CB	2.47	0.45
1:B:218:LYS:CD	1:B:218:LYS:H	2.29	0.45
1:B:53:GLY:O	1:B:56:ALA:HB2	2.16	0.45
1:B:178:GLU:O	1:B:182:GLU:HG3	2.16	0.45
1:B:6:ILE:HD13	1:B:82:VAL:HG23	1.98	0.45
1:A:156:LYS:HG3	1:A:157:ASP:OD1	2.16	0.45
1:A:270:PRO:O	1:A:271:GLU:HB2	2.16	0.45
1:A:191:ASN:HB3	3:A:933:HOH:O	2.17	0.45
1:B:63:LEU:N	1:B:63:LEU:CD2	2.77	0.44
1:A:196:TYR:CD1	1:A:196:TYR:N	2.84	0.44
1:B:196:TYR:CD1	1:B:196:TYR:N	2.86	0.44
1:A:310:THR:O	1:A:327:PRO:HA	2.18	0.44
1:A:67:THR:HG23	1:A:69:PHE:CE1	2.53	0.44
1:A:42:ALA:O	1:A:112:LYS:HD2	2.18	0.44
1:A:66:GLN:O	1:A:67:THR:HB	2.18	0.43
1:A:159:THR:C	1:A:161:PHE:N	2.71	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:432:ALA:O	1:A:433:ASP:HB2	2.18	0.43
1:B:78:THR:O	1:B:82:VAL:HG12	2.19	0.43
1:B:86:GLU:HA	1:B:181:PHE:CE1	2.53	0.43
1:B:361:GLY:C	1:B:362:HIS:CG	2.92	0.43
1:B:128:LEU:HB3	1:B:172:THR:HB	1.99	0.43
1:B:327:PRO:O	1:B:345:ASN:HA	2.18	0.43
1:B:441:ARG:HG3	1:B:443:ILE:HD11	2.00	0.43
1:B:389:LYS:HB2	1:B:389:LYS:HE3	1.90	0.43
1:A:206:ARG:O	1:A:206:ARG:HD3	2.19	0.43
1:B:191:ASN:HB3	3:B:1037:HOH:O	2.18	0.43
1:A:141:ILE:O	1:A:165:ILE:HG21	2.19	0.43
1:B:159:THR:C	1:B:161:PHE:N	2.71	0.43
1:B:42:ALA:O	1:B:112:LYS:HD2	2.19	0.43
1:A:132:THR:O	1:A:166:LYS:HG3	2.19	0.42
1:B:10:ALA:O	1:B:11:GLY:O	2.37	0.42
1:B:293:THR:OG1	1:B:310:THR:HA	2.19	0.42
1:B:63:LEU:H	1:B:63:LEU:CD2	2.15	0.42
1:A:300:ASP:O	1:A:316:GLU:HA	2.19	0.42
1:A:412:VAL:HG22	1:A:413:GLU:N	2.34	0.42
1:A:191:ASN:HD21	1:A:193:GLN:HB3	1.81	0.42
1:B:432:ALA:O	1:B:433:ASP:HB2	2.20	0.42
1:A:361:GLY:C	1:A:362:HIS:CG	2.92	0.42
1:B:62:VAL:CG1	1:B:63:LEU:HD23	2.49	0.42
1:A:140:ARG:HG2	1:A:140:ARG:HH11	1.84	0.42
1:B:86:GLU:O	1:B:90:GLU:HB2	2.20	0.42
1:A:134:ASN:N	1:A:135:PRO:HD3	2.35	0.42
1:B:206:ARG:HD3	1:B:206:ARG:C	2.40	0.41
1:B:412:VAL:HG22	1:B:413:GLU:N	2.36	0.41
1:A:269:ALA:HA	1:A:270:PRO:HD3	1.87	0.41
1:A:62:VAL:CG1	1:A:63:LEU:HD23	2.50	0.41
1:A:6:ILE:HD13	1:A:82:VAL:HG23	2.02	0.41
1:A:121:HIS:HB3	1:A:211:LYS:HZ1	1.84	0.41
1:A:183:ALA:O	1:A:187:ILE:HG13	2.21	0.41
1:A:394:THR:OG1	1:A:410:ALA:HB2	2.19	0.41
1:B:33:LEU:HD23	1:B:63:LEU:CD1	2.48	0.41
1:B:141:ILE:O	1:B:165:ILE:HG21	2.21	0.41
1:A:115:ILE:O	1:A:116:ASP:C	2.59	0.41
1:A:133:ASP:C	1:A:135:PRO:HD3	2.40	0.41
1:B:151:ARG:NH1	1:B:151:ARG:HG2	2.36	0.41
1:B:193:GLN:HG2	1:B:194:GLY:N	2.35	0.41
1:B:115:ILE:O	1:B:116:ASP:C	2.58	0.41
1:A:13:GLY:N	3:A:984:HOH:O	2.41	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:56:ALA:O	1:B:60:GLU:HG3	2.21	0.41
1:B:442:GLN:O	1:B:443:ILE:HD13	2.21	0.41
1:A:151:ARG:HG2	1:A:151:ARG:HH11	1.84	0.41
1:A:138:TYR:HB3	1:A:168:ILE:HB	2.03	0.41
1:B:133:ASP:HA	1:B:166:LYS:HZ2	1.86	0.40
1:B:154:GLU:O	1:B:158:ALA:HB2	2.22	0.40
1:A:339:ALA:O	1:A:356:GLU:HB2	2.21	0.40
1:B:269:ALA:HA	1:B:270:PRO:HD3	1.91	0.40
1:B:111:LEU:HD23	1:B:111:LEU:HA	1.87	0.40
1:A:55:LYS:O	1:A:58:LEU:HB3	2.22	0.40
1:B:67:THR:HG23	1:B:69:PHE:CE1	2.56	0.40
1:A:218:LYS:CD	1:A:218:LYS:H	2.32	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/468 (93%)	406 (93%)	23 (5%)	7 (2%)	14	12
1	B	436/468 (93%)	404 (93%)	25 (6%)	7 (2%)	14	12
All	All	872/936 (93%)	810 (93%)	48 (6%)	14 (2%)	14	12

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	11	GLY
1	B	11	GLY
1	A	62	VAL
1	B	62	VAL
1	B	67	THR
1	A	67	THR
1	A	160	ASP
1	A	163	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	160	ASP
1	B	163	LYS
1	A	61	GLU
1	B	61	GLU
1	B	65	GLY
1	A	65	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	361/386 (94%)	346 (96%)	15 (4%)	40	53
1	B	361/386 (94%)	343 (95%)	18 (5%)	34	45
All	All	722/772 (94%)	689 (95%)	33 (5%)	37	48

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	GLU
1	A	63	LEU
1	A	66	GLN
1	A	134	ASN
1	A	157	ASP
1	A	166	LYS
1	A	195	GLU
1	A	196	TYR
1	A	206	ARG
1	A	218	LYS
1	A	318	SER
1	A	345	ASN
1	A	362	HIS
1	A	385	ASN
1	A	390	ASN
1	B	12	LYS
1	B	46	GLU
1	B	63	LEU
1	B	66	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	90	GLU
1	B	133	ASP
1	B	157	ASP
1	B	166	LYS
1	B	195	GLU
1	B	196	TYR
1	B	206	ARG
1	B	218	LYS
1	B	318	SER
1	B	345	ASN
1	B	362	HIS
1	B	385	ASN
1	B	390	ASN
1	B	441	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	GLN
1	A	95	HIS
1	A	134	ASN
1	A	191	ASN
1	A	277	ASN
1	A	362	HIS
1	A	390	ASN
1	B	54	HIS
1	B	66	GLN
1	B	120	ASN
1	B	191	ASN
1	B	250	ASN
1	B	277	ASN
1	B	362	HIS
1	B	390	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	440/468 (94%)	0.41	32 (7%) 15 22	18, 45, 86, 99	0
1	B	440/468 (94%)	0.38	24 (5%) 24 33	18, 46, 86, 99	0
All	All	880/936 (94%)	0.40	56 (6%) 17 27	18, 46, 86, 99	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	54	HIS	7.4
1	B	443	ILE	5.8
1	B	66	GLN	5.3
1	A	63	LEU	5.0
1	B	54	HIS	4.3
1	A	213	GLY	4.3
1	B	194	GLY	3.8
1	B	161	PHE	3.7
1	B	392	TYR	3.6
1	B	63	LEU	3.6
1	A	214	ALA	3.6
1	A	149	VAL	3.4
1	A	69	PHE	3.3
1	B	61	GLU	3.2
1	A	197	TYR	3.2
1	B	62	VAL	3.2
1	A	192	ALA	3.0
1	B	154	GLU	2.9
1	A	387	ASP	2.9
1	B	195	GLU	2.7
1	A	164	GLN	2.7
1	A	180	LEU	2.7
1	A	388	GLY	2.7
1	A	151	ARG	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	37	PHE	2.6
1	A	162	GLU	2.6
1	A	116	ASP	2.6
1	B	69	PHE	2.6
1	B	159	THR	2.6
1	A	184	LEU	2.6
1	B	68	GLU	2.5
1	A	218	LYS	2.5
1	B	197	TYR	2.5
1	A	60	GLU	2.5
1	A	161	PHE	2.4
1	B	217	LEU	2.4
1	B	60	GLU	2.4
1	B	73	SER	2.4
1	A	154	GLU	2.4
1	A	152	ILE	2.4
1	A	67	THR	2.3
1	A	55	LYS	2.2
1	B	387	ASP	2.2
1	A	389	LYS	2.2
1	B	149	VAL	2.2
1	A	156	LYS	2.2
1	A	91	GLY	2.2
1	A	440	GLY	2.2
1	A	62	VAL	2.2
1	B	212	VAL	2.1
1	A	122	LYS	2.1
1	B	86	GLU	2.1
1	A	176	ASP	2.1
1	A	202	ILE	2.1
1	B	389	LYS	2.0
1	A	185	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CA	A	902	1/1	0.28	13.17	34,34,34,34	0
2	CA	B	902	1/1	0.30	11.33	34,34,34,34	0
2	CA	A	901	1/1	0.12	-0.35	50,50,50,50	1
2	CA	B	901	1/1	0.13	-1.00	57,57,57,57	1
2	CA	A	903	1/1	0.31	-	34,34,34,34	1
2	CA	B	903	1/1	0.23	-	35,35,35,35	1

6.5 Other polymers

There are no such residues in this entry.