



wwPDB X-ray Structure Validation Summary Report

Feb 26, 2014 – 04:36 PM GMT

PDB ID : 4HNN
Title : Dihydrodipicolinate Synthase from the common grapevine with pyruvate and lysine
Authors : Atkinson, S.C; Dobson, R.C.J; Perugini, M.A.
Deposited on : 2012-10-19
Resolution : 2.40 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2207 (2.40-2.40)
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)
RSRZ outliers	66119	2210 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	346	
1	B	346	
1	C	346	
1	D	346	
1	E	346	
1	F	346	
1	G	346	
1	H	346	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	LYS	A	401	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Geometry	Electron density
2	LYS	B	401	-	X
2	LYS	G	401	-	X
2	LYS	H	401	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 20101 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrodipicolinate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	307	Total	C	N	O	S	0	0	0
			2362	1504	404	444	10			
1	B	307	Total	C	N	O	S	0	0	0
			2362	1504	404	444	10			
1	C	308	Total	C	N	O	S	0	0	0
			2369	1508	405	446	10			
1	D	308	Total	C	N	O	S	0	2	0
			2383	1518	409	446	10			
1	E	307	Total	C	N	O	S	0	1	0
			2363	1506	403	444	10			
1	F	320	Total	C	N	O	S	0	3	0
			2471	1573	423	464	11			
1	G	307	Total	C	N	O	S	0	3	0
			2376	1516	404	446	10			
1	H	308	Total	C	N	O	S	0	0	0
			2362	1505	402	445	10			

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	EXPRESSION TAG	UNP D7U7T8
A	-17	GLY	-	EXPRESSION TAG	UNP D7U7T8
A	-16	SER	-	EXPRESSION TAG	UNP D7U7T8
A	-15	SER	-	EXPRESSION TAG	UNP D7U7T8
A	-14	HIS	-	EXPRESSION TAG	UNP D7U7T8
A	-13	HIS	-	EXPRESSION TAG	UNP D7U7T8
A	-12	HIS	-	EXPRESSION TAG	UNP D7U7T8
A	-11	HIS	-	EXPRESSION TAG	UNP D7U7T8
A	-10	HIS	-	EXPRESSION TAG	UNP D7U7T8
A	-9	SER	-	EXPRESSION TAG	UNP D7U7T8
A	-8	SER	-	EXPRESSION TAG	UNP D7U7T8
A	-7	GLY	-	EXPRESSION TAG	UNP D7U7T8
A	-6	LEU	-	EXPRESSION TAG	UNP D7U7T8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	VAL	-	EXPRESSION TAG	UNP D7U7T8
A	-4	PRO	-	EXPRESSION TAG	UNP D7U7T8
A	-3	ARG	-	EXPRESSION TAG	UNP D7U7T8
A	-2	GLY	-	EXPRESSION TAG	UNP D7U7T8
A	-1	SER	-	EXPRESSION TAG	UNP D7U7T8
A	0	HIS	-	EXPRESSION TAG	UNP D7U7T8
A	1	MET	-	EXPRESSION TAG	UNP D7U7T8
B	-18	MET	-	EXPRESSION TAG	UNP D7U7T8
B	-17	GLY	-	EXPRESSION TAG	UNP D7U7T8
B	-16	SER	-	EXPRESSION TAG	UNP D7U7T8
B	-15	SER	-	EXPRESSION TAG	UNP D7U7T8
B	-14	HIS	-	EXPRESSION TAG	UNP D7U7T8
B	-13	HIS	-	EXPRESSION TAG	UNP D7U7T8
B	-12	HIS	-	EXPRESSION TAG	UNP D7U7T8
B	-11	HIS	-	EXPRESSION TAG	UNP D7U7T8
B	-10	HIS	-	EXPRESSION TAG	UNP D7U7T8
B	-9	SER	-	EXPRESSION TAG	UNP D7U7T8
B	-8	SER	-	EXPRESSION TAG	UNP D7U7T8
B	-7	GLY	-	EXPRESSION TAG	UNP D7U7T8
B	-6	LEU	-	EXPRESSION TAG	UNP D7U7T8
B	-5	VAL	-	EXPRESSION TAG	UNP D7U7T8
B	-4	PRO	-	EXPRESSION TAG	UNP D7U7T8
B	-3	ARG	-	EXPRESSION TAG	UNP D7U7T8
B	-2	GLY	-	EXPRESSION TAG	UNP D7U7T8
B	-1	SER	-	EXPRESSION TAG	UNP D7U7T8
B	0	HIS	-	EXPRESSION TAG	UNP D7U7T8
B	1	MET	-	EXPRESSION TAG	UNP D7U7T8
C	-18	MET	-	EXPRESSION TAG	UNP D7U7T8
C	-17	GLY	-	EXPRESSION TAG	UNP D7U7T8
C	-16	SER	-	EXPRESSION TAG	UNP D7U7T8
C	-15	SER	-	EXPRESSION TAG	UNP D7U7T8
C	-14	HIS	-	EXPRESSION TAG	UNP D7U7T8
C	-13	HIS	-	EXPRESSION TAG	UNP D7U7T8
C	-12	HIS	-	EXPRESSION TAG	UNP D7U7T8
C	-11	HIS	-	EXPRESSION TAG	UNP D7U7T8
C	-10	HIS	-	EXPRESSION TAG	UNP D7U7T8
C	-9	SER	-	EXPRESSION TAG	UNP D7U7T8
C	-8	SER	-	EXPRESSION TAG	UNP D7U7T8
C	-7	GLY	-	EXPRESSION TAG	UNP D7U7T8
C	-6	LEU	-	EXPRESSION TAG	UNP D7U7T8
C	-5	VAL	-	EXPRESSION TAG	UNP D7U7T8
C	-4	PRO	-	EXPRESSION TAG	UNP D7U7T8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	ARG	-	EXPRESSION TAG	UNP D7U7T8
C	-2	GLY	-	EXPRESSION TAG	UNP D7U7T8
C	-1	SER	-	EXPRESSION TAG	UNP D7U7T8
C	0	HIS	-	EXPRESSION TAG	UNP D7U7T8
C	1	MET	-	EXPRESSION TAG	UNP D7U7T8
D	-18	MET	-	EXPRESSION TAG	UNP D7U7T8
D	-17	GLY	-	EXPRESSION TAG	UNP D7U7T8
D	-16	SER	-	EXPRESSION TAG	UNP D7U7T8
D	-15	SER	-	EXPRESSION TAG	UNP D7U7T8
D	-14	HIS	-	EXPRESSION TAG	UNP D7U7T8
D	-13	HIS	-	EXPRESSION TAG	UNP D7U7T8
D	-12	HIS	-	EXPRESSION TAG	UNP D7U7T8
D	-11	HIS	-	EXPRESSION TAG	UNP D7U7T8
D	-10	HIS	-	EXPRESSION TAG	UNP D7U7T8
D	-9	SER	-	EXPRESSION TAG	UNP D7U7T8
D	-8	SER	-	EXPRESSION TAG	UNP D7U7T8
D	-7	GLY	-	EXPRESSION TAG	UNP D7U7T8
D	-6	LEU	-	EXPRESSION TAG	UNP D7U7T8
D	-5	VAL	-	EXPRESSION TAG	UNP D7U7T8
D	-4	PRO	-	EXPRESSION TAG	UNP D7U7T8
D	-3	ARG	-	EXPRESSION TAG	UNP D7U7T8
D	-2	GLY	-	EXPRESSION TAG	UNP D7U7T8
D	-1	SER	-	EXPRESSION TAG	UNP D7U7T8
D	0	HIS	-	EXPRESSION TAG	UNP D7U7T8
D	1	MET	-	EXPRESSION TAG	UNP D7U7T8
E	-18	MET	-	EXPRESSION TAG	UNP D7U7T8
E	-17	GLY	-	EXPRESSION TAG	UNP D7U7T8
E	-16	SER	-	EXPRESSION TAG	UNP D7U7T8
E	-15	SER	-	EXPRESSION TAG	UNP D7U7T8
E	-14	HIS	-	EXPRESSION TAG	UNP D7U7T8
E	-13	HIS	-	EXPRESSION TAG	UNP D7U7T8
E	-12	HIS	-	EXPRESSION TAG	UNP D7U7T8
E	-11	HIS	-	EXPRESSION TAG	UNP D7U7T8
E	-10	HIS	-	EXPRESSION TAG	UNP D7U7T8
E	-9	SER	-	EXPRESSION TAG	UNP D7U7T8
E	-8	SER	-	EXPRESSION TAG	UNP D7U7T8
E	-7	GLY	-	EXPRESSION TAG	UNP D7U7T8
E	-6	LEU	-	EXPRESSION TAG	UNP D7U7T8
E	-5	VAL	-	EXPRESSION TAG	UNP D7U7T8
E	-4	PRO	-	EXPRESSION TAG	UNP D7U7T8
E	-3	ARG	-	EXPRESSION TAG	UNP D7U7T8
E	-2	GLY	-	EXPRESSION TAG	UNP D7U7T8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-1	SER	-	EXPRESSION TAG	UNP D7U7T8
E	0	HIS	-	EXPRESSION TAG	UNP D7U7T8
E	1	MET	-	EXPRESSION TAG	UNP D7U7T8
F	-18	MET	-	EXPRESSION TAG	UNP D7U7T8
F	-17	GLY	-	EXPRESSION TAG	UNP D7U7T8
F	-16	SER	-	EXPRESSION TAG	UNP D7U7T8
F	-15	SER	-	EXPRESSION TAG	UNP D7U7T8
F	-14	HIS	-	EXPRESSION TAG	UNP D7U7T8
F	-13	HIS	-	EXPRESSION TAG	UNP D7U7T8
F	-12	HIS	-	EXPRESSION TAG	UNP D7U7T8
F	-11	HIS	-	EXPRESSION TAG	UNP D7U7T8
F	-10	HIS	-	EXPRESSION TAG	UNP D7U7T8
F	-9	SER	-	EXPRESSION TAG	UNP D7U7T8
F	-8	SER	-	EXPRESSION TAG	UNP D7U7T8
F	-7	GLY	-	EXPRESSION TAG	UNP D7U7T8
F	-6	LEU	-	EXPRESSION TAG	UNP D7U7T8
F	-5	VAL	-	EXPRESSION TAG	UNP D7U7T8
F	-4	PRO	-	EXPRESSION TAG	UNP D7U7T8
F	-3	ARG	-	EXPRESSION TAG	UNP D7U7T8
F	-2	GLY	-	EXPRESSION TAG	UNP D7U7T8
F	-1	SER	-	EXPRESSION TAG	UNP D7U7T8
F	0	HIS	-	EXPRESSION TAG	UNP D7U7T8
F	1	MET	-	EXPRESSION TAG	UNP D7U7T8
G	-18	MET	-	EXPRESSION TAG	UNP D7U7T8
G	-17	GLY	-	EXPRESSION TAG	UNP D7U7T8
G	-16	SER	-	EXPRESSION TAG	UNP D7U7T8
G	-15	SER	-	EXPRESSION TAG	UNP D7U7T8
G	-14	HIS	-	EXPRESSION TAG	UNP D7U7T8
G	-13	HIS	-	EXPRESSION TAG	UNP D7U7T8
G	-12	HIS	-	EXPRESSION TAG	UNP D7U7T8
G	-11	HIS	-	EXPRESSION TAG	UNP D7U7T8
G	-10	HIS	-	EXPRESSION TAG	UNP D7U7T8
G	-9	SER	-	EXPRESSION TAG	UNP D7U7T8
G	-8	SER	-	EXPRESSION TAG	UNP D7U7T8
G	-7	GLY	-	EXPRESSION TAG	UNP D7U7T8
G	-6	LEU	-	EXPRESSION TAG	UNP D7U7T8
G	-5	VAL	-	EXPRESSION TAG	UNP D7U7T8
G	-4	PRO	-	EXPRESSION TAG	UNP D7U7T8
G	-3	ARG	-	EXPRESSION TAG	UNP D7U7T8
G	-2	GLY	-	EXPRESSION TAG	UNP D7U7T8
G	-1	SER	-	EXPRESSION TAG	UNP D7U7T8
G	0	HIS	-	EXPRESSION TAG	UNP D7U7T8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	1	MET	-	EXPRESSION TAG	UNP D7U7T8
H	-18	MET	-	EXPRESSION TAG	UNP D7U7T8
H	-17	GLY	-	EXPRESSION TAG	UNP D7U7T8
H	-16	SER	-	EXPRESSION TAG	UNP D7U7T8
H	-15	SER	-	EXPRESSION TAG	UNP D7U7T8
H	-14	HIS	-	EXPRESSION TAG	UNP D7U7T8
H	-13	HIS	-	EXPRESSION TAG	UNP D7U7T8
H	-12	HIS	-	EXPRESSION TAG	UNP D7U7T8
H	-11	HIS	-	EXPRESSION TAG	UNP D7U7T8
H	-10	HIS	-	EXPRESSION TAG	UNP D7U7T8
H	-9	SER	-	EXPRESSION TAG	UNP D7U7T8
H	-8	SER	-	EXPRESSION TAG	UNP D7U7T8
H	-7	GLY	-	EXPRESSION TAG	UNP D7U7T8
H	-6	LEU	-	EXPRESSION TAG	UNP D7U7T8
H	-5	VAL	-	EXPRESSION TAG	UNP D7U7T8
H	-4	PRO	-	EXPRESSION TAG	UNP D7U7T8
H	-3	ARG	-	EXPRESSION TAG	UNP D7U7T8
H	-2	GLY	-	EXPRESSION TAG	UNP D7U7T8
H	-1	SER	-	EXPRESSION TAG	UNP D7U7T8
H	0	HIS	-	EXPRESSION TAG	UNP D7U7T8
H	1	MET	-	EXPRESSION TAG	UNP D7U7T8

- Molecule 2 is LYSINE (three-letter code: LYS) (formula: $C_6H_{15}N_2O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			10	6	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			10	6	2	2		
2	C	1	Total	C	N	O	0	0
			10	6	2	2		
2	D	1	Total	C	N	O	0	0
			10	6	2	2		
2	E	1	Total	C	N	O	0	0
			10	6	2	2		
2	F	1	Total	C	N	O	0	0
			10	6	2	2		
2	G	1	Total	C	N	O	0	0
			10	6	2	2		
2	H	1	Total	C	N	O	0	0
			10	6	2	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	130	Total	O	0	0
			130	130		
3	B	142	Total	O	0	0
			142	142		
3	C	159	Total	O	0	0
			159	159		
3	D	140	Total	O	0	0
			140	140		
3	E	102	Total	O	0	0
			102	102		
3	F	119	Total	O	0	0
			119	119		
3	G	84	Total	O	0	0
			84	84		
3	H	97	Total	O	0	0
			97	97		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Dihydrodipicolinate synthase

Chain A:




• Molecule 1: Dihydrodipicolinate synthase

Chain B:




• Molecule 1: Dihydrodipicolinate synthase

Chain C:




• Molecule 1: Dihydrodipicolinate synthase

Chain D:




• Molecule 1: Dihydrodipicolinate synthase

Chain E:




• Molecule 1: Dihydrodipicolinate synthase

Chain F:




• Molecule 1: Dihydrodipicolinate synthase

Chain G:



• Molecule 1: Dihydrodipicolinate synthase

Chain H:



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	220.61Å 137.93Å 133.94Å 90.00° 108.25° 90.00°	Depositor
Resolution (Å)	127.20 – 2.40 52.02 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.4 (127.20-2.40) 98.4 (52.02-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.181 , 0.216 0.182 , 0.215	Depositor DCC
R_{free} test set	1995 reflections (1.38%)	DCC
Wilson B-factor (Å ²)	25.2	Xtriage
Anisotropy	0.099	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 14.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 146157 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	20101	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: KPI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.90	20/2398 (0.8%)	0.88	6/3263 (0.2%)
1	B	1.97	27/2398 (1.1%)	0.94	7/3263 (0.2%)
1	C	1.14	6/2405 (0.2%)	0.72	2/3273 (0.1%)
1	D	0.94	2/2427 (0.1%)	0.66	0/3303
1	E	0.90	3/2403 (0.1%)	0.64	3/3271 (0.1%)
1	F	0.88	3/2519 (0.1%)	0.64	1/3428 (0.0%)
1	G	0.86	2/2423 (0.1%)	0.66	4/3298 (0.1%)
1	H	0.86	3/2398 (0.1%)	0.63	1/3264 (0.0%)
All	All	1.26	66/19371 (0.3%)	0.73	24/26363 (0.1%)

The worst 5 of 66 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	186	CYS	CB-SG	-9.56	1.66	1.82
1	C	186	CYS	CB-SG	-8.60	1.67	1.82
1	G	138[A]	GLU	N-CA	-8.27	1.29	1.46
1	G	138[B]	GLU	N-CA	-8.27	1.29	1.46
1	C	72	GLU	CD-OE2	-7.91	1.17	1.25

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	43	ARG	NE-CZ-NH2	-7.47	116.57	120.30
1	G	304	ARG	NE-CZ-NH2	-6.77	116.91	120.30
1	A	237	LEU	CA-CB-CG	6.64	130.57	115.30
1	H	237	LEU	CA-CB-CG	6.62	130.51	115.30
1	E	237	LEU	CA-CB-CG	6.58	130.43	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2362	0	2354	30	0
1	B	2362	0	2354	21	0
1	C	2369	0	2361	27	0
1	D	2383	0	2375	28	0
1	E	2363	0	2350	26	0
1	F	2471	0	2455	22	0
1	G	2376	0	2360	28	0
1	H	2362	0	2344	21	0
2	A	10	0	12	3	0
2	B	10	0	12	0	0
2	C	10	0	12	2	0
2	D	10	0	12	0	0
2	E	10	0	12	3	0
2	F	10	0	12	1	0
2	G	10	0	12	0	0
2	H	10	0	12	0	0
3	A	130	0	0	2	0
3	B	142	0	0	0	0
3	C	159	0	0	2	0
3	D	140	0	0	1	0
3	E	102	0	0	0	0
3	F	119	0	0	0	0
3	G	84	0	0	0	0
3	H	97	0	0	0	0
All	All	20101	0	19049	196	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 5.

The worst 5 of 196 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:98:VAL:H	1:A:123:HIS:HD2	1.04	1.00
1:B:98:VAL:H	1:B:123:HIS:HD2	1.09	0.99
1:C:98:VAL:H	1:C:123:HIS:HD2	1.02	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:98:VAL:H	1:E:123:HIS:HD2	1.03	0.98
1:G:98:VAL:H	1:G:123:HIS:HD2	1.12	0.97

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	304/346 (88%)	298 (98%)	6 (2%)	0	100	100
1	B	304/346 (88%)	300 (99%)	3 (1%)	1 (0%)	50	68
1	C	305/346 (88%)	302 (99%)	3 (1%)	0	100	100
1	D	307/346 (89%)	301 (98%)	6 (2%)	0	100	100
1	E	305/346 (88%)	300 (98%)	5 (2%)	0	100	100
1	F	320/346 (92%)	315 (98%)	5 (2%)	0	100	100
1	G	307/346 (89%)	303 (99%)	4 (1%)	0	100	100
1	H	305/346 (88%)	298 (98%)	6 (2%)	1 (0%)	50	68
All	All	2457/2768 (89%)	2417 (98%)	38 (2%)	2 (0%)	59	78

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	245	SER
1	B	79	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/292 (88%)	241 (94%)	16 (6%)	26	39
1	B	257/292 (88%)	244 (95%)	13 (5%)	33	50
1	C	258/292 (88%)	250 (97%)	8 (3%)	52	74
1	D	260/292 (89%)	258 (99%)	2 (1%)	89	96
1	E	257/292 (88%)	253 (98%)	4 (2%)	75	89
1	F	269/292 (92%)	261 (97%)	8 (3%)	53	75
1	G	258/292 (88%)	253 (98%)	5 (2%)	69	87
1	H	255/292 (87%)	250 (98%)	5 (2%)	68	86
All	All	2071/2336 (89%)	2010 (97%)	61 (3%)	55	76

5 of 61 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	259	GLU
1	C	187	VAL
1	H	34	ILE
1	B	310	GLU
1	C	26	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 71 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	116	GLN
1	E	262	ASN
1	H	194	GLN
1	E	123	HIS
1	E	206	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	KPI	A	184	1	13,13,14	3.93	4 (30%)	13,15,17	1.90	2 (15%)
1	KPI	B	184	1	13,13,14	4.24	5 (38%)	13,15,17	2.20	4 (30%)
1	KPI	C	184	1	13,13,14	4.53	6 (46%)	13,15,17	2.16	2 (15%)
1	KPI	D	184	1	13,13,14	3.97	3 (23%)	13,15,17	1.89	5 (38%)
1	KPI	E	184	1	13,13,14	4.08	3 (23%)	13,15,17	2.21	4 (30%)
1	KPI	F	184	1	13,13,14	3.88	4 (30%)	13,15,17	2.68	5 (38%)
1	KPI	G	184	1	13,13,14	3.93	4 (30%)	13,15,17	2.89	5 (38%)
1	KPI	H	184	1	13,13,14	3.69	5 (38%)	13,15,17	2.82	6 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KPI	A	184	1	-	0/12/14/16	0/0/0/0
1	KPI	B	184	1	-	0/12/14/16	0/0/0/0
1	KPI	C	184	1	-	0/12/14/16	0/0/0/0
1	KPI	D	184	1	-	0/12/14/16	0/0/0/0
1	KPI	E	184	1	-	0/12/14/16	0/0/0/0
1	KPI	F	184	1	-	0/12/14/16	0/0/0/0
1	KPI	G	184	1	-	0/12/14/16	0/0/0/0
1	KPI	H	184	1	-	0/12/14/16	0/0/0/0

The worst 5 of 34 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	184	KPI	O-C	14.18	1.21	1.11
1	D	184	KPI	O-C	13.29	1.20	1.11
1	B	184	KPI	O-C	13.28	1.20	1.11
1	E	184	KPI	O-C	13.08	1.20	1.11
1	G	184	KPI	O-C	12.81	1.20	1.11

The worst 5 of 33 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	184	KPI	C-CA-N	-8.18	105.66	113.83
1	G	184	KPI	C-CA-N	-7.80	106.04	113.83
1	F	184	KPI	C-CA-N	-7.26	106.58	113.83
1	C	184	KPI	C-CA-N	-6.70	107.14	113.83
1	B	184	KPI	C-CA-N	-6.33	107.51	113.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	LYS	A	401	-	9,9,9	0.66	0	10,10,10	1.29	1 (10%)
2	LYS	B	401	-	9,9,9	0.65	0	10,10,10	1.26	2 (20%)
2	LYS	C	401	-	9,9,9	0.63	0	10,10,10	1.35	1 (10%)
2	LYS	D	401	-	9,9,9	0.69	0	10,10,10	1.39	2 (20%)
2	LYS	E	401	-	9,9,9	0.66	0	10,10,10	1.34	2 (20%)
2	LYS	F	401	-	9,9,9	0.65	0	10,10,10	1.08	1 (10%)
2	LYS	G	401	-	9,9,9	0.65	0	10,10,10	1.27	2 (20%)
2	LYS	H	401	-	9,9,9	0.71	0	10,10,10	1.51	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LYS	A	401	-	-	0/9/9/9	0/0/0/0
2	LYS	B	401	-	-	0/9/9/9	0/0/0/0
2	LYS	C	401	-	-	0/9/9/9	0/0/0/0
2	LYS	D	401	-	-	0/9/9/9	0/0/0/0
2	LYS	E	401	-	-	0/9/9/9	0/0/0/0
2	LYS	F	401	-	-	0/9/9/9	0/0/0/0
2	LYS	G	401	-	-	0/9/9/9	0/0/0/0
2	LYS	H	401	-	-	0/9/9/9	0/0/0/0

There are no bond length outliers.

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	401	LYS	OXT-C-O	-2.96	117.37	124.07
2	C	401	LYS	OXT-C-O	-2.80	117.74	124.07
2	H	401	LYS	C-CA-N	2.79	113.98	109.36
2	A	401	LYS	OXT-C-O	-2.75	117.86	124.07
2	D	401	LYS	OXT-C-O	-2.72	117.92	124.07

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	307/346 (88%)	-0.37	1 (0%) 91 92	13, 22, 35, 44	0
1	B	307/346 (88%)	-0.39	2 (0%) 84 84	13, 20, 30, 41	0
1	C	308/346 (89%)	-0.50	1 (0%) 91 92	11, 17, 28, 38	0
1	D	308/346 (89%)	-0.44	0 100 100	12, 19, 29, 39	0
1	E	307/346 (88%)	-0.28	2 (0%) 84 84	16, 25, 38, 43	0
1	F	320/346 (92%)	-0.19	2 (0%) 86 86	15, 23, 41, 55	0
1	G	307/346 (88%)	-0.01	10 (3%) 44 42	15, 27, 43, 50	0
1	H	308/346 (89%)	-0.17	2 (0%) 86 86	14, 26, 41, 47	0
All	All	2472/2768 (89%)	-0.29	20 (0%) 83 82	11, 22, 39, 55	0

The worst 5 of 20 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	250	ILE	3.7
1	G	211[A]	HIS	3.2
1	C	20	THR	3.1
1	A	199	ARG	3.1
1	G	237	LEU	3.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
1	KPI	A	184	14/15	0.14	1.86	20,21,22,23	0
1	KPI	D	184	14/15	0.12	1.19	16,18,23,23	0
1	KPI	G	184	14/15	0.14	0.83	21,23,26,28	0
1	KPI	H	184	14/15	0.13	0.74	24,24,29,30	0
1	KPI	B	184	14/15	0.12	0.54	18,19,21,22	0
1	KPI	C	184	14/15	0.11	-0.14	10,11,17,20	0
1	KPI	F	184	14/15	0.11	-0.39	16,20,26,26	0
1	KPI	E	184	14/15	0.10	-0.41	19,21,25,27	0

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	LYS	B	401	10/10	0.23	5.38	17,20,21,21	0
2	LYS	A	401	10/10	0.19	3.01	16,17,17,17	0
2	LYS	H	401	10/10	0.18	2.86	16,19,20,20	0
2	LYS	G	401	10/10	0.17	2.23	17,18,18,19	0
2	LYS	F	401	10/10	0.18	1.79	19,21,21,21	0
2	LYS	D	401	10/10	0.15	1.79	17,19,19,19	0
2	LYS	C	401	10/10	0.17	1.67	11,15,15,16	0
2	LYS	E	401	10/10	0.15	1.47	21,22,22,22	0

6.5 Other polymers

There are no such residues in this entry.