



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 07:03 AM GMT

PDB ID : 1HQN
Title : THE SELENOMETHIONINE DERIVATIVE OF P3, THE MAJOR COAT PROTEIN OF THE LIPID-CONTAINING BACTERIOPHAGE PRD1.
Authors : Benson, S.D.; Bamford, J.K.H.; Bamford, D.H.; Burnett, R.M.
Deposited on : 2000-12-18
Resolution : 2.20 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	3751 (2.20-2.20)
Ramachandran outliers	78287	3681 (2.20-2.20)
Sidechain outliers	78261	3682 (2.20-2.20)
RSRZ outliers	66119	2939 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	394	
1	B	394	
1	C	394	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8974 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MAJOR CAPSID PROTEIN.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	369	Total	C	N	O	S	Se	0	0	0
			2842	1807	479	549	2	5			
1	B	370	Total	C	N	O	S	Se	0	0	0
			2832	1800	478	547	2	5			
1	C	372	Total	C	N	O	S	Se	0	0	0
			2863	1819	483	554	2	5			

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	21	MSE	MET	MODIFIED RESIDUE	UNP P22535
A	133	MSE	MET	MODIFIED RESIDUE	UNP P22535
A	145	MSE	MET	MODIFIED RESIDUE	UNP P22535
A	164	MSE	MET	MODIFIED RESIDUE	UNP P22535
A	375	MSE	MET	MODIFIED RESIDUE	UNP P22535
B	21	MSE	MET	MODIFIED RESIDUE	UNP P22535
B	133	MSE	MET	MODIFIED RESIDUE	UNP P22535
B	145	MSE	MET	MODIFIED RESIDUE	UNP P22535
B	164	MSE	MET	MODIFIED RESIDUE	UNP P22535
B	375	MSE	MET	MODIFIED RESIDUE	UNP P22535
C	21	MSE	MET	MODIFIED RESIDUE	UNP P22535
C	133	MSE	MET	MODIFIED RESIDUE	UNP P22535
C	145	MSE	MET	MODIFIED RESIDUE	UNP P22535
C	164	MSE	MET	MODIFIED RESIDUE	UNP P22535
C	375	MSE	MET	MODIFIED RESIDUE	UNP P22535

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	147	Total	O	0	0
			147	147		
2	B	167	Total	O	0	0
			167	167		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	123	Total 123	O 123	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: MAJOR CAPSID PROTEIN

Chain A: 




• Molecule 1: MAJOR CAPSID PROTEIN

Chain B: 



• Molecule 1: MAJOR CAPSID PROTEIN

Chain C: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	117.96Å 121.30Å 126.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.63 – 2.20 48.91 – 2.14	Depositor EDS
% Data completeness (in resolution range)	88.9 (40.63-2.20) 86.1 (48.91-2.14)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	6.50	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.29 (at 2.14Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.200 , 0.227 0.213 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	22.1	Xtriage
Anisotropy	0.185	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.5	EDS
Estimated twinning fraction	0.011 for k,h,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 145672 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	8974	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/2902	0.67	0/3962
1	B	0.38	0/2891	0.67	1/3948 (0.0%)
1	C	0.37	0/2923	0.67	0/3991
All	All	0.37	0/8716	0.67	1/11901 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	162	LEU	CA-CB-CG	5.37	127.64	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2842	0	2733	67	0
1	B	2832	0	2716	66	0
1	C	2863	0	2753	79	0
2	A	147	0	0	7	0
2	B	167	0	0	1	0
2	C	123	0	0	1	0
All	All	8974	0	8202	205	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 12.

All (205) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:164:MSE:HE1	1:C:139:ILE:HD11	1.15	1.10
1:B:164:MSE:CE	1:C:139:ILE:HD11	1.90	1.01
1:A:310:THR:HG22	1:A:358:VAL:HG22	1.40	1.01
1:B:92:PRO:HG2	1:B:164:MSE:HE2	1.48	0.96
1:C:281:LEU:HD23	1:C:353:LEU:HD21	1.52	0.92
1:B:92:PRO:HB2	1:B:164:MSE:HG2	1.53	0.89
1:B:93:ALA:N	1:B:164:MSE:HE3	1.88	0.89
1:A:80:HIS:CD2	1:A:83:GLU:H	1.91	0.89
1:B:36:TYR:CE1	1:B:238:ASP:HB3	2.08	0.87
1:B:80:HIS:HD2	1:B:83:GLU:H	1.23	0.85
1:A:80:HIS:HD2	1:A:83:GLU:H	1.24	0.83
1:B:36:TYR:HE1	1:B:238:ASP:HB3	1.42	0.81
1:B:184:ASN:O	1:B:186:PRO:HD3	1.80	0.81
1:C:307:SER:HB3	1:C:318:LYS:HA	1.65	0.79
1:B:80:HIS:CD2	1:B:83:GLU:H	2.00	0.78
1:A:352:THR:O	1:A:353:LEU:HG	1.84	0.77
1:C:280:ASN:ND2	1:C:281:LEU:H	1.83	0.77
1:C:80:HIS:HD2	1:C:82:THR:H	1.32	0.75
1:C:310:THR:H	1:C:314:SER:CB	2.00	0.74
1:C:184:ASN:O	1:C:186:PRO:HD3	1.88	0.73
1:B:314:SER:O	1:B:315:ASP:HB2	1.89	0.73
1:B:92:PRO:HG2	1:B:164:MSE:CE	2.20	0.71
1:C:280:ASN:HB2	1:C:352:THR:HG23	1.74	0.70
1:A:239:GLN:HA	1:A:239:GLN:HE21	1.56	0.70
1:B:133:MSE:HE2	1:C:133:MSE:SE	2.42	0.69
1:B:45:GLN:HE22	1:B:52:ARG:HH22	1.40	0.69
1:C:280:ASN:HB3	1:C:352:THR:OG1	1.93	0.68
1:A:24:ASN:HD21	1:A:253:ASP:H	1.39	0.68
1:B:24:ASN:HD21	1:B:253:ASP:H	1.42	0.67
1:A:28:ARG:HD3	1:A:253:ASP:OD2	1.95	0.67
1:C:280:ASN:CG	1:C:281:LEU:H	1.96	0.67
1:A:106:ASN:HB2	1:A:189:LYS:HD2	1.77	0.67
1:B:92:PRO:O	1:B:164:MSE:HG3	1.95	0.66
1:B:92:PRO:CG	1:B:164:MSE:HE2	2.25	0.66
1:B:120:VAL:HG21	1:B:260:LEU:HD13	1.78	0.66
1:C:80:HIS:CD2	1:C:83:GLU:H	2.13	0.65
1:C:310:THR:H	1:C:314:SER:HB3	1.61	0.65
1:C:308:GLN:HE22	1:C:345:ASN:HD21	1.46	0.64
1:C:80:HIS:CD2	1:C:82:THR:H	2.15	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:279:ALA:HA	1:A:355:TYR:CD1	2.32	0.63
1:B:24:ASN:HD22	1:B:252:ILE:H	1.47	0.63
1:C:280:ASN:C	1:C:282:TYR:H	2.01	0.62
2:A:459:HOH:O	1:B:145:MSE:HE1	1.99	0.62
1:B:308:GLN:HE22	1:B:345:ASN:HD21	1.48	0.62
1:C:120:VAL:HG21	1:C:260:LEU:HD13	1.83	0.61
1:A:279:ALA:HA	1:A:355:TYR:HD1	1.66	0.59
1:A:80:HIS:HD2	1:A:82:THR:H	1.51	0.58
1:A:148:ILE:HD11	1:A:165:TYR:HB2	1.86	0.58
2:A:507:HOH:O	1:C:148:ILE:HG12	2.04	0.58
1:C:24:ASN:HD21	1:C:253:ASP:H	1.52	0.58
1:A:310:THR:O	1:A:312:ASN:N	2.34	0.57
1:A:25:LEU:O	1:A:29:GLN:HG3	2.05	0.57
1:C:103:ASP:HB2	1:C:104:PRO:CD	2.34	0.57
1:B:45:GLN:HE22	1:B:52:ARG:NH2	2.01	0.57
1:B:310:THR:HG22	1:B:311:ALA:N	2.19	0.57
1:A:308:GLN:HE22	1:A:345:ASN:HD21	1.52	0.57
1:A:307:SER:HB2	1:A:318:LYS:HA	1.87	0.56
2:A:508:HOH:O	1:C:148:ILE:HG13	2.05	0.56
1:B:280:ASN:O	1:B:281:LEU:HB2	2.06	0.56
1:C:280:ASN:CG	1:C:352:THR:H	2.08	0.56
1:C:184:ASN:H	1:C:184:ASN:HD22	1.53	0.56
1:A:147:VAL:HG12	1:A:148:ILE:CD1	2.35	0.56
1:C:280:ASN:HB2	1:C:352:THR:CG2	2.35	0.56
1:A:103:ASP:HB2	1:A:104:PRO:CD	2.37	0.55
1:B:25:LEU:O	1:B:29:GLN:HG3	2.06	0.55
1:A:24:ASN:ND2	1:A:253:ASP:H	2.05	0.55
2:A:507:HOH:O	1:C:148:ILE:HD11	2.06	0.55
1:A:24:ASN:HD22	1:A:252:ILE:H	1.54	0.55
1:B:280:ASN:HA	1:B:352:THR:OG1	2.07	0.55
1:A:255:SER:HA	1:A:383:ARG:HD2	1.88	0.55
1:A:120:VAL:HG21	1:A:260:LEU:HD13	1.88	0.55
1:A:24:ASN:HA	2:A:499:HOH:O	2.05	0.54
1:B:92:PRO:C	1:B:164:MSE:HE3	2.27	0.54
1:A:49:PRO:HG3	1:A:228:ILE:HD12	1.89	0.53
1:B:51:ASN:C	1:B:52:ARG:HG3	2.29	0.52
1:B:30:ILE:HB	1:B:248:ILE:HD11	1.90	0.52
1:C:103:ASP:HB2	1:C:104:PRO:HD2	1.91	0.52
1:A:276:VAL:HG21	1:A:375:MSE:HE3	1.92	0.52
1:A:61:ASN:HA	1:A:183:ALA:HB1	1.91	0.52
1:B:242:VAL:HA	1:B:247:TYR:HA	1.91	0.52
1:B:311:ALA:C	1:B:313:PHE:H	2.12	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:80:HIS:CD2	1:A:82:THR:H	2.28	0.51
1:B:271:ASN:HD22	1:B:304:ASN:HD21	1.57	0.51
1:C:280:ASN:HD22	1:C:353:LEU:CD2	2.24	0.51
1:B:24:ASN:ND2	1:B:252:ILE:H	2.09	0.51
1:C:310:THR:HG22	1:C:358:VAL:HG22	1.93	0.51
1:A:375:MSE:HG2	1:A:377:TYR:OH	2.11	0.51
1:C:161:GLU:C	1:C:162:LEU:HD23	2.30	0.51
1:C:57:VAL:O	1:C:59:PRO:HD3	2.10	0.51
1:B:103:ASP:HB2	1:B:104:PRO:HD2	1.93	0.50
1:A:280:ASN:O	1:A:281:LEU:HB2	2.11	0.50
1:A:79:ASN:O	1:A:79:ASN:CG	2.50	0.50
1:B:93:ALA:CA	1:B:164:MSE:HE3	2.41	0.50
1:C:353:LEU:HD22	1:C:353:LEU:N	2.25	0.50
1:B:161:GLU:C	1:B:162:LEU:HD23	2.31	0.50
1:A:305:TYR:CZ	1:A:318:LYS:HE3	2.47	0.50
1:C:80:HIS:HD2	1:C:83:GLU:H	1.55	0.50
1:A:147:VAL:HG12	1:A:148:ILE:HD12	1.94	0.50
2:A:507:HOH:O	1:C:148:ILE:CD1	2.58	0.50
1:B:49:PRO:HA	1:B:52:ARG:O	2.12	0.49
1:A:39:ILE:HD11	1:A:233:TYR:HB3	1.94	0.49
1:C:369:GLN:O	1:C:370:ASN:HB2	2.12	0.49
1:B:103:ASP:HB2	1:B:104:PRO:CD	2.42	0.49
1:C:310:THR:OG1	1:C:314:SER:HB2	2.11	0.49
1:C:280:ASN:CB	1:C:352:THR:OG1	2.59	0.49
1:B:45:GLN:NE2	1:B:52:ARG:HH22	2.10	0.49
1:C:280:ASN:CG	1:C:281:LEU:N	2.64	0.49
1:B:27:ALA:O	1:B:31:VAL:HG12	2.12	0.49
1:C:280:ASN:O	1:C:281:LEU:HB2	2.13	0.49
1:A:97:GLN:NE2	1:A:201:THR:HG21	2.28	0.48
1:C:61:ASN:HD22	1:C:190:GLN:HE21	1.61	0.48
1:C:148:ILE:O	1:C:148:ILE:HG12	2.12	0.48
1:C:184:ASN:ND2	1:C:184:ASN:H	2.11	0.48
1:C:130:LEU:O	1:C:148:ILE:CD1	2.61	0.48
1:A:83:GLU:HB3	1:A:218:ALA:HB3	1.95	0.48
1:C:277:GLN:HB3	1:C:357:ASN:HD21	1.79	0.48
1:C:83:GLU:HB3	1:C:218:ALA:HB3	1.96	0.48
1:C:280:ASN:OD1	1:C:282:TYR:O	2.32	0.48
1:A:308:GLN:HE22	1:A:345:ASN:ND2	2.12	0.48
1:C:314:SER:OG	1:C:316:THR:HG23	2.14	0.47
1:B:59:PRO:CG	1:B:190:GLN:HB2	2.43	0.47
1:C:248:ILE:HD12	1:C:248:ILE:N	2.29	0.47
1:C:151:PRO:HD2	1:C:162:LEU:HD22	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:A:507:HOH:O	1:C:148:ILE:CG1	2.61	0.47
1:B:30:ILE:HB	1:B:248:ILE:CD1	2.45	0.47
1:B:103:ASP:OD2	1:B:107:GLN:HB3	2.15	0.47
1:C:280:ASN:O	1:C:281:LEU:CB	2.63	0.47
1:B:80:HIS:HD2	1:B:82:THR:H	1.63	0.47
1:C:103:ASP:OD2	1:C:107:GLN:HB2	2.15	0.47
1:A:161:GLU:C	1:A:162:LEU:HD23	2.35	0.47
1:B:307:SER:HB2	1:B:318:LYS:HA	1.96	0.46
1:A:239:GLN:HA	1:A:239:GLN:NE2	2.28	0.46
1:C:24:ASN:ND2	1:C:252:ILE:H	2.13	0.46
1:C:14:ALA:C	1:C:16:ARG:H	2.18	0.46
1:A:325:ALA:HB2	1:B:145:MSE:HG2	1.97	0.46
1:A:242:VAL:HA	1:A:247:TYR:HA	1.98	0.46
1:C:280:ASN:ND2	1:C:352:THR:N	2.63	0.46
1:A:24:ASN:ND2	1:A:250:PRO:HB2	2.31	0.46
1:B:80:HIS:CD2	1:B:82:THR:H	2.33	0.46
1:A:151:PRO:HD2	1:A:162:LEU:HD22	1.97	0.46
1:C:384:THR:HG23	1:C:384:THR:O	2.15	0.45
1:B:241:PRO:HG2	1:B:248:ILE:HG13	1.98	0.45
1:A:28:ARG:HD2	1:A:177:LEU:H	1.81	0.45
1:A:309:ARG:NH1	1:A:315:ASP:OD2	2.49	0.45
1:C:278:TYR:O	1:C:280:ASN:N	2.47	0.45
1:A:276:VAL:HG21	1:A:375:MSE:CE	2.47	0.45
1:B:162:LEU:N	1:B:162:LEU:HD23	2.31	0.45
1:A:174:GLU:HA	1:A:174:GLU:OE1	2.17	0.45
1:B:92:PRO:HB2	1:B:164:MSE:CG	2.36	0.45
1:C:280:ASN:HD22	1:C:353:LEU:HD23	1.82	0.45
1:B:310:THR:CG2	1:B:311:ALA:N	2.80	0.45
1:C:242:VAL:HA	1:C:247:TYR:HA	1.99	0.45
1:B:277:GLN:OE1	1:B:357:ASN:ND2	2.47	0.44
1:C:184:ASN:N	1:C:184:ASN:HD22	2.12	0.44
1:B:308:GLN:HE22	1:B:345:ASN:ND2	2.15	0.44
1:B:305:TYR:CZ	1:B:318:LYS:HE3	2.53	0.44
1:A:369:GLN:O	1:A:370:ASN:HB2	2.18	0.43
1:A:59:PRO:CG	1:A:190:GLN:HG2	2.48	0.43
1:C:271:ASN:HD22	1:C:304:ASN:HD21	1.64	0.43
1:A:271:ASN:HD22	1:A:304:ASN:HD21	1.67	0.43
1:C:338:LYS:NZ	1:C:338:LYS:HB2	2.33	0.43
1:B:248:ILE:HG13	1:B:248:ILE:O	2.19	0.43
1:C:98:ARG:NH2	1:C:111:GLU:OE2	2.52	0.43
1:B:42:VAL:HG11	1:B:234:GLN:HB2	2.00	0.43
1:A:39:ILE:HG23	1:C:317:ARG:HA	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:284:TYR:HB2	1:C:350:ILE:HB	2.00	0.43
1:B:314:SER:O	1:B:315:ASP:CB	2.65	0.42
1:A:211:LEU:HD21	1:A:374:LEU:HD13	2.00	0.42
1:A:338:LYS:HB2	1:A:338:LYS:HE3	1.85	0.42
1:A:103:ASP:HB2	1:A:104:PRO:HD2	2.01	0.42
1:A:140:LYS:HG3	1:C:89:ASP:HA	1.99	0.42
1:A:352:THR:HG22	1:A:358:VAL:HG23	2.02	0.42
1:A:260:LEU:HA	1:A:377:TYR:O	2.20	0.42
1:A:59:PRO:HB3	1:A:68:PHE:HE2	1.85	0.42
1:C:314:SER:O	1:C:315:ASP:HB2	2.20	0.42
1:C:148:ILE:H	1:C:148:ILE:HD13	1.84	0.42
1:C:307:SER:CB	1:C:318:LYS:HA	2.42	0.42
1:A:36:TYR:CE2	1:C:316:THR:HG22	2.54	0.42
1:A:353:LEU:HA	1:A:353:LEU:HD23	1.93	0.41
1:C:39:ILE:O	1:C:39:ILE:HG23	2.20	0.41
1:B:24:ASN:ND2	1:B:252:ILE:HB	2.34	0.41
1:C:280:ASN:OD1	1:C:351:TYR:HA	2.19	0.41
1:B:179:GLY:HA2	1:B:256:THR:O	2.21	0.41
1:B:200:ASN:ND2	2:B:496:HOH:O	2.48	0.41
1:B:275:VAL:HG22	1:B:361:VAL:HG22	2.03	0.41
1:C:271:ASN:ND2	1:C:304:ASN:HD21	2.19	0.41
1:C:262:ASN:HA	1:C:375:MSE:O	2.20	0.41
1:A:42:VAL:HG21	1:A:234:GLN:HB2	2.02	0.41
1:A:59:PRO:HB2	1:A:234:GLN:OE1	2.20	0.41
1:B:185:VAL:HG12	1:B:188:SER:HB2	2.03	0.41
1:A:59:PRO:HB3	1:A:68:PHE:CE2	2.55	0.41
1:B:39:ILE:HG23	1:B:39:ILE:O	2.21	0.41
1:A:290:VAL:HB	1:A:374:LEU:HB2	2.03	0.41
1:B:310:THR:O	1:B:313:PHE:N	2.55	0.40
1:A:59:PRO:HG2	1:A:190:GLN:HG2	2.03	0.40
1:C:52:ARG:NH2	2:C:495:HOH:O	2.43	0.40
1:A:352:THR:OG1	1:A:353:LEU:N	2.54	0.40
1:B:71:LYS:O	1:B:230:TYR:HA	2.21	0.40
1:C:179:GLY:HA2	1:C:256:THR:O	2.21	0.40
1:A:39:ILE:O	1:A:39:ILE:HG23	2.22	0.40
1:C:25:LEU:O	1:C:29:GLN:HG3	2.22	0.40
1:C:61:ASN:ND2	1:C:190:GLN:HE21	2.19	0.40
1:A:162:LEU:HD23	1:A:162:LEU:N	2.36	0.40
1:C:211:LEU:HG	1:C:212:GLU:HG2	2.03	0.40
1:B:24:ASN:ND2	1:B:253:ASP:H	2.12	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	367/394 (93%)	343 (94%)	18 (5%)	6 (2%)	14	9
1	B	368/394 (93%)	345 (94%)	19 (5%)	4 (1%)	21	16
1	C	370/394 (94%)	341 (92%)	26 (7%)	3 (1%)	27	24
All	All	1105/1182 (94%)	1029 (93%)	63 (6%)	13 (1%)	19	14

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	353	LEU
1	C	280	ASN
1	C	314	SER
1	A	311	ALA
1	B	315	ASP
1	B	355	TYR
1	C	312	ASN
1	A	312	ASN
1	B	312	ASN
1	A	17	ASN
1	B	314	SER
1	A	352	THR
1	A	355	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	296/320 (92%)	289 (98%)	7 (2%)	61	73
1	B	293/320 (92%)	284 (97%)	9 (3%)	52	63

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	298/320 (93%)	292 (98%)	6 (2%)	68	79
All	All	887/960 (92%)	865 (98%)	22 (2%)	60	71

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	ASP
1	A	162	LEU
1	A	227	GLU
1	A	239	GLN
1	A	245	ASN
1	A	268	LEU
1	A	309	ARG
1	B	25	LEU
1	B	36	TYR
1	B	52	ARG
1	B	161	GLU
1	B	162	LEU
1	B	164	MSE
1	B	184	ASN
1	B	327	GLN
1	B	331	ARG
1	C	56	ASP
1	C	148	ILE
1	C	162	LEU
1	C	184	ASN
1	C	331	ARG
1	C	355	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	41	GLN
1	A	80	HIS
1	A	97	GLN
1	A	190	GLN
1	A	200	ASN
1	A	239	GLN
1	A	245	ASN
1	A	271	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	308	GLN
1	B	24	ASN
1	B	40	GLN
1	B	41	GLN
1	B	45	GLN
1	B	80	HIS
1	B	107	GLN
1	B	184	ASN
1	B	200	ASN
1	B	239	GLN
1	B	271	ASN
1	B	345	ASN
1	C	24	ASN
1	C	61	ASN
1	C	80	HIS
1	C	184	ASN
1	C	200	ASN
1	C	234	GLN
1	C	265	GLN
1	C	271	ASN
1	C	277	GLN
1	C	280	ASN
1	C	308	GLN
1	C	357	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	369/394 (93%)	-0.16	22 (5%) 21 21	10, 25, 56, 67	0
1	B	370/394 (93%)	-0.18	22 (5%) 22 21	10, 24, 59, 65	0
1	C	372/394 (94%)	-0.09	24 (6%) 18 18	12, 28, 59, 67	0
All	All	1111/1182 (93%)	-0.14	68 (6%) 21 20	10, 25, 58, 67	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	186	PRO	7.2
1	C	355	TYR	6.8
1	A	313	PHE	6.2
1	B	353	LEU	6.0
1	C	311	ALA	5.8
1	C	384	THR	5.7
1	A	355	TYR	5.4
1	A	353	LEU	5.1
1	C	313	PHE	5.0
1	B	313	PHE	4.5
1	C	385	GLU	4.5
1	B	281	LEU	4.5
1	C	281	LEU	4.5
1	A	384	THR	4.3
1	A	243	GLY	4.3
1	A	184	ASN	4.2
1	B	244	GLN	4.2
1	B	246	GLY	4.1
1	A	311	ALA	4.1
1	C	14	ALA	4.1
1	B	356	GLY	4.0
1	C	247	TYR	3.9
1	B	243	GLY	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	314	SER	3.8
1	B	187	GLN	3.8
1	C	18	GLN	3.8
1	B	384	THR	3.8
1	B	186	PRO	3.7
1	B	184	ASN	3.7
1	A	244	GLN	3.6
1	A	312	ASN	3.6
1	C	356	GLY	3.5
1	A	36	TYR	3.5
1	A	245	ASN	3.5
1	C	314	SER	3.5
1	C	187	GLN	3.4
1	A	16	ARG	3.3
1	B	311	ALA	3.3
1	C	280	ASN	3.3
1	A	242	VAL	3.2
1	A	185	VAL	3.2
1	A	281	LEU	3.1
1	B	36	TYR	3.1
1	B	245	ASN	3.1
1	A	356	GLY	3.0
1	B	242	VAL	2.9
1	B	247	TYR	2.8
1	C	354	GLN	2.8
1	B	355	TYR	2.7
1	B	354	GLN	2.7
1	C	36	TYR	2.7
1	A	187	GLN	2.6
1	C	315	ASP	2.5
1	A	247	TYR	2.5
1	C	244	GLN	2.5
1	C	243	GLY	2.5
1	A	314	SER	2.4
1	C	185	VAL	2.4
1	A	189	LYS	2.3
1	B	312	ASN	2.3
1	A	280	ASN	2.3
1	C	245	ASN	2.2
1	B	16	ARG	2.1
1	C	242	VAL	2.1
1	B	383	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	186	PRO	2.1
1	C	148	ILE	2.0
1	C	369	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.