



# wwPDB X-ray Structure Validation Summary Report

Feb 26, 2014 – 09:47 PM GMT

PDB ID : 3HQP  
Title : Crystal structure of Leishmania mexicana pyruvate kinase (LmPYK) in complex with ATP, Oxalate and fructose 2,6 bisphosphate  
Authors : Morgan, H.P.; Walkinshaw, M.D.  
Deposited on : 2009-06-08  
Resolution : 2.30 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	499	
1	B	499	
1	C	499	
1	D	499	
1	E	499	
1	F	499	
1	G	499	
1	H	499	
1	I	499	
1	J	499	
1	K	499	
1	L	499	
1	M	499	
1	N	499	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	O	499	
1	P	499	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	MG	A	500	-	X
2	MG	A	502	-	X
2	MG	B	502	-	X
2	MG	C	500	-	X
2	MG	F	500	-	X
2	MG	F	502	-	X
2	MG	G	500	-	X
2	MG	G	502	-	X
2	MG	H	502	-	X
2	MG	I	500	-	X
2	MG	K	500	-	X
2	MG	M	500	-	X
2	MG	M	502	-	X
2	MG	N	500	-	X
2	MG	N	502	-	X
2	MG	P	500	-	X
3	K	A	504	-	X
3	K	B	499	-	X
3	K	F	504	-	X
3	K	G	501	-	X
3	K	G	504	-	X
3	K	M	504	-	X
3	K	N	499	-	X
3	K	N	504	-	X
3	K	O	501	-	X
3	K	P	504	-	X
4	OXL	A	510	-	X
4	OXL	F	510	-	X
4	OXL	M	510	-	X
4	OXL	N	510	-	X
4	OXL	P	510	-	X
7	GOL	E	499	-	X
7	GOL	I	499	-	X
7	GOL	I	501	-	X
7	GOL	J	499	-	X
7	GOL	O	499	-	X

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 65997 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	498	Total	C	N	O	S	0	2	0
			3818	2379	674	739	26			
1	B	498	Total	C	N	O	S	0	0	0
			3799	2368	670	735	26			
1	C	498	Total	C	N	O	S	0	2	0
			3815	2378	672	739	26			
1	D	498	Total	C	N	O	S	0	1	0
			3809	2374	673	736	26			
1	E	498	Total	C	N	O	S	0	1	0
			3808	2373	672	737	26			
1	F	498	Total	C	N	O	S	0	0	0
			3799	2368	670	735	26			
1	G	498	Total	C	N	O	S	0	0	0
			3799	2368	670	735	26			
1	H	498	Total	C	N	O	S	0	2	0
			3817	2379	675	737	26			
1	I	498	Total	C	N	O	S	0	2	0
			3816	2379	674	737	26			
1	J	498	Total	C	N	O	S	0	3	0
			3824	2383	676	739	26			
1	K	498	Total	C	N	O	S	0	2	0
			3816	2377	673	740	26			
1	L	498	Total	C	N	O	S	0	0	0
			3799	2368	670	735	26			
1	M	498	Total	C	N	O	S	0	0	0
			3799	2368	670	735	26			
1	N	498	Total	C	N	O	S	0	1	0
			3808	2373	671	738	26			
1	O	498	Total	C	N	O	S	0	0	0
			3799	2368	670	735	26			
1	P	498	Total	C	N	O	S	0	0	0
			3799	2368	670	735	26			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	382	SER	GLY	SEE REMARK 999	UNP Q27686
A	389	TYR	SER	SEE REMARK 999	UNP Q27686
A	404	ARG	ALA	SEE REMARK 999	UNP Q27686
A	405	SER	GLY	SEE REMARK 999	UNP Q27686
B	382	SER	GLY	SEE REMARK 999	UNP Q27686
B	389	TYR	SER	SEE REMARK 999	UNP Q27686
B	404	ARG	ALA	SEE REMARK 999	UNP Q27686
B	405	SER	GLY	SEE REMARK 999	UNP Q27686
C	382	SER	GLY	SEE REMARK 999	UNP Q27686
C	389	TYR	SER	SEE REMARK 999	UNP Q27686
C	404	ARG	ALA	SEE REMARK 999	UNP Q27686
C	405	SER	GLY	SEE REMARK 999	UNP Q27686
D	382	SER	GLY	SEE REMARK 999	UNP Q27686
D	389	TYR	SER	SEE REMARK 999	UNP Q27686
D	404	ARG	ALA	SEE REMARK 999	UNP Q27686
D	405	SER	GLY	SEE REMARK 999	UNP Q27686
E	382	SER	GLY	SEE REMARK 999	UNP Q27686
E	389	TYR	SER	SEE REMARK 999	UNP Q27686
E	404	ARG	ALA	SEE REMARK 999	UNP Q27686
E	405	SER	GLY	SEE REMARK 999	UNP Q27686
F	382	SER	GLY	SEE REMARK 999	UNP Q27686
F	389	TYR	SER	SEE REMARK 999	UNP Q27686
F	404	ARG	ALA	SEE REMARK 999	UNP Q27686
F	405	SER	GLY	SEE REMARK 999	UNP Q27686
G	382	SER	GLY	SEE REMARK 999	UNP Q27686
G	389	TYR	SER	SEE REMARK 999	UNP Q27686
G	404	ARG	ALA	SEE REMARK 999	UNP Q27686
G	405	SER	GLY	SEE REMARK 999	UNP Q27686
H	382	SER	GLY	SEE REMARK 999	UNP Q27686
H	389	TYR	SER	SEE REMARK 999	UNP Q27686
H	404	ARG	ALA	SEE REMARK 999	UNP Q27686
H	405	SER	GLY	SEE REMARK 999	UNP Q27686
I	382	SER	GLY	SEE REMARK 999	UNP Q27686
I	389	TYR	SER	SEE REMARK 999	UNP Q27686
I	404	ARG	ALA	SEE REMARK 999	UNP Q27686
I	405	SER	GLY	SEE REMARK 999	UNP Q27686
J	382	SER	GLY	SEE REMARK 999	UNP Q27686
J	389	TYR	SER	SEE REMARK 999	UNP Q27686
J	404	ARG	ALA	SEE REMARK 999	UNP Q27686
J	405	SER	GLY	SEE REMARK 999	UNP Q27686
K	382	SER	GLY	SEE REMARK 999	UNP Q27686
K	389	TYR	SER	SEE REMARK 999	UNP Q27686

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
K	404	ARG	ALA	SEE REMARK 999	UNP Q27686
K	405	SER	GLY	SEE REMARK 999	UNP Q27686
L	382	SER	GLY	SEE REMARK 999	UNP Q27686
L	389	TYR	SER	SEE REMARK 999	UNP Q27686
L	404	ARG	ALA	SEE REMARK 999	UNP Q27686
L	405	SER	GLY	SEE REMARK 999	UNP Q27686
M	382	SER	GLY	SEE REMARK 999	UNP Q27686
M	389	TYR	SER	SEE REMARK 999	UNP Q27686
M	404	ARG	ALA	SEE REMARK 999	UNP Q27686
M	405	SER	GLY	SEE REMARK 999	UNP Q27686
N	382	SER	GLY	SEE REMARK 999	UNP Q27686
N	389	TYR	SER	SEE REMARK 999	UNP Q27686
N	404	ARG	ALA	SEE REMARK 999	UNP Q27686
N	405	SER	GLY	SEE REMARK 999	UNP Q27686
O	382	SER	GLY	SEE REMARK 999	UNP Q27686
O	389	TYR	SER	SEE REMARK 999	UNP Q27686
O	404	ARG	ALA	SEE REMARK 999	UNP Q27686
O	405	SER	GLY	SEE REMARK 999	UNP Q27686
P	382	SER	GLY	SEE REMARK 999	UNP Q27686
P	389	TYR	SER	SEE REMARK 999	UNP Q27686
P	404	ARG	ALA	SEE REMARK 999	UNP Q27686
P	405	SER	GLY	SEE REMARK 999	UNP Q27686

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	P	2	Total Mg 2 2	0	0
2	G	2	Total Mg 2 2	0	0
2	J	2	Total Mg 2 2	0	0
2	D	2	Total Mg 2 2	0	0
2	K	2	Total Mg 2 2	0	0
2	E	2	Total Mg 2 2	0	0
2	H	2	Total Mg 2 2	0	0
2	B	2	Total Mg 2 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	I	2	Total 2	Mg 2	0	0
2	C	2	Total 2	Mg 2	0	0
2	A	2	Total 2	Mg 2	0	0
2	N	2	Total 2	Mg 2	0	0
2	L	2	Total 2	Mg 2	0	0
2	F	2	Total 2	Mg 2	0	0
2	M	2	Total 2	Mg 2	0	0

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	P	2	Total 2	K 2	0	0
3	G	2	Total 2	K 2	0	0
3	J	2	Total 2	K 2	0	0
3	D	2	Total 2	K 2	0	0
3	K	2	Total 2	K 2	0	0
3	E	2	Total 2	K 2	0	0
3	H	2	Total 2	K 2	0	0
3	B	2	Total 2	K 2	0	0
3	I	2	Total 2	K 2	0	0
3	C	2	Total 2	K 2	0	0
3	A	2	Total 2	K 2	0	0
3	N	2	Total 2	K 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	O	2	Total	K	0	0
			2	2		
3	L	2	Total	K	0	0
			2	2		
3	F	2	Total	K	0	0
			2	2		
3	M	2	Total	K	0	0
			2	2		

- Molecule 4 is OXALATE ION (three-letter code: OXL) (formula:  $C_2O_4$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	2	4		
4	B	1	Total	C	O	0	0
			6	2	4		
4	C	1	Total	C	O	0	0
			6	2	4		
4	D	1	Total	C	O	0	0
			6	2	4		
4	E	1	Total	C	O	0	0
			6	2	4		
4	F	1	Total	C	O	0	0
			6	2	4		
4	G	1	Total	C	O	0	0
			6	2	4		


*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	H	1	Total	C	O	0	0
			6	2	4		
4	I	1	Total	C	O	0	0
			6	2	4		
4	J	1	Total	C	O	0	0
			6	2	4		
4	K	1	Total	C	O	0	0
			6	2	4		
4	L	1	Total	C	O	0	0
			6	2	4		
4	M	1	Total	C	O	0	0
			6	2	4		
4	N	1	Total	C	O	0	0
			6	2	4		
4	P	1	Total	C	O	0	0
			6	2	4		

- Molecule 5 is SUGAR (FRUCTOSE-2,6-DIPHOSPHATE) (three-letter code: FDP) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>12</sub>P<sub>2</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	P	0	0
			20	6	12	2		
5	B	1	Total	C	O	P	0	0
			20	6	12	2		
5	C	1	Total	C	O	P	0	0
			20	6	12	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	D	1	Total	C	O	P	0	0
			20	6	12	2		
5	E	1	Total	C	O	P	0	0
			20	6	12	2		
5	F	1	Total	C	O	P	0	0
			20	6	12	2		
5	G	1	Total	C	O	P	0	0
			20	6	12	2		
5	H	1	Total	C	O	P	0	0
			20	6	12	2		
5	I	1	Total	C	O	P	0	0
			20	6	12	2		
5	J	1	Total	C	O	P	0	0
			20	6	12	2		
5	K	1	Total	C	O	P	0	0
			20	6	12	2		
5	L	1	Total	C	O	P	0	0
			20	6	12	2		
5	M	1	Total	C	O	P	0	0
			20	6	12	2		
5	N	1	Total	C	O	P	0	0
			20	6	12	2		
5	O	1	Total	C	O	P	0	0
			20	6	12	2		
5	P	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 6 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	D	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	E	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	F	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	G	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	H	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	I	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	J	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	K	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	L	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	M	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
6	N	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	P	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	E	1	Total	C	O	0	0
			6	3	3		
7	G	1	Total	C	O	0	0
			6	3	3		
7	I	1	Total	C	O	0	0
			6	3	3		
7	I	1	Total	C	O	0	0
			6	3	3		
7	J	1	Total	C	O	0	0
			6	3	3		
7	O	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	167	Total	O	0	0
			167	167		
8	B	379	Total	O	0	0
			379	379		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	C	305	Total 305	O 305	0	0
8	D	400	Total 400	O 400	0	0
8	E	232	Total 232	O 232	0	0
8	F	187	Total 187	O 187	0	0
8	G	139	Total 139	O 139	0	0
8	H	215	Total 215	O 215	0	0
8	I	415	Total 415	O 415	0	0
8	J	499	Total 499	O 499	0	0
8	K	462	Total 462	O 462	0	0
8	L	316	Total 316	O 316	0	0
8	M	140	Total 140	O 140	0	0
8	N	103	Total 103	O 103	0	0
8	O	69	Total 69	O 69	0	0
8	P	72	Total 72	O 72	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyruvate kinase

Chain A: 




- Molecule 1: Pyruvate kinase


Chain B: 




- Molecule 1: Pyruvate kinase

Chain C: 


- Molecule 1: Pyruvate kinase

Chain D: 


- Molecule 1: Pyruvate kinase

Chain E: 


- Molecule 1: Pyruvate kinase

Chain F: 

- Molecule 1: Pyruvate kinase

Chain G: 

- Molecule 1: Pyruvate kinase

Chain H: 









• Molecule 1: Pyruvate kinase

Chain L: 




• Molecule 1: Pyruvate kinase


Chain M: 



• Molecule 1: Pyruvate kinase


Chain N: 






• Molecule 1: Pyruvate kinase


Chain O:



• Molecule 1: Pyruvate kinase

Chain P:





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	127.49Å 151.14Å 160.32Å 89.73° 80.17° 71.64°	Depositor
Resolution (Å)	34.46 – 2.30 34.09 – 2.30	Depositor EDS
% Data completeness (in resolution range)	94.6 (34.46-2.30) 94.6 (34.09-2.30)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.64 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.198 , 0.252 0.201 , 0.252	Depositor DCC
$R_{free}$ test set	23579 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	40.2	Xtriage
Anisotropy	0.087	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 39.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 469839 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	65997	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.73% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, K, OXL, FDP, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.34	0/3876	0.50	0/5247
1	B	0.39	0/3856	0.55	0/5220
1	C	0.36	0/3872	0.53	0/5242
1	D	0.40	0/3867	0.55	0/5235
1	E	0.36	0/3865	0.51	0/5232
1	F	0.36	0/3856	0.51	0/5220
1	G	0.33	0/3856	0.49	0/5220
1	H	0.37	0/3874	0.51	0/5244
1	I	0.44	0/3874	0.59	1/5245 (0.0%)
1	J	0.44	0/3882	0.58	0/5256
1	K	0.45	0/3873	0.59	0/5243
1	L	0.41	0/3856	0.56	0/5220
1	M	0.35	0/3856	0.49	0/5220
1	N	0.35	0/3865	0.48	0/5232
1	O	0.34	0/3856	0.47	0/5220
1	P	0.33	0/3856	0.46	0/5220
All	All	0.38	0/61840	0.53	1/83716 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	19	ARG	NE-CZ-NH1	-5.07	117.76	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3818	0	3813	48	0
1	B	3799	0	3801	66	0
1	C	3815	0	3814	51	0
1	D	3809	0	3807	57	0
1	E	3808	0	3808	38	0
1	F	3799	0	3801	50	0
1	G	3799	0	3801	40	0
1	H	3817	0	3821	46	0
1	I	3816	0	3815	48	0
1	J	3824	0	3820	58	0
1	K	3816	0	3811	49	0
1	L	3799	0	3802	35	0
1	M	3799	0	3802	42	0
1	N	3808	0	3807	39	0
1	O	3799	0	3802	37	0
1	P	3799	0	3802	38	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
2	G	2	0	0	0	0
2	H	2	0	0	0	0
2	I	2	0	0	0	0
2	J	2	0	0	0	0
2	K	2	0	0	0	0
2	L	2	0	0	0	0
2	M	2	0	0	0	0
2	N	2	0	0	0	0
2	P	2	0	0	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	E	2	0	0	0	0
3	F	2	0	0	0	0
3	G	2	0	0	0	0
3	H	2	0	0	0	0
3	I	2	0	0	1	0
3	J	2	0	0	0	0
3	K	2	0	0	0	0
3	L	2	0	0	0	0
3	M	2	0	0	0	0
3	N	2	0	0	0	0
3	O	2	0	0	0	0
3	P	2	0	0	0	0
4	A	6	0	0	0	0
4	B	6	0	0	0	0
4	C	6	0	0	0	0
4	D	6	0	0	0	0
4	E	6	0	0	0	0
4	F	6	0	0	0	0
4	G	6	0	0	0	0
4	H	6	0	0	0	0
4	I	6	0	0	0	0
4	J	6	0	0	0	0
4	K	6	0	0	0	0
4	L	6	0	0	0	0
4	M	6	0	0	1	0
4	N	6	0	0	0	0
4	P	6	0	0	0	0
5	A	20	0	10	0	0
5	B	20	0	10	0	0
5	C	20	0	10	0	0
5	D	20	0	10	2	0
5	E	20	0	10	0	0
5	F	20	0	10	0	0
5	G	20	0	10	0	0
5	H	20	0	10	0	0
5	I	20	0	9	1	0
5	J	20	0	10	0	0
5	K	20	0	10	0	0
5	L	20	0	10	0	0
5	M	20	0	10	0	0
5	N	20	0	10	2	0
5	O	20	0	10	1	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	P	20	0	10	1	0
6	A	31	0	12	2	0
6	B	31	0	12	0	0
6	C	31	0	12	3	0
6	D	31	0	12	3	0
6	E	31	0	12	1	0
6	F	31	0	12	1	0
6	G	31	0	12	1	0
6	H	31	0	12	1	0
6	I	31	0	12	0	0
6	J	31	0	12	0	0
6	K	31	0	12	2	0
6	L	31	0	12	0	0
6	M	31	0	12	0	0
6	N	31	0	12	0	0
6	P	31	0	12	0	0
7	E	6	0	8	0	0
7	G	6	0	8	0	0
7	I	12	0	16	1	0
7	J	6	0	8	1	0
7	O	6	0	8	0	0
8	A	167	0	0	1	0
8	B	379	0	0	7	0
8	C	305	0	0	0	0
8	D	400	0	0	4	0
8	E	232	0	0	0	0
8	F	187	0	0	1	0
8	G	139	0	0	1	0
8	H	215	0	0	1	0
8	I	415	0	0	6	0
8	J	499	0	0	5	0
8	K	462	0	0	1	0
8	L	316	0	0	2	0
8	M	140	0	0	0	0
8	N	103	0	0	0	0
8	O	69	0	0	0	0
8	P	72	0	0	0	0
All	All	65997	0	61314	710	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 6.

The worst 5 of 710 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:K:388:VAL:HG21	1:K:396:MET:HE1	1.34	1.09
1:C:26:THR:HG22	1:C:49:ARG:HD3	1.40	1.04
1:J:298:MET:HE3	1:J:327:VAL:HB	1.39	1.01
1:K:388:VAL:HG21	1:K:396:MET:CE	1.90	0.99
1:J:398[A]:VAL:HG11	1:J:409:VAL:HG21	1.50	0.92

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	498/499 (100%)	481 (97%)	14 (3%)	3 (1%)	33	39
1	B	496/499 (99%)	486 (98%)	8 (2%)	2 (0%)	43	52
1	C	498/499 (100%)	482 (97%)	15 (3%)	1 (0%)	56	68
1	D	497/499 (100%)	483 (97%)	14 (3%)	0	100	100
1	E	497/499 (100%)	477 (96%)	19 (4%)	1 (0%)	56	68
1	F	496/499 (99%)	480 (97%)	14 (3%)	2 (0%)	43	52
1	G	496/499 (99%)	465 (94%)	27 (5%)	4 (1%)	27	30
1	H	498/499 (100%)	477 (96%)	20 (4%)	1 (0%)	56	68
1	I	498/499 (100%)	486 (98%)	11 (2%)	1 (0%)	56	68
1	J	499/499 (100%)	483 (97%)	15 (3%)	1 (0%)	56	68
1	K	498/499 (100%)	486 (98%)	11 (2%)	1 (0%)	56	68
1	L	496/499 (99%)	477 (96%)	18 (4%)	1 (0%)	56	68
1	M	496/499 (99%)	472 (95%)	20 (4%)	4 (1%)	27	30
1	N	497/499 (100%)	476 (96%)	20 (4%)	1 (0%)	56	68
1	O	496/499 (99%)	466 (94%)	27 (5%)	3 (1%)	33	39
1	P	496/499 (99%)	469 (95%)	25 (5%)	2 (0%)	43	52
All	All	7952/7984 (100%)	7646 (96%)	278 (4%)	28 (0%)	43	52

5 of 28 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	O	481	ALA
1	O	296	THR
1	A	174	ARG
1	I	296	THR
1	J	296	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	418/417 (100%)	397 (95%)	21 (5%)	34	45
1	B	416/417 (100%)	395 (95%)	21 (5%)	34	45
1	C	418/417 (100%)	401 (96%)	17 (4%)	41	55
1	D	417/417 (100%)	395 (95%)	22 (5%)	32	41
1	E	417/417 (100%)	398 (95%)	19 (5%)	37	48
1	F	416/417 (100%)	398 (96%)	18 (4%)	40	52
1	G	416/417 (100%)	396 (95%)	20 (5%)	35	46
1	H	418/417 (100%)	394 (94%)	24 (6%)	29	37
1	I	418/417 (100%)	391 (94%)	27 (6%)	24	30
1	J	419/417 (100%)	398 (95%)	21 (5%)	34	45
1	K	418/417 (100%)	392 (94%)	26 (6%)	26	33
1	L	416/417 (100%)	400 (96%)	16 (4%)	44	59
1	M	416/417 (100%)	397 (95%)	19 (5%)	37	48
1	N	417/417 (100%)	397 (95%)	20 (5%)	35	46
1	O	416/417 (100%)	401 (96%)	15 (4%)	47	61
1	P	416/417 (100%)	400 (96%)	16 (4%)	44	59
All	All	6672/6672 (100%)	6350 (95%)	322 (5%)	35	46

5 of 322 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	224	LYS
1	I	367	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	O	296	THR
1	H	345	TYR
1	I	12	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 144 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	297	GLN
1	I	178	ASN
1	N	344	GLN
1	G	386	ASN
1	H	297	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 114 ligands modelled in this entry, 62 are monoatomic - leaving 52 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	ATP	A	1001	3,2	33,33,33	1.08	2 (6%)	52,52,52	1.74	10 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	OXL	A	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	A	700	-	20,20,20	0.87	0	32,32,32	1.30	5 (15%)
6	ATP	B	1001	3,2	33,33,33	1.07	2 (6%)	52,52,52	1.73	9 (17%)
4	OXL	B	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	B	700	-	20,20,20	1.33	2 (10%)	32,32,32	1.59	6 (18%)
6	ATP	C	1001	3,2	33,33,33	1.11	2 (6%)	52,52,52	1.73	9 (17%)
4	OXL	C	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	C	700	-	20,20,20	0.83	0	32,32,32	1.53	5 (15%)
6	ATP	D	1001	3,2	33,33,33	1.14	3 (9%)	52,52,52	1.88	10 (19%)
4	OXL	D	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	D	700	-	20,20,20	1.26	2 (10%)	32,32,32	1.60	3 (9%)
6	ATP	E	1001	3,2	33,33,33	1.06	2 (6%)	52,52,52	1.78	9 (17%)
7	GOL	E	499	-	5,5,5	0.35	0	5,5,5	0.27	0
4	OXL	E	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	E	700	-	20,20,20	1.11	2 (10%)	32,32,32	1.03	2 (6%)
6	ATP	F	1001	3,2	33,33,33	1.12	2 (6%)	52,52,52	1.73	8 (15%)
4	OXL	F	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	F	700	-	20,20,20	1.02	0	32,32,32	1.25	4 (12%)
6	ATP	G	1001	2	33,33,33	1.05	2 (6%)	52,52,52	1.74	8 (15%)
7	GOL	G	499	-	5,5,5	0.34	0	5,5,5	0.27	0
4	OXL	G	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	G	700	-	20,20,20	1.18	2 (10%)	32,32,32	1.41	4 (12%)
6	ATP	H	1001	3,2	33,33,33	1.06	2 (6%)	52,52,52	1.73	8 (15%)
4	OXL	H	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	H	700	-	20,20,20	0.99	2 (10%)	32,32,32	1.47	4 (12%)
6	ATP	I	1001	3,2	33,33,33	1.10	1 (3%)	52,52,52	1.76	11 (21%)
7	GOL	I	499	-	5,5,5	0.33	0	5,5,5	0.26	0
7	GOL	I	501	-	5,5,5	0.35	0	5,5,5	0.46	0
4	OXL	I	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	I	700	-	20,20,20	1.82	4 (20%)	32,32,32	1.40	4 (12%)
6	ATP	J	1001	3,2	33,33,33	1.13	2 (6%)	52,52,52	1.87	8 (15%)
7	GOL	J	499	-	5,5,5	0.32	0	5,5,5	0.39	0
4	OXL	J	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	J	700	-	20,20,20	1.09	2 (10%)	32,32,32	1.33	5 (15%)
6	ATP	K	1001	3,2	33,33,33	1.20	4 (12%)	52,52,52	1.67	8 (15%)
4	OXL	K	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	K	700	-	20,20,20	1.00	1 (5%)	32,32,32	1.43	6 (18%)
6	ATP	L	1001	3,2	33,33,33	1.13	2 (6%)	52,52,52	1.76	8 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	OXL	L	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	L	700	-	20,20,20	1.11	2 (10%)	32,32,32	1.54	5 (15%)
6	ATP	M	1001	3,2	33,33,33	1.06	2 (6%)	52,52,52	1.70	8 (15%)
4	OXL	M	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	M	700	-	20,20,20	0.67	0	32,32,32	1.13	4 (12%)
6	ATP	N	1001	3,2	33,33,33	1.09	2 (6%)	52,52,52	1.79	9 (17%)
4	OXL	N	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	N	700	-	20,20,20	1.06	1 (5%)	32,32,32	1.28	3 (9%)
7	GOL	O	499	-	5,5,5	0.32	0	5,5,5	0.26	0
5	FDP	O	700	-	20,20,20	1.03	0	32,32,32	1.04	2 (6%)
6	ATP	P	1001	3,2	33,33,33	1.04	2 (6%)	52,52,52	1.78	9 (17%)
4	OXL	P	510	2	0,5,5	0.00	-	0,6,6	0.00	-
5	FDP	P	700	-	20,20,20	1.13	3 (15%)	32,32,32	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ATP	A	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	A	510	2	-	0/0/4/4	0/0/0/0
5	FDP	A	700	-	-	0/12/34/34	0/1/1/1
6	ATP	B	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	B	510	2	-	0/0/4/4	0/0/0/0
5	FDP	B	700	-	-	0/12/34/34	0/1/1/1
6	ATP	C	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	C	510	2	-	0/0/4/4	0/0/0/0
5	FDP	C	700	-	-	0/12/34/34	0/1/1/1
6	ATP	D	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	D	510	2	-	0/0/4/4	0/0/0/0
5	FDP	D	700	-	-	0/12/34/34	0/1/1/1
6	ATP	E	1001	3,2	-	0/22/38/38	0/1/3/3
7	GOL	E	499	-	-	0/4/4/4	0/0/0/0
4	OXL	E	510	2	-	0/0/4/4	0/0/0/0
5	FDP	E	700	-	-	0/12/34/34	0/1/1/1
6	ATP	F	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	F	510	2	-	0/0/4/4	0/0/0/0
5	FDP	F	700	-	-	0/12/34/34	0/1/1/1
6	ATP	G	1001	2	-	0/22/38/38	0/1/3/3
7	GOL	G	499	-	-	0/4/4/4	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OXL	G	510	2	-	0/0/4/4	0/0/0/0
5	FDP	G	700	-	-	0/12/34/34	0/1/1/1
6	ATP	H	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	H	510	2	-	0/0/4/4	0/0/0/0
5	FDP	H	700	-	-	0/12/34/34	0/1/1/1
6	ATP	I	1001	3,2	-	0/22/38/38	0/1/3/3
7	GOL	I	499	-	-	0/4/4/4	0/0/0/0
7	GOL	I	501	-	-	0/4/4/4	0/0/0/0
4	OXL	I	510	2	-	0/0/4/4	0/0/0/0
5	FDP	I	700	-	-	0/12/34/34	0/1/1/1
6	ATP	J	1001	3,2	-	0/22/38/38	0/1/3/3
7	GOL	J	499	-	-	0/4/4/4	0/0/0/0
4	OXL	J	510	2	-	0/0/4/4	0/0/0/0
5	FDP	J	700	-	-	0/12/34/34	0/1/1/1
6	ATP	K	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	K	510	2	-	0/0/4/4	0/0/0/0
5	FDP	K	700	-	-	0/12/34/34	0/1/1/1
6	ATP	L	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	L	510	2	-	0/0/4/4	0/0/0/0
5	FDP	L	700	-	-	0/12/34/34	0/1/1/1
6	ATP	M	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	M	510	2	-	0/0/4/4	0/0/0/0
5	FDP	M	700	-	-	0/12/34/34	0/1/1/1
6	ATP	N	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	N	510	2	-	0/0/4/4	0/0/0/0
5	FDP	N	700	-	-	0/12/34/34	0/1/1/1
7	GOL	O	499	-	-	0/4/4/4	0/0/0/0
5	FDP	O	700	-	-	0/12/34/34	0/1/1/1
6	ATP	P	1001	3,2	-	0/22/38/38	0/1/3/3
4	OXL	P	510	2	-	0/0/4/4	0/0/0/0
5	FDP	P	700	-	-	0/12/34/34	0/1/1/1

The worst 5 of 55 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	I	700	FDP	O2-C2	-4.39	1.35	1.47
5	B	700	FDP	P2-O6	-4.17	1.45	1.60
5	I	700	FDP	P1-O2P	-4.01	1.40	1.54
6	L	1001	ATP	C5-C4	3.46	1.48	1.40
6	C	1001	ATP	C5-C4	3.44	1.48	1.40

The worst 5 of 194 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	1001	ATP	N3-C2-N1	-7.34	122.57	128.71
6	E	1001	ATP	N3-C2-N1	-6.88	122.95	128.71
6	J	1001	ATP	N3-C2-N1	-6.72	123.09	128.71
6	G	1001	ATP	N3-C2-N1	-6.59	123.20	128.71
6	L	1001	ATP	N3-C2-N1	-6.55	123.23	128.71

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	498/499 (99%)	1.45	147 (29%) 1 1	31, 42, 59, 61	0
1	B	498/499 (99%)	0.45	26 (5%) 26 36	15, 25, 34, 42	0
1	C	498/499 (99%)	1.02	79 (15%) 3 4	28, 39, 50, 59	0
1	D	498/499 (99%)	0.68	51 (10%) 7 12	17, 27, 43, 45	0
1	E	498/499 (99%)	1.05	103 (20%) 1 3	30, 42, 52, 56	0
1	F	498/499 (99%)	1.13	100 (20%) 2 3	36, 52, 66, 70	0
1	G	498/499 (99%)	1.78	179 (35%) 1 1	44, 52, 60, 63	0
1	H	498/499 (99%)	1.07	102 (20%) 1 3	38, 46, 52, 55	0
1	I	498/499 (99%)	0.71	56 (11%) 6 9	13, 22, 47, 53	0
1	J	498/499 (99%)	0.43	33 (6%) 18 26	15, 22, 30, 41	0
1	K	498/499 (99%)	0.49	30 (6%) 21 30	13, 22, 31, 40	0
1	L	498/499 (99%)	0.88	75 (15%) 3 5	19, 29, 60, 62	0
1	M	498/499 (99%)	1.22	123 (24%) 1 2	35, 47, 56, 59	0
1	N	498/499 (99%)	1.91	198 (39%) 1 1	45, 60, 69, 71	0
1	O	498/499 (99%)	2.61	270 (54%) 0 0	35, 55, 84, 86	0
1	P	498/499 (99%)	2.35	242 (48%) 1 0	48, 60, 83, 86	0
All	All	7968/7984 (99%)	1.20	1814 (22%) 1 2	13, 43, 65, 86	0

The worst 5 of 1814 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	P	100	VAL	9.7
1	O	444	ALA	9.3
1	O	113	PRO	9.1
1	P	496	LEU	8.9
1	O	140	TYR	8.8

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	MG	N	500	1/1	0.63	28.88	88,88,88,88	0
2	MG	P	500	1/1	0.73	12.84	94,94,94,94	0
7	GOL	O	499	6/6	0.64	11.21	74,75,75,75	0
3	K	G	501	1/1	0.35	11.04	137,137,137,137	0
3	K	A	504	1/1	0.58	10.05	106,106,106,106	0
2	MG	G	500	1/1	0.56	9.85	81,81,81,81	0
7	GOL	I	501	6/6	0.41	9.43	85,85,85,85	0
2	MG	H	502	1/1	0.50	8.19	61,61,61,61	0
3	K	N	499	1/1	0.20	7.30	107,107,107,107	0
2	MG	A	502	1/1	0.35	7.11	58,58,58,58	0
7	GOL	J	499	6/6	0.35	6.60	69,71,71,72	0
3	K	P	504	1/1	0.52	6.41	98,98,98,98	0
4	OXL	P	510	6/6	0.38	5.97	85,85,85,86	0
4	OXL	F	510	6/6	0.45	5.55	83,83,83,83	0
2	MG	G	502	1/1	0.31	4.96	66,66,66,66	0
3	K	G	504	1/1	0.42	4.21	82,82,82,82	0
2	MG	F	500	1/1	0.41	4.19	67,67,67,67	0
3	K	M	504	1/1	0.27	4.14	61,61,61,61	0
2	MG	M	500	1/1	0.34	3.96	69,69,69,69	0
3	K	B	499	1/1	0.20	3.90	60,60,60,60	0
3	K	N	504	1/1	0.45	3.82	84,84,84,84	0
2	MG	F	502	1/1	0.34	3.51	60,60,60,60	0
2	MG	N	502	1/1	0.40	2.96	76,76,76,76	0
2	MG	M	502	1/1	0.31	2.87	60,60,60,60	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
7	GOL	I	499	6/6	0.28	2.84	91,91,91,92	0
4	OXL	A	510	6/6	0.32	2.65	63,65,66,66	0
7	GOL	E	499	6/6	0.33	2.57	78,79,80,80	0
4	OXL	N	510	6/6	0.37	2.56	77,79,80,80	0
2	MG	A	500	1/1	0.35	2.53	77,77,77,77	0
3	K	F	504	1/1	0.32	2.50	69,69,69,69	0
4	OXL	M	510	6/6	0.32	2.39	64,66,67,67	0
2	MG	B	502	1/1	0.30	2.34	28,28,28,28	0
2	MG	C	500	1/1	0.38	2.32	45,45,45,45	0
2	MG	K	500	1/1	0.30	2.26	29,29,29,29	0
2	MG	I	500	1/1	0.33	2.09	36,36,36,36	0
3	K	O	501	1/1	0.30	2.02	30,30,30,30	0
4	OXL	G	510	6/6	0.31	1.95	71,74,75,75	0
2	MG	J	502	1/1	0.27	1.91	26,26,26,26	0
2	MG	I	502	1/1	0.32	1.68	30,30,30,30	0
4	OXL	J	510	6/6	0.31	1.66	30,31,32,33	0
6	ATP	K	1001	31/31	0.29	1.63	28,31,37,38	0
4	OXL	H	510	6/6	0.32	1.60	54,54,55,55	0
3	K	M	499	1/1	0.18	1.59	106,106,106,106	0
2	MG	L	502	1/1	0.28	1.56	37,37,37,37	0
5	FDP	B	700	20/20	0.22	1.54	37,40,45,46	0
6	ATP	J	1001	31/31	0.24	1.51	26,34,36,36	0
3	K	C	504	1/1	0.33	1.50	56,56,56,56	0
2	MG	H	500	1/1	0.30	1.44	63,63,63,63	0
2	MG	L	500	1/1	0.27	1.43	46,46,46,46	0
4	OXL	C	510	6/6	0.36	1.41	39,40,41,41	0
5	FDP	I	700	20/20	0.21	1.40	29,32,34,35	0
4	OXL	I	510	6/6	0.30	1.35	32,33,34,35	0
6	ATP	B	1001	31/31	0.25	1.28	31,35,39,40	0
2	MG	J	500	1/1	0.29	1.27	27,27,27,27	0
3	K	E	504	1/1	0.25	1.26	48,48,48,48	0
6	ATP	P	1001	31/31	0.30	1.20	132,134,134,134	0
3	K	L	504	1/1	0.25	1.17	52,52,52,52	0
2	MG	P	502	1/1	0.23	1.16	64,64,64,64	0
4	OXL	L	510	6/6	0.26	1.00	37,38,38,39	0
6	ATP	H	1001	31/31	0.23	1.00	62,69,72,72	0
3	K	J	504	1/1	0.25	0.97	35,35,35,35	0
4	OXL	E	510	6/6	0.31	0.88	48,49,49,50	0
4	OXL	D	510	6/6	0.27	0.83	37,38,39,39	0
2	MG	E	502	1/1	0.31	0.80	48,48,48,48	0
2	MG	B	500	1/1	0.25	0.72	35,35,35,35	0
3	K	K	504	1/1	0.27	0.69	29,29,29,29	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	OXL	K	510	6/6	0.28	0.64	25,27,28,28	0
3	K	D	504	1/1	0.25	0.60	33,33,33,33	0
6	ATP	E	1001	31/31	0.20	0.59	52,58,63,63	0
6	ATP	G	1001	31/31	0.27	0.59	77,97,101,101	0
5	FDP	D	700	20/20	0.18	0.57	32,40,43,45	0
4	OXL	B	510	6/6	0.25	0.55	30,32,33,33	0
6	ATP	I	1001	31/31	0.21	0.54	36,37,39,40	0
6	ATP	D	1001	31/31	0.22	0.53	35,42,44,44	0
2	MG	E	500	1/1	0.24	0.42	55,55,55,55	0
5	FDP	E	700	20/20	0.17	0.41	38,41,46,47	0
3	K	H	504	1/1	0.20	0.41	59,59,59,59	0
2	MG	C	502	1/1	0.31	0.31	38,38,38,38	0
2	MG	D	502	1/1	0.24	0.24	34,34,34,34	0
6	ATP	C	1001	31/31	0.22	0.12	43,52,54,54	0
6	ATP	F	1001	31/31	0.21	-0.02	64,73,76,76	0
5	FDP	M	700	20/20	0.16	-0.04	55,59,62,64	0
3	K	B	504	1/1	0.20	-0.12	38,38,38,38	0
5	FDP	K	700	20/20	0.16	-0.14	36,38,42,43	0
6	ATP	N	1001	31/31	0.21	-0.15	83,94,95,95	0
5	FDP	J	700	20/20	0.15	-0.19	25,32,34,35	0
3	K	E	501	1/1	0.14	-0.32	75,75,75,75	0
2	MG	K	502	1/1	0.25	-0.34	28,28,28,28	0
5	FDP	F	700	20/20	0.16	-0.37	48,53,55,56	0
6	ATP	A	1001	31/31	0.20	-0.40	70,85,87,87	0
5	FDP	H	700	20/20	0.15	-0.41	54,57,59,60	0
6	ATP	L	1001	31/31	0.16	-0.42	44,55,59,59	0
2	MG	D	500	1/1	0.24	-0.53	37,37,37,37	0
6	ATP	M	1001	31/31	0.15	-0.53	66,73,76,76	0
5	FDP	L	700	20/20	0.14	-0.54	37,41,43,43	0
5	FDP	C	700	20/20	0.15	-0.54	36,45,48,50	0
5	FDP	G	700	20/20	0.14	-0.58	69,74,75,75	0
3	K	L	499	1/1	0.13	-0.58	47,47,47,47	0
3	K	D	499	1/1	0.12	-0.68	53,53,53,53	0
7	GOL	G	499	6/6	0.18	-0.69	97,97,97,97	0
5	FDP	P	700	20/20	0.16	-0.78	110,115,119,119	0
3	K	I	504	1/1	0.17	-0.81	36,36,36,36	0
5	FDP	A	700	20/20	0.13	-0.88	53,58,61,64	0
5	FDP	N	700	20/20	0.13	-0.88	76,78,81,82	0
5	FDP	O	700	20/20	0.16	-1.16	118,119,121,121	0
3	K	H	499	1/1	0.12	-1.46	76,76,76,76	0
3	K	P	499	1/1	0.14	-1.51	119,119,119,119	0
3	K	J	501	1/1	0.08	-2.09	50,50,50,50	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	K	A	499	1/1	0.07	-2.65	60,60,60,60	0
3	K	K	499	1/1	0.08	-3.18	52,52,52,52	0
3	K	O	500	1/1	0.07	-3.36	122,122,122,122	0
3	K	C	499	1/1	0.09	-3.77	68,68,68,68	0
3	K	F	499	1/1	0.11	-3.89	85,85,85,85	0
3	K	I	503	1/1	0.09	-4.57	47,47,47,47	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.