



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 06:49 AM GMT

PDB ID : 1I2Z
Title : E. COLI ENOYL REDUCTASE IN COMPLEX WITH NAD AND BRL-12654
Authors : Heerding, D.A.; Miller, W.H.; Payne, D.J.; Janson, C.A.; Qiu, X.
Deposited on : 2001-02-12
Resolution : 2.80 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	2295 (2.80-2.80)
Ramachandran outliers	78287	2252 (2.80-2.80)
Sidechain outliers	78261	2254 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	262	
1	B	262	

2 Entry composition i


There are 4 unique types of molecules in this entry. The entry contains 4041 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ENOYL-[ACYL-CARRIER-PROTEIN]REDUCTASE [NADH].


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	257	Total	C	N	O	S	0	0	0
			1900	1197	326	364	13			
1	B	257	Total	C	N	O	S	0	0	0
			1904	1200	327	364	13			

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is 4-(2-THIENYL)-1-(4-METHYLBENZYL)-1H-IMIDAZOLE (three-letter code: 654) (formula: $C_{15}H_{14}N_2S$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	S	12	0
			18	15	2	1		
3	B	1	Total	C	N	S	12	0
			18	15	2	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	69	Total	O	0	0
			69	69		
4	B	44	Total	O	0	0
			44	44		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN]REDUCTASE [NADH]

Chain A:



• Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN]REDUCTASE [NADH]

Chain B:



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	79.58Å 79.58Å 323.39Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	7.00 – 2.80	Depositor
% Data completeness (in resolution range)	(Not available) (7.00-2.80)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.191 , 0.273	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4041	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 654, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/1932	0.80	2/2612 (0.1%)
1	B	0.61	0/1936	0.80	0/2616
All	All	0.59	0/3868	0.80	2/5228 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	13	GLY	N-CA-C	5.41	126.62	113.10
1	A	100	LEU	N-CA-C	5.12	124.83	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	1146	TYR	Sidechain

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens

added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1900	0	1876	64	0
1	B	1904	0	1887	58	0
2	A	44	0	26	1	0
2	B	44	0	26	0	0
3	A	18	0	14	0	0
3	B	18	0	14	0	0
4	A	69	0	0	2	0
4	B	44	0	0	3	0
All	All	4041	0	3843	115	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.

All (115) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:12:THR:HG21	1:A:92:ILE:HD11	1.47	0.96
1:A:108:VAL:O	1:B:1129:LYS:HE3	1.69	0.91
1:A:99:GLN:HE22	1:A:108:VAL:HA	1.51	0.75
1:A:203:PHE:HE1	1:A:207:LEU:HD22	1.52	0.73
1:A:258:GLU:OE1	1:A:258:GLU:HA	1.87	0.72
1:A:90:HIS:CD2	1:A:92:ILE:HD12	2.23	0.72
1:B:1047:ARG:HD2	1:B:1051:PHE:CE2	2.28	0.68
1:B:1023:GLY:CA	1:B:1222:ILE:HD12	2.25	0.67
1:A:38:THR:HA	1:A:61:LEU:O	1.95	0.67
1:A:62:GLN:HG3	1:A:63:CYS:N	2.11	0.66
1:B:1038:THR:HA	1:B:1061:LEU:O	1.97	0.65
1:B:1116:ALA:O	1:B:1120:SER:HB2	1.96	0.65
1:A:183:ARG:HD2	1:A:240:ILE:O	1.96	0.65
1:A:4:LEU:HB3	1:A:33:ALA:HB2	1.79	0.65
1:A:86:ASP:HA	1:A:139:SER:OG	1.97	0.64
1:A:20:ILE:HG21	1:A:144:LEU:HD22	1.79	0.64
1:B:1211:GLU:HG3	1:B:1219:THR:HG23	1.79	0.64
1:A:211:GLU:HG2	1:A:218:ARG:HA	1.79	0.64
1:B:1180:GLU:HG3	4:B:2096:HOH:O	1.98	0.63
1:B:1099:GLN:HE22	1:B:1108:VAL:HA	1.64	0.62
1:B:1008:ARG:HH11	1:B:1008:ARG:HG2	1.65	0.61
1:A:247:VAL:HG12	1:A:247:VAL:O	1.99	0.61
1:A:203:PHE:CE1	1:A:207:LEU:HD22	2.34	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:209:HIS:O	1:A:213:VAL:HG22	2.02	0.60
1:B:1004:LEU:HB3	1:B:1033:ALA:HB2	1.84	0.60
1:A:22:TYR:CE2	1:A:26:GLN:NE2	2.70	0.59
1:B:1023:GLY:HA3	1:B:1222:ILE:HD12	1.85	0.58
1:B:1202:ASP:HA	4:B:2108:HOH:O	2.02	0.58
1:A:65:VAL:HG22	2:A:501:NAD:N1A	2.19	0.57
1:A:99:GLN:NE2	1:A:108:VAL:HA	2.19	0.56
1:B:1137:PRO:HG2	4:B:2106:HOH:O	2.04	0.56
1:A:163:LYS:O	1:A:167:GLU:HG3	2.06	0.55
1:B:1037:PHE:HZ	1:B:1055:LEU:HD12	1.70	0.55
1:B:1183:ARG:HD2	1:B:1240:ILE:O	2.07	0.55
1:A:172:TYR:CE2	1:B:1160:GLY:HA3	2.43	0.54
1:A:17:LYS:HG2	1:A:22:TYR:CE2	2.43	0.53
1:B:1256:MET:C	1:B:1258:GLU:H	2.10	0.53
1:B:1177:MET:HB3	1:B:1182:VAL:HB	1.90	0.53
1:B:1049:GLU:HG2	1:B:1060:VAL:HG11	1.90	0.53
1:A:12:THR:HG22	1:A:13:GLY:N	2.25	0.52
1:B:1002:GLY:N	1:B:1005:SER:HG	2.08	0.52
1:B:1218:ARG:HG3	1:B:1218:ARG:HH11	1.74	0.51
1:A:49:GLU:HA	1:A:60:VAL:HG21	1.91	0.51
1:A:256:MET:C	1:A:258:GLU:H	2.13	0.51
1:B:1005:SER:HA	1:B:1032:GLY:O	2.11	0.51
1:A:12:THR:HG21	1:A:92:ILE:CD1	2.32	0.50
1:B:1122:TYR:CE2	1:B:1126:ALA:HB2	2.46	0.50
1:A:122:TYR:CE2	1:A:126:ALA:HB2	2.46	0.50
1:B:1028:MET:HE2	1:B:1233:CYS:HB2	1.92	0.50
1:A:155:ASN:ND2	1:A:201:LYS:HB3	2.27	0.49
1:A:122:TYR:O	1:A:125:VAL:HG12	2.12	0.49
1:B:1209:HIS:O	1:B:1213:VAL:HG22	2.13	0.49
1:A:90:HIS:HD2	1:A:92:ILE:HD12	1.72	0.49
1:A:5:SER:HA	1:A:32:GLY:O	2.14	0.48
1:A:105:VAL:O	1:B:1129:LYS:HE2	2.13	0.48
1:A:216:ILE:HD13	1:A:249:GLY:HA2	1.95	0.48
1:B:1206:MET:HG2	1:B:1207:LEU:N	2.28	0.48
1:B:1114:LYS:HD2	1:B:1114:LYS:C	2.33	0.48
1:B:1018:LEU:O	1:B:1194:THR:HG22	2.12	0.48
1:A:170:VAL:HG21	1:A:186:ALA:HB2	1.95	0.48
1:A:84:LYS:NZ	4:A:2090:HOH:O	2.47	0.47
1:B:1218:ARG:HH12	1:B:1220:VAL:HA	1.78	0.47
1:A:250:GLY:O	1:A:253:ILE:HG13	2.13	0.47
1:A:2:GLY:HA3	1:A:31:GLU:O	2.14	0.47
1:B:1066:ALA:HB2	1:B:1119:ILE:HD11	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:1114:LYS:O	1:B:1114:LYS:HD2	2.15	0.47
1:A:48:VAL:HA	1:A:51:PHE:CD2	2.51	0.46
1:A:67:GLU:HB3	1:A:70:SER:H	1.81	0.46
1:A:201:LYS:HE2	1:A:201:LYS:HB2	1.48	0.45
1:A:39:TYR:HD2	1:A:41:ASN:O	1.99	0.45
1:A:113:PHE:HA	1:A:158:VAL:HG21	1.98	0.45
1:A:58:ASP:HA	4:A:2007:HOH:O	2.16	0.45
1:B:1061:LEU:HD22	1:B:1077:GLU:HB2	1.98	0.45
1:B:1004:LEU:HD23	1:B:1007:LYS:HG3	1.98	0.45
1:A:183:ARG:HD3	1:A:238:ALA:O	2.17	0.44
1:A:20:ILE:O	1:A:24:ILE:HG13	2.17	0.44
1:B:1010:LEU:HB3	1:B:1088:PHE:HB3	1.98	0.44
1:A:28:MET:HE2	1:A:233:CYS:HB2	1.98	0.44
1:B:1063:CYS:HB2	1:B:1074:MET:HG3	1.99	0.44
1:B:1008:ARG:NH1	1:B:1034:GLU:OE1	2.51	0.43
1:A:158:VAL:O	1:A:158:VAL:HG22	2.18	0.43
1:A:142:LEU:HD11	1:A:187:ILE:HG13	2.00	0.43
1:A:161:LEU:HD21	1:B:1169:ASN:CG	2.39	0.43
1:B:1177:MET:O	1:B:1180:GLU:HG2	2.17	0.43
1:A:8:ARG:NH1	1:A:34:GLU:OE1	2.52	0.43
1:A:67:GLU:HB3	1:A:70:SER:HB2	2.00	0.43
1:A:73:THR:O	1:A:76:ALA:HB3	2.18	0.43
1:B:1124:PHE:CZ	1:B:1143:THR:HB	2.53	0.43
1:B:1094:PHE:O	1:B:1116:ALA:HA	2.19	0.42
1:B:1008:ARG:HH11	1:B:1008:ARG:CG	2.30	0.42
1:B:1092:ILE:CG2	1:B:1093:GLY:N	2.83	0.42
1:A:132:ARG:NH1	1:B:1105:VAL:HB	2.34	0.42
1:A:153:ILE:HA	1:A:154:PRO:HD3	1.91	0.42
1:A:10:LEU:HB3	1:A:88:PHE:HB3	2.02	0.42
1:A:104:TYR:OH	1:B:1169:ASN:ND2	2.52	0.42
1:B:1113:PHE:HA	1:B:1158:VAL:HG21	2.02	0.42
1:B:1197:ALA:HB1	1:B:1203:PHE:CD1	2.55	0.41
1:A:183:ARG:HG2	1:A:241:SER:HB2	2.02	0.41
1:B:1045:LYS:O	1:B:1049:GLU:HG3	2.20	0.41
1:B:1258:GLU:O	1:B:1258:GLU:HG2	2.19	0.41
1:A:36:ALA:HA	1:A:59:ILE:HB	2.02	0.41
1:A:65:VAL:HG11	1:A:92:ILE:HD13	2.02	0.41
1:A:12:THR:CG2	1:A:92:ILE:HD11	2.33	0.41
1:B:1104:TYR:HD1	1:B:1157:ASN:HB3	1.85	0.41
1:A:39:TYR:CZ	1:A:62:GLN:HB2	2.55	0.41
1:A:172:TYR:HE2	1:B:1160:GLY:HA3	1.84	0.41
1:B:1065:VAL:HB	1:B:1123:SER:HB2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:1146:TYR:CE2	1:B:1153:ILE:HD12	2.56	0.41
1:A:116:ALA:O	1:A:120:SER:HB2	2.20	0.41
1:B:1149:ALA:HB2	1:B:1163:LYS:HB3	2.03	0.41
1:B:1206:MET:CG	1:B:1207:LEU:N	2.82	0.40
1:B:1142:LEU:HD12	1:B:1143:THR:H	1.87	0.40
1:A:20:ILE:HG21	1:A:144:LEU:CD2	2.48	0.40
1:B:1143:THR:HG22	1:B:1185:ASN:O	2.21	0.40
1:B:1096:PRO:O	1:B:1099:GLN:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/262 (97%)	240 (94%)	15 (6%)	0	100	100
1	B	255/262 (97%)	240 (94%)	15 (6%)	0	100	100
All	All	510/524 (97%)	480 (94%)	30 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/201 (96%)	176 (91%)	18 (9%)	13	35
1	B	195/201 (97%)	182 (93%)	13 (7%)	23	55
All	All	389/402 (97%)	358 (92%)	31 (8%)	17	44

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	A	8	ARG
1	A	34	GLU
1	A	43	LYS
1	A	44	LEU
1	A	67	GLU
1	A	100	LEU
1	A	114	LYS
1	A	151	ARG
1	A	159	MET
1	A	169	ASN
1	A	195	LEU
1	A	200	ILE
1	A	201	LYS
1	A	206	MET
1	A	215	PRO
1	A	257	ASN
1	A	258	GLU
1	B	1050	GLU
1	B	1062	GLN
1	B	1067	GLU
1	B	1100	LEU
1	B	1114	LYS
1	B	1133	SER
1	B	1144	LEU
1	B	1151	ARG
1	B	1169	ASN
1	B	1200	ILE
1	B	1206	MET
1	B	1215	PRO
1	B	1257	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	99	GLN
1	A	169	ASN
1	A	175	ASN
1	A	257	ASN
1	B	1040	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1054	GLN
1	B	1099	GLN
1	B	1169	ASN
1	B	1175	ASN
1	B	1257	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAD	A	501	-	48,48,48	1.25	3 (6%)	73,73,73	2.22	18 (24%)
3	654	A	502	-	20,20,20	1.87	6 (30%)	27,27,27	2.20	7 (25%)
2	NAD	B	1501	-	48,48,48	1.36	5 (10%)	73,73,73	2.57	18 (24%)
3	654	B	1502	-	20,20,20	1.88	6 (30%)	27,27,27	2.21	7 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	501	-	-	0/30/62/62	0/3/5/5
3	654	A	502	-	-	0/6/8/8	0/3/3/3
2	NAD	B	1501	-	-	0/30/62/62	0/3/5/5
3	654	B	1502	-	-	0/6/8/8	0/3/3/3

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1502	654	C1I-C2T	-5.28	1.42	1.50
3	A	502	654	C1I-C2T	-5.22	1.43	1.50
2	B	1501	NAD	C2N-N1N	4.63	1.41	1.35
2	A	501	NAD	C2N-N1N	4.62	1.41	1.35
3	B	1502	654	C3I-N4I	-3.98	1.31	1.37
3	A	502	654	C3I-N4I	-3.98	1.31	1.37
2	A	501	NAD	C2D-C1D	-3.96	1.47	1.53
2	B	1501	NAD	C2B-C1B	-3.49	1.48	1.53
2	B	1501	NAD	C2D-C1D	-3.25	1.48	1.53
3	B	1502	654	C5I-N4I	-2.87	1.32	1.36
3	A	502	654	C5I-N4I	-2.83	1.32	1.36
2	A	501	NAD	C4A-N9A	-2.80	1.33	1.37
3	A	502	654	C5I-N2I	-2.53	1.30	1.35
2	B	1501	NAD	C4A-N9A	-2.52	1.34	1.37
3	B	1502	654	C5I-N2I	-2.51	1.30	1.35
3	A	502	654	C1-N4I	-2.50	1.43	1.49
3	B	1502	654	C1-N4I	-2.48	1.43	1.49
3	A	502	654	C1I-N2I	-2.23	1.34	1.38
3	B	1502	654	C1I-N2I	-2.16	1.34	1.38
2	B	1501	NAD	C5A-N7A	-2.08	1.32	1.40

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1501	NAD	O4B-C1B-N9A	10.40	118.11	108.44
2	B	1501	NAD	N3A-C2A-N1A	-9.34	120.90	128.71
2	A	501	NAD	N3A-C2A-N1A	-7.98	122.03	128.71
3	B	1502	654	C2T-C1I-N2I	6.89	127.75	121.87
3	A	502	654	C2T-C1I-N2I	6.80	127.69	121.87
2	B	1501	NAD	N3A-C4A-N9A	6.45	137.08	125.43
2	B	1501	NAD	O4D-C1D-N1N	5.95	114.04	107.95
2	A	501	NAD	C4B-O4B-C1B	-5.84	103.41	109.75
2	B	1501	NAD	C4B-O4B-C1B	-5.64	103.62	109.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	NAD	N3A-C4A-N9A	5.57	135.50	125.43
2	A	501	NAD	O3-PN-O1N	-4.83	97.28	108.83
2	A	501	NAD	O4B-C1B-N9A	4.80	112.91	108.44
3	A	502	654	C1I-C3I-N4I	-4.26	103.51	107.84
3	B	1502	654	C1I-C3I-N4I	-4.21	103.56	107.84
3	B	1502	654	C3I-N4I-C5I	4.07	111.41	107.14
3	A	502	654	C3I-N4I-C5I	4.03	111.37	107.14
2	B	1501	NAD	C4A-C5A-N7A	4.02	112.97	109.52
3	B	1502	654	C5T-S1T-C2T	-3.83	90.22	91.91
2	A	501	NAD	O4D-C1D-N1N	3.83	111.87	107.95
2	A	501	NAD	C3N-C7N-N7N	3.82	122.12	117.77
3	A	502	654	C5T-S1T-C2T	-3.81	90.23	91.91
2	B	1501	NAD	C6N-N1N-C2N	-3.80	117.75	122.04
2	A	501	NAD	C5A-C4A-N3A	-3.53	118.03	125.70
2	A	501	NAD	C8A-N9A-C4A	3.38	109.48	106.90
2	B	1501	NAD	C5A-C4A-N3A	-3.35	118.41	125.70
2	A	501	NAD	O7N-C7N-C3N	-3.33	115.82	119.58
2	A	501	NAD	C2D-C1D-N1N	-3.04	108.71	113.86
2	A	501	NAD	C6A-C5A-C4A	2.86	122.50	117.25
2	A	501	NAD	C5B-C4B-C3B	-2.86	103.75	115.21
2	B	1501	NAD	C1B-N9A-C4A	-2.86	121.70	126.64
2	B	1501	NAD	C6A-C5A-C4A	2.82	122.42	117.25
2	B	1501	NAD	O4D-C1D-C2D	-2.76	102.55	106.77
2	A	501	NAD	O4B-C1B-C2B	-2.75	102.56	106.77
2	A	501	NAD	O2B-C2B-C3B	-2.74	102.92	111.83
2	B	1501	NAD	O3-PN-O5D	-2.71	90.51	101.36
2	B	1501	NAD	O4B-C1B-C2B	-2.67	102.67	106.77
2	A	501	NAD	O3-PN-O5D	2.54	111.56	101.36
2	B	1501	NAD	C5B-C4B-C3B	-2.45	105.41	115.21
3	A	502	654	C5-C2-C3	2.42	122.24	118.16
3	A	502	654	C1-N4I-C3I	-2.41	122.76	126.07
3	B	1502	654	C1-N4I-C3I	-2.41	122.76	126.07
3	B	1502	654	C5-C2-C3	2.39	122.18	118.16
2	A	501	NAD	O4B-C4B-C5B	2.20	117.22	109.36
2	B	1501	NAD	PN-O3-PA	2.20	142.40	132.95
2	A	501	NAD	O5B-PA-O1A	2.16	117.83	109.37
2	B	1501	NAD	C2A-N3A-C4A	2.14	120.09	114.01
2	B	1501	NAD	C5D-C4D-C3D	2.11	123.67	115.21
3	B	1502	654	C3T-C2T-C1I	-2.03	125.30	129.63
3	A	502	654	C3T-C2T-C1I	-2.03	125.31	129.63
2	B	1501	NAD	C2B-C3B-C4B	2.02	106.67	102.65

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.