



# Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 01:53 PM GMT

PDB ID : 3I2W  
Title : Crystal structure of EFC/F-BAR domain of Drosophila Syndapin/PACSIN  
Authors : Edeling, M.A.; Owen, D.J.; Traub, L.M.  
Deposited on : 2009-06-29  
Resolution : 2.67 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.67 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	2010 (2.70-2.66)
Clashscore	79885	2450 (2.70-2.66)
Ramachandran outliers	78287	2410 (2.70-2.66)
Sidechain outliers	78261	2410 (2.70-2.66)
RSRZ outliers	66119	2013 (2.70-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	290	
1	B	290	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	GOL	A	1	-	X

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 4731 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Syndapin.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	270	Total	C	N	O	S	Se	0	0	0
			2252	1423	390	428	6	5			
1	B	285	Total	C	N	O	S	Se	0	0	0
			2360	1480	415	453	6	6			

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total 1	Na 1	0	0
3	A	2	Total 2	Na 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	51	Total 51	O 51	0	0
4	B	53	Total 53	O 53	0	0



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	62.59Å 85.53Å 192.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.07 – 2.67 39.09 – 2.67	Depositor EDS
% Data completeness (in resolution range)	99.7 (39.07-2.67) 99.8 (39.09-2.67)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.39 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R, $R_{free}$	0.234 , 0.258 0.238 , 0.260	Depositor DCC
$R_{free}$ test set	1522 reflections (5.35%)	DCC
Wilson B-factor (Å <sup>2</sup> )	43.9	Xtriage
Anisotropy	0.113	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 14.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	1 of 29984 reflections (0.003%)	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	4731	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.56% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.10	6/2296 (0.3%)	1.00	3/3080 (0.1%)
1	B	1.16	10/2403 (0.4%)	1.03	4/3222 (0.1%)
All	All	1.14	16/4699 (0.3%)	1.01	7/6302 (0.1%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	244	GLU	CD-OE2	9.14	1.35	1.25
1	A	252	CYS	CB-SG	-8.81	1.67	1.82
1	A	159	SER	CB-OG	8.12	1.52	1.42
1	B	244	GLU	CG-CD	6.97	1.62	1.51
1	B	252	CYS	CB-SG	-6.84	1.70	1.82
1	B	244	GLU	CD-OE1	6.64	1.32	1.25
1	A	37	CYS	CB-SG	-6.08	1.72	1.82
1	B	294	MSE	CG-SE	-5.84	1.75	1.95
1	B	202	CYS	CB-SG	-5.71	1.72	1.81
1	B	266	GLU	CD-OE2	5.52	1.31	1.25
1	A	85	VAL	CB-CG1	-5.42	1.41	1.52
1	B	65	TRP	CB-CG	-5.32	1.40	1.50
1	B	266	GLU	CD-OE1	5.26	1.31	1.25
1	B	104	CYS	CB-SG	-5.16	1.73	1.81
1	A	124	MSE	CG-SE	-5.01	1.78	1.95
1	A	292	MSE	CG-SE	-5.00	1.78	1.95

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	254	ASP	CB-CG-OD1	6.76	124.39	118.30
1	A	85	VAL	CG1-CB-CG2	-5.71	101.76	110.90
1	B	132	LEU	CA-CB-CG	-5.70	102.18	115.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	238	ARG	NE-CZ-NH2	-5.58	117.51	120.30
1	B	101	ASP	CB-CG-OD1	5.54	123.29	118.30
1	A	223	ASP	CB-CG-OD1	5.09	122.88	118.30
1	B	254	ASP	CB-CG-OD2	-5.03	113.78	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2252	0	2207	66	0
1	B	2360	0	2316	60	0
2	A	6	0	8	2	0
2	B	6	0	8	0	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
4	A	51	0	0	1	0
4	B	53	0	0	3	0
All	All	4731	0	4539	117	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 13.

All (117) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:27:THR:CG2	1:A:133:GLU:OE2	2.17	0.93
1:A:29:ARG:HH22	1:A:232:GLN:HE21	1.17	0.90
1:B:29:ARG:HH22	1:B:232:GLN:HE21	1.20	0.88
1:A:27:THR:HG23	1:A:133:GLU:OE2	1.73	0.88
1:A:91:ARG:HE	1:A:264:ILE:HG12	1.37	0.88
1:B:146:LEU:HB2	1:B:213:ILE:HD12	1.61	0.82
1:B:139:ALA:CB	1:B:224:MSE:CE	2.58	0.82
1:A:152:LYS:HG2	1:A:153:ALA:N	1.95	0.81

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:169:ASN:O	1:B:172:ARG:HB3	1.83	0.78
1:A:164:GLU:OE2	1:A:196:LYS:HG2	1.83	0.78
1:B:21:GLY:O	1:B:24:LYS:HG3	1.84	0.78
1:A:20:PRO:HA	1:A:140:GLN:NE2	2.00	0.76
1:B:139:ALA:HB1	1:B:224:MSE:HE2	1.68	0.76
1:B:139:ALA:HB3	1:B:224:MSE:CE	2.16	0.75
1:B:122:THR:HG22	1:B:123:LEU:HG	1.69	0.73
1:B:139:ALA:CB	1:B:224:MSE:HE2	2.19	0.73
1:B:29:ARG:HH22	1:B:232:GLN:NE2	1.88	0.72
1:B:120:HIS:HD2	1:B:128:GLU:OE2	1.72	0.72
1:B:139:ALA:HB3	1:B:224:MSE:HE1	1.72	0.71
1:A:51:GLU:OE1	1:A:96:HIS:HD2	1.74	0.71
1:A:102:ASN:O	1:A:106:ASP:HB3	1.92	0.70
1:A:27:THR:HG21	1:A:133:GLU:OE2	1.94	0.66
1:A:20:PRO:HA	1:A:140:GLN:HE22	1.60	0.65
1:B:139:ALA:HB1	1:B:224:MSE:CE	2.24	0.65
1:A:302:TYR:HE2	1:B:165:ARG:HH11	1.43	0.65
1:A:149:LYS:O	1:A:150:VAL:C	2.32	0.64
1:A:53:GLY:HA3	2:A:1:GOL:H12	1.81	0.63
1:B:111:ILE:HD11	1:B:245:ILE:HG21	1.80	0.63
1:A:21:GLY:O	1:A:24:LYS:HG3	2.00	0.61
1:A:193:GLN:HA	1:A:196:LYS:HE2	1.81	0.61
1:A:235:GLU:OE1	1:A:238:ARG:NH2	2.32	0.61
1:A:29:ARG:HH22	1:A:232:GLN:NE2	1.96	0.60
1:B:217:ASN:O	1:B:221:ILE:HG13	2.01	0.60
1:A:286:ASN:HD22	1:A:291:ASN:HB2	1.66	0.60
1:B:146:LEU:HB2	1:B:213:ILE:CD1	2.30	0.60
1:B:152:LYS:HE2	1:B:156:ASP:OD2	2.01	0.60
1:B:132:LEU:HD23	1:B:231:CYS:SG	2.42	0.59
1:A:111:ILE:HD11	1:A:245:ILE:HG21	1.85	0.59
1:A:262:PRO:HA	1:B:256:THR:HG21	1.86	0.57
1:A:286:ASN:ND2	1:A:291:ASN:HD22	2.05	0.55
1:A:220:TYR:O	1:A:221:ILE:C	2.42	0.54
1:B:172:ARG:HG3	1:B:173:ASN:HD22	1.72	0.54
1:B:132:LEU:HD12	1:B:132:LEU:N	2.23	0.53
1:A:88:GLU:HG3	1:A:89:SER:N	2.23	0.53
1:B:172:ARG:CG	1:B:173:ASN:HD22	2.22	0.53
1:A:261:LEU:N	1:A:262:PRO:CD	2.71	0.53
1:A:125:GLN:HG3	1:A:130:LYS:NZ	2.24	0.53
1:A:61:TRP:HH2	1:A:85:VAL:HG11	1.73	0.52
1:A:235:GLU:CD	1:A:238:ARG:NH2	2.63	0.52
1:A:259:GLN:O	1:A:262:PRO:HD2	2.10	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:75:TYR:N	1:A:75:TYR:CD1	2.78	0.50
1:A:149:LYS:HA	1:A:152:LYS:HD2	1.92	0.50
1:B:33:GLY:HA3	4:B:340:HOH:O	2.12	0.50
1:B:66:GLY:HA2	1:B:86:LEU:CD1	2.41	0.50
1:A:154:LYS:HB2	1:A:206:TYR:CE1	2.47	0.50
1:A:33:GLY:HA3	4:A:342:HOH:O	2.11	0.49
1:A:125:GLN:HG3	1:A:130:LYS:HE2	1.95	0.49
1:A:120:HIS:ND1	1:A:128:GLU:OE2	2.34	0.49
1:A:154:LYS:HB2	1:A:206:TYR:HE1	1.78	0.48
1:B:51:GLU:OE1	1:B:96:HIS:HD2	1.96	0.48
1:B:45:GLN:O	1:B:48:ALA:HB3	2.14	0.48
1:A:27:THR:HG23	1:A:129:ARG:HE	1.77	0.48
1:A:164:GLU:OE2	1:A:196:LYS:CG	2.59	0.48
1:A:88:GLU:OE2	1:B:47:ARG:NH2	2.40	0.47
1:B:122:THR:O	1:B:123:LEU:C	2.51	0.47
1:B:149:LYS:O	1:B:150:VAL:C	2.49	0.47
1:B:200:GLN:O	1:B:201:LYS:C	2.52	0.47
1:A:122:THR:O	1:A:123:LEU:C	2.53	0.47
1:A:125:GLN:HG3	1:A:130:LYS:CE	2.44	0.47
1:A:165:ARG:HA	1:A:165:ARG:HD3	1.78	0.46
1:A:61:TRP:HH2	1:A:85:VAL:CG1	2.27	0.46
1:A:243:LYS:HG3	1:B:275:ALA:HB3	1.97	0.46
1:A:292:MSE:SE	1:B:17:PHE:H	2.48	0.46
1:B:198:GLN:HA	1:B:198:GLN:OE1	2.15	0.45
1:A:114:TRP:HZ2	1:A:237:THR:HG22	1.80	0.45
1:A:213:ILE:O	1:A:216:TYR:N	2.46	0.45
1:A:210:ILE:HD13	1:B:298:SER:HA	1.99	0.45
1:B:141:LYS:HB3	1:B:142:PRO:HD3	1.99	0.44
1:A:195:THR:HA	1:A:198:GLN:HB3	1.99	0.44
1:B:139:ALA:C	1:B:224:MSE:HE3	2.38	0.44
1:B:172:ARG:CG	1:B:173:ASN:ND2	2.80	0.44
1:B:91:ARG:HB3	1:B:264:ILE:HG12	2.00	0.44
1:B:122:THR:HG22	1:B:123:LEU:N	2.33	0.44
1:A:249:VAL:O	1:A:252:CYS:HB2	2.18	0.43
1:B:154:LYS:HB2	1:B:206:TYR:CZ	2.53	0.43
1:B:257:LYS:HE3	4:B:352:HOH:O	2.18	0.43
1:A:217:ASN:O	1:A:218:SER:C	2.56	0.43
1:A:152:LYS:HG2	1:A:153:ALA:H	1.80	0.43
1:B:255:LEU:HA	1:B:255:LEU:HD23	1.88	0.43
1:A:53:GLY:HA3	2:A:1:GOL:C1	2.47	0.43
1:B:154:LYS:HB2	1:B:206:TYR:CE1	2.53	0.43
1:A:29:ARG:NH2	1:A:232:GLN:HE21	2.00	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:213:ILE:CG2	1:A:214:THR:N	2.82	0.43
1:B:261:LEU:HD12	1:B:261:LEU:HA	1.65	0.43
1:B:16:SER:O	1:B:19:GLU:HB2	2.19	0.42
1:A:216:TYR:O	1:A:219:VAL:N	2.47	0.42
1:A:92:ILE:HA	1:A:92:ILE:HD12	1.76	0.42
1:B:97:MSE:HE3	4:B:334:HOH:O	2.20	0.42
1:B:157:TYR:HB2	1:B:202:CYS:HB3	2.02	0.42
1:B:136:PHE:O	1:B:224:MSE:HE1	2.20	0.42
1:B:132:LEU:CD2	1:B:231:CYS:SG	3.08	0.42
1:B:157:TYR:O	1:B:157:TYR:CG	2.73	0.41
1:B:145:LYS:O	1:B:146:LEU:C	2.58	0.41
1:B:289:GLY:O	1:B:292:MSE:HG3	2.20	0.41
1:A:142:PRO:HB2	1:A:216:TYR:CE2	2.56	0.41
1:A:20:PRO:HD3	1:A:143:TRP:HZ3	1.84	0.41
1:A:275:ALA:HB3	1:B:243:LYS:HG3	2.01	0.41
1:A:146:LEU:HB2	1:A:213:ILE:HG13	2.03	0.41
1:A:254:ASP:HA	1:B:265:TYR:CE1	2.55	0.41
1:B:268:PHE:CD1	1:B:268:PHE:O	2.74	0.41
1:A:103:LEU:HD23	1:A:103:LEU:HA	1.94	0.41
1:B:187:LYS:HE2	1:B:191:ARG:HH21	1.86	0.41
1:A:235:GLU:OE2	1:A:238:ARG:NH2	2.54	0.40
1:B:94:ASP:O	1:B:95:VAL:C	2.58	0.40
1:A:261:LEU:H	1:A:262:PRO:CD	2.35	0.40
1:B:147:LEU:O	1:B:151:GLU:HG2	2.22	0.40
1:A:268:PHE:CD2	1:B:250:HIS:HD2	2.39	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/290 (92%)	244 (92%)	22 (8%)	0	100	100
1	B	283/290 (98%)	261 (92%)	22 (8%)	0	100	100
All	All	549/580 (95%)	505 (92%)	44 (8%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/259 (95%)	226 (92%)	21 (8%)	15	32
1	B	260/259 (100%)	248 (95%)	12 (5%)	37	68
All	All	507/518 (98%)	474 (94%)	33 (6%)	24	49

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	THR
1	A	28	LYS
1	A	67	GLU
1	A	88	GLU
1	A	92	ILE
1	A	122	THR
1	A	147	LEU
1	A	152	LYS
1	A	154	LYS
1	A	159	SER
1	A	197	ASP
1	A	202	CYS
1	A	203	ARG
1	A	205	LYS
1	A	215	LYS
1	A	218	SER
1	A	252	CYS
1	A	259	GLN
1	A	266	GLU
1	A	301	GLU
1	A	303	THR
1	B	63	LYS
1	B	98	LYS
1	B	113	THR
1	B	152	LYS
1	B	164	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	172	ARG
1	B	173	ASN
1	B	194	LYS
1	B	215	LYS
1	B	237	THR
1	B	267	GLU
1	B	279	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	GLN
1	A	96	HIS
1	A	115	GLN
1	A	198	GLN
1	A	232	GLN
1	A	250	HIS
1	A	259	GLN
1	A	274	ASN
1	A	286	ASN
1	B	96	HIS
1	B	110	GLN
1	B	120	HIS
1	B	173	ASN
1	B	200	GLN
1	B	232	GLN
1	B	248	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GOL	A	1	-	5,5,5	0.53	0	5,5,5	0.86	0
2	GOL	B	2	-	5,5,5	0.19	0	5,5,5	1.19	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	1	-	-	0/4/4/4	0/0/0/0
2	GOL	B	2	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	B	2	GOL	C3-C2-C1	-2.12	101.92	111.26

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	270/290 (93%)	0.67	30 (11%) 6 6	22, 35, 157, 174	1 (0%)
1	B	285/290 (98%)	0.29	8 (2%) 50 54	20, 32, 66, 85	0
All	All	555/580 (95%)	0.48	38 (6%) 17 18	20, 33, 114, 174	1 (0%)

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	190	ASP	13.5
1	A	191	ARG	11.3
1	A	195	THR	7.8
1	A	167	ALA	7.5
1	A	194	LYS	7.5
1	A	163	THR	6.7
1	A	166	SER	6.3
1	A	201	LYS	5.9
1	A	198	GLN	5.3
1	A	203	ARG	5.3
1	A	197	ASP	5.3
1	A	168	THR	5.3
1	A	193	GLN	5.2
1	A	202	CYS	5.1
1	A	192	VAL	5.1
1	A	165	ARG	4.9
1	B	175	ASN	4.7
1	B	174	ALA	4.6
1	A	161	CYS	4.4
1	A	199	VAL	4.3
1	A	200	GLN	4.1
1	A	159	SER	4.0
1	A	162	LYS	3.9
1	A	164	GLU	3.7

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	194	LYS	3.3
1	A	158	HIS	3.2
1	A	189	HIS	3.1
1	B	193	GLN	3.1
1	A	196	LYS	3.1
1	A	204	GLU	2.9
1	A	157	TYR	2.9
1	A	205	LYS	2.6
1	B	167	ALA	2.5
1	B	162	LYS	2.3
1	A	270	HIS	2.2
1	A	207	GLU	2.2
1	B	244	GLU	2.2
1	B	173	ASN	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	GOL	A	1	6/6	0.23	2.63	51,53,54,56	0
2	GOL	B	2	6/6	0.16	-0.42	27,32,32,35	0
3	NA	A	3	1/1	0.13	-1.29	46,46,46,46	0
3	NA	A	304	1/1	0.13	-1.64	26,26,26,26	0
3	NA	B	304	1/1	0.07	-2.39	33,33,33,33	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.