



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2014 – 01:48 AM GMT

PDB ID : 2I37  
Title : Crystal structure of a photoactivated rhodopsin  
Authors : Lodowski, D.T.; Stenkamp, R.E.; Salom, D.; Le Trong, I.; Palczewski, K.  
Deposited on : 2006-08-17  
Resolution : 4.15 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 4.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1009 (4.84-3.48)
Clashscore	79885	1256 (4.80-3.50)
Ramachandran outliers	78287	1189 (4.80-3.50)
Sidechain outliers	78261	1172 (4.80-3.50)
RSRZ outliers	66119	1009 (4.84-3.48)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	349	
1	B	349	
1	C	349	

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7814 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Rhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	318	Total	C	N	O	S	0	0	0
			2518	1680	385	427	26			
1	B	320	Total	C	N	O	S	0	0	0
			2534	1689	387	432	26			
1	C	319	Total	C	N	O	S	0	0	0
			2525	1682	387	430	26			

- Molecule 2 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is a polymer of unknown type called SUGAR (5-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	5	Total	C	N	O	0	0
			64	36	3	25		

- Molecule 5 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	2	Total	C	N	O	0	0
			28	16	2	10		
5	C	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is a polymer of unknown type called SUGAR (4-MER).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	C	4	Total	C	N	O	0	0
			50	28	2	20		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Rhodopsin

Chain A:




#### • Molecule 1: Rhodopsin

Chain B:



#### • Molecule 1: Rhodopsin

Chain C:



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 1 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	161.25Å 161.25Å 143.44Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 4.15 29.81 – 4.15	Depositor EDS
% Data completeness (in resolution range)	76.8 (30.00-4.15) 76.8 (29.81-4.15)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.37 (at 4.11Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.377 , 0.382 0.386 , 0.390	Depositor DCC
$R_{free}$ test set	645 reflections (5.46%)	DCC
Wilson B-factor (Å <sup>2</sup> )	233.0	Xtriage
Anisotropy	0.144	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.19 , 57.5	EDS
Estimated twinning fraction	0.049 for -h,-k,l	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 12455 reflections	Xtriage
$F_o, F_c$ correlation	0.87	EDS
Total number of atoms	7814	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	183.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.10% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NDG, NAG, ACE, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.37	0/2596	0.46	0/3538
1	B	0.39	0/2611	0.47	0/3558
1	C	0.37	0/2601	0.47	0/3541
All	All	0.38	0/7808	0.47	0/10637

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2518	0	2491	20	0
1	B	2534	0	2513	23	0
1	C	2525	0	2494	22	0
2	A	39	0	34	1	0
3	A	28	0	25	0	0
4	B	64	0	55	2	0
5	B	28	0	25	0	0
5	C	28	0	25	0	0
6	C	50	0	43	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	7814	0	7705	63	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 4.

All (63) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:16:LYS:O	1:C:7:PRO:HA	1.94	0.67
1:B:322:CYS:O	1:B:323:CYS:SG	2.56	0.64
1:C:4:THR:CG2	6:C:505:NAG:H83	2.32	0.60
1:A:20:VAL:O	2:A:505:NAG:O5	2.23	0.55
1:B:219:ILE:O	1:B:219:ILE:HG22	2.07	0.55
1:A:219:ILE:HG22	1:A:219:ILE:O	2.08	0.54
1:C:219:ILE:O	1:C:219:ILE:HG22	2.07	0.54
1:A:179:ILE:HG13	1:A:180:PRO:HD2	1.90	0.54
1:C:179:ILE:HG13	1:C:180:PRO:HD2	1.91	0.53
1:A:96:TYR:OH	1:B:100:HIS:NE2	2.34	0.53
1:B:179:ILE:HG13	1:B:180:PRO:HD2	1.92	0.52
1:C:4:THR:HG21	6:C:505:NAG:H83	1.91	0.52
1:B:169:ALA:N	1:B:170:PRO:HD2	2.26	0.51
1:C:169:ALA:N	1:C:170:PRO:HD2	2.25	0.51
1:A:169:ALA:N	1:A:170:PRO:HD2	2.26	0.50
1:B:137:VAL:O	1:B:137:VAL:HG12	2.12	0.49
1:A:52:PHE:HB2	1:A:87:VAL:HG11	1.94	0.49
1:B:303:PRO:HA	1:B:306:TYR:HB3	1.95	0.49
1:A:303:PRO:HA	1:A:306:TYR:HB3	1.95	0.49
1:C:52:PHE:HB2	1:C:87:VAL:HG11	1.95	0.49
1:B:52:PHE:HB2	1:B:87:VAL:HG11	1.93	0.49
1:C:303:PRO:HA	1:C:306:TYR:HB3	1.95	0.49
1:A:137:VAL:O	1:A:137:VAL:HG12	2.13	0.48
1:B:126:TRP:HZ2	1:B:211:HIS:HD1	1.61	0.48
1:C:137:VAL:O	1:C:137:VAL:HG12	2.13	0.48
1:B:68:LEU:HD11	1:B:316:CYS:SG	2.54	0.47
1:B:20:VAL:HA	1:B:30:TYR:CZ	2.50	0.46
4:B:505:NAG:H82	6:C:505:NAG:H82	1.98	0.46
1:C:68:LEU:HD11	1:C:316:CYS:SG	2.55	0.46
1:B:214:ILE:HB	1:B:215:PRO:HD3	1.98	0.45
1:C:318:VAL:O	1:C:322:CYS:N	2.49	0.45
1:C:214:ILE:HB	1:C:215:PRO:HD3	1.99	0.45
1:A:214:ILE:HB	1:A:215:PRO:HD3	1.99	0.45
1:A:27:PRO:HA	1:A:102:TYR:HB3	1.98	0.45
1:A:49:MET:SD	1:B:52:PHE:HD2	2.39	0.45

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:68:LEU:HD11	1:A:316:CYS:SG	2.57	0.45
1:B:318:VAL:O	1:B:322:CYS:N	2.50	0.44
1:C:20:VAL:HA	1:C:30:TYR:CZ	2.53	0.44
1:A:20:VAL:HA	1:A:30:TYR:CZ	2.53	0.44
1:A:105:PHE:HB3	1:A:109:GLY:HA3	2.00	0.43
1:C:105:PHE:HB3	1:C:109:GLY:HA3	1.99	0.43
1:B:105:PHE:HB3	1:B:109:GLY:HA3	2.00	0.43
4:B:505:NAG:O7	6:C:505:NAG:O3	2.26	0.43
1:B:72:LEU:HD21	1:B:310:ASN:ND2	2.33	0.43
1:B:23:PRO:HA	1:B:28:GLN:HE21	1.83	0.43
1:B:27:PRO:HA	1:B:102:TYR:HB3	2.00	0.43
1:C:322:CYS:O	1:C:323:CYS:SG	2.77	0.42
1:C:27:PRO:HA	1:C:102:TYR:HB3	1.99	0.42
1:A:219:ILE:CG2	1:A:219:ILE:O	2.68	0.42
1:A:72:LEU:HD21	1:A:310:ASN:ND2	2.35	0.41
1:B:219:ILE:O	1:B:219:ILE:CG2	2.68	0.41
1:A:23:PRO:HA	1:A:28:GLN:HE21	1.86	0.41
1:B:97:THR:HG21	1:B:185:CYS:HA	2.03	0.41
1:C:97:THR:HG21	1:C:185:CYS:HA	2.02	0.41
1:C:72:LEU:HD21	1:C:310:ASN:ND2	2.36	0.41
1:B:16:LYS:HD3	1:C:195:HIS:CD2	2.55	0.41
1:C:271:VAL:HG13	1:C:287:PHE:CZ	2.56	0.41
1:C:219:ILE:O	1:C:219:ILE:CG2	2.68	0.41
1:A:102:TYR:CE2	1:A:104:VAL:HG12	2.57	0.40
1:B:241:ALA:HB1	1:B:244:GLN:HB2	2.04	0.40
1:A:271:VAL:HG13	1:A:287:PHE:CZ	2.56	0.40
1:A:290:ILE:N	1:A:291:PRO:HD2	2.36	0.40
1:C:145:ASN:O	1:C:145:ASN:ND2	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	312/349 (89%)	272 (87%)	35 (11%)	5 (2%)	14 72

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	314/349 (90%)	271 (86%)	38 (12%)	5 (2%)	14	72
1	C	312/349 (89%)	269 (86%)	37 (12%)	6 (2%)	12	68
All	All	938/1047 (90%)	812 (87%)	110 (12%)	16 (2%)	14	71

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	322	CYS
1	A	18	GLY
1	A	323	CYS
1	B	18	GLY
1	C	18	GLY
1	C	324	GLY
1	B	322	CYS
1	B	324	GLY
1	C	330	ASP
1	A	194	PRO
1	A	285	PRO
1	B	194	PRO
1	B	285	PRO
1	C	194	PRO
1	C	285	PRO
1	C	329	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/296 (92%)	257 (95%)	14 (5%)	32	78
1	B	273/296 (92%)	259 (95%)	14 (5%)	33	79
1	C	272/296 (92%)	258 (95%)	14 (5%)	33	79
All	All	816/888 (92%)	774 (95%)	42 (5%)	33	79

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	ARG
1	A	74	TYR
1	A	97	THR
1	A	102	TYR
1	A	103	PHE
1	A	104	VAL
1	A	119	LEU
1	A	135	ARG
1	A	148	PHE
1	A	165	LEU
1	A	175	TRP
1	A	208	PHE
1	A	221	PHE
1	A	322	CYS
1	B	21	ARG
1	B	74	TYR
1	B	97	THR
1	B	102	TYR
1	B	103	PHE
1	B	104	VAL
1	B	119	LEU
1	B	135	ARG
1	B	165	LEU
1	B	175	TRP
1	B	208	PHE
1	B	221	PHE
1	B	322	CYS
1	B	325	LYS
1	C	21	ARG
1	C	74	TYR
1	C	97	THR
1	C	102	TYR
1	C	103	PHE
1	C	104	VAL
1	C	119	LEU
1	C	135	ARG
1	C	165	LEU
1	C	175	TRP
1	C	208	PHE
1	C	221	PHE
1	C	322	CYS
1	C	325	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	73	ASN
1	A	151	ASN
1	A	184	GLN
1	A	310	ASN
1	A	315	ASN
1	B	73	ASN
1	B	151	ASN
1	B	184	GLN
1	B	310	ASN
1	C	73	ASN
1	C	151	ASN
1	C	184	GLN
1	C	310	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

18 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	MAN	A	503	2	10,11,12	0.65	0	11,15,17	1.31	1 (9%)
2	NAG	A	504	2	12,14,15	0.62	0	15,19,21	1.26	2 (13%)
2	NAG	A	505	1,2	12,14,15	0.60	0	15,19,21	1.34	2 (13%)
3	NAG	A	704	3	12,14,15	0.79	1 (8%)	15,19,21	1.39	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	A	705	1,3	12,14,15	0.68	1 (8%)	15,19,21	1.04	1 (6%)
4	NAG	B	501	4	12,14,15	0.65	0	15,19,21	1.47	2 (13%)
4	BMA	B	502	4	10,11,12	0.66	0	11,15,17	1.31	1 (9%)
4	MAN	B	503	4	10,11,12	0.85	0	11,15,17	1.57	3 (27%)
4	NAG	B	504	4	12,14,15	0.56	0	15,19,21	1.02	1 (6%)
4	NAG	B	505	1,4	12,14,15	0.77	1 (8%)	15,19,21	1.13	1 (6%)
5	NAG	B	704	5	12,14,15	0.59	0	15,19,21	0.94	1 (6%)
5	NDG	B	705	1,5	12,14,15	0.63	0	15,19,21	1.28	1 (6%)
6	MAN	C	502	6	10,11,12	0.71	0	11,15,17	0.97	0
6	MAN	C	503	6	10,11,12	0.69	0	11,15,17	1.58	2 (18%)
6	NAG	C	504	6	12,14,15	0.67	1 (8%)	15,19,21	1.19	1 (6%)
6	NAG	C	505	1,6	12,14,15	0.52	0	15,19,21	1.35	1 (6%)
5	NAG	C	704	5	12,14,15	0.72	0	15,19,21	1.60	4 (26%)
5	NDG	C	705	1,5	12,14,15	0.51	0	15,19,21	1.37	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	A	503	2	-	0/2/19/22	0/1/1/1
2	NAG	A	504	2	-	1/6/23/26	0/1/1/1
2	NAG	A	505	1,2	-	0/6/23/26	0/1/1/1
3	NAG	A	704	3	-	0/6/23/26	0/1/1/1
3	NAG	A	705	1,3	-	1/6/23/26	0/1/1/1
4	NAG	B	501	4	-	0/6/23/26	0/1/1/1
4	BMA	B	502	4	-	0/2/19/22	0/1/1/1
4	MAN	B	503	4	-	0/2/19/22	0/1/1/1
4	NAG	B	504	4	-	0/6/23/26	0/1/1/1
4	NAG	B	505	1,4	-	0/6/23/26	0/1/1/1
5	NAG	B	704	5	-	0/6/23/26	0/1/1/1
5	NDG	B	705	1,5	-	0/6/23/26	0/1/1/1
6	MAN	C	502	6	-	0/2/19/22	0/1/1/1
6	MAN	C	503	6	-	0/2/19/22	0/1/1/1
6	NAG	C	504	6	-	0/6/23/26	0/1/1/1
6	NAG	C	505	1,6	-	0/6/23/26	0/1/1/1
5	NAG	C	704	5	-	0/6/23/26	0/1/1/1
5	NDG	C	705	1,5	-	0/6/23/26	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	505	NAG	O5-C5	-2.34	1.41	1.45
3	A	704	NAG	O5-C5	-2.07	1.41	1.45
3	A	705	NAG	O5-C5	-2.04	1.41	1.45
6	C	504	NAG	O5-C5	-2.03	1.41	1.45

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	505	NAG	O5-C5-C6	4.38	111.58	106.98
2	A	503	MAN	O5-C5-C6	3.77	110.94	106.98
5	C	705	NDG	O-C5-C6	3.73	110.90	106.98
4	B	502	BMA	O5-C5-C6	3.52	110.68	106.98
3	A	704	NAG	O5-C5-C4	-3.44	106.28	110.65
4	B	501	NAG	O5-C5-C4	-3.32	106.44	110.65
6	C	503	MAN	O3-C3-C2	3.31	115.98	109.94
4	B	501	NAG	O5-C5-C6	3.26	110.40	106.98
6	C	504	NAG	O5-C5-C6	3.22	110.36	106.98
5	B	705	NDG	O-C5-C4	3.04	114.52	110.65
2	A	505	NAG	O5-C5-C4	3.04	114.50	110.65
2	A	504	NAG	C2-N2-C7	-2.99	118.07	123.09
2	A	504	NAG	O5-C5-C6	2.91	110.03	106.98
5	B	704	NAG	O5-C5-C6	2.86	109.98	106.98
5	C	704	NAG	O5-C5-C6	2.81	109.92	106.98
4	B	503	MAN	O3-C3-C4	2.74	116.49	110.35
4	B	503	MAN	C4-C3-C2	2.70	114.13	110.50
5	C	704	NAG	C3-C2-N2	-2.70	107.65	111.76
5	C	704	NAG	O5-C5-C4	-2.66	107.28	110.65
3	A	705	NAG	O5-C5-C6	2.49	109.60	106.98
4	B	505	NAG	O5-C5-C4	-2.48	107.51	110.65
6	C	503	MAN	O5-C5-C6	2.47	109.58	106.98
4	B	503	MAN	O5-C5-C6	2.23	109.32	106.98
3	A	704	NAG	O5-C5-C6	2.21	109.30	106.98
4	B	504	NAG	C3-C4-C5	-2.19	106.29	110.20
2	A	505	NAG	O4-C4-C3	2.12	115.10	110.35
5	C	704	NAG	C2-N2-C7	2.09	126.59	123.09
5	C	705	NDG	C3-C4-C5	-2.03	106.58	110.20

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	504	NAG	O7-C7-N2-C2
3	A	705	NAG	O7-C7-N2-C2

There are no ring outliers.

## 5.6 Ligand geometry

There are no ligands in this entry.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	318/349 (91%)	0.16	6 (1%) 64 50	183, 183, 183, 183	0
1	B	320/349 (91%)	0.27	16 (5%) 28 25	183, 183, 183, 183	0
1	C	319/349 (91%)	0.03	6 (1%) 64 50	183, 183, 183, 183	0
All	All	957/1047 (91%)	0.15	28 (2%) 49 39	183, 183, 183, 183	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	143	MET	4.7
1	B	142	PRO	4.3
1	A	317	MET	3.4
1	B	223	TYR	3.0
1	C	235	ALA	2.8
1	B	243	THR	2.8
1	C	251	THR	2.8
1	C	190	ASP	2.7
1	B	150	GLU	2.6
1	B	287	PHE	2.6
1	A	325	LYS	2.5
1	C	326	ASN	2.5
1	A	187	CYS	2.5
1	B	70	THR	2.4
1	A	183	MET	2.4
1	C	63	VAL	2.3
1	A	319	THR	2.3
1	B	267	PRO	2.3
1	C	1	MET	2.3
1	B	317	MET	2.2
1	B	78	ASN	2.2
1	B	187	CYS	2.2
1	B	69	ARG	2.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	121	GLY	2.1
1	B	327	PRO	2.1
1	A	67	LYS	2.1
1	B	67	LYS	2.0
1	B	120	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	NAG	B	504	14/15	0.08	-	183,183,183,183	0
4	MAN	B	503	11/12	0.13	-	183,183,183,183	0
2	NAG	A	505	14/15	0.17	-	183,183,183,183	0
5	NDG	C	705	14/15	0.30	-	183,183,183,183	0
4	BMA	B	502	11/12	0.13	-	183,183,183,183	0
5	NDG	B	705	14/15	0.34	-	183,183,183,183	0
6	MAN	C	502	11/12	0.18	-	183,183,183,183	0
5	NAG	B	704	14/15	0.32	-	183,183,183,183	0
3	NAG	A	704	14/15	0.26	-	183,183,183,183	0
5	NAG	C	704	14/15	0.51	-	183,183,183,183	0
2	NAG	A	504	14/15	0.19	-	183,183,183,183	0
6	MAN	C	503	11/12	0.12	-	183,183,183,183	0
2	MAN	A	503	11/12	0.24	-	183,183,183,183	0
6	NAG	C	504	14/15	0.13	-	183,183,183,183	0
4	NAG	B	505	14/15	0.14	-	183,183,183,183	0
6	NAG	C	505	14/15	0.22	-	183,183,183,183	0
3	NAG	A	705	14/15	0.16	-	183,183,183,183	0
4	NAG	B	501	14/15	0.18	-	183,183,183,183	1

## 6.4 Ligands

There are no ligands in this entry.

## 6.5 Other polymers

There are no such residues in this entry.