



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 04:22 AM GMT

PDB ID : 2I6Y
Title : Structure and Mechanism of Mycobacterium tuberculosis Salicylate Synthase, MbtI
Authors : Zwahlen, J.; Subramaniapillai, K.; Zhou, R.; Kisker, C.; Tonge, P.J.
Deposited on : 2006-08-29
Resolution : 2.50 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2784 (2.50-2.50)
Clashscore	79885	3562 (2.50-2.50)
Ramachandran outliers	78287	3480 (2.50-2.50)
Sidechain outliers	78261	3482 (2.50-2.50)
RSRZ outliers	66119	2785 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	470	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3089 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Anthranilate synthase component I, putative.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	419	3086	1941	547	588	10	0	0	0

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	CLONING ARTIFACT	UNP Q7D785
A	-18	GLY	-	CLONING ARTIFACT	UNP Q7D785
A	-17	SER	-	CLONING ARTIFACT	UNP Q7D785
A	-16	SER	-	CLONING ARTIFACT	UNP Q7D785
A	-15	HIS	-	EXPRESSION TAG	UNP Q7D785
A	-14	HIS	-	EXPRESSION TAG	UNP Q7D785
A	-13	HIS	-	EXPRESSION TAG	UNP Q7D785
A	-12	HIS	-	EXPRESSION TAG	UNP Q7D785
A	-11	HIS	-	EXPRESSION TAG	UNP Q7D785
A	-10	HIS	-	EXPRESSION TAG	UNP Q7D785
A	-9	SER	-	CLONING ARTIFACT	UNP Q7D785
A	-8	SER	-	CLONING ARTIFACT	UNP Q7D785
A	-7	GLY	-	CLONING ARTIFACT	UNP Q7D785
A	-6	LEU	-	CLONING ARTIFACT	UNP Q7D785
A	-5	VAL	-	CLONING ARTIFACT	UNP Q7D785
A	-4	PRO	-	CLONING ARTIFACT	UNP Q7D785
A	-3	ARG	-	CLONING ARTIFACT	UNP Q7D785
A	-2	GLY	-	CLONING ARTIFACT	UNP Q7D785
A	-1	SER	-	CLONING ARTIFACT	UNP Q7D785
A	0	HIS	-	CLONING ARTIFACT	UNP Q7D785
A	1	VAL	-	CLONING ARTIFACT	UNP Q7D785


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	O	0	0
			3	3		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Anthranilate synthase component I, putative



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	49.21Å 143.60Å 123.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.50 43.57 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.1 (25.00-2.50) 99.1 (43.57-2.50)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.27 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.232 , 0.294 0.231 , 0.294	Depositor DCC
R_{free} test set	776 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	57.5	Xtriage
Anisotropy	0.602	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 51.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 15476 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3089	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.68	1/3140 (0.0%)	0.86	3/4277 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	159	GLU	CD-OE2	8.73	1.35	1.25

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	247	LEU	CA-CB-CG	6.78	130.90	115.30
1	A	344	ASP	CB-CG-OD2	5.33	123.10	118.30
1	A	360	VAL	CB-CA-C	-5.28	101.38	111.40

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	344	ASP	Peptide
1	A	387	GLY	Peptide
1	A	388	ALA	Peptide
1	A	41	VAL	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3086	0	2987	104	0
2	A	3	0	0	2	0
All	All	3089	0	2987	104	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 17.

All (104) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:388:ALA:HB2	1:A:403:THR:HG22	1.42	0.98
1:A:388:ALA:HB3	1:A:401:ALA:O	1.65	0.96
1:A:72:ARG:HG2	1:A:81:ARG:HG3	1.53	0.90
1:A:388:ALA:CB	1:A:401:ALA:O	2.22	0.86
1:A:405:ARG:HD3	1:A:438:LYS:O	1.79	0.83
1:A:389:VAL:O	1:A:390:VAL:HB	1.77	0.83
1:A:108:GLY:O	1:A:389:VAL:O	2.02	0.78
1:A:344:ASP:HB3	1:A:345:PRO:C	2.07	0.75
1:A:398:LEU:HD22	1:A:399:ASP:N	2.05	0.71
1:A:387:GLY:O	1:A:388:ALA:HB2	1.88	0.71
1:A:360:VAL:CG2	2:A:453:HOH:O	2.40	0.69
1:A:360:VAL:HG22	2:A:453:HOH:O	1.92	0.69
1:A:36:VAL:HG12	1:A:160:ALA:HB1	1.76	0.67
1:A:366:PRO:O	1:A:367:LYS:CB	2.43	0.66
1:A:213:GLU:OE1	1:A:413:ARG:NH1	2.30	0.65
1:A:390:VAL:HA	1:A:399:ASP:O	1.98	0.64
1:A:388:ALA:CB	1:A:403:THR:HG22	2.23	0.64
1:A:108:GLY:HA3	1:A:133:ARG:O	1.97	0.64
1:A:387:GLY:O	1:A:388:ALA:CB	2.46	0.62
1:A:266:GLU:OE2	1:A:327:ARG:NH1	2.32	0.62
1:A:183:ASP:HB3	1:A:184:PRO:HA	1.80	0.62
1:A:117:HIS:HA	1:A:122:GLN:HG3	1.81	0.60
1:A:268:LEU:HG	1:A:298:HIS:CD2	2.35	0.60
1:A:27:ALA:HB2	1:A:54:TRP:CZ2	2.36	0.60
1:A:183:ASP:CB	1:A:184:PRO:HA	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:191:VAL:HG22	1:A:422:ILE:CD1	2.33	0.59
1:A:242:GLY:H	1:A:244:ILE:CG2	2.16	0.59
1:A:235:ARG:O	1:A:251:PRO:HD2	2.03	0.58
1:A:250:SER:N	1:A:251:PRO:HD3	2.18	0.58
1:A:365:ILE:HA	1:A:366:PRO:C	2.24	0.58
1:A:389:VAL:O	1:A:390:VAL:CB	2.48	0.58
1:A:254:VAL:CG1	1:A:269:ALA:HB3	2.35	0.56
1:A:343:LEU:O	1:A:344:ASP:CB	2.54	0.55
1:A:55:VAL:HG22	1:A:142:MET:SD	2.46	0.55
1:A:183:ASP:HB3	1:A:184:PRO:CA	2.37	0.54
1:A:254:VAL:HG13	1:A:269:ALA:HB3	1.90	0.54
1:A:343:LEU:O	1:A:344:ASP:HB2	2.08	0.53
1:A:372:GLU:OE2	1:A:376:ARG:NH1	2.42	0.52
1:A:203:TYR:CB	1:A:366:PRO:HD2	2.38	0.52
1:A:231:ASN:OD1	1:A:441:THR:HB	2.10	0.52
1:A:119:TYR:OH	1:A:367:LYS:HE2	2.11	0.51
1:A:49:GLU:HB2	1:A:54:TRP:CD1	2.46	0.51
1:A:209:SER:OG	1:A:417:ARG:NE	2.41	0.51
1:A:49:GLU:HB2	1:A:54:TRP:NE1	2.25	0.51
1:A:117:HIS:ND1	1:A:122:GLN:HG2	2.25	0.51
1:A:176:ARG:O	1:A:446:LEU:HB2	2.10	0.50
1:A:251:PRO:HA	1:A:402:LEU:O	2.10	0.50
1:A:191:VAL:HG22	1:A:422:ILE:HD11	1.92	0.50
1:A:383:GLY:O	1:A:384:LEU:CB	2.60	0.49
1:A:298:HIS:HE1	1:A:337:SER:OG	1.95	0.49
1:A:366:PRO:O	1:A:367:LYS:HB3	2.12	0.49
1:A:180:VAL:HG12	1:A:212:VAL:HG11	1.95	0.49
1:A:190:ARG:HD2	1:A:377:LEU:O	2.13	0.49
1:A:64:VAL:HG22	1:A:73:VAL:HG22	1.95	0.48
1:A:182:ASP:OD1	1:A:182:ASP:N	2.47	0.48
1:A:348:ASP:OD2	1:A:350:MET:HB2	2.14	0.48
1:A:267:PRO:HD2	1:A:337:SER:O	2.14	0.47
1:A:267:PRO:HG3	1:A:339:ILE:HD12	1.96	0.47
1:A:175:SER:HB3	1:A:226:LEU:CD1	2.43	0.47
1:A:120:GLY:HA2	1:A:122:GLN:OE1	2.14	0.47
1:A:254:VAL:O	1:A:265:THR:HA	2.15	0.47
1:A:258:ARG:HD3	1:A:262:VAL:CG2	2.44	0.47
1:A:312:ILE:HD13	1:A:347:SER:OG	2.15	0.46
1:A:187:PHE:O	1:A:188:ARG:HG2	2.15	0.46
1:A:59:GLY:HA3	1:A:138:ARG:HB2	1.97	0.46
1:A:345:PRO:O	1:A:346:SER:CB	2.63	0.46
1:A:388:ALA:HB1	1:A:401:ALA:O	2.11	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:242:GLY:H	1:A:244:ILE:HG22	1.81	0.46
1:A:211:CYS:SG	1:A:417:ARG:HG2	2.55	0.46
1:A:430:ARG:O	1:A:433:GLU:HG2	2.15	0.46
1:A:74:ILE:HG23	1:A:79:THR:HG22	1.98	0.46
1:A:207:ILE:HG13	1:A:421:GLY:HA2	1.98	0.46
1:A:247:LEU:HD22	1:A:407:ALA:HB3	1.98	0.46
1:A:250:SER:N	1:A:251:PRO:CD	2.78	0.45
1:A:203:TYR:HB2	1:A:366:PRO:HD2	1.97	0.45
1:A:230:HIS:HB3	1:A:445:TYR:CZ	2.52	0.45
1:A:310:THR:C	1:A:312:ILE:H	2.19	0.45
1:A:288:LEU:O	1:A:292:SER:HB3	2.16	0.45
1:A:57:ALA:HB1	1:A:137:PRO:HB3	2.00	0.44
1:A:226:LEU:HD22	1:A:445:TYR:HB3	2.00	0.43
1:A:59:GLY:HA3	1:A:138:ARG:HD2	2.00	0.43
1:A:172:VAL:HG22	1:A:225:ARG:HH11	1.84	0.43
1:A:111:ALA:HB1	1:A:383:GLY:HA2	2.01	0.43
1:A:427:GLU:O	1:A:428:PRO:C	2.57	0.43
1:A:183:ASP:CB	1:A:184:PRO:CA	2.97	0.43
1:A:191:VAL:HG22	1:A:422:ILE:HD13	1.99	0.43
1:A:212:VAL:HG21	1:A:439:LEU:HD13	2.00	0.43
1:A:366:PRO:O	1:A:367:LYS:HB2	2.19	0.42
1:A:408:TYR:HE1	1:A:417:ARG:HB2	1.84	0.42
1:A:188:ARG:HH11	1:A:188:ARG:HG3	1.84	0.42
1:A:69:ASP:CG	1:A:127:PRO:O	2.58	0.42
1:A:424:GLU:HA	1:A:424:GLU:OE2	2.19	0.42
1:A:58:ALA:HB3	1:A:139:THR:HB	2.01	0.42
1:A:254:VAL:HG12	1:A:269:ALA:HB3	2.02	0.41
1:A:273:ALA:O	1:A:438:LYS:HE2	2.20	0.41
1:A:124:ARG:HH11	1:A:124:ARG:HG2	1.86	0.41
1:A:180:VAL:O	1:A:210:ARG:NH2	2.49	0.41
1:A:44:ASP:O	1:A:58:ALA:O	2.38	0.41
1:A:122:GLN:O	1:A:125:LEU:HB2	2.20	0.41
1:A:383:GLY:O	1:A:384:LEU:HB3	2.21	0.41
1:A:270:GLY:O	1:A:274:LEU:HB2	2.20	0.41
1:A:372:GLU:OE1	1:A:376:ARG:HD3	2.21	0.40
1:A:122:GLN:CD	1:A:122:GLN:H	2.24	0.40
1:A:70:GLU:CD	1:A:81:ARG:HG2	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	413/470 (88%)	359 (87%)	34 (8%)	20 (5%)	4 3

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	183	ASP
1	A	188	ARG
1	A	344	ASP
1	A	345	PRO
1	A	367	LYS
1	A	384	LEU
1	A	447	VAL
1	A	41	VAL
1	A	346	SER
1	A	366	PRO
1	A	383	GLY
1	A	388	ALA
1	A	21	PRO
1	A	87	ARG
1	A	311	ASP
1	A	390	VAL
1	A	215	PRO
1	A	291	ASN
1	A	405	ARG
1	A	52	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	304/375 (81%)	261 (86%)	43 (14%)	5 9

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	LEU
1	A	47	LEU
1	A	66	LEU
1	A	71	LEU
1	A	75	ARG
1	A	81	ARG
1	A	82	GLN
1	A	103	THR
1	A	122	GLN
1	A	124	ARG
1	A	125	LEU
1	A	131	LEU
1	A	140	ARG
1	A	150	LEU
1	A	164	LEU
1	A	170	ARG
1	A	171	GLU
1	A	182	ASP
1	A	183	ASP
1	A	188	ARG
1	A	228	ARG
1	A	231	ASN
1	A	238	LEU
1	A	247	LEU
1	A	254	VAL
1	A	290	SER
1	A	312	ILE
1	A	324	MET
1	A	326	VAL
1	A	340	ARG
1	A	343	LEU
1	A	350	MET
1	A	357	PHE
1	A	360	VAL
1	A	365	ILE
1	A	366	PRO
1	A	376	ARG
1	A	378	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	384	LEU
1	A	398	LEU
1	A	417	ARG
1	A	424	GLU
1	A	434	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	GLN
1	A	82	GLN
1	A	240	GLN
1	A	298	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	419/470 (89%)	0.28	10 (2%) 56 58	39, 51, 63, 70	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	345	PRO	5.6
1	A	23	GLY	3.1
1	A	51	ASP	2.8
1	A	446	LEU	2.7
1	A	18	ILE	2.6
1	A	19	PRO	2.5
1	A	388	ALA	2.3
1	A	80	ARG	2.3
1	A	146	LYS	2.3
1	A	22	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.