



# Full wwPDB X-ray Structure Validation Report i

Feb 26, 2014 – 07:56 PM GMT

PDB ID : 1IEP  
Title : CRYSTAL STRUCTURE OF THE C-ABL KINASE DOMAIN IN COM-  
PLEX WITH STI-571.  
Authors : Nagar, B.; Bornmann, W.; Schindler, T.; Clarkson, B.; Kuriyan, J.  
Deposited on : 2001-04-10  
Resolution : 2.10 Å (reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	3012 (2.10-2.10)
Clashscore	79885	3649 (2.10-2.10)
Ramachandran outliers	78287	3610 (2.10-2.10)
Sidechain outliers	78261	3611 (2.10-2.10)
RSRZ outliers	66119	3013 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	293	
1	B	293	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4710 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTO-ONCOGENE TYROSINE-PROTEIN KINASE ABL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	274	2229	1435	362	414	18	0	0	0
1	B	274	2229	1435	362	414	18	0	0	0


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	223	GLY	-	CLONING ARTIFACT	UNP P00520
A	224	ALA	-	CLONING ARTIFACT	UNP P00520
A	225	MET	-	CLONING ARTIFACT	UNP P00520
A	226	ASP	-	CLONING ARTIFACT	UNP P00520
A	227	PRO	-	CLONING ARTIFACT	UNP P00520
A	228	SER	-	CLONING ARTIFACT	UNP P00520
B	223	GLY	-	CLONING ARTIFACT	UNP P00520
B	224	ALA	-	CLONING ARTIFACT	UNP P00520
B	225	MET	-	CLONING ARTIFACT	UNP P00520
B	226	ASP	-	CLONING ARTIFACT	UNP P00520
B	227	PRO	-	CLONING ARTIFACT	UNP P00520
B	228	SER	-	CLONING ARTIFACT	UNP P00520

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Cl	0	0
			2	2		
2	A	4	Total	Cl	0	0
			4	4		

- Molecule 3 is 4-(4-METHYL-PIPERAZIN-1-YLMETHYL)-N-[4-METHYL-3-(4-PYRIDIN-3-YL-PYRIMIDIN-2-YLAMINO)-PHENYL]-BENZAMIDE (three-letter code: STI) (formula: C<sub>29</sub>H<sub>31</sub>N<sub>7</sub>O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	37	29	7	1	0	0
3	B	1	37	29	7	1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	A	99	99	99	0	0
4	B	73	73	73	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: PROTO-ONCOGENE TYROSINE-PROTEIN KINASE ABL



#### • Molecule 1: PROTO-ONCOGENE TYROSINE-PROTEIN KINASE ABL



## 4 Data and refinement statistics

Property	Value	Source
Space group	F 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	112.89Å 147.37Å 153.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.14 – 2.10 29.14 – 2.00	Depositor EDS
% Data completeness (in resolution range)	95.6 (29.14-2.10) 91.4 (29.14-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.04	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.83 (at 2.00Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.231 , 0.262 0.230 , 0.264	Depositor DCC
$R_{free}$ test set	2917 reflections (8.17%)	DCC
Wilson B-factor (Å <sup>2</sup> )	39.6	Xtriage
Anisotropy	0.685	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 51.9	EDS
Estimated twinning fraction	0.028 for -h,l,k	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 39506 reflections (0.003%)	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4710	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.06% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: STI, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.30	0/2288	0.57	0/3098
1	B	0.30	0/2288	0.56	0/3098
All	All	0.30	0/4576	0.56	0/6196

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2229	0	2178	65	0
1	B	2229	0	2178	66	0
2	A	4	0	0	1	0
2	B	2	0	0	4	0
3	A	37	0	31	0	0
3	B	37	0	31	2	0
4	A	99	0	0	1	0
4	B	73	0	0	0	0
All	All	4710	0	4418	133	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.

All (133) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:225:MET:HE2	1:B:307:ARG:HD2	1.52	0.89
1:A:253:TYR:OH	2:A:5:CL:CL	2.30	0.85
1:A:404:LYS:HE3	1:A:440:TYR:HB2	1.60	0.82
1:A:305:CYS:HB2	1:A:312:TYR:HB2	1.64	0.80
1:A:466:GLU:O	1:A:470:GLU:HG3	1.84	0.78
1:B:253:TYR:OH	2:B:6:CL:CL	2.39	0.78
1:B:305:CYS:HB2	1:B:312:TYR:HB2	1.67	0.77
1:A:388:MET:HG3	1:A:393:TYR:CE1	2.23	0.73
1:A:353:TYR:CZ	1:A:357:LYS:HD2	2.22	0.73
1:B:370:LEU:HD21	1:B:382:PHE:HZ	1.54	0.73
1:B:225:MET:CE	1:B:307:ARG:HD2	2.19	0.73
1:A:443:ILE:HD12	1:A:443:ILE:H	1.55	0.72
1:A:418:ILE:HD11	1:A:486:PHE:HD1	1.53	0.72
1:B:495:THR:C	1:B:497:PHE:H	1.96	0.69
1:B:387:LEU:HD12	1:B:388:MET:H	1.58	0.69
1:B:243:THR:HB	1:B:260:VAL:HB	1.74	0.68
1:B:361:HIS:O	1:B:362:ARG:HB2	1.94	0.68
1:B:387:LEU:HD12	1:B:388:MET:N	2.08	0.67
1:B:370:LEU:HD21	1:B:382:PHE:CZ	2.31	0.66
1:A:274:LYS:H	1:A:274:LYS:HD2	1.61	0.65
1:B:274:LYS:HG2	1:B:275:GLU:H	1.62	0.65
1:A:388:MET:HG3	1:A:393:TYR:HE1	1.62	0.64
1:B:248:LEU:HD11	1:B:317:PHE:HE1	1.61	0.64
1:A:342:TYR:HB2	1:A:497:PHE:HE2	1.62	0.64
1:B:394:THR:HG22	1:B:395:ALA:N	2.13	0.64
1:A:361:HIS:O	1:A:362:ARG:HB2	1.97	0.63
1:A:418:ILE:HD11	1:A:486:PHE:CD1	2.33	0.62
1:A:443:ILE:HD12	1:A:443:ILE:N	2.15	0.61
1:A:359:PHE:C	1:A:360:ILE:HD12	2.20	0.61
1:A:307:ARG:HE	1:A:307:ARG:HA	1.66	0.59
1:A:290:MET:CE	1:A:313:ILE:HD13	2.32	0.59
1:B:394:THR:CG2	1:B:395:ALA:N	2.66	0.59
1:B:342:TYR:O	1:B:346:GLN:HG3	2.03	0.59
1:B:339:VAL:O	1:B:343:MET:HG3	2.02	0.58
1:A:485:SER:OG	1:A:488:GLU:HG3	2.02	0.58
1:B:285:LYS:O	1:B:289:VAL:HG23	2.04	0.58
1:A:296:PRO:O	1:A:378:LYS:HE2	2.04	0.57
1:B:254:GLY:HA3	1:B:387:LEU:HD22	1.85	0.57
1:A:318:MET:HG3	1:A:370:LEU:HB3	1.87	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:275:GLU:C	1:B:277:THR:H	2.05	0.56
1:B:409:GLU:HG2	1:B:410:SER:N	2.21	0.56
1:B:465:PRO:HG2	1:B:468:VAL:CG2	2.36	0.56
1:B:297:ASN:HA	1:B:378:LYS:HG3	1.87	0.56
1:B:360:ILE:HD13	1:B:417:SER:HA	1.89	0.55
1:B:370:LEU:N	1:B:370:LEU:HD22	2.23	0.54
2:B:3:CL:CL	3:B:202:STI:H501	2.45	0.54
1:B:314:ILE:N	1:B:314:ILE:HD12	2.23	0.53
1:A:263:LYS:HD2	1:A:264:TYR:CE1	2.44	0.53
1:A:274:LYS:O	1:A:276:ASP:N	2.42	0.52
1:B:318:MET:HG3	1:B:370:LEU:CB	2.40	0.52
1:A:238:GLU:HB3	1:A:241:ASP:OD1	2.10	0.51
1:A:465:PRO:HG2	1:A:468:VAL:CG2	2.42	0.50
1:A:247:LYS:HG2	1:A:257:TYR:CE2	2.46	0.50
1:B:278:MET:SD	1:B:278:MET:N	2.83	0.50
1:A:406:THR:HG22	1:A:410:SER:HB2	1.94	0.50
1:B:383:GLY:O	1:B:386:ARG:HB3	2.12	0.50
1:B:465:PRO:HG2	1:B:468:VAL:HG23	1.94	0.49
1:A:290:MET:HE1	1:A:313:ILE:HD13	1.93	0.49
1:B:495:THR:C	1:B:497:PHE:N	2.65	0.49
1:B:274:LYS:HG2	1:B:275:GLU:N	2.28	0.49
1:A:288:ALA:O	1:A:292:GLU:HG2	2.12	0.49
1:B:394:THR:O	1:B:400:LYS:HA	2.12	0.49
1:B:249:GLY:O	1:B:252:GLN:HG2	2.13	0.49
1:A:295:HIS:CG	1:A:296:PRO:HD2	2.48	0.48
1:A:445:LEU:HD12	1:A:445:LEU:N	2.28	0.48
1:A:226:ASP:HB3	1:A:229:SER:HB2	1.95	0.48
1:B:391:ASP:OD2	1:B:445:LEU:HD11	2.13	0.48
1:A:300:GLN:HA	4:A:135:HOH:O	2.14	0.48
1:A:239:ARG:NH2	1:A:308:GLU:O	2.47	0.48
1:A:443:ILE:CD1	1:A:443:ILE:H	2.25	0.48
1:B:429:LEU:HD21	1:B:493:PHE:CZ	2.48	0.47
1:A:445:LEU:CD1	1:A:445:LEU:H	2.27	0.47
1:B:369:CYS:C	1:B:370:LEU:HD22	2.34	0.47
1:B:280:VAL:O	1:B:284:LEU:HG	2.14	0.47
1:B:347:ILE:HD13	1:B:428:LEU:HD21	1.97	0.47
1:B:242:ILE:CD1	1:B:314:ILE:HG12	2.45	0.47
1:A:342:TYR:HB2	1:A:497:PHE:CE2	2.48	0.46
1:B:386:ARG:O	1:B:386:ARG:HG2	2.15	0.46
1:A:237:MET:SD	1:A:314:ILE:HD13	2.56	0.46
1:B:355:GLU:HG3	1:B:418:ILE:HG13	1.97	0.46
1:B:394:THR:CG2	1:B:395:ALA:H	2.28	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:389:THR:OG1	1:B:390:GLY:N	2.49	0.46
1:B:248:LEU:HD11	1:B:317:PHE:CE1	2.48	0.46
1:A:441:PRO:O	1:A:443:ILE:HD12	2.16	0.46
1:A:290:MET:HE3	1:A:313:ILE:HD13	1.96	0.46
1:A:360:ILE:HD12	1:A:360:ILE:N	2.31	0.45
1:A:285:LYS:O	1:A:289:VAL:HG23	2.17	0.45
1:B:397:ALA:C	1:B:399:ALA:H	2.19	0.45
1:A:418:ILE:O	1:A:422:VAL:HG23	2.17	0.45
1:B:229:SER:HA	1:B:230:PRO:HD3	1.83	0.44
1:A:479:ASN:HB3	1:A:482:ASP:OD2	2.18	0.44
1:A:248:LEU:CD1	1:A:258:GLU:HB2	2.47	0.44
1:B:322:ASN:N	2:B:6:CL:CL	2.87	0.43
1:A:409:GLU:HG2	1:A:410:SER:N	2.32	0.43
1:A:445:LEU:HD12	1:A:445:LEU:H	1.82	0.43
1:A:322:ASN:HA	1:A:369:CYS:O	2.18	0.43
1:B:298:LEU:O	1:B:299:VAL:C	2.57	0.42
1:A:425:PHE:CZ	1:A:429:LEU:HD21	2.54	0.42
1:B:434:THR:O	1:B:435:TYR:HB2	2.18	0.42
1:B:469:TYR:CZ	1:B:473:ARG:HD3	2.54	0.42
1:A:277:THR:HG22	1:A:278:MET:N	2.34	0.42
1:A:354:LEU:HA	1:A:354:LEU:HD12	1.91	0.42
1:A:454:LYS:O	1:A:455:ASP:HB2	2.19	0.42
1:B:255:GLU:OE1	1:B:255:GLU:HA	2.20	0.42
1:A:287:ALA:O	1:A:291:LYS:HG3	2.19	0.42
1:A:284:LEU:HD11	1:A:311:PHE:CE1	2.55	0.42
2:B:6:CL:CL	3:B:202:STI:H11	2.57	0.42
1:B:434:THR:HG22	1:B:461:PRO:HB3	2.01	0.42
1:A:423:TRP:CE3	1:A:476:TRP:HA	2.55	0.42
1:A:248:LEU:HD13	1:A:258:GLU:HB2	2.02	0.42
1:A:392:THR:O	1:A:402:PRO:HA	2.19	0.41
1:A:418:ILE:HD13	1:A:418:ILE:O	2.20	0.41
1:B:438:SER:HA	1:B:439:PRO:HD3	1.91	0.41
1:B:430:TRP:NE1	1:B:461:PRO:HG3	2.35	0.41
1:A:233:ASP:HB3	1:A:236:GLU:HG2	2.02	0.41
1:B:498:GLN:OE1	1:B:498:GLN:HA	2.20	0.41
1:B:225:MET:CE	1:B:236:GLU:HG3	2.50	0.41
1:A:393:TYR:HB3	1:A:400:LYS:HB3	2.03	0.41
1:A:341:LEU:CD2	1:A:497:PHE:HA	2.51	0.41
1:B:318:MET:HG3	1:B:370:LEU:HB3	2.02	0.41
1:A:318:MET:HB2	1:A:370:LEU:HG	2.02	0.41
1:B:283:PHE:CZ	1:B:313:ILE:HG13	2.56	0.41
1:B:393:TYR:CE2	1:B:402:PRO:HD3	2.56	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:274:LYS:HB2	1:A:277:THR:OG1	2.21	0.41
1:B:429:LEU:HD21	1:B:493:PHE:HZ	1.85	0.41
1:A:243:THR:HB	1:A:260:VAL:HB	2.02	0.41
1:B:360:ILE:CD1	1:B:417:SER:HA	2.49	0.41
1:A:248:LEU:HD12	1:A:248:LEU:HA	1.91	0.41
1:B:225:MET:HE1	1:B:236:GLU:HG3	2.03	0.40
1:B:404:LYS:HE2	1:B:445:LEU:CD2	2.51	0.40
1:B:341:LEU:HG	1:B:497:PHE:CE1	2.56	0.40
1:A:305:CYS:O	1:A:311:PHE:HA	2.22	0.40
1:B:275:GLU:C	1:B:277:THR:N	2.72	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/293 (93%)	251 (92%)	17 (6%)	4 (2%)	15	8
1	B	272/293 (93%)	245 (90%)	24 (9%)	3 (1%)	21	13
All	All	544/586 (93%)	496 (91%)	41 (8%)	7 (1%)	18	10

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	275	GLU
1	A	263	LYS
1	A	274	LYS
1	B	262	LYS
1	B	496	MET
1	B	387	LEU
1	A	278	MET

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	240/255 (94%)	235 (98%)	5 (2%)	66	70
1	B	240/255 (94%)	231 (96%)	9 (4%)	44	44
All	All	480/510 (94%)	466 (97%)	14 (3%)	55	57

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	354	LEU
1	A	370	LEU
1	A	376	LEU
1	A	394	THR
1	A	418	ILE
1	B	266	LEU
1	B	278	MET
1	B	376	LEU
1	B	378	LYS
1	B	387	LEU
1	B	418	ILE
1	B	482	ASP
1	B	497	PHE
1	B	498	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	252	GLN

### 5.3.3 RNA [i](#)

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry (i)

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	STI	A	201	-	41,41,41	2.34	21 (51%)	56,56,56	2.11	7 (12%)
3	STI	B	202	-	41,41,41	2.35	23 (56%)	56,56,56	2.15	8 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	STI	A	201	-	-	0/20/30/30	0/5/5/5
3	STI	B	202	-	-	0/20/30/30	0/5/5/5

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	201	STI	C25-C23	4.43	1.47	1.39
3	B	202	STI	C25-C23	4.32	1.46	1.39
3	B	202	STI	C15-C16	4.26	1.46	1.39
3	A	201	STI	C14-C19	3.73	1.47	1.40
3	A	201	STI	C15-C16	3.70	1.45	1.39
3	B	202	STI	C14-C19	3.66	1.47	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	201	STI	C4-C5	3.61	1.46	1.39
3	B	202	STI	C9-N10	3.48	1.39	1.34
3	B	202	STI	C4-C5	3.42	1.45	1.39
3	A	201	STI	C29-C23	3.41	1.45	1.39
3	A	201	STI	C26-C27	3.37	1.46	1.38
3	B	202	STI	C6-C5	3.25	1.46	1.39
3	A	201	STI	C9-N10	3.25	1.38	1.34
3	B	202	STI	C29-C23	3.22	1.44	1.39
3	A	201	STI	C6-C5	3.22	1.46	1.39
3	B	202	STI	C17-C18	3.07	1.44	1.38
3	A	201	STI	C17-C18	3.06	1.44	1.38
3	A	201	STI	C28-C27	3.05	1.45	1.38
3	B	202	STI	C26-C27	3.04	1.45	1.38
3	A	201	STI	C26-C25	3.04	1.44	1.38
3	A	201	STI	C50-N51	3.03	1.53	1.46
3	B	202	STI	C26-C25	2.97	1.44	1.38
3	B	202	STI	C28-C27	2.80	1.45	1.38
3	A	201	STI	C52-N51	2.71	1.52	1.46
3	B	202	STI	C50-N51	2.70	1.52	1.46
3	B	202	STI	C7-N8	2.69	1.38	1.34
3	B	202	STI	C52-N51	2.64	1.52	1.46
3	B	202	STI	C1-C6	2.60	1.45	1.39
3	A	201	STI	C1-C6	2.56	1.44	1.39
3	B	202	STI	C9-N13	2.53	1.40	1.36
3	A	201	STI	C49-N48	2.40	1.53	1.47
3	A	201	STI	C7-N8	2.38	1.38	1.34
3	B	202	STI	C15-C14	2.37	1.43	1.39
3	A	201	STI	C4-N3	2.33	1.39	1.34
3	B	202	STI	C4-N3	2.33	1.39	1.34
3	A	201	STI	C17-C16	2.26	1.43	1.39
3	B	202	STI	C12-C7	2.25	1.44	1.38
3	A	201	STI	C2-N3	2.23	1.40	1.33
3	B	202	STI	C49-N48	2.17	1.52	1.47
3	A	201	STI	C1-C2	2.16	1.44	1.37
3	B	202	STI	C2-N3	2.09	1.40	1.33
3	B	202	STI	C17-C16	2.07	1.42	1.39
3	A	201	STI	C12-C7	2.05	1.43	1.38
3	B	202	STI	C1-C2	2.05	1.44	1.37

All (15) bond angle outliers are listed below:

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	202	STI	C7-N8-C9	8.51	122.03	116.44
3	A	201	STI	C7-N8-C9	8.16	121.80	116.44
3	B	202	STI	N10-C9-N8	-7.99	119.80	126.68
3	A	201	STI	N10-C9-N8	-7.83	119.94	126.68
3	A	201	STI	C11-N10-C9	6.70	121.05	115.43
3	B	202	STI	C11-N10-C9	6.46	120.84	115.43
3	A	201	STI	C12-C11-N10	-3.36	120.15	123.88
3	B	202	STI	C2-N3-C4	3.30	122.78	116.85
3	A	201	STI	C2-N3-C4	3.16	122.52	116.85
3	B	202	STI	C12-C11-N10	-3.09	120.44	123.88
3	B	202	STI	O29-C22-C23	-2.71	116.25	121.01
3	A	201	STI	O29-C22-C23	-2.47	116.67	121.01
3	B	202	STI	C27-C46-N48	2.33	117.80	113.20
3	B	202	STI	C20-C19-C14	2.19	123.73	121.40
3	A	201	STI	C27-C46-N48	2.05	117.25	113.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	274/293 (93%)	0.61	30 (10%) <b>6</b> <b>7</b>	29, 48, 85, 110	0
1	B	274/293 (93%)	0.79	35 (12%) <b>4</b> <b>5</b>	37, 53, 94, 109	0
All	All	548/586 (93%)	0.70	65 (11%) <b>5</b> <b>6</b>	29, 51, 91, 110	0

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	391	ASP	6.5
1	B	388	MET	5.8
1	B	278	MET	5.1
1	B	396	HIS	5.0
1	A	277	THR	4.7
1	B	276	ASP	4.7
1	A	389	THR	4.6
1	A	274	LYS	4.4
1	B	497	PHE	4.0
1	A	428	LEU	4.0
1	B	389	THR	3.9
1	A	388	MET	3.7
1	A	276	ASP	3.7
1	B	498	GLN	3.7
1	A	275	GLU	3.6
1	B	365	ALA	3.6
1	A	391	ASP	3.5
1	A	387	LEU	3.5
1	A	397	ALA	3.4
1	B	364	LEU	3.3
1	B	366	ALA	3.2
1	B	390	GLY	3.1
1	B	369	CYS	3.1
1	B	279	GLU	3.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	425	PHE	3.0
1	B	424	ALA	3.0
1	A	265	SER	3.0
1	A	278	MET	2.9
1	A	364	LEU	2.9
1	B	387	LEU	2.9
1	B	265	SER	2.9
1	B	428	LEU	2.9
1	A	427	VAL	2.8
1	A	243	THR	2.8
1	B	323	LEU	2.8
1	B	379	VAL	2.8
1	B	399	ALA	2.7
1	B	274	LYS	2.7
1	A	365	ALA	2.6
1	A	379	VAL	2.6
1	A	398	GLY	2.6
1	B	277	THR	2.6
1	A	424	ALA	2.6
1	A	273	LEU	2.5
1	A	497	PHE	2.5
1	B	401	PHE	2.5
1	B	380	ALA	2.5
1	A	429	LEU	2.5
1	A	250	GLY	2.5
1	A	323	LEU	2.4
1	B	462	GLU	2.4
1	A	350	ALA	2.4
1	A	425	PHE	2.4
1	A	284	LEU	2.3
1	A	369	CYS	2.3
1	B	280	VAL	2.3
1	A	366	ALA	2.3
1	B	386	ARG	2.3
1	B	275	GLU	2.2
1	B	398	GLY	2.1
1	B	427	VAL	2.1
1	B	413	TYR	2.1
1	A	396	HIS	2.1
1	B	266	LEU	2.0
1	B	226	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	STI	A	201	37/37	0.17	0.70	25,33,46,49	0
2	CL	A	4	1/1	0.12	0.51	86,86,86,86	0
3	STI	B	202	37/37	0.18	0.39	34,42,52,54	0
2	CL	A	5	1/1	0.14	0.20	49,49,49,49	0
2	CL	B	6	1/1	0.12	-1.08	73,73,73,73	0
2	CL	B	3	1/1	0.06	-3.57	64,64,64,64	0
2	CL	A	2	1/1	0.07	-3.60	64,64,64,64	0
2	CL	A	1	1/1	0.06	-6.49	50,50,50,50	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.