



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 01:45 AM GMT

PDB ID : 2IM2
Title : Crystal structure of poliovirus polymerase complexed with UTP and Mg²⁺
Authors : Thompson, A.A.; Peersen, O.B.
Deposited on : 2006-10-03
Resolution : 2.35 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3327 (2.40-2.32)
Clashscore	79885	1064 (2.38-2.34)
Ramachandran outliers	78287	1048 (2.38-2.34)
Sidechain outliers	78261	1049 (2.38-2.34)
RSRZ outliers	66119	3330 (2.40-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	461	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	ACY	A	902	-	X
4	ACY	A	903	-	X
4	ACY	A	904	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3979 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called poliovirus polymerase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	As	C	N	O	S			
1	A	461	3707	4	2376	607	698	22	0	0	0


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	96	CAS	CYS	MODIFIED RESIDUE	UNP P03300
A	212	CAS	CYS	MODIFIED RESIDUE	UNP P03300
A	281	CAS	CYS	MODIFIED RESIDUE	UNP P03300
A	290	CAS	CYS	MODIFIED RESIDUE	UNP P03300
A	446	ASP	LEU	ENGINEERED	UNP P03300
A	455	ASP	ARG	ENGINEERED	UNP P03300

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Na	0	0
			1	1		

- Molecule 3 is URIDINE 5'-TRIPHOSPHATE (three-letter code: UTP) (formula: C₉H₁₅N₂O₁₅P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			29	9	2	15	3		

- Molecule 4 is ACETIC ACID (three-letter code: ACY) (formula: C₂H₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	226	Total	O	0	0
			226	226		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: poliovirus polymerase

Chain A:



4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	128.98Å 128.98Å 113.14Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	27.00 – 2.35 29.88 – 2.35	Depositor EDS
% Data completeness (in resolution range)	96.7 (27.00-2.35) 98.1 (29.88-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.16 (at 2.36Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.229 , 0.267 0.226 , 0.262	Depositor DCC
R_{free} test set	4250 reflections (10.80%)	DCC
Wilson B-factor (Å ²)	35.5	Xtriage
Anisotropy	0.299	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 32.8	EDS
Estimated twinning fraction	0.031 for h,-h-k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 85441 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3979	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CAS, NA, UTP, ACY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/3757	0.61	0/5075

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3707	0	3644	125	0
2	A	1	0	0	0	0
3	A	29	0	11	2	0
4	A	16	0	12	0	0
5	A	226	0	0	13	0
All	All	3979	0	3667	127	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 17.

All (127) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:212:CAS:CE2	1:A:212:CAS:AS	2.21	1.48
1:A:212:CAS:CE1	1:A:212:CAS:AS	2.22	1.47
1:A:290:CAS:AS	1:A:290:CAS:CE2	2.22	1.47
1:A:281:CAS:CE2	1:A:281:CAS:AS	2.21	1.47
1:A:96:CAS:AS	1:A:96:CAS:CE2	2.22	1.46
1:A:96:CAS:CE1	1:A:96:CAS:AS	2.25	1.43
1:A:281:CAS:AS	1:A:281:CAS:CE1	2.25	1.43
1:A:290:CAS:AS	1:A:290:CAS:CE1	2.26	1.42
1:A:45:LYS:HD2	1:A:45:LYS:H	1.18	1.01
1:A:367:THR:H	1:A:370:ASN:HD21	1.00	0.97
1:A:132:ASN:HB3	1:A:135:THR:HB	1.44	0.96
1:A:45:LYS:H	1:A:45:LYS:CD	1.83	0.87
1:A:181:LEU:O	1:A:185:VAL:HG23	1.76	0.85
1:A:130:ILE:HG23	1:A:140:GLU:HG3	1.62	0.81
1:A:132:ASN:ND2	1:A:134:GLN:HE22	1.78	0.81
1:A:367:THR:H	1:A:370:ASN:ND2	1.79	0.80
1:A:45:LYS:N	1:A:45:LYS:HD2	1.98	0.78
1:A:367:THR:N	1:A:370:ASN:HD21	1.83	0.75
1:A:7:ARG:HH21	1:A:12:VAL:HG12	1.55	0.71
1:A:260:ASP:HB3	1:A:261:ARG:HH11	1.56	0.70
1:A:36:GLY:HA3	1:A:402:ARG:HH11	1.56	0.70
1:A:145:LEU:HD23	1:A:182:ASN:ND2	2.07	0.68
1:A:102:TYR:CE1	1:A:136:ARG:HA	2.30	0.67
1:A:329:ASP:HB2	5:A:657:HOH:O	1.95	0.67
1:A:120:TYR:HA	1:A:123:MET:HE2	1.76	0.66
1:A:370:ASN:HD22	1:A:371:VAL:N	1.94	0.65
1:A:209:ALA:HB1	1:A:212:CAS:CE1	2.26	0.65
1:A:132:ASN:ND2	1:A:134:GLN:NE2	2.44	0.65
1:A:36:GLY:CA	1:A:402:ARG:HH11	2.09	0.65
3:A:1001:UTP:H5'2	5:A:677:HOH:O	1.98	0.64
1:A:311:LYS:HE2	5:A:640:HOH:O	1.98	0.63
1:A:267:TYR:O	1:A:271:SER:HB3	1.99	0.63
3:A:1001:UTP:H3'	5:A:548:HOH:O	1.98	0.62
1:A:339:ASP:HB3	1:A:342:LEU:HB2	1.82	0.62
1:A:190:ALA:HB1	1:A:261:ARG:HG3	1.82	0.61
1:A:209:ALA:O	1:A:212:CAS:HB2	1.99	0.61
1:A:134:GLN:H	1:A:134:GLN:CD	2.05	0.60
1:A:118:TYR:CG	1:A:119:PRO:HA	2.38	0.59
1:A:97:LEU:HD23	1:A:138:THR:HB	1.85	0.57
1:A:260:ASP:CB	1:A:261:ARG:HH11	2.16	0.56
1:A:7:ARG:O	1:A:279:THR:HG22	2.05	0.56
1:A:133:LYS:HG3	1:A:134:GLN:OE1	2.06	0.56
1:A:91:ASN:OD1	1:A:93:GLU:HB2	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:41:ALA:HB2	1:A:163:ARG:HG3	1.89	0.56
1:A:7:ARG:HH21	1:A:12:VAL:CG1	2.18	0.55
1:A:436:ILE:O	1:A:442:GLY:HA3	2.06	0.55
1:A:288:SER:HB3	5:A:542:HOH:O	2.07	0.54
1:A:260:ASP:HB3	1:A:261:ARG:HD3	1.90	0.54
1:A:145:LEU:HA	1:A:182:ASN:ND2	2.23	0.54
1:A:49:ARG:HD2	1:A:168:VAL:HG11	1.90	0.54
1:A:25:LEU:HD23	1:A:405:LYS:HG3	1.90	0.54
1:A:210:VAL:HA	1:A:326:TYR:CE2	2.43	0.54
1:A:23:THR:HG22	5:A:710:HOH:O	2.07	0.53
1:A:397:ILE:HD13	1:A:421:ALA:HB2	1.90	0.53
1:A:130:ILE:HG23	1:A:140:GLU:CG	2.36	0.53
1:A:267:TYR:OH	1:A:272:HIS:HB3	2.08	0.53
1:A:226:GLU:HG2	1:A:322:LYS:HG2	1.91	0.53
1:A:135:THR:O	1:A:136:ARG:HB2	2.09	0.53
1:A:261:ARG:HD3	1:A:261:ARG:N	2.25	0.51
1:A:36:GLY:CA	1:A:402:ARG:NH1	2.73	0.51
1:A:31:HIS:CD2	1:A:402:ARG:HH21	2.28	0.51
1:A:348:LYS:NZ	5:A:636:HOH:O	2.42	0.51
1:A:92:THR:HG21	1:A:257:GLY:HA3	1.93	0.51
1:A:154:LEU:HD21	1:A:290:CAS:CE2	2.41	0.51
1:A:398:HIS:O	1:A:402:ARG:HG3	2.10	0.51
1:A:275:TYR:CE1	1:A:276:LYS:HD3	2.46	0.50
1:A:121:VAL:HG21	1:A:157:TYR:OH	2.11	0.50
1:A:218:TRP:CD1	1:A:390:PRO:HA	2.47	0.50
1:A:212:CAS:CE2	1:A:212:CAS:N	2.75	0.50
1:A:221:ILE:HB	1:A:222:PRO:HD3	1.94	0.50
1:A:24:LYS:O	1:A:405:LYS:HA	2.12	0.49
1:A:41:ALA:HB2	1:A:163:ARG:CG	2.42	0.49
1:A:209:ALA:CB	1:A:212:CAS:CE1	2.91	0.49
1:A:96:CAS:CE1	1:A:96:CAS:HB2	2.43	0.49
1:A:210:VAL:HA	1:A:326:TYR:HE2	1.78	0.48
1:A:119:PRO:HG3	1:A:148:TYR:CD2	2.47	0.48
1:A:232:PHE:HZ	1:A:305:ILE:CD1	2.25	0.48
1:A:265:ILE:HA	1:A:268:LEU:HD12	1.94	0.48
1:A:94:GLN:NE2	5:A:501:HOH:O	2.47	0.48
1:A:101:MET:HA	1:A:110:LEU:CD1	2.44	0.47
1:A:415:ARG:NH1	1:A:448:PRO:HD3	2.29	0.47
1:A:6:MET:HG3	1:A:280:TYR:HB3	1.95	0.47
1:A:74:MET:O	1:A:78:VAL:HG23	2.15	0.47
1:A:27:PRO:HB3	1:A:31:HIS:ND1	2.30	0.46
1:A:233:ASP:HB3	5:A:672:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:406:ASP:OD1	1:A:408:ARG:HB2	2.16	0.45
1:A:209:ALA:HB2	1:A:324:ILE:HG22	1.99	0.45
1:A:258:PHE:C	1:A:260:ASP:N	2.69	0.45
1:A:79:ASP:OD1	1:A:255:LYS:HE3	2.16	0.45
1:A:370:ASN:C	1:A:370:ASN:HD22	2.17	0.45
1:A:276:LYS:HB3	1:A:277:ASN:H	1.49	0.45
1:A:27:PRO:HB3	1:A:31:HIS:CG	2.52	0.45
1:A:134:GLN:NE2	1:A:134:GLN:H	2.14	0.44
1:A:119:PRO:HD2	1:A:120:TYR:CE1	2.52	0.44
1:A:39:GLU:OE2	1:A:165:LYS:HD3	2.16	0.44
1:A:384:TYR:CD1	1:A:384:TYR:N	2.84	0.44
1:A:101:MET:HA	1:A:110:LEU:HD12	2.00	0.44
1:A:104:THR:OG1	1:A:105:ASP:N	2.50	0.44
1:A:383:LYS:HB3	1:A:384:TYR:CE1	2.53	0.44
1:A:272:HIS:C	1:A:273:HIS:HD2	2.21	0.44
1:A:232:PHE:HZ	1:A:305:ILE:HD12	1.83	0.44
1:A:260:ASP:HB3	1:A:261:ARG:NH1	2.30	0.43
1:A:152:LEU:HD21	5:A:724:HOH:O	2.17	0.43
1:A:119:PRO:HG3	1:A:148:TYR:CE2	2.53	0.43
1:A:180:SER:N	5:A:650:HOH:O	2.52	0.43
1:A:95:MET:O	1:A:189:MET:HG2	2.18	0.43
1:A:283:LYS:HD3	5:A:704:HOH:O	2.19	0.43
1:A:76:GLU:HB3	1:A:310:LEU:HD13	2.01	0.42
1:A:422:TRP:CD1	1:A:453:LEU:HD13	2.55	0.42
1:A:196:ALA:O	1:A:200:LYS:HG3	2.19	0.42
1:A:25:LEU:HD23	1:A:405:LYS:CG	2.48	0.42
1:A:65:ASN:OD1	1:A:243:PRO:HD3	2.19	0.41
1:A:165:LYS:O	1:A:168:VAL:HB	2.19	0.41
1:A:9:SER:HB3	1:A:14:TYR:HB2	2.01	0.41
1:A:226:GLU:HG2	1:A:322:LYS:CG	2.50	0.41
1:A:149:GLY:O	1:A:152:LEU:HD11	2.21	0.41
1:A:237:TYR:CG	1:A:328:ASP:HB3	2.56	0.41
1:A:273:HIS:HB2	1:A:280:TYR:CE1	2.56	0.41
1:A:427:GLU:O	1:A:431:LYS:HG3	2.21	0.41
1:A:132:ASN:HA	1:A:132:ASN:HD22	1.66	0.41
1:A:275:TYR:O	1:A:276:LYS:HB2	2.20	0.41
1:A:130:ILE:HD13	1:A:144:LEU:CD1	2.52	0.40
1:A:273:HIS:HB2	1:A:280:TYR:CZ	2.56	0.40
1:A:55:GLU:HG2	5:A:712:HOH:O	2.21	0.40
1:A:47:ASP:HA	1:A:48:PRO:HD3	1.87	0.40
1:A:374:LEU:HD23	1:A:374:LEU:HA	1.91	0.40
1:A:273:HIS:N	1:A:273:HIS:CD2	2.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	455/461 (99%)	430 (94%)	20 (4%)	5 (1%)	21 21

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	149	GLY
1	A	359	LYS
1	A	139	LYS
1	A	150	ILE
1	A	172	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	399/399 (100%)	387 (97%)	12 (3%)	53 70

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LYS
1	A	69	GLU
1	A	129	ASP
1	A	132	ASN
1	A	141	MET
1	A	151	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	218	TRP
1	A	238	ASP
1	A	261	ARG
1	A	294	SER
1	A	342	LEU
1	A	370	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	132	ASN
1	A	142	GLN
1	A	151	ASN
1	A	272	HIS
1	A	370	ASN
1	A	409	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CAS	A	212	1	8,8,9	7.45	4 (50%)	7,9,11	4.49	3 (42%)
1	CAS	A	281	1	8,8,9	8.15	4 (50%)	7,9,11	4.12	3 (42%)
1	CAS	A	290	1	8,8,9	8.06	4 (50%)	7,9,11	3.71	3 (42%)
1	CAS	A	96	1	8,8,9	7.98	5 (62%)	7,9,11	3.86	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CAS	A	212	1	-	0/2/7/9	0/0/0/0
1	CAS	A	281	1	-	0/2/7/9	0/0/0/0
1	CAS	A	290	1	-	0/2/7/9	0/0/0/0
1	CAS	A	96	1	-	0/2/7/9	0/0/0/0

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	281	CAS	O-C	18.66	1.24	1.11
1	A	290	CAS	O-C	17.96	1.23	1.11
1	A	96	CAS	O-C	17.80	1.23	1.11
1	A	212	CAS	O-C	16.73	1.22	1.11
1	A	290	CAS	AS-CE1	10.06	2.26	1.96
1	A	96	CAS	AS-CE1	9.83	2.25	1.96
1	A	281	CAS	AS-CE1	9.80	2.25	1.96
1	A	96	CAS	AS-CE2	8.96	2.22	1.96
1	A	212	CAS	AS-CE1	8.70	2.22	1.96
1	A	290	CAS	AS-CE2	8.70	2.22	1.96
1	A	281	CAS	AS-CE2	8.62	2.21	1.96
1	A	212	CAS	AS-CE2	8.60	2.21	1.96
1	A	290	CAS	AS-SG	3.86	2.28	2.26
1	A	281	CAS	CA-C	3.08	1.54	1.48
1	A	212	CAS	CA-C	2.90	1.53	1.48
1	A	96	CAS	AS-SG	2.75	2.27	2.26
1	A	96	CAS	CA-C	2.51	1.53	1.48

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	212	CAS	CE2-AS-CE1	11.04	113.98	96.77
1	A	96	CAS	CE2-AS-CE1	9.49	111.56	96.77
1	A	281	CAS	CE2-AS-CE1	9.01	110.81	96.77
1	A	290	CAS	CE2-AS-CE1	8.83	110.53	96.77
1	A	281	CAS	C-CA-N	-5.50	108.33	113.83
1	A	290	CAS	C-CA-N	-3.24	110.59	113.83
1	A	212	CAS	CE2-AS-SG	3.22	108.45	96.44
1	A	96	CAS	C-CA-N	-2.47	111.36	113.83
1	A	281	CAS	CE2-AS-SG	2.24	104.78	96.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	212	CAS	AS-SG-CB	2.18	105.87	102.24
1	A	96	CAS	CE2-AS-SG	2.10	104.28	96.44
1	A	290	CAS	CE2-AS-SG	2.10	104.28	96.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates i

There are no carbohydrates in this entry.

5.6 Ligand geometry i

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	UTP	A	1001	-	30,30,30	1.28	3 (10%)	43,47,47	1.90	10 (23%)
4	ACY	A	901	-	3,3,3	1.01	0	3,3,3	1.37	0
4	ACY	A	902	-	3,3,3	0.96	0	3,3,3	1.48	1 (33%)
4	ACY	A	903	-	3,3,3	1.04	0	3,3,3	1.46	0
4	ACY	A	904	-	3,3,3	1.10	0	3,3,3	1.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UTP	A	1001	-	-	0/20/38/38	0/2/2/2
4	ACY	A	901	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ACY	A	902	-	-	0/0/0/0	0/0/0/0
4	ACY	A	903	-	-	0/0/0/0	0/0/0/0
4	ACY	A	904	-	-	0/0/0/0	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	UTP	PA-O1A	3.10	1.63	1.51
3	A	1001	UTP	PG-O2G	2.89	1.60	1.51
3	A	1001	UTP	C2-N1	2.04	1.40	1.38

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1001	UTP	O3B-PB-O3A	6.23	114.33	101.66
3	A	1001	UTP	PB-O3B-PG	-3.99	119.99	131.68
3	A	1001	UTP	O5'-PA-O1A	-3.71	94.86	109.37
3	A	1001	UTP	O3A-PA-O5'	-3.08	89.63	103.41
3	A	1001	UTP	PB-O3A-PA	2.96	140.35	131.68
3	A	1001	UTP	O3G-PG-O3B	2.71	117.99	105.14
3	A	1001	UTP	C4'-O4'-C1'	-2.65	106.87	109.75
3	A	1001	UTP	C3'-C2'-C1'	2.09	104.17	100.91
3	A	1001	UTP	C5'-C4'-C3'	-2.03	107.08	115.21
4	A	902	ACY	O-C-CH3	-2.02	113.24	122.06
3	A	1001	UTP	O1B-PB-O3A	-2.01	95.61	105.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	461/461 (100%)	0.03	15 (3%)	44 48	19, 41, 76, 96	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	128	ARG	3.7
1	A	126	LYS	3.5
1	A	131	LEU	3.3
1	A	134	GLN	3.2
1	A	139	LYS	2.9
1	A	361	ALA	2.8
1	A	22	LYS	2.7
1	A	267	TYR	2.7
1	A	165	LYS	2.5
1	A	133	LYS	2.4
1	A	135	THR	2.4
1	A	113	SER	2.3
1	A	124	GLY	2.2
1	A	123	MET	2.2
1	A	143	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
1	CAS	A	281	9/10	0.13	0.05	36,40,42,44	0
1	CAS	A	290	9/10	0.13	-0.65	55,56,73,73	0
1	CAS	A	96	9/10	0.12	-0.73	71,74,81,81	0
1	CAS	A	212	9/10	0.08	-1.34	25,28,47,48	0

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	ACY	A	902	4/4	0.20	2.66	61,63,63,64	0
4	ACY	A	903	4/4	0.17	2.51	58,58,59,60	0
4	ACY	A	904	4/4	0.13	2.29	22,29,29,30	0
3	UTP	A	1001	29/29	0.17	0.75	90,91,99,99	0
4	ACY	A	901	4/4	0.12	0.55	35,39,40,41	0
2	NA	A	3001	1/1	0.12	-0.46	37,37,37,37	0

6.5 Other polymers

There are no such residues in this entry.