



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 01:22 PM GMT

PDB ID : 2IO4
Title : Crystal structure of PCNA12 dimer from *Sulfolobus solfataricus*.
Authors : Hlinkova, V.; Ling, H.
Deposited on : 2006-10-09
Resolution : 2.60 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1718 (2.60-2.60)
Clashscore	79885	2154 (2.60-2.60)
Ramachandran outliers	78287	2113 (2.60-2.60)
Sidechain outliers	78261	2113 (2.60-2.60)
RSRZ outliers	66119	1718 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	249	
1	C	249	
2	B	246	
2	D	246	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	MPD	B	301	-	X
4	MPD	B	401	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7938 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase sliding clamp B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	249	Total	C	N	O	S	0	0	0
			1928	1227	310	382	9			
1	C	249	Total	C	N	O	S	0	1	0
			1932	1229	310	384	9			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	VAL	PHE	ENGINEERED	UNP P57766
C	2	VAL	PHE	ENGINEERED	UNP P57766

- Molecule 2 is a protein called DNA polymerase sliding clamp C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	246	Total	C	N	O	S	0	0	0
			1944	1249	304	386	5			
2	D	243	Total	C	N	O	S	0	0	0
			1922	1237	301	379	5			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	INITIATING METHIONINE	UNP Q97Z84
D	1	MET	-	INITIATING METHIONINE	UNP Q97Z84

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Ca	0	0
			1	1		

- Molecule 4 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula:


C₆H₁₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	6	2		
4	B	1	Total	C	O	0	0
			8	6	2		
4	B	1	Total	C	O	0	0
			8	6	2		
4	B	1	Total	C	O	0	0
			8	6	2		
4	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	36	Total	O	0	0
			36	36		
5	B	51	Total	O	0	0
			51	51		
5	C	50	Total	O	0	0
			50	50		
5	D	34	Total	O	0	0
			34	34		



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	104.99Å 112.73Å 101.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.60 29.73 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.8 (30.00-2.60) 99.9 (29.73-2.60)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.233 , 0.260 0.286 , 0.323	Depositor DCC
R_{free} test set	1152 reflections (3.05%)	DCC
Wilson B-factor (Å ²)	64.3	Xtriage
Anisotropy	0.092	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 25.7	EDS
Estimated twinning fraction	0.011 for l,-k,h	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 37787 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	7938	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA, MPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.82	6/1955 (0.3%)	0.72	4/2632 (0.2%)
1	C	0.68	5/1964 (0.3%)	0.67	3/2644 (0.1%)
2	B	0.53	1/1979 (0.1%)	0.62	1/2673 (0.0%)
2	D	0.71	4/1956 (0.2%)	0.68	0/2641
All	All	0.69	16/7854 (0.2%)	0.67	8/10590 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	3	0
2	B	0	4
2	D	1	1
All	All	4	5

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	126	ASN	C-O	11.70	1.45	1.23
1	A	163	GLU	CG-CD	10.81	1.68	1.51
1	A	104	ASP	N-CA	9.80	1.66	1.46
1	A	163	GLU	CD-OE2	8.37	1.34	1.25
2	D	43	SER	CB-OG	7.19	1.51	1.42
2	D	128	GLU	CD-OE1	6.75	1.33	1.25
1	A	107	SER	CB-OG	6.47	1.50	1.42
2	D	65	GLU	CD-OE2	6.07	1.32	1.25
1	C	105	GLU	CD-OE1	5.98	1.32	1.25
1	A	131	ASN	CA-CB	5.98	1.68	1.53
1	C	163	GLU	CD-OE2	5.97	1.32	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	107	SER	CB-OG	5.91	1.50	1.42
1	C	64	SER	CB-OG	5.79	1.49	1.42
2	B	128	GLU	CA-CB	5.76	1.66	1.53
1	A	162	GLU	CD-OE2	5.60	1.31	1.25
1	C	94	THR	CB-OG1	5.17	1.53	1.43

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	163	GLU	N-CA-C	6.76	129.24	111.00
1	A	163	GLU	N-CA-C	6.34	128.11	111.00
1	A	163	GLU	OE1-CD-OE2	-6.22	115.84	123.30
1	A	184	ASP	N-CA-C	5.67	126.32	111.00
1	C	110	LYS	N-CA-C	5.33	125.38	111.00
1	A	105	GLU	N-CA-C	5.31	125.33	111.00
1	C	193	ASP	CB-CG-OD1	-5.20	113.62	118.30
2	B	128	GLU	N-CA-C	5.05	124.64	111.00

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	105	GLU	CA
1	A	163	GLU	CA
1	A	184	ASP	CA
2	D	145	ASP	CA

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	122	PRO	Peptide
2	B	123	PRO	Peptide
2	B	125	VAL	Peptide
2	B	126	ASN	Peptide
2	D	126	ASN	Mainchain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the

chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1928	0	1987	40	0
1	C	1932	0	1989	46	0
2	B	1944	0	1941	39	0
2	D	1922	0	1922	50	0
3	B	1	0	0	0	0
4	A	8	0	14	2	0
4	B	32	0	56	8	0
5	A	36	0	0	1	0
5	B	51	0	0	2	0
5	C	50	0	0	2	0
5	D	34	0	0	2	0
All	All	7938	0	7909	171	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 11.

All (171) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:128:GLU:HG3	2:B:129:PHE:H	0.95	1.06
2:B:128:GLU:HG3	2:B:129:PHE:N	1.74	1.01
2:B:128:GLU:CG	2:B:129:PHE:H	1.75	1.00
1:A:10:LYS:HG3	1:A:84:SER:HA	1.56	0.87
2:D:158:SER:O	2:D:192:ASP:HB2	1.76	0.86
1:C:11:ASP:OD2	1:C:237:SER:HB3	1.79	0.82
2:D:167:VAL:HG21	2:D:199:MET:CE	2.11	0.81
2:B:122:PRO:HB2	2:B:123:PRO:HA	1.62	0.80
4:A:250:MPD:H12	4:A:250:MPD:H52	1.63	0.80
2:B:152:GLU:H	4:B:601:MPD:HM3	1.48	0.79
1:C:65:PRO:HB2	1:C:122:VAL:HG21	1.66	0.77
2:D:79:ILE:HD13	2:D:110:PHE:HB3	1.67	0.76
2:D:132:LYS:HG2	2:D:218:TYR:CE2	2.21	0.76
2:D:132:LYS:HG2	2:D:218:TYR:HE2	1.52	0.75
4:B:301:MPD:H53	5:B:751:HOH:O	1.87	0.74
2:B:221:SER:O	2:B:222:GLN:HG2	1.88	0.73
2:D:25:GLU:HB2	2:D:117:VAL:HG11	1.71	0.73
2:D:7:ILE:HG13	2:D:8:ASP:H	1.55	0.69
1:C:147:ALA:O	1:C:151:THR:HG23	1.92	0.69
1:C:71:ASP:HB3	1:C:74:SER:CB	2.22	0.69
2:B:169:GLY:HA2	4:B:601:MPD:HM1	1.74	0.69
2:B:80:LEU:O	2:B:83:VAL:HG12	1.96	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:17:ASN:O	1:A:20:THR:HB	1.96	0.65
1:C:206:LYS:HD2	5:C:250:HOH:O	1.94	0.65
2:D:69:ILE:HG23	2:D:114:LEU:HD22	1.78	0.65
2:D:78:ASP:HA	2:D:81:LYS:HE2	1.79	0.64
2:D:80:LEU:O	2:D:83:VAL:HG12	1.97	0.63
2:B:2:MET:HG3	2:B:93:SER:OG	1.99	0.63
1:C:1:MET:HE1	1:C:3:LYS:HE3	1.82	0.62
1:C:71:ASP:HB3	1:C:74:SER:HB2	1.80	0.62
1:A:15:PHE:HD2	1:A:241:MET:HE2	1.64	0.62
2:D:34:GLY:HA2	5:D:280:HOH:O	1.99	0.62
1:A:23:THR:HG22	1:A:25:SER:H	1.64	0.61
2:B:28:PHE:HB2	2:B:69:ILE:HB	1.79	0.61
1:C:149:ASP:OD1	2:D:82:ARG:HD3	2.01	0.61
2:D:7:ILE:HG12	2:D:56:TYR:O	2.01	0.60
1:A:22:VAL:HG22	1:A:41:THR:HG23	1.83	0.60
1:C:8:ASN:HB2	1:C:237:SER:HB2	1.83	0.60
2:B:121:GLN:HE21	2:B:121:GLN:H	1.50	0.60
1:C:12:PHE:O	1:C:16:ILE:HG12	2.02	0.60
1:C:210:LYS:HE3	1:C:213:ARG:HH12	1.66	0.59
1:C:162[A]:GLU:HG3	1:C:167:LYS:HD2	1.83	0.59
1:C:173:GLU:CG	1:C:173:GLU:O	2.51	0.59
2:D:36:ARG:HD3	2:D:51:PHE:CD1	2.38	0.59
2:D:167:VAL:HG21	2:D:199:MET:HE3	1.84	0.58
1:A:83:SER:OG	1:A:85:LYS:HG3	2.02	0.58
2:D:167:VAL:HG21	2:D:199:MET:HE2	1.84	0.58
1:A:1:MET:HG3	1:A:2:VAL:N	2.19	0.58
4:B:601:MPD:HM2	5:B:712:HOH:O	2.03	0.57
1:A:15:PHE:HD2	1:A:241:MET:CE	2.18	0.57
1:A:87:ALA:CB	1:A:104:ASP:HA	2.35	0.57
1:A:6:TYR:HB2	1:A:89:ILE:HB	1.87	0.56
2:D:153:VAL:O	2:D:167:VAL:HG22	2.06	0.56
2:D:167:VAL:CG2	2:D:199:MET:HE2	2.36	0.55
1:A:40:LEU:CD2	1:A:44:LYS:HG3	2.36	0.55
2:B:128:GLU:CG	2:B:129:PHE:N	2.48	0.55
1:A:38:ARG:HG3	1:A:38:ARG:O	2.07	0.55
2:D:7:ILE:HG13	2:D:8:ASP:N	2.23	0.54
2:D:167:VAL:CG2	2:D:199:MET:CE	2.85	0.54
2:B:182:ASN:ND2	2:B:184:THR:OG1	2.42	0.53
1:A:161:THR:HG21	1:A:195:SER:HA	1.91	0.53
1:C:74:SER:OG	1:C:115:ILE:HG23	2.09	0.53
1:A:38:ARG:HB2	1:A:49:ILE:HG12	1.92	0.52
2:B:94:ASN:ND2	2:B:97:LYS:H	2.08	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:124:SER:O	2:B:125:VAL:C	2.47	0.52
2:D:2:MET:HG3	2:D:93:SER:OG	2.10	0.52
2:D:150:LEU:HD22	2:D:172:SER:HB3	1.92	0.52
1:C:104:ASP:HB3	1:C:109:ALA:HB3	1.93	0.51
2:B:105:GLU:OE2	2:B:105:GLU:N	2.40	0.51
1:A:148:ALA:HB3	2:B:82:ARG:NH1	2.26	0.51
1:C:30:PHE:HE1	1:C:68:VAL:CG2	2.23	0.51
1:A:136:PHE:CD2	1:A:166:ILE:HD12	2.45	0.51
1:C:3:LYS:HG3	1:C:92:THR:HG22	1.93	0.51
2:B:186:LEU:C	2:B:187:GLU:HG2	2.31	0.51
2:B:122:PRO:HB2	2:B:123:PRO:CA	2.38	0.50
1:A:103:ARG:O	1:A:103:ARG:HG3	2.10	0.50
1:C:175:LYS:HG2	2:D:112:LEU:HD23	1.92	0.50
2:B:94:ASN:C	2:B:94:ASN:HD22	2.15	0.50
1:C:87:ALA:HB1	1:C:103:ARG:O	2.11	0.50
1:C:27:ILE:HG12	1:C:69:LYS:HG2	1.92	0.50
1:C:17:ASN:O	1:C:20:THR:HB	2.10	0.50
1:C:30:PHE:HE1	1:C:68:VAL:HG23	1.76	0.50
1:C:71:ASP:HB3	1:C:74:SER:HB3	1.93	0.50
1:A:2:VAL:HG13	1:A:62:ILE:HG22	1.94	0.50
1:A:196:ALA:HA	1:A:225:GLU:OE1	2.12	0.49
2:D:77:ASN:O	2:D:81:LYS:HG3	2.13	0.48
2:B:20:GLY:HA2	2:B:73:LEU:HD13	1.95	0.48
1:A:47:MET:O	1:A:243:PHE:HA	2.13	0.48
1:C:166:ILE:HB	1:C:181:LEU:HB2	1.96	0.48
2:D:79:ILE:HD13	2:D:110:PHE:CB	2.39	0.48
2:B:152:GLU:N	4:B:601:MPD:HM3	2.23	0.48
1:A:31:THR:HG22	1:A:122:VAL:HG21	1.96	0.48
1:C:116:LYS:O	1:C:116:LYS:HG3	2.13	0.48
2:B:5:LYS:HB3	2:B:59:GLY:H	1.78	0.48
1:C:89:ILE:HD13	1:C:102:ILE:HG12	1.95	0.47
2:D:36:ARG:HD3	2:D:51:PHE:HD1	1.79	0.47
2:B:39:GLY:HA2	2:B:120:THR:HG21	1.96	0.47
1:A:15:PHE:CD2	1:A:50:MET:HG3	2.50	0.47
1:A:87:ALA:HA	1:A:104:ASP:HA	1.97	0.47
1:C:73:SER:HA	1:C:76:LYS:HG2	1.97	0.47
2:B:170:ASP:OD1	2:D:209:ARG:NH2	2.47	0.47
2:D:223:ILE:HB	2:D:224:PRO:CD	2.45	0.46
1:A:131:ASN:ND2	5:A:277:HOH:O	2.47	0.46
2:D:117:VAL:O	2:D:117:VAL:HG23	2.15	0.46
1:A:40:LEU:HD23	1:A:44:LYS:HG3	1.98	0.46
2:D:131:PHE:HE2	2:D:133:ALA:HB2	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:D:5:LYS:HG2	2:D:90:ILE:HG12	1.98	0.46
1:C:186:PRO:HD3	2:D:106:PHE:HB3	1.96	0.46
2:B:142:ASP:OD2	4:B:301:MPD:H32	2.16	0.46
2:B:222:GLN:OE1	1:C:213:ARG:NH1	2.49	0.46
2:D:120:THR:O	2:D:121:GLN:HG2	2.16	0.46
2:B:218:TYR:HB2	2:B:226:LYS:HB3	1.97	0.46
1:A:4:ILE:HD11	1:A:30:PHE:CE2	2.51	0.46
2:D:94:ASN:HD22	2:D:96:SER:H	1.64	0.46
2:D:39:GLY:HA2	2:D:120:THR:HB	1.97	0.45
1:A:87:ALA:HB2	1:A:104:ASP:HA	1.97	0.45
1:C:91:LEU:HG	1:C:98:LEU:HD21	1.98	0.45
2:D:20:GLY:CA	2:D:73:LEU:HD22	2.46	0.45
1:C:77:LYS:O	1:C:80:SER:HB2	2.17	0.45
1:A:86:LYS:HB2	1:A:105:GLU:HG3	1.98	0.45
1:A:72:VAL:O	1:A:76:LYS:HG3	2.16	0.45
1:A:226:ASN:HB3	1:A:249:LEU:O	2.17	0.45
2:B:246:ASP:HB2	1:C:213:ARG:CZ	2.46	0.44
1:C:173:GLU:HG3	1:C:173:GLU:O	2.17	0.44
1:C:106:LYS:NZ	5:C:298:HOH:O	2.45	0.44
1:C:106:LYS:HG3	1:C:107:SER:N	2.32	0.44
2:B:146:GLU:HG2	4:B:301:MPD:H11	1.99	0.44
2:D:138:ILE:O	2:D:138:ILE:HD13	2.17	0.44
1:A:138:THR:HG23	1:A:139:ASP:N	2.32	0.44
2:B:76:VAL:O	2:B:80:LEU:HG	2.18	0.44
1:C:176:ARG:NH1	2:D:111:GLU:OE2	2.51	0.43
2:D:193:VAL:HG21	2:D:220:GLY:HA2	2.01	0.43
1:C:135:ASN:HA	1:C:221:VAL:O	2.19	0.43
1:C:85:LYS:HD3	1:C:106:LYS:HE2	2.00	0.43
1:C:4:ILE:HD12	1:C:91:LEU:HD22	2.00	0.43
2:D:2:MET:HA	2:D:61:GLU:O	2.19	0.43
1:A:163:GLU:O	1:A:164:ASP:HB2	2.19	0.43
1:A:36:PHE:HA	1:A:50:MET:O	2.18	0.43
2:D:94:ASN:ND2	2:D:96:SER:H	2.17	0.43
2:B:65:GLU:OE1	2:B:65:GLU:N	2.44	0.43
1:C:62:ILE:HG12	1:C:63:ASP:N	2.33	0.43
2:B:63:SER:C	2:B:64:GLN:HG3	2.39	0.43
1:C:3:LYS:HB3	1:C:61:SER:OG	2.19	0.43
1:C:151:THR:HG21	1:C:206:LYS:HE2	2.00	0.42
2:B:27:ASN:HA	2:B:69:ILE:O	2.19	0.42
2:D:155:ASN:HB2	2:D:166:GLU:HB3	2.01	0.42
2:B:155:ASN:HB2	2:B:166:GLU:HB3	2.02	0.42
1:A:106:LYS:O	1:A:107:SER:CB	2.67	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:D:33:GLU:HG3	5:D:258:HOH:O	2.19	0.42
2:D:161:ASN:ND2	2:D:189:SER:HA	2.35	0.42
4:B:401:MPD:H52	2:D:200:GLU:CG	2.50	0.42
2:D:132:LYS:HG2	2:D:218:TYR:CD2	2.55	0.42
2:D:222:GLN:NE2	2:D:245:ALA:O	2.53	0.41
1:A:22:VAL:CG2	1:A:41:THR:HG23	2.49	0.41
1:A:18:SER:OG	1:A:211:GLY:O	2.39	0.41
1:C:20:THR:HA	1:C:23:THR:O	2.20	0.41
1:C:149:ASP:HB3	1:C:177:TYR:CE1	2.55	0.41
1:A:86:LYS:HG2	1:A:86:LYS:H	1.68	0.41
4:A:250:MPD:H12	4:A:250:MPD:C5	2.43	0.41
2:D:129:PHE:HB3	2:D:218:TYR:HB3	2.01	0.41
1:A:249:LEU:HA	1:A:249:LEU:HD23	1.70	0.41
2:B:55:SER:HB3	2:B:233:GLN:OE1	2.21	0.41
1:A:23:THR:OG1	1:A:39:HIS:HB3	2.20	0.41
2:D:81:LYS:HE3	2:D:81:LYS:HB2	1.91	0.40
1:A:184:ASP:N	1:A:187:LEU:O	2.48	0.40
2:B:162:LYS:HG2	2:B:179:SER:HB3	2.02	0.40
2:D:197:TYR:CD2	2:D:243:PRO:HA	2.56	0.40
2:B:123:PRO:HA	2:B:124:SER:HA	1.86	0.40
2:B:31:THR:OG1	2:B:33:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	247/249 (99%)	230 (93%)	14 (6%)	3 (1%)	19	39
1	C	248/249 (100%)	224 (90%)	21 (8%)	3 (1%)	19	39
2	B	244/246 (99%)	233 (96%)	8 (3%)	3 (1%)	19	39
2	D	239/246 (97%)	226 (95%)	13 (5%)	0	100	100
All	All	978/990 (99%)	913 (93%)	56 (6%)	9 (1%)	25	49

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	104	ASP
2	B	125	VAL
1	C	110	LYS
1	A	184	ASP
1	C	163	GLU
2	B	123	PRO
1	C	109	ALA
1	A	107	SER
2	B	104	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/220 (100%)	196 (89%)	24 (11%)	9	16
1	C	221/220 (100%)	200 (90%)	21 (10%)	12	23
2	B	220/220 (100%)	197 (90%)	23 (10%)	10	18
2	D	217/220 (99%)	196 (90%)	21 (10%)	12	22
All	All	878/880 (100%)	789 (90%)	89 (10%)	11	20

All (89) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	3	LYS
1	A	17	ASN
1	A	18	SER
1	A	22	VAL
1	A	38	ARG
1	A	40	LEU
1	A	45	VAL
1	A	57	LEU
1	A	64	SER
1	A	86	LYS
1	A	103	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	105	GLU
1	A	126	THR
1	A	130	VAL
1	A	135	ASN
1	A	140	GLU
1	A	141	SER
1	A	144	ASN
1	A	160	SER
1	A	163	GLU
1	A	176	ARG
1	A	203	GLU
1	A	222	SER
2	B	2	MET
2	B	3	LYS
2	B	13	SER
2	B	41	ASP
2	B	62	VAL
2	B	64	GLN
2	B	65	GLU
2	B	92	SER
2	B	94	ASN
2	B	95	GLU
2	B	121	GLN
2	B	126	ASN
2	B	127	LEU
2	B	146	GLU
2	B	171	LEU
2	B	173	THR
2	B	182	ASN
2	B	184	THR
2	B	187	GLU
2	B	194	SER
2	B	195	SER
2	B	209	ARG
2	B	214	SER
1	C	10	LYS
1	C	20	THR
1	C	32	GLU
1	C	36	PHE
1	C	38	ARG
1	C	44	LYS
1	C	51	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	77	LYS
1	C	98	LEU
1	C	119	LYS
1	C	124	GLN
1	C	127	GLU
1	C	144	ASN
1	C	158	ARG
1	C	197	SER
1	C	198	SER
1	C	199	SER
1	C	203	GLU
1	C	216	SER
1	C	237	SER
1	C	248	ARG
2	D	1	MET
2	D	3	LYS
2	D	10	VAL
2	D	33	GLU
2	D	36	ARG
2	D	41	ASP
2	D	64	GLN
2	D	73	LEU
2	D	88	THR
2	D	94	ASN
2	D	95	GLU
2	D	97	LYS
2	D	105	GLU
2	D	109	SER
2	D	116	GLN
2	D	132	LYS
2	D	138	ILE
2	D	146	GLU
2	D	214	SER
2	D	219	PHE
2	D	222	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	27	ASN
2	B	64	GLN
2	B	94	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	121	GLN
2	B	161	ASN
2	B	182	ASN
1	C	17	ASN
1	C	21	ASN
2	D	27	ASN
2	D	94	ASN
2	D	161	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	MPD	A	250	-	7,7,7	0.51	0	10,10,10	0.52	0
4	MPD	B	301	-	7,7,7	0.34	0	10,10,10	0.31	0
4	MPD	B	401	-	7,7,7	2.12	2 (28%)	10,10,10	0.72	0
4	MPD	B	501	-	7,7,7	0.42	0	10,10,10	0.33	0
4	MPD	B	601	-	7,7,7	0.31	0	10,10,10	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MPD	A	250	-	-	0/5/5/5	0/0/0/0
4	MPD	B	301	-	-	0/5/5/5	0/0/0/0
4	MPD	B	401	-	-	0/5/5/5	0/0/0/0
4	MPD	B	501	-	-	0/5/5/5	0/0/0/0
4	MPD	B	601	-	-	0/5/5/5	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	401	MPD	C5-C4	4.27	1.70	1.51
4	B	401	MPD	O4-C4	3.25	1.59	1.43

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	249/249 (100%)	0.26	13 (5%) 26 22	53, 61, 72, 79	0
1	C	249/249 (100%)	0.28	6 (2%) 56 53	42, 57, 67, 71	0
2	B	246/246 (100%)	0.14	7 (2%) 50 48	48, 60, 72, 76	0
2	D	243/246 (98%)	0.37	7 (2%) 49 46	55, 64, 73, 81	0
All	All	987/990 (99%)	0.26	33 (3%) 44 41	42, 61, 72, 81	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	107	SER	6.1
1	A	195	SER	5.4
1	A	172	GLU	5.1
1	C	106	LYS	4.0
2	D	133	ALA	3.8
1	A	194	THR	3.7
2	B	7	ILE	3.5
2	D	120	THR	3.4
2	D	36	ARG	3.2
2	B	123	PRO	3.1
2	B	124	SER	3.1
1	A	106	LYS	3.1
1	C	1	MET	2.9
1	A	173	GLU	2.8
2	B	246	ASP	2.8
2	D	1	MET	2.7
2	B	126	ASN	2.7
1	C	109	ALA	2.6
1	A	109	ALA	2.6
1	A	192	ILE	2.4
2	D	7	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	196	ALA	2.3
2	D	245	ALA	2.3
1	A	188	LYS	2.3
2	B	65	GLU	2.2
1	A	107	SER	2.1
1	A	249	LEU	2.1
2	B	104	GLY	2.1
2	D	30	VAL	2.1
1	C	104	ASP	2.0
1	A	183	LYS	2.0
1	C	64	SER	2.0
1	A	134	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	MPD	B	301	8/8	0.34	4.48	83,83,84,85	0
4	MPD	B	401	8/8	0.30	2.93	76,77,77,78	0
4	MPD	A	250	8/8	0.27	1.11	77,78,78,78	0
4	MPD	B	501	8/8	0.23	0.86	74,75,76,76	0
4	MPD	B	601	8/8	0.19	0.42	59,61,66,69	0
3	CA	B	701	1/1	0.15	-1.38	77,77,77,77	0

6.5 Other polymers ⓘ

There are no such residues in this entry.