



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 10:23 AM GMT

PDB ID : 4J1U
Title : Crystal structure of antibody 93F3 unstable variant
Authors : Wang, F.
Deposited on : 2013-02-02
Resolution : 2.58 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1891 (2.60-2.56)
Clashscore	79885	2358 (2.60-2.56)
Ramachandran outliers	78287	2316 (2.60-2.56)
Sidechain outliers	78261	2316 (2.60-2.56)
RSRZ outliers	66119	1891 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	219	
1	C	219	
1	E	219	
2	B	238	
2	D	238	
2	F	238	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9570 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called antibody 93F3 Light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	210	Total	C	N	O	S	0	0	0
			1610	1011	264	329	6			
1	C	213	Total	C	N	O	S	0	0	0
			1630	1017	273	334	6			
1	E	214	Total	C	N	O	S	0	0	0
			1644	1028	278	332	6			

- Molecule 2 is a protein called antibody 93F3 Heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	208	Total	C	N	O	S	0	0	0
			1530	968	251	305	6			
2	D	210	Total	C	N	O	S	0	0	0
			1547	981	254	306	6			
2	F	207	Total	C	N	O	S	0	0	0
			1531	970	252	303	6			

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	10	Total	O	0	0
			10	10		
3	B	8	Total	O	0	0
			8	8		
3	C	25	Total	O	0	0
			25	25		
3	D	8	Total	O	0	0
			8	8		
3	E	11	Total	O	0	0
			11	11		
3	F	16	Total	O	0	0
			16	16		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: antibody 93F3 Light chain

Chain A: 




- Molecule 1: antibody 93F3 Light chain

Chain C: 




- Molecule 1: antibody 93F3 Light chain

Chain E: 




- Molecule 2: antibody 93F3 Heavy chain


Chain B: 



● Molecule 2: antibody 93F3 Heavy chain



● Molecule 2: antibody 93F3 Heavy chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.03Å 112.57Å 86.51Å 90.00° 115.28° 90.00°	Depositor
Resolution (Å)	78.33 – 2.58 45.69 – 2.58	Depositor EDS
% Data completeness (in resolution range)	94.8 (78.33-2.58) 94.8 (45.69-2.58)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.210 , 0.276 0.210 , 0.275	Depositor DCC
R_{free} test set	2121 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	56.9	Xtriage
Anisotropy	0.267	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.0	EDS
Estimated twinning fraction	0.023 for h,-k,-h-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 41966 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9570	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	1/1643 (0.1%)	0.81	0/2228
1	C	0.69	2/1662 (0.1%)	0.79	0/2253
1	E	0.84	5/1678 (0.3%)	1.00	7/2275 (0.3%)
2	B	0.69	1/1566 (0.1%)	0.79	0/2133
2	D	0.77	4/1586 (0.3%)	0.88	5/2163 (0.2%)
2	F	0.74	2/1567 (0.1%)	0.79	0/2134
All	All	0.73	15/9702 (0.2%)	0.85	12/13186 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	E	0	2
2	D	0	1
All	All	0	5

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	35	ARG	CZ-NH1	-10.54	1.19	1.33
1	E	35	ARG	NE-CZ	10.09	1.46	1.33
2	D	79	PHE	CE1-CZ	7.06	1.50	1.37
2	D	52	TRP	CD2-CE2	6.62	1.49	1.41
2	D	36	TRP	CD2-CE2	5.66	1.48	1.41
1	C	56	TRP	CD2-CE2	5.65	1.48	1.41
1	C	41	TRP	CD2-CE2	5.49	1.48	1.41
1	A	56	TRP	CD2-CE2	5.42	1.47	1.41
2	D	52	TRP	CG-CD1	5.27	1.44	1.36
2	F	36	TRP	CD2-CE2	5.24	1.47	1.41
1	E	41	TRP	CD2-CE2	5.22	1.47	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	52	TRP	CD2-CE2	5.21	1.47	1.41
2	F	52	TRP	CD2-CE2	5.14	1.47	1.41
1	E	148	GLU	CD-OE1	5.12	1.31	1.25
1	E	56	TRP	CD2-CE2	5.10	1.47	1.41

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	35	ARG	NE-CZ-NH2	18.88	129.74	120.30
1	E	147	ARG	C-N-CA	9.21	144.74	121.70
1	E	35	ARG	NH1-CZ-NH2	-9.13	109.36	119.40
1	E	148	GLU	N-CA-CB	7.65	124.36	110.60
2	D	79	PHE	CZ-CE2-CD2	6.53	127.93	120.10
2	D	79	PHE	CG-CD2-CE2	-6.29	113.88	120.80
2	D	79	PHE	CB-CG-CD1	-5.70	116.81	120.80
2	D	79	PHE	CD1-CG-CD2	5.58	125.55	118.30
1	E	147	ARG	CA-C-N	5.41	129.09	117.20
1	E	162	GLY	N-CA-C	-5.25	99.97	113.10
1	E	49	SER	N-CA-CB	5.25	118.38	110.50
2	D	154	VAL	N-CA-C	-5.12	97.16	111.00

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	46	PRO	Peptide
1	A	48	GLN	Peptide
2	D	111	THR	Peptide
1	E	46	PRO	Peptide
1	E	48	GLN	Peptide

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1610	0	0	9	0
1	C	1630	0	0	18	0
1	E	1644	0	0	16	0
2	B	1530	0	0	7	0
2	D	1547	0	0	22	0
2	F	1531	0	0	12	0
3	A	10	0	0	1	0
3	B	8	0	0	0	0
3	C	25	0	0	3	0
3	D	8	0	0	1	0
3	E	11	0	0	2	0
3	F	16	0	0	1	0
All	All	9570	0	0	81	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 9.

All (81) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:126:SER:N	2:D:126:PHE:CZ	2.38	0.90
1:A:147:ARG:N	1:A:148:GLU:CB	2.46	0.78
1:E:147:ARG:N	1:E:148:GLU:CG	2.47	0.78
2:D:104:GLY:CA	2:D:105:ASP:CB	2.70	0.70
2:D:159:ASN:N	2:D:199:ILE:O	2.25	0.70
2:F:87:THR:O	2:F:90:THR:CG2	2.45	0.65
2:F:130:PRO:O	2:F:218:LYS:NZ	2.30	0.64
2:B:157:SER:OG	2:B:201:ASN:ND2	2.32	0.63
2:B:104:GLY:CA	2:B:105:ASP:CB	2.77	0.62
2:F:6:GLU:OE1	2:F:110:GLY:N	2.34	0.61
1:C:33:ARG:NH2	3:C:307:HOH:O	2.34	0.60
1:A:47:GLY:CA	1:A:48:GLN:O	2.52	0.58
1:C:175:ASP:O	1:C:175:ASP:OD1	2.21	0.58
2:D:201:ASN:CB	2:D:212:ASP:OD1	2.53	0.57
1:C:126:SER:CB	2:D:126:PHE:CE1	2.88	0.57
1:C:6:GLN:NE2	1:C:92:TYR:O	2.38	0.57
2:F:207:SER:OG	2:F:209:THR:OG1	2.23	0.56
1:E:193:LYS:CD	1:E:194:HIS:CE1	2.89	0.56
2:D:113:VAL:CA	2:D:114:THR:OG1	2.54	0.56
1:A:6:GLN:NE2	1:A:92:TYR:O	2.38	0.55
2:D:158:TRP:O	2:D:160:SER:N	2.39	0.54
1:A:160:GLN:NE2	1:A:163:ASN:ND2	2.56	0.54
2:B:204:HIS:ND1	2:B:207:SER:OG	2.41	0.54
1:C:165:GLN:NE2	2:D:175:GLN:NE2	2.58	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:4:MET:CE	1:E:96:GLN:CB	2.88	0.52
1:E:4:MET:CE	1:E:96:GLN:CG	2.88	0.51
2:F:66:ARG:NH2	2:F:89:ASP:OD2	2.43	0.51
2:B:155:THR:CG2	2:B:203:ASN:O	2.59	0.50
2:D:199:ILE:CA	2:D:200:CYS:CB	2.90	0.50
2:F:72:ASP:OD1	2:F:74:SER:OG	2.30	0.49
1:E:168:VAL:N	3:E:305:HOH:O	2.43	0.49
2:D:10:GLY:O	2:D:114:THR:OG1	2.30	0.49
2:D:66:ARG:NH2	2:D:89:ASP:OD1	2.46	0.49
1:C:86:ALA:O	1:C:173:SER:O	2.30	0.49
1:C:130:LEU:O	1:C:133:GLY:N	2.45	0.49
1:A:95:LYS:NZ	3:A:303:HOH:O	2.46	0.48
1:E:163:ASN:N	1:E:163:ASN:OD1	2.44	0.48
2:F:140:ALA:CA	2:F:141:ALA:CB	2.91	0.48
2:F:97:LYS:O	2:F:98:HIS:CB	2.61	0.48
1:C:81:ILE:CD1	1:C:81:ILE:O	2.62	0.48
1:E:215:ASN:N	3:E:309:HOH:O	2.46	0.47
2:D:29:LEU:N	2:D:73:ASN:OD1	2.48	0.47
2:F:140:ALA:O	2:F:188:VAL:N	2.47	0.47
1:C:48:GLN:CA	1:C:49:SER:CB	2.94	0.46
2:B:126:PHE:O	2:B:145:LEU:N	2.48	0.46
2:D:93:TYR:N	2:D:111:THR:O	2.48	0.46
2:D:128:LEU:N	2:D:143:GLY:O	2.49	0.46
2:B:154:VAL:CA	2:B:155:THR:CG2	2.94	0.46
2:F:29:LEU:O	2:F:71:LYS:NZ	2.49	0.46
2:B:72:ASP:N	2:B:77:GLN:O	2.49	0.46
2:D:91:ALA:N	2:D:113:VAL:O	2.50	0.45
2:D:66:ARG:NH1	2:D:83:ASN:O	2.49	0.45
1:E:60:ARG:NH2	1:E:66:ASP:O	2.50	0.45
1:C:88:ASP:O	1:C:92:TYR:OH	2.35	0.45
1:A:15:ALA:O	1:A:84:VAL:O	2.35	0.45
2:D:154:VAL:CA	2:D:155:THR:CG2	2.95	0.44
1:C:163:ASN:OD1	1:C:163:ASN:N	2.49	0.44
1:E:194:HIS:O	1:E:216:ARG:NE	2.50	0.44
1:E:48:GLN:CA	1:E:49:SER:CB	2.96	0.44
2:F:121:LYS:NZ	3:F:304:HOH:O	2.51	0.44
1:A:147:ARG:CA	1:A:148:GLU:CB	2.97	0.43
1:C:47:GLY:CA	1:C:48:GLN:O	2.67	0.43
1:E:174:LYS:CG	1:E:175:ASP:N	2.82	0.43
2:F:168:HIS:N	2:F:185:VAL:O	2.51	0.43
2:D:53:GLY:O	2:D:71:LYS:NZ	2.52	0.43
1:E:139:CYS:N	1:E:182:SER:O	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:12:ALA:N	3:C:315:HOH:O	2.52	0.42
2:D:66:ARG:NH2	3:D:301:HOH:O	2.52	0.42
1:C:19:VAL:CG2	1:C:81:ILE:CD1	2.97	0.42
1:C:81:ILE:CD1	1:C:84:VAL:CB	2.98	0.42
1:C:105:ALA:N	3:C:325:HOH:O	2.52	0.42
1:E:67:ARG:NH2	1:E:85:GLN:CG	2.83	0.41
2:D:63:LEU:O	2:D:64:LYS:C	2.58	0.41
2:D:37:ILE:O	2:D:94:TYR:N	2.53	0.41
2:D:151:PRO:O	2:D:204:HIS:NE2	2.53	0.41
1:E:139:CYS:O	1:E:182:SER:N	2.54	0.41
1:E:11:LEU:O	1:E:110:GLU:N	2.54	0.41
1:C:135:ALA:O	1:C:186:LEU:N	2.54	0.41
1:A:168:VAL:CG2	1:A:180:LEU:CD1	2.99	0.41
1:A:144:PHE:O	1:A:178:TYR:N	2.54	0.40
1:E:47:GLY:CA	1:E:48:GLN:O	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	206/219 (94%)	188 (91%)	15 (7%)	3 (2%)	15	29
1	C	209/219 (95%)	193 (92%)	11 (5%)	5 (2%)	9	15
1	E	212/219 (97%)	186 (88%)	18 (8%)	8 (4%)	5	6
2	B	202/238 (85%)	179 (89%)	16 (8%)	7 (4%)	6	8
2	D	206/238 (87%)	176 (85%)	16 (8%)	14 (7%)	2	2
2	F	201/238 (84%)	184 (92%)	13 (6%)	4 (2%)	11	21
All	All	1236/1371 (90%)	1106 (90%)	89 (7%)	41 (3%)	6	9

All (41) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	48	GLN
1	A	148	GLU
2	B	105	ASP
2	B	153	PRO
2	B	162	ALA
1	C	48	GLN
2	D	100	TYR
2	D	105	ASP
2	D	113	VAL
2	D	148	ASP
2	D	200	CYS
1	E	148	GLU
2	F	98	HIS
2	F	141	ALA
2	B	148	ASP
2	D	56	SER
2	D	159	ASN
1	E	26	SER
2	B	56	SER
2	B	155	THR
1	E	48	GLN
1	E	156	ASP
1	E	161	SER
1	C	74	GLY
1	C	131	LYS
2	D	14	PRO
2	D	153	PRO
1	E	49	SER
1	E	99	ASP
1	E	204	GLN
2	F	148	ASP
1	A	143	ASN
1	C	47	GLY
2	D	27	PHE
2	D	112	SER
2	D	202	VAL
2	B	104	GLY
2	D	114	THR
2	D	9	PRO
1	C	49	SER
2	F	153	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/193 (96%)	175 (95%)	10 (5%)	31	56
1	C	187/193 (97%)	175 (94%)	12 (6%)	25	46
1	E	188/193 (97%)	169 (90%)	19 (10%)	11	19
2	B	176/205 (86%)	158 (90%)	18 (10%)	11	19
2	D	176/205 (86%)	163 (93%)	13 (7%)	20	37
2	F	176/205 (86%)	160 (91%)	16 (9%)	14	25
All	All	1088/1194 (91%)	1000 (92%)	88 (8%)	17	31

All (88) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	VAL
1	A	22	SER
1	A	49	SER
1	A	51	THR
1	A	53	LEU
1	A	76	ASP
1	A	97	SER
1	A	100	LEU
1	A	148	GLU
1	A	213	SER
2	B	5	LYS
2	B	17	SER
2	B	56	SER
2	B	84	SER
2	B	86	GLN
2	B	97	LYS
2	B	116	SER
2	B	128	LEU
2	B	139	THR
2	B	142	LEU
2	B	148	ASP
2	B	160	SER
2	B	163	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	181	SER
2	B	190	SER
2	B	191	SER
2	B	201	ASN
2	B	209	THR
1	C	2	ILE
1	C	5	SER
1	C	13	VAL
1	C	19	VAL
1	C	24	LYS
1	C	53	LEU
1	C	66	ASP
1	C	75	THR
1	C	84	VAL
1	C	100	LEU
1	C	126	SER
1	C	151	VAL
2	D	15	SER
2	D	17	SER
2	D	23	THR
2	D	65	SER
2	D	75	LYS
2	D	88	ASP
2	D	130	PRO
2	D	142	LEU
2	D	144	CYS
2	D	146	VAL
2	D	148	ASP
2	D	190	SER
2	D	211	VAL
1	E	9	SER
1	E	13	VAL
1	E	32	SER
1	E	48	GLN
1	E	51	THR
1	E	53	LEU
1	E	76	ASP
1	E	80	THR
1	E	84	VAL
1	E	89	LEU
1	E	96	GLN
1	E	108	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	119	SER
1	E	128	GLU
1	E	148	GLU
1	E	165	GLN
1	E	180	LEU
1	E	202	THR
1	E	206	LEU
2	F	24	VAL
2	F	29	LEU
2	F	30	THR
2	F	56	SER
2	F	68	SER
2	F	76	SER
2	F	84	SER
2	F	90	THR
2	F	98	HIS
2	F	139	THR
2	F	148	ASP
2	F	163	LEU
2	F	183	SER
2	F	190	SER
2	F	201	ASN
2	F	213	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	210/219 (95%)	0.17	2 (0%) 79 81	37, 66, 89, 110	0
1	C	213/219 (97%)	0.21	2 (0%) 81 83	34, 59, 89, 112	0
1	E	214/219 (97%)	0.31	6 (2%) 50 49	31, 59, 95, 127	0
2	B	208/238 (87%)	0.28	2 (0%) 79 81	37, 67, 97, 113	0
2	D	210/238 (88%)	0.58	12 (5%) 23 20	49, 85, 116, 131	0
2	F	207/238 (86%)	0.20	3 (1%) 72 73	35, 57, 84, 127	0
All	All	1262/1371 (92%)	0.29	27 (2%) 60 59	31, 65, 101, 131	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	193	LEU	5.6
2	D	113	VAL	3.4
2	B	104	GLY	3.1
1	E	30	LEU	3.0
1	E	98	TYR	2.8
2	F	2	VAL	2.7
1	A	62	SER	2.6
2	F	99	THR	2.6
2	D	100	TYR	2.5
2	F	52	TRP	2.5
1	E	159	LEU	2.5
2	B	1	GLN	2.4
2	D	211	VAL	2.3
2	D	199	ILE	2.3
2	D	198	TYR	2.3
2	D	2	VAL	2.3
2	D	145	LEU	2.2
2	D	155	THR	2.2
1	E	32	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	131	LYS	2.2
1	A	98	TYR	2.2
1	C	127	ASP	2.2
2	D	197	THR	2.1
2	D	213	LYS	2.1
1	E	31	ASN	2.1
1	C	214	PHE	2.1
2	D	5	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.