



# wwPDB X-ray Structure Validation Summary Report

Nov 7, 2014 – 02:14 PM EST

PDB ID : 4J4T  
Title : Crystal Structure of FabI from *F. tularensis* in complex with novel inhibitors based on the benzimidazole scaffold  
Authors : Mehboob, S.; Boci, T.; Brubaker, L.; Santarsiero, B.D.; Johnson, M.E.  
Deposited on : 2013-02-07  
Resolution : 2.34 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.16 November 2013
Xtriage (Phenix)	:	dev-1439
EDS	:	stable24103
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.1.3
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable24103

# 1 Overall quality at a glance

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	4049 (2.38-2.30)
Clashscore	79885	1094 (2.36-2.32)
Ramachandran outliers	78287	1080 (2.36-2.32)
Sidechain outliers	78261	1081 (2.36-2.32)
RSRZ outliers	66119	4050 (2.38-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	280	
1	B	280	
1	C	280	
1	D	280	
1	E	280	
1	F	280	
1	G	280	
1	H	280	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	1JU	H	302	-	X
4	GOL	A	303	-	X
4	GOL	A	304	-	X
4	GOL	C	303	-	X
4	GOL	D	303	-	X
4	GOL	H	304	-	X
4	GOL	H	305	-	X
6	ACT	D	304	-	X

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 16987 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-[acyl-carrier-protein]reductase [NADH].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	259	Total	C	N	O	S	0	1	0
			1942	1234	324	367	17			
1	B	259	Total	C	N	O	S	0	1	0
			1942	1234	324	367	17			
1	C	259	Total	C	N	O	S	0	1	0
			1944	1235	325	367	17			
1	D	259	Total	C	N	O	S	0	2	0
			1948	1237	325	368	18			
1	E	259	Total	C	N	O	S	0	1	0
			1942	1234	324	367	17			
1	F	259	Total	C	N	O	S	0	1	0
			1945	1235	325	368	17			
1	G	259	Total	C	N	O	S	0	1	0
			1936	1230	324	366	16			
1	H	259	Total	C	N	O	S	0	1	0
			1942	1234	324	367	17			

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP Q5NGQ3
A	-18	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
A	-17	SER	-	EXPRESSION TAG	UNP Q5NGQ3
A	-16	SER	-	EXPRESSION TAG	UNP Q5NGQ3
A	-15	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
A	-14	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
A	-13	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
A	-12	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
A	-11	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
A	-10	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
A	-9	SER	-	EXPRESSION TAG	UNP Q5NGQ3
A	-8	SER	-	EXPRESSION TAG	UNP Q5NGQ3
A	-7	GLY	-	EXPRESSION TAG	UNP Q5NGQ3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	LEU	-	EXPRESSION TAG	UNP Q5NGQ3
A	-5	VAL	-	EXPRESSION TAG	UNP Q5NGQ3
A	-4	PRO	-	EXPRESSION TAG	UNP Q5NGQ3
A	-3	ARG	-	EXPRESSION TAG	UNP Q5NGQ3
A	-2	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
A	-1	SER	-	EXPRESSION TAG	UNP Q5NGQ3
A	0	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
B	-19	MET	-	EXPRESSION TAG	UNP Q5NGQ3
B	-18	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
B	-17	SER	-	EXPRESSION TAG	UNP Q5NGQ3
B	-16	SER	-	EXPRESSION TAG	UNP Q5NGQ3
B	-15	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
B	-14	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
B	-13	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
B	-12	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
B	-11	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
B	-10	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
B	-9	SER	-	EXPRESSION TAG	UNP Q5NGQ3
B	-8	SER	-	EXPRESSION TAG	UNP Q5NGQ3
B	-7	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
B	-6	LEU	-	EXPRESSION TAG	UNP Q5NGQ3
B	-5	VAL	-	EXPRESSION TAG	UNP Q5NGQ3
B	-4	PRO	-	EXPRESSION TAG	UNP Q5NGQ3
B	-3	ARG	-	EXPRESSION TAG	UNP Q5NGQ3
B	-2	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
B	-1	SER	-	EXPRESSION TAG	UNP Q5NGQ3
B	0	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
C	-19	MET	-	EXPRESSION TAG	UNP Q5NGQ3
C	-18	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
C	-17	SER	-	EXPRESSION TAG	UNP Q5NGQ3
C	-16	SER	-	EXPRESSION TAG	UNP Q5NGQ3
C	-15	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
C	-14	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
C	-13	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
C	-12	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
C	-11	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
C	-10	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
C	-9	SER	-	EXPRESSION TAG	UNP Q5NGQ3
C	-8	SER	-	EXPRESSION TAG	UNP Q5NGQ3
C	-7	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
C	-6	LEU	-	EXPRESSION TAG	UNP Q5NGQ3
C	-5	VAL	-	EXPRESSION TAG	UNP Q5NGQ3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	PRO	-	EXPRESSION TAG	UNP Q5NGQ3
C	-3	ARG	-	EXPRESSION TAG	UNP Q5NGQ3
C	-2	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
C	-1	SER	-	EXPRESSION TAG	UNP Q5NGQ3
C	0	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
D	-19	MET	-	EXPRESSION TAG	UNP Q5NGQ3
D	-18	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
D	-17	SER	-	EXPRESSION TAG	UNP Q5NGQ3
D	-16	SER	-	EXPRESSION TAG	UNP Q5NGQ3
D	-15	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
D	-14	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
D	-13	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
D	-12	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
D	-11	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
D	-10	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
D	-9	SER	-	EXPRESSION TAG	UNP Q5NGQ3
D	-8	SER	-	EXPRESSION TAG	UNP Q5NGQ3
D	-7	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
D	-6	LEU	-	EXPRESSION TAG	UNP Q5NGQ3
D	-5	VAL	-	EXPRESSION TAG	UNP Q5NGQ3
D	-4	PRO	-	EXPRESSION TAG	UNP Q5NGQ3
D	-3	ARG	-	EXPRESSION TAG	UNP Q5NGQ3
D	-2	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
D	-1	SER	-	EXPRESSION TAG	UNP Q5NGQ3
D	0	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
E	-19	MET	-	EXPRESSION TAG	UNP Q5NGQ3
E	-18	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
E	-17	SER	-	EXPRESSION TAG	UNP Q5NGQ3
E	-16	SER	-	EXPRESSION TAG	UNP Q5NGQ3
E	-15	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
E	-14	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
E	-13	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
E	-12	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
E	-11	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
E	-10	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
E	-9	SER	-	EXPRESSION TAG	UNP Q5NGQ3
E	-8	SER	-	EXPRESSION TAG	UNP Q5NGQ3
E	-7	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
E	-6	LEU	-	EXPRESSION TAG	UNP Q5NGQ3
E	-5	VAL	-	EXPRESSION TAG	UNP Q5NGQ3
E	-4	PRO	-	EXPRESSION TAG	UNP Q5NGQ3
E	-3	ARG	-	EXPRESSION TAG	UNP Q5NGQ3

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
E	-2	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
E	-1	SER	-	EXPRESSION TAG	UNP Q5NGQ3
E	0	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
F	-19	MET	-	EXPRESSION TAG	UNP Q5NGQ3
F	-18	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
F	-17	SER	-	EXPRESSION TAG	UNP Q5NGQ3
F	-16	SER	-	EXPRESSION TAG	UNP Q5NGQ3
F	-15	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
F	-14	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
F	-13	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
F	-12	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
F	-11	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
F	-10	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
F	-9	SER	-	EXPRESSION TAG	UNP Q5NGQ3
F	-8	SER	-	EXPRESSION TAG	UNP Q5NGQ3
F	-7	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
F	-6	LEU	-	EXPRESSION TAG	UNP Q5NGQ3
F	-5	VAL	-	EXPRESSION TAG	UNP Q5NGQ3
F	-4	PRO	-	EXPRESSION TAG	UNP Q5NGQ3
F	-3	ARG	-	EXPRESSION TAG	UNP Q5NGQ3
F	-2	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
F	-1	SER	-	EXPRESSION TAG	UNP Q5NGQ3
F	0	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
G	-19	MET	-	EXPRESSION TAG	UNP Q5NGQ3
G	-18	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
G	-17	SER	-	EXPRESSION TAG	UNP Q5NGQ3
G	-16	SER	-	EXPRESSION TAG	UNP Q5NGQ3
G	-15	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
G	-14	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
G	-13	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
G	-12	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
G	-11	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
G	-10	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
G	-9	SER	-	EXPRESSION TAG	UNP Q5NGQ3
G	-8	SER	-	EXPRESSION TAG	UNP Q5NGQ3
G	-7	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
G	-6	LEU	-	EXPRESSION TAG	UNP Q5NGQ3
G	-5	VAL	-	EXPRESSION TAG	UNP Q5NGQ3
G	-4	PRO	-	EXPRESSION TAG	UNP Q5NGQ3
G	-3	ARG	-	EXPRESSION TAG	UNP Q5NGQ3
G	-2	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
G	-1	SER	-	EXPRESSION TAG	UNP Q5NGQ3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
H	-19	MET	-	EXPRESSION TAG	UNP Q5NGQ3
H	-18	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
H	-17	SER	-	EXPRESSION TAG	UNP Q5NGQ3
H	-16	SER	-	EXPRESSION TAG	UNP Q5NGQ3
H	-15	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
H	-14	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
H	-13	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
H	-12	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
H	-11	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
H	-10	HIS	-	EXPRESSION TAG	UNP Q5NGQ3
H	-9	SER	-	EXPRESSION TAG	UNP Q5NGQ3
H	-8	SER	-	EXPRESSION TAG	UNP Q5NGQ3
H	-7	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
H	-6	LEU	-	EXPRESSION TAG	UNP Q5NGQ3
H	-5	VAL	-	EXPRESSION TAG	UNP Q5NGQ3
H	-4	PRO	-	EXPRESSION TAG	UNP Q5NGQ3
H	-3	ARG	-	EXPRESSION TAG	UNP Q5NGQ3
H	-2	GLY	-	EXPRESSION TAG	UNP Q5NGQ3
H	-1	SER	-	EXPRESSION TAG	UNP Q5NGQ3
H	0	HIS	-	EXPRESSION TAG	UNP Q5NGQ3


- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2$ ).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	E	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is 1-(1,3-BENZODIOXOL-5-YLMETHYL)-5,6,7,8-TETRAHYDRO-1H-NAPHTHO[2,3-D]IMIDAZOLE (three-letter code: 1JU) (formula: C<sub>19</sub>H<sub>18</sub>N<sub>2</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			23	19	2	2		
3	B	1	Total	C	N	O	0	0
			23	19	2	2		
3	C	1	Total	C	N	O	0	0
			23	19	2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	D	1	Total	C	N	O	0	0
			23	19	2	2		
3	E	1	Total	C	N	O	0	0
			23	19	2	2		
3	F	1	Total	C	N	O	0	0
			23	19	2	2		
3	G	1	Total	C	N	O	0	0
			23	19	2	2		
3	H	1	Total	C	N	O	0	0
			23	19	2	2		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	H	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	H	1	Total	Na	0	0
			1	1		
5	B	1	Total	Na	0	0
			1	1		
5	F	1	Total	Na	0	0
			1	1		

- Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	120	Total	O	0	0
			120	120		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	93	Total 93	O 93	0	0
7	C	109	Total 109	O 109	0	0
7	D	119	Total 119	O 119	0	0
7	E	95	Total 95	O 95	0	0
7	F	107	Total 107	O 107	0	0
7	G	119	Total 119	O 119	0	0
7	H	95	Total 95	O 95	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enoyl-[acyl-carrier-protein]reductase [NADH]

Chain A: 




- Molecule 1: Enoyl-[acyl-carrier-protein]reductase [NADH]

Chain B: 




- Molecule 1: Enoyl-[acyl-carrier-protein]reductase [NADH]

Chain C: 




- Molecule 1: Enoyl-[acyl-carrier-protein]reductase [NADH]

Chain D: 




• Molecule 1: Enoyl-[acyl-carrier-protein]reductase [NADH]

Chain E:




• Molecule 1: Enoyl-[acyl-carrier-protein]reductase [NADH]

Chain F:




• Molecule 1: Enoyl-[acyl-carrier-protein]reductase [NADH]

Chain G:



• Molecule 1: Enoyl-[acyl-carrier-protein]reductase [NADH]

Chain H:



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.40Å 123.35Å 202.65Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.89 – 2.34 19.89 – 2.34	Depositor EDS
% Data completeness (in resolution range)	98.9 (19.89-2.34) 99.1 (19.89-2.34)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.45 (at 2.33Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.199 , 0.241 0.197 , 0.237	Depositor DCC
$R_{free}$ test set	4518 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	22.5	Xtriage
Anisotropy	0.238	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 16.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	14 of 90167 reflections (0.016%)	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	16987	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 64.72 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 7.9258e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ACT, 1JU, NAD, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.63	0/1976	0.71	1/2665 (0.0%)
1	B	0.62	1/1976 (0.1%)	0.71	1/2665 (0.0%)
1	C	0.60	0/1975	0.71	1/2665 (0.0%)
1	D	0.60	0/1982	0.74	2/2673 (0.1%)
1	E	0.63	0/1976	0.88	4/2665 (0.2%)
1	F	0.59	0/1976	0.70	2/2665 (0.1%)
1	G	0.61	1/1967 (0.1%)	0.70	1/2655 (0.0%)
1	H	0.60	1/1976 (0.1%)	0.70	1/2665 (0.0%)
All	All	0.61	3/15804 (0.0%)	0.73	13/21318 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	81	TRP	CD2-CE2	5.86	1.48	1.41
1	H	81	TRP	CD2-CE2	5.12	1.47	1.41
1	B	81	TRP	CD2-CE2	5.05	1.47	1.41

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	96	ARG	NE-CZ-NH2	19.09	129.85	120.30
1	E	96	ARG	NE-CZ-NH1	-18.28	111.16	120.30
1	E	96	ARG	CD-NE-CZ	9.72	137.20	123.60
1	D	144	LEU	CA-CB-CG	-6.42	100.52	115.30
1	F	144	LEU	CA-CB-CG	-6.12	101.23	115.30

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1942	0	1965	23	0
1	B	1942	0	1965	20	0
1	C	1944	0	1964	20	1
1	D	1948	0	1969	24	0
1	E	1942	0	1965	14	0
1	F	1945	0	1964	21	0
1	G	1936	0	1956	21	0
1	H	1942	0	1965	35	0
2	A	44	0	26	1	0
2	B	44	0	26	1	0
2	C	44	0	26	1	0
2	D	44	0	26	1	0
2	E	44	0	26	1	0
2	F	44	0	26	2	0
2	G	44	0	26	2	0
2	H	44	0	26	2	0
3	A	23	0	0	0	0
3	B	23	0	0	0	0
3	C	23	0	0	1	0
3	D	23	0	0	1	0
3	E	23	0	0	0	0
3	F	23	0	0	1	0
3	G	23	0	0	1	0
3	H	23	0	0	1	0
4	A	12	0	16	1	0
4	B	6	0	8	0	0
4	C	6	0	8	1	0
4	D	6	0	8	0	0
4	H	12	0	16	1	0
5	B	1	0	0	0	0
5	F	1	0	0	0	0
5	H	1	0	0	0	0
6	B	4	0	3	1	0
6	D	4	0	3	0	0
7	A	120	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	93	0	0	1	0
7	C	109	0	0	3	0
7	D	119	0	0	4	0
7	E	95	0	0	0	0
7	F	107	0	0	3	0
7	G	119	0	0	4	1
7	H	95	0	0	3	0
All	All	16987	0	15983	166	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 5.

The worst 5 of 166 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:179:GLU:OE2	1:H:204:LYS:HD3	1.40	1.21
1:A:212[A]:MET:SD	1:H:212[A]:MET:SD	2.54	1.05
1:H:204:LYS:HG2	7:H:484:HOH:O	1.58	1.02
1:D:256[A]:MET:O	1:D:256[A]:MET:HG3	1.63	0.97
1:B:179:GLU:OE1	1:H:204:LYS:NZ	2.05	0.89

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:49:LYS:NZ	7:G:508:HOH:O[4_555]	2.02	0.18

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	258/280 (92%)	243 (94%)	14 (5%)	1 (0%)	43 50
1	B	258/280 (92%)	245 (95%)	12 (5%)	1 (0%)	43 50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	258/280 (92%)	249 (96%)	8 (3%)	1 (0%)	43	50
1	D	259/280 (92%)	246 (95%)	12 (5%)	1 (0%)	43	50
1	E	258/280 (92%)	247 (96%)	10 (4%)	1 (0%)	43	50
1	F	258/280 (92%)	246 (95%)	11 (4%)	1 (0%)	43	50
1	G	257/280 (92%)	244 (95%)	12 (5%)	1 (0%)	43	50
1	H	258/280 (92%)	245 (95%)	12 (5%)	1 (0%)	43	50
All	All	2064/2240 (92%)	1965 (95%)	91 (4%)	8 (0%)	43	50

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	41	GLY
1	B	41	GLY
1	C	41	GLY
1	D	41	GLY
1	E	41	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	204/221 (92%)	201 (98%)	3 (2%)	76	88
1	B	204/221 (92%)	200 (98%)	4 (2%)	68	82
1	C	204/221 (92%)	201 (98%)	3 (2%)	76	88
1	D	205/221 (93%)	200 (98%)	5 (2%)	61	76
1	E	204/221 (92%)	201 (98%)	3 (2%)	76	88
1	F	204/221 (92%)	203 (100%)	1 (0%)	94	97
1	G	203/221 (92%)	201 (99%)	2 (1%)	85	93
1	H	204/221 (92%)	198 (97%)	6 (3%)	55	69
All	All	1632/1768 (92%)	1605 (98%)	27 (2%)	75	85

5 of 27 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	213	VAL
1	E	144	LEU
1	H	202	ASN
1	D	256[A]	MET
1	B	144	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 44 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	157	ASN
1	E	157	ASN
1	H	138	ASN
1	D	219	ASN
1	E	102	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 28 ligands modelled in this entry, 3 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAD	A	301	-	48,48,48	2.24	11 (22%)	73,73,73	2.64	20 (27%)
3	1JU	A	302	-	27,27,27	0.82	2 (7%)	39,39,39	0.78	0
4	GOL	A	303	-	5,5,5	0.36	0	5,5,5	0.48	0
4	GOL	A	304	-	5,5,5	0.39	0	5,5,5	0.69	0
2	NAD	B	301	-	48,48,48	2.16	12 (25%)	73,73,73	2.39	18 (24%)
3	1JU	B	302	-	27,27,27	0.75	0	39,39,39	0.78	0
4	GOL	B	304	-	5,5,5	0.51	0	5,5,5	0.96	0
6	ACT	B	305	-	1,3,3	1.48	0	0,3,3	0.00	-
2	NAD	C	301	-	48,48,48	2.08	10 (20%)	73,73,73	2.40	23 (31%)
3	1JU	C	302	-	27,27,27	0.77	0	39,39,39	0.75	0
4	GOL	C	303	-	5,5,5	0.56	0	5,5,5	0.84	0
2	NAD	D	301	-	48,48,48	2.12	10 (20%)	73,73,73	2.16	16 (21%)
3	1JU	D	302	-	27,27,27	0.75	0	39,39,39	0.72	0
4	GOL	D	303	-	5,5,5	0.37	0	5,5,5	0.28	0
6	ACT	D	304	-	1,3,3	1.96	0	0,3,3	0.00	-
2	NAD	E	301	-	48,48,48	2.01	9 (18%)	73,73,73	2.08	15 (20%)
3	1JU	E	302	-	27,27,27	0.77	0	39,39,39	0.78	0
2	NAD	F	301	-	48,48,48	2.15	12 (25%)	73,73,73	2.25	17 (23%)
3	1JU	F	302	-	27,27,27	0.80	0	39,39,39	0.79	0
2	NAD	G	301	-	48,48,48	2.16	12 (25%)	73,73,73	2.37	16 (21%)
3	1JU	G	302	-	27,27,27	0.84	1 (3%)	39,39,39	0.89	0
2	NAD	H	301	-	48,48,48	2.02	12 (25%)	73,73,73	2.19	17 (23%)
3	1JU	H	302	-	27,27,27	0.78	0	39,39,39	0.75	0
4	GOL	H	304	-	5,5,5	0.66	0	5,5,5	1.34	1 (20%)
4	GOL	H	305	-	5,5,5	0.28	0	5,5,5	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	301	-	-	0/30/62/62	0/5/5/5
3	1JU	A	302	-	-	0/4/17/17	0/5/5/5
4	GOL	A	303	-	-	0/4/4/4	0/0/0/0
4	GOL	A	304	-	-	0/4/4/4	0/0/0/0
2	NAD	B	301	-	-	0/30/62/62	0/5/5/5
3	1JU	B	302	-	-	0/4/17/17	0/5/5/5
4	GOL	B	304	-	-	0/4/4/4	0/0/0/0
6	ACT	B	305	-	-	0/0/0/0	0/0/0/0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	C	301	-	-	0/30/62/62	0/5/5/5
3	1JU	C	302	-	-	0/4/17/17	0/5/5/5
4	GOL	C	303	-	-	0/4/4/4	0/0/0/0
2	NAD	D	301	-	-	0/30/62/62	0/5/5/5
3	1JU	D	302	-	-	0/4/17/17	0/5/5/5
4	GOL	D	303	-	-	0/4/4/4	0/0/0/0
6	ACT	D	304	-	-	0/0/0/0	0/0/0/0
2	NAD	E	301	-	-	0/30/62/62	0/5/5/5
3	1JU	E	302	-	-	0/4/17/17	0/5/5/5
2	NAD	F	301	-	-	0/30/62/62	0/5/5/5
3	1JU	F	302	-	-	0/4/17/17	0/5/5/5
2	NAD	G	301	-	-	0/30/62/62	0/5/5/5
3	1JU	G	302	-	-	0/4/17/17	0/5/5/5
2	NAD	H	301	-	-	0/30/62/62	0/5/5/5
3	1JU	H	302	-	-	0/4/17/17	0/5/5/5
4	GOL	H	304	-	-	0/4/4/4	0/0/0/0
4	GOL	H	305	-	-	0/4/4/4	0/0/0/0

The worst 5 of 91 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	301	NAD	C2N-N1N	10.10	1.48	1.35
2	A	301	NAD	C2N-N1N	9.57	1.47	1.35
2	G	301	NAD	C2N-N1N	9.27	1.47	1.35
2	C	301	NAD	C2N-N1N	9.16	1.47	1.35
2	B	301	NAD	C2N-N1N	9.14	1.47	1.35

The worst 5 of 143 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	NAD	O4D-C1D-N1N	10.34	119.49	108.13
2	A	301	NAD	N3A-C2A-N1A	-10.27	119.86	128.89
2	B	301	NAD	N3A-C2A-N1A	-9.61	120.44	128.89
2	G	301	NAD	O4D-C1D-N1N	8.97	117.99	108.13
2	G	301	NAD	N3A-C2A-N1A	-8.93	121.03	128.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å <sup>2</sup> )	Q < 0.9
1	A	259/280 (92%)	0.18	7 (2%)	52	63	12, 20, 40, 62	0
1	B	259/280 (92%)	0.23	9 (3%)	42	53	14, 21, 45, 70	1 (0%)
1	C	259/280 (92%)	0.14	7 (2%)	52	63	12, 20, 38, 73	0
1	D	259/280 (92%)	0.19	8 (3%)	47	58	13, 20, 39, 71	1 (0%)
1	E	259/280 (92%)	0.16	7 (2%)	52	63	13, 21, 44, 72	0
1	F	259/280 (92%)	0.16	10 (3%)	37	49	13, 20, 39, 60	0
1	G	259/280 (92%)	0.10	5 (1%)	64	74	13, 20, 35, 70	0
1	H	259/280 (92%)	0.25	9 (3%)	42	53	14, 22, 41, 68	1 (0%)
All	All	2072/2240 (92%)	0.18	62 (2%)	48	60	12, 21, 40, 73	3 (0%)

The worst 5 of 62 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	42	GLN	5.3
1	H	202	ASN	5.0
1	C	42	GLN	5.0
1	D	106	CYS	4.7
1	D	41	GLY	4.4

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.



## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	H	304	6/6	0.28	8.79	28,32,32,33	0
4	GOL	C	303	6/6	0.20	8.70	21,28,33,38	0
4	GOL	D	303	6/6	0.37	5.97	55,58,61,61	0
4	GOL	A	304	6/6	0.25	5.40	22,27,33,36	0
4	GOL	H	305	6/6	0.24	5.00	23,26,30,33	0
3	1JU	H	302	23/23	0.21	2.79	21,25,34,36	0
6	ACT	D	304	4/4	0.18	2.20	28,30,32,34	0
4	GOL	A	303	6/6	0.21	2.16	22,24,27,30	0
3	1JU	E	302	23/23	0.17	1.79	23,26,30,32	0
3	1JU	D	302	23/23	0.17	1.55	18,19,29,30	0
3	1JU	B	302	23/23	0.17	1.29	22,24,28,29	0
3	1JU	G	302	23/23	0.18	1.27	17,18,19,20	0
4	GOL	B	304	6/6	0.17	1.25	22,26,30,33	0
3	1JU	C	302	23/23	0.15	1.13	19,20,23,24	0
6	ACT	B	305	4/4	0.14	1.05	20,23,25,26	0
3	1JU	A	302	23/23	0.18	0.96	18,22,28,29	0
3	1JU	F	302	23/23	0.17	0.59	19,20,21,24	0
2	NAD	B	301	44/44	0.12	-0.31	15,21,26,27	0
2	NAD	H	301	44/44	0.11	-0.72	18,25,28,30	0
2	NAD	G	301	44/44	0.11	-0.73	12,17,20,21	0
2	NAD	C	301	44/44	0.11	-0.78	13,17,23,24	0
2	NAD	A	301	44/44	0.11	-1.07	11,16,22,25	0
2	NAD	E	301	44/44	0.10	-1.10	11,16,25,26	0
5	NA	H	303	1/1	0.10	-1.23	29,29,29,29	0
2	NAD	F	301	44/44	0.10	-1.32	11,17,23,24	0
2	NAD	D	301	44/44	0.09	-1.48	13,15,22,23	0
5	NA	B	303	1/1	0.06	-2.02	28,28,28,28	0
5	NA	F	303	1/1	0.05	-2.08	29,29,29,29	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.