



Full wwPDB X-ray Structure Validation Report

Feb 28, 2014 – 05:38 AM GMT

PDB ID : 4J4Y
Title : Triple mutant GraVN
Authors : Jiao, L.; Ouyang, S.; Liang, M.; Niu, F.; Shaw, N.; Wu, W.; Ding, W.; Jin, C.;
Zhu, Y.; Zhang, F.; Wang, T.; Li, C.; Zuo, X.; Luan, C.H.; Li, D.; Liu, Z.J.
Deposited on : 2013-02-07
Resolution : 2.45 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3566 (2.50-2.42)
Clashscore	79885	4471 (2.50-2.42)
Ramachandran outliers	78287	4383 (2.50-2.42)
Sidechain outliers	78261	4385 (2.50-2.42)
RSRZ outliers	66119	3568 (2.50-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	257	
1	B	257	
1	C	257	
1	D	257	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7842 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NP protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1935	1226	327	368	14			
1	B	248	Total	C	N	O	S	0	0	0
			1924	1218	324	368	14			
1	C	251	Total	C	N	O	S	0	0	0
			1944	1231	328	371	14			
1	D	248	Total	C	N	O	S	0	0	0
			1924	1218	324	368	14			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	EXPRESSION TAG	UNP E2DQZ4
A	-1	ASN	-	EXPRESSION TAG	UNP E2DQZ4
A	0	ALA	-	EXPRESSION TAG	UNP E2DQZ4
A	69	ASP	ARG	ENGINEERED MUTATION	UNP E2DQZ4
A	72	GLU	LYS	ENGINEERED MUTATION	UNP E2DQZ4
A	79	GLU	LYS	ENGINEERED MUTATION	UNP E2DQZ4
B	-2	SER	-	EXPRESSION TAG	UNP E2DQZ4
B	-1	ASN	-	EXPRESSION TAG	UNP E2DQZ4
B	0	ALA	-	EXPRESSION TAG	UNP E2DQZ4
B	69	ASP	ARG	ENGINEERED MUTATION	UNP E2DQZ4
B	72	GLU	LYS	ENGINEERED MUTATION	UNP E2DQZ4
B	79	GLU	LYS	ENGINEERED MUTATION	UNP E2DQZ4
C	-2	SER	-	EXPRESSION TAG	UNP E2DQZ4
C	-1	ASN	-	EXPRESSION TAG	UNP E2DQZ4
C	0	ALA	-	EXPRESSION TAG	UNP E2DQZ4
C	69	ASP	ARG	ENGINEERED MUTATION	UNP E2DQZ4
C	72	GLU	LYS	ENGINEERED MUTATION	UNP E2DQZ4
C	79	GLU	LYS	ENGINEERED MUTATION	UNP E2DQZ4
D	-2	SER	-	EXPRESSION TAG	UNP E2DQZ4
D	-1	ASN	-	EXPRESSION TAG	UNP E2DQZ4
D	0	ALA	-	EXPRESSION TAG	UNP E2DQZ4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	69	ASP	ARG	ENGINEERED MUTATION	UNP E2DQZ4
D	72	GLU	LYS	ENGINEERED MUTATION	UNP E2DQZ4
D	79	GLU	LYS	ENGINEERED MUTATION	UNP E2DQZ4

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	39	Total	O	0	0
			39	39		
2	B	21	Total	O	0	0
			21	21		
2	C	36	Total	O	0	0
			36	36		
2	D	19	Total	O	0	0
			19	19		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NP protein

Chain A:




- Molecule 1: NP protein

Chain B:



- Molecule 1: NP protein


Chain C:



- Molecule 1: NP protein

Chain D:





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	54.16Å 76.80Å 77.16Å 82.79° 69.51° 69.36°	Depositor
Resolution (Å)	28.81 – 2.45 28.82 – 2.45	Depositor EDS
% Data completeness (in resolution range)	95.2 (28.81-2.45) 95.0 (28.82-2.45)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.210 , 0.291 0.212 , 0.272	Depositor DCC
R_{free} test set	2046 reflections (5.69%)	DCC
Wilson B-factor (Å ²)	48.1	Xtriage
Anisotropy	0.075	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 48.7	EDS
Estimated twinning fraction	0.536 for H,K,L 0.464 for H,H-K,H-L 0.004 for h,l,h-k 0.004 for h,h-l,k 0.469 for h,h-k,h-l 0.013 for -h,-h+k,-l 0.013 for -h,-k,-h+l 0.015 for -h,-l,-k 0.015 for -h,-h+l,-h+k	Xtriage
Reported twinning fraction	0.536 for H,K,L 0.464 for H,H-K,H-L	Depositor
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 37978 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7842	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.22	0/1970	0.77	1/2663 (0.0%)
1	B	1.02	0/1959	0.80	1/2649 (0.0%)
1	C	1.25	0/1979	0.80	3/2675 (0.1%)
1	D	1.06	2/1959 (0.1%)	0.86	4/2649 (0.2%)
All	All	1.14	2/7867 (0.0%)	0.81	9/10636 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	205	PRO	N-CD	5.38	1.55	1.47
1	D	195	PRO	N-CD	5.12	1.55	1.47

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	72	GLU	C-N-CD	6.23	141.49	128.40
1	D	187	ASN	C-N-CD	6.22	141.45	128.40
1	D	101	ASN	C-N-CD	6.04	141.09	128.40
1	B	101	ASN	C-N-CD	5.92	140.84	128.40
1	A	187	ASN	C-N-CD	5.84	140.67	128.40
1	D	194	GLN	C-N-CD	5.72	140.40	128.40
1	D	204	LYS	C-N-CD	5.52	140.00	128.40
1	C	53	ARG	N-CA-C	5.34	125.43	111.00
1	C	6	TYR	N-CA-C	-5.18	97.01	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	194	GLN	Peptide

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1935	0	24	29	0
1	B	1924	0	0	65	0
1	C	1944	0	24	36	0
1	D	1924	0	0	76	0
2	A	39	0	0	3	0
2	B	21	0	0	5	0
2	C	36	0	0	5	0
2	D	19	0	0	4	0
All	All	7842	0	48	199	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 26.

All (199) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:123:ALA:O	1:B:127:LEU:CD2	1.78	1.30
1:B:103:GLY:N	1:B:106:THR:OG1	1.70	1.25
1:A:7:ARG:O	1:A:10:ALA:O	1.55	1.23
1:B:162:GLU:OE1	2:B:308:HOH:O	1.54	1.20
1:D:177:LEU:O	1:D:181:GLU:OE1	1.61	1.19
1:D:58:ASP:OD2	1:D:95:TYR:OH	1.61	1.18
1:B:29:GLU:OE1	1:C:81:SER:OG	1.61	1.16
1:A:34:GLY:N	2:A:324:HOH:O	1.79	1.14
1:D:244:ALA:O	1:D:247:TYR:N	1.86	1.09
1:B:103:GLY:O	1:B:105:ASP:N	1.87	1.08
1:D:129:GLU:OE2	1:D:136:THR:OG1	1.70	1.07
1:B:46:GLU:N	1:B:49:THR:OG1	1.92	1.02

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:30:PHE:O	1:D:80:MET:CE	2.09	1.00
1:D:237:ASN:OD1	1:D:239:ALA:N	1.96	0.99
1:A:181:GLU:OE2	1:A:184:LYS:NZ	1.97	0.97
1:D:194:GLN:O	1:D:196:ASN:N	1.95	0.97
1:D:174:ALA:N	1:D:243:CYS:SG	2.40	0.95
1:D:240:ILE:O	1:D:243:CYS:N	2.05	0.89
1:D:133:VAL:CG1	1:D:138:MET:CE	2.53	0.87
1:B:174:ALA:CA	1:B:244:ALA:CB	2.53	0.86
1:B:141:ILE:CD1	1:B:181:GLU:OE1	2.26	0.83
1:A:72:GLU:O	1:A:76:MET:CG	2.27	0.83
1:A:77:MET:CE	1:A:85:ALA:O	2.27	0.83
1:B:129:GLU:OE2	1:B:136:THR:CG2	2.29	0.81
1:C:34:GLY:O	1:C:104:ARG:NH1	2.14	0.80
1:D:167:THR:O	1:D:171:LEU:CD1	2.30	0.79
1:B:33:GLN:OE1	2:B:303:HOH:O	1.99	0.79
1:C:19:ASP:CB	1:C:22:THR:OG1	2.32	0.78
1:B:231:ASN:OD1	1:B:233:ASP:N	2.16	0.78
1:B:231:ASN:OD1	1:B:232:GLU:N	2.17	0.77
1:B:19:ASP:OD2	1:B:21:THR:OG1	2.03	0.77
1:B:164:PRO:O	1:B:167:THR:OG1	2.01	0.76
1:A:98:LYS:NZ	2:A:311:HOH:O	2.17	0.76
1:C:130:SER:OG	2:C:323:HOH:O	2.02	0.76
1:D:174:ALA:CA	1:D:243:CYS:SG	2.74	0.75
1:C:19:ASP:OD1	1:C:19:ASP:N	2.18	0.75
1:B:243:CYS:O	1:B:245:GLU:N	2.19	0.75
1:C:139:ASP:O	1:C:142:ALA:O	2.04	0.74
1:D:39:ARG:NH1	1:D:42:GLN:OE1	2.20	0.74
1:D:231:ASN:O	1:D:234:LEU:N	2.20	0.74
1:B:174:ALA:N	1:B:244:ALA:CB	2.50	0.74
1:C:31:ALA:O	2:C:333:HOH:O	2.05	0.73
1:B:32:TYR:O	2:B:315:HOH:O	2.06	0.73
1:B:174:ALA:CB	1:B:244:ALA:CB	2.67	0.73
1:B:136:THR:O	1:B:140:SER:OG	2.07	0.72
1:B:46:GLU:O	1:B:50:ALA:N	2.23	0.71
1:B:58:ASP:OD2	1:B:95:TYR:OH	2.09	0.70
1:D:245:GLU:O	1:D:248:LYS:CG	2.40	0.70
1:B:244:ALA:O	1:B:247:TYR:N	2.26	0.69
1:C:77:MET:CE	1:C:85:ALA:O	2.40	0.69
1:C:187:ASN:OD1	1:C:189:SER:OG	2.11	0.69
1:B:39:ARG:NH2	1:B:105:ASP:OD2	2.26	0.69
1:B:230:LEU:CD2	1:B:234:LEU:C	2.60	0.69
1:A:6:TYR:O	1:A:7:ARG:CB	2.42	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:213:ARG:NH1	2:D:319:HOH:O	2.26	0.68
1:D:199:ALA:N	1:D:201:THR:OG1	2.26	0.68
1:B:71:ASN:OD1	2:B:302:HOH:O	2.11	0.68
1:B:236:PRO:O	1:B:237:ASN:O	2.13	0.67
1:C:76:MET:O	1:C:80:MET:CE	2.44	0.66
1:B:129:GLU:OE2	1:B:136:THR:OG1	2.14	0.66
1:B:135:GLY:O	1:B:139:ASP:N	2.27	0.66
1:B:103:GLY:CA	1:B:106:THR:OG1	2.44	0.65
1:D:248:LYS:CG	1:D:249:ALA:N	2.59	0.65
1:C:6:TYR:O	1:C:7:ARG:CB	2.43	0.65
1:D:144:THR:OG1	1:D:145:THR:N	2.30	0.65
1:B:249:ALA:O	1:B:250:LYS:CB	2.45	0.65
1:D:152:HIS:O	1:D:175:HIS:NE2	2.31	0.64
1:B:238:PRO:O	1:B:240:ILE:N	2.30	0.64
1:A:197:GLU:O	2:A:339:HOH:O	2.15	0.64
1:B:85:ALA:O	1:B:89:THR:OG1	2.16	0.64
1:A:247:TYR:O	1:A:251:VAL:HG12	2.00	0.62
1:D:240:ILE:O	1:D:243:CYS:CB	2.48	0.61
1:D:139:ASP:O	1:D:142:ALA:O	2.19	0.61
1:D:117:VAL:N	1:D:118:PRO:CD	2.62	0.61
1:C:47:ARG:NH1	1:C:95:TYR:O	2.34	0.61
1:A:10:ALA:O	1:A:11:LEU:CB	2.47	0.60
1:D:177:LEU:CD2	1:D:243:CYS:O	2.50	0.60
1:A:117:VAL:N	1:A:118:PRO:CD	2.65	0.60
1:B:146:TYR:CD1	1:B:243:CYS:SG	2.94	0.59
1:C:98:LYS:NZ	2:C:302:HOH:O	2.35	0.59
1:D:176:GLY:O	1:D:179:MET:N	2.34	0.59
1:D:199:ALA:O	1:D:202:PHE:N	2.36	0.59
1:D:163:LEU:O	2:D:312:HOH:O	2.16	0.58
1:B:176:GLY:O	1:B:179:MET:N	2.35	0.58
1:C:181:GLU:O	1:C:185:THR:CG2	2.52	0.58
1:B:124:LEU:CD1	1:B:148:ARG:O	2.52	0.57
1:C:246:LYS:O	1:C:249:ALA:O	2.23	0.57
1:D:137:THR:O	1:D:140:SER:OG	2.23	0.57
1:C:23:ILE:O	1:C:26:TRP:N	2.38	0.56
1:D:243:CYS:SG	1:D:244:ALA:CA	2.94	0.56
1:B:221:LYS:NZ	1:B:222:LYS:NZ	2.53	0.56
1:A:58:ASP:OD2	1:A:95:TYR:OH	2.23	0.56
1:D:183:SER:O	1:D:190:LEU:CD2	2.54	0.56
1:D:134:THR:OG1	1:D:137:THR:CG2	2.54	0.55
1:B:244:ALA:O	1:B:247:TYR:CB	2.54	0.55
1:C:249:ALA:O	1:C:250:LYS:CB	2.54	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:117:VAL:N	1:C:118:PRO:CD	2.69	0.55
1:A:8:THR:C	1:A:10:ALA:O	2.46	0.54
1:D:243:CYS:CB	1:D:244:ALA:CA	2.85	0.54
1:D:243:CYS:CB	1:D:244:ALA:CB	2.85	0.54
1:D:52:GLY:CA	1:D:53:ARG:CB	2.85	0.54
1:A:7:ARG:O	1:A:10:ALA:C	2.38	0.54
1:D:174:ALA:CB	1:D:243:CYS:SG	2.96	0.54
1:D:189:SER:OG	1:D:190:LEU:O	2.25	0.54
1:D:243:CYS:N	1:D:244:ALA:CB	2.71	0.53
1:C:73:PRO:CA	1:C:76:MET:CG	2.86	0.53
1:B:131:LEU:CB	1:B:132:PRO:CD	2.86	0.53
1:C:73:PRO:CA	1:C:76:MET:SD	2.96	0.53
1:D:67:LEU:CD2	1:D:152:HIS:CD2	2.92	0.53
1:A:4:ASP:N	1:A:4:ASP:OD1	2.42	0.53
1:C:196:ASN:N	2:C:325:HOH:O	2.41	0.53
1:D:35:PHE:N	1:D:35:PHE:CD1	2.77	0.52
1:B:152:HIS:O	1:B:175:HIS:NE2	2.41	0.52
1:B:127:LEU:CD2	1:B:127:LEU:N	2.72	0.52
1:D:171:LEU:N	1:D:171:LEU:CD1	2.73	0.52
1:B:173:ASP:CB	1:B:247:TYR:CD1	2.92	0.52
1:B:166:ASN:O	1:B:169:ALA:N	2.42	0.52
1:B:68:VAL:CG2	1:B:130:SER:O	2.59	0.52
1:B:173:ASP:CA	1:B:247:TYR:CD1	2.93	0.51
1:B:117:VAL:N	1:B:118:PRO:CD	2.72	0.51
1:C:144:THR:OG1	1:C:145:THR:N	2.40	0.51
1:B:103:GLY:C	1:B:105:ASP:N	2.59	0.51
1:D:99:GLU:CG	1:D:100:GLY:N	2.73	0.51
1:D:243:CYS:CA	1:D:244:ALA:CB	2.88	0.51
1:C:217:ARG:NH1	1:C:217:ARG:CG	2.73	0.51
1:D:53:ARG:CG	1:D:53:ARG:NH1	2.73	0.50
1:C:3:GLU:O	1:C:4:ASP:CB	2.58	0.50
1:A:178:PHE:CE1	1:A:179:MET:CE	2.93	0.50
1:D:32:TYR:CE1	1:D:33:GLN:O	2.64	0.50
1:C:233:ASP:O	1:C:234:LEU:CB	2.60	0.50
1:C:65:LEU:CD1	1:C:76:MET:CE	2.89	0.50
1:A:165:ASN:O	1:A:166:ASN:ND2	2.45	0.50
1:B:134:THR:OG1	1:B:137:THR:OG1	2.30	0.50
1:C:161:LEU:N	2:C:304:HOH:O	2.45	0.50
1:A:181:GLU:CD	1:A:184:LYS:NZ	2.63	0.49
1:D:47:ARG:NH1	2:D:314:HOH:O	2.44	0.49
1:A:30:PHE:O	1:B:80:MET:CE	2.60	0.49
1:C:19:ASP:O	1:C:22:THR:N	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:D:70:GLY:O	1:D:76:MET:CE	2.61	0.49
1:D:173:ASP:CB	1:D:243:CYS:SG	3.01	0.48
1:D:152:HIS:ND1	1:D:153:PRO:N	2.62	0.48
1:A:251:VAL:HG22	1:A:252:GLY:H	1.77	0.48
1:D:179:MET:O	1:D:180:LEU:C	2.49	0.48
1:D:240:ILE:O	1:D:243:CYS:CA	2.62	0.47
1:D:179:MET:O	1:D:180:LEU:O	2.31	0.47
1:D:231:ASN:OD1	1:D:235:VAL:N	2.46	0.47
1:B:195:PRO:CG	1:B:250:LYS:C	2.83	0.47
1:B:132:PRO:CD	1:B:133:VAL:N	2.78	0.47
1:B:152:HIS:CG	1:B:153:PRO:CD	2.97	0.47
1:A:233:ASP:O	1:A:234:LEU:CB	2.59	0.47
1:D:233:ASP:O	1:D:234:LEU:CB	2.63	0.47
1:C:75:SER:O	1:C:75:SER:OG	2.33	0.47
1:D:152:HIS:ND1	1:D:153:PRO:CD	2.79	0.46
1:A:61:MET:CE	1:D:26:TRP:NE1	2.79	0.46
1:B:231:ASN:O	1:B:232:GLU:CB	2.64	0.46
1:D:249:ALA:O	1:D:250:LYS:CB	2.64	0.46
1:D:58:ASP:CG	1:D:95:TYR:OH	2.49	0.46
1:D:140:SER:O	1:D:142:ALA:O	2.33	0.45
1:D:28:ASN:OD1	2:D:304:HOH:O	2.21	0.45
1:B:213:ARG:NH1	1:B:213:ARG:CG	2.78	0.45
1:D:189:SER:CA	1:D:190:LEU:C	2.86	0.44
1:D:99:GLU:CD	1:D:102:PRO:CB	2.85	0.44
1:D:244:ALA:O	1:D:247:TYR:CA	2.65	0.44
1:D:99:GLU:CD	1:D:102:PRO:CG	2.86	0.44
1:D:191:ARG:C	1:D:192:THR:CG2	2.85	0.44
1:B:238:PRO:C	1:B:240:ILE:N	2.72	0.43
1:D:146:TYR:O	1:D:148:ARG:NH1	2.51	0.43
1:D:244:ALA:C	1:D:246:LYS:N	2.71	0.43
1:A:8:THR:O	1:A:10:ALA:O	2.36	0.43
1:A:188:PRO:C	1:A:190:LEU:N	2.72	0.43
1:D:19:ASP:CB	1:D:22:THR:CG2	2.96	0.43
1:B:29:GLU:OE1	1:C:81:SER:CB	2.60	0.43
1:B:136:THR:C	1:B:138:MET:N	2.73	0.43
1:A:204:LYS:CB	1:A:205:PRO:CD	2.96	0.43
1:D:138:MET:O	1:D:142:ALA:CB	2.67	0.43
1:D:33:GLN:N	1:D:33:GLN:CD	2.73	0.42
1:C:231:ASN:OD1	1:C:235:VAL:N	2.53	0.42
1:B:36:ASP:N	2:B:316:HOH:O	2.51	0.42
1:B:190:LEU:O	1:B:193:LYS:N	2.52	0.42
1:D:140:SER:OG	1:D:141:ILE:N	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:189:SER:OG	1:A:189:SER:O	2.38	0.42
1:C:179:MET:O	1:C:183:SER:OG	2.38	0.42
1:C:19:ASP:CB	1:C:22:THR:CG2	2.99	0.41
1:B:39:ARG:NH1	1:B:42:GLN:OE1	2.54	0.41
1:D:139:ASP:OD1	1:D:145:THR:CA	2.69	0.41
1:B:243:CYS:C	1:B:245:GLU:N	2.73	0.41
1:B:134:THR:OG1	1:B:137:THR:N	2.53	0.41
1:B:45:LYS:O	1:B:46:GLU:CB	2.69	0.41
1:B:244:ALA:O	1:B:247:TYR:CA	2.68	0.41
1:D:199:ALA:C	1:D:201:THR:N	2.72	0.41
1:A:30:PHE:CA	1:B:80:MET:CE	2.99	0.41
1:D:104:ARG:O	1:D:105:ASP:CB	2.69	0.40
1:D:189:SER:CB	1:D:190:LEU:O	2.70	0.40
1:B:19:ASP:CB	1:B:22:THR:CG2	2.99	0.40
1:C:49:THR:O	1:C:52:GLY:N	2.55	0.40
1:D:241:GLU:O	1:D:244:ALA:CB	2.70	0.40
1:C:30:PHE:CA	1:D:80:MET:CE	3.00	0.40
1:A:251:VAL:O	1:A:252:GLY:C	2.60	0.40
1:A:72:GLU:C	1:A:76:MET:CE	2.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/257 (96%)	237 (96%)	8 (3%)	3 (1%)	19	30
1	B	246/257 (96%)	221 (90%)	15 (6%)	10 (4%)	4	4
1	C	249/257 (97%)	238 (96%)	8 (3%)	3 (1%)	19	30
1	D	246/257 (96%)	217 (88%)	19 (8%)	10 (4%)	4	4
All	All	989/1028 (96%)	913 (92%)	50 (5%)	26 (3%)	8	10

All (26) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	7	ARG
1	B	104	ARG
1	B	237	ASN
1	C	4	ASP
1	C	7	ARG
1	D	185	THR
1	D	191	ARG
1	D	199	ALA
1	D	244	ALA
1	B	232	GLU
1	B	239	ALA
1	B	244	ALA
1	C	250	LYS
1	D	53	ARG
1	D	102	PRO
1	D	180	LEU
1	D	243	CYS
1	A	189	SER
1	B	46	GLU
1	B	243	CYS
1	B	238	PRO
1	B	248	LYS
1	D	99	GLU
1	D	195	PRO
1	B	242	LYS
1	A	102	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	211/217 (97%)	182 (86%)	29 (14%)	5	8
1	B	210/217 (97%)	171 (81%)	39 (19%)	2	3
1	C	212/217 (98%)	183 (86%)	29 (14%)	5	8
1	D	210/217 (97%)	172 (82%)	38 (18%)	2	3
All	All	843/868 (97%)	708 (84%)	135 (16%)	3	5

All (135) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ASP
1	A	8	THR
1	A	14	LEU
1	A	15	ASP
1	A	17	SER
1	A	20	SER
1	A	29	GLU
1	A	38	LYS
1	A	53	ARG
1	A	65	LEU
1	A	99	GLU
1	A	104	ARG
1	A	126	THR
1	A	127	LEU
1	A	128	SER
1	A	130	SER
1	A	138	MET
1	A	166	ASN
1	A	178	PHE
1	A	184	LYS
1	A	186	ILE
1	A	191	ARG
1	A	197	GLU
1	A	203	GLU
1	A	204	LYS
1	A	218	ASP
1	A	234	LEU
1	A	245	GLU
1	A	250	LYS
1	B	4	ASP
1	B	20	SER
1	B	22	THR
1	B	49	THR
1	B	53	ARG
1	B	60	LYS
1	B	75	SER
1	B	82	GLU
1	B	83	LYS
1	B	90	GLN
1	B	93	SER
1	B	99	GLU
1	B	101	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	104	ARG
1	B	106	THR
1	B	110	SER
1	B	111	ARG
1	B	126	THR
1	B	127	LEU
1	B	128	SER
1	B	130	SER
1	B	140	SER
1	B	144	THR
1	B	154	SER
1	B	167	THR
1	B	177	LEU
1	B	180	LEU
1	B	184	LYS
1	B	187	ASN
1	B	192	THR
1	B	194	GLN
1	B	197	GLU
1	B	204	LYS
1	B	207	MET
1	B	213	ARG
1	B	232	GLU
1	B	235	VAL
1	B	240	ILE
1	B	245	GLU
1	C	4	ASP
1	C	11	LEU
1	C	14	LEU
1	C	15	ASP
1	C	19	ASP
1	C	29	GLU
1	C	38	LYS
1	C	53	ARG
1	C	76	MET
1	C	78	LYS
1	C	99	GLU
1	C	104	ARG
1	C	124	LEU
1	C	125	LYS
1	C	126	THR
1	C	130	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	136	THR
1	C	183	SER
1	C	185	THR
1	C	189	SER
1	C	201	THR
1	C	203	GLU
1	C	204	LYS
1	C	213	ARG
1	C	217	ARG
1	C	218	ASP
1	C	245	GLU
1	C	250	LYS
1	C	253	LYS
1	D	20	SER
1	D	22	THR
1	D	27	VAL
1	D	33	GLN
1	D	39	ARG
1	D	53	ARG
1	D	61	MET
1	D	72	GLU
1	D	83	LYS
1	D	90	GLN
1	D	110	SER
1	D	113	SER
1	D	124	LEU
1	D	126	THR
1	D	127	LEU
1	D	128	SER
1	D	130	SER
1	D	136	THR
1	D	137	THR
1	D	145	THR
1	D	154	SER
1	D	185	THR
1	D	189	SER
1	D	190	LEU
1	D	191	ARG
1	D	192	THR
1	D	193	LYS
1	D	198	ILE
1	D	201	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	204	LYS
1	D	230	LEU
1	D	235	VAL
1	D	237	ASN
1	D	240	ILE
1	D	241	GLU
1	D	243	CYS
1	D	248	LYS
1	D	250	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/257 (97%)	-0.16	1 (0%) 90 92	34, 59, 85, 102	0
1	B	248/257 (96%)	0.04	5 (2%) 62 63	46, 82, 111, 128	0
1	C	251/257 (97%)	-0.17	0 100 100	34, 59, 83, 97	0
1	D	248/257 (96%)	0.11	6 (2%) 56 57	46, 79, 116, 161	0
All	All	997/1028 (96%)	-0.04	12 (1%) 75 76	34, 70, 105, 161	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	198	ILE	4.0
1	D	195	PRO	3.4
1	B	146	TYR	3.3
1	D	233	ASP	2.8
1	B	202	PHE	2.6
1	D	187	ASN	2.5
1	D	55	TRP	2.3
1	B	171	LEU	2.1
1	D	240	ILE	2.1
1	A	161	LEU	2.1
1	B	50	ALA	2.1
1	B	246	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.