



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 03:10 AM GMT

PDB ID : 4J56
Title : Structure of Plasmodium falciparum thioredoxin reductase-thioredoxincomplex
Authors : Fritz-Wolf, K.; Jortzik, E.; Stumpf, M.; Preuss, J.; Iozef, R.; Rahlfs, S.; Becker, K.
Deposited on : 2013-02-08
Resolution : 2.37 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2963 (2.40-2.36)
Clashscore	79885	3668 (2.40-2.36)
Ramachandran outliers	78287	3600 (2.40-2.36)
Sidechain outliers	78261	3602 (2.40-2.36)
RSRZ outliers	66119	2966 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	541	
1	B	541	
1	C	541	
1	D	541	
2	E	114	
2	F	114	
2	G	114	
2	H	114	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 19267 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thioredoxin reductase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	504	Total	C	N	O	S	0	0	0
			3887	2473	650	742	22			
1	B	504	Total	C	N	O	S	0	0	0
			3887	2473	650	742	22			
1	C	504	Total	C	N	O	S	0	0	0
			3887	2473	650	742	22			
1	D	504	Total	C	N	O	S	0	0	0
			3887	2473	650	742	22			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	535	SER	CYS	ENGINEERED MUTATION	UNP P61076
B	535	SER	CYS	ENGINEERED MUTATION	UNP P61076
C	535	SER	CYS	ENGINEERED MUTATION	UNP P61076
D	535	SER	CYS	ENGINEERED MUTATION	UNP P61076

- Molecule 2 is a protein called Thioredoxin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	105	Total	C	N	O	S	0	0	0
			823	526	126	167	4			
2	F	105	Total	C	N	O	S	0	0	0
			823	526	126	167	4			
2	G	105	Total	C	N	O	S	0	0	0
			823	526	126	167	4			
2	H	105	Total	C	N	O	S	0	0	0
			823	526	126	167	4			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	-9	ARG	-	EXPRESSION TAG	UNP Q7KQL8
E	-8	GLY	-	EXPRESSION TAG	UNP Q7KQL8
E	-7	SER	-	EXPRESSION TAG	UNP Q7KQL8
E	-6	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	-5	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	-4	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	-3	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	-2	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	-1	HIS	-	EXPRESSION TAG	UNP Q7KQL8
E	0	GLY	-	EXPRESSION TAG	UNP Q7KQL8
E	1	SER	-	EXPRESSION TAG	UNP Q7KQL8
E	33	SER	CYS	ENGINEERED MUTATION	UNP Q7KQL8
F	-9	ARG	-	EXPRESSION TAG	UNP Q7KQL8
F	-8	GLY	-	EXPRESSION TAG	UNP Q7KQL8
F	-7	SER	-	EXPRESSION TAG	UNP Q7KQL8
F	-6	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	-5	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	-4	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	-3	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	-2	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	-1	HIS	-	EXPRESSION TAG	UNP Q7KQL8
F	0	GLY	-	EXPRESSION TAG	UNP Q7KQL8
F	1	SER	-	EXPRESSION TAG	UNP Q7KQL8
F	33	SER	CYS	ENGINEERED MUTATION	UNP Q7KQL8
G	-9	ARG	-	EXPRESSION TAG	UNP Q7KQL8
G	-8	GLY	-	EXPRESSION TAG	UNP Q7KQL8
G	-7	SER	-	EXPRESSION TAG	UNP Q7KQL8
G	-6	HIS	-	EXPRESSION TAG	UNP Q7KQL8
G	-5	HIS	-	EXPRESSION TAG	UNP Q7KQL8
G	-4	HIS	-	EXPRESSION TAG	UNP Q7KQL8
G	-3	HIS	-	EXPRESSION TAG	UNP Q7KQL8
G	-2	HIS	-	EXPRESSION TAG	UNP Q7KQL8
G	-1	HIS	-	EXPRESSION TAG	UNP Q7KQL8
G	0	GLY	-	EXPRESSION TAG	UNP Q7KQL8
G	1	SER	-	EXPRESSION TAG	UNP Q7KQL8
G	33	SER	CYS	ENGINEERED MUTATION	UNP Q7KQL8
H	-9	ARG	-	EXPRESSION TAG	UNP Q7KQL8
H	-8	GLY	-	EXPRESSION TAG	UNP Q7KQL8
H	-7	SER	-	EXPRESSION TAG	UNP Q7KQL8
H	-6	HIS	-	EXPRESSION TAG	UNP Q7KQL8
H	-5	HIS	-	EXPRESSION TAG	UNP Q7KQL8
H	-4	HIS	-	EXPRESSION TAG	UNP Q7KQL8
H	-3	HIS	-	EXPRESSION TAG	UNP Q7KQL8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-2	HIS	-	EXPRESSION TAG	UNP Q7KQL8
H	-1	HIS	-	EXPRESSION TAG	UNP Q7KQL8
H	0	GLY	-	EXPRESSION TAG	UNP Q7KQL8
H	1	SER	-	EXPRESSION TAG	UNP Q7KQL8
H	33	SER	CYS	ENGINEERED MUTATION	UNP Q7KQL8

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	47	Total	O	0	0
			47	47		
4	B	53	Total	O	0	0
			53	53		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	62	Total 62	O 62	0	0
4	D	45	Total 45	O 45	0	0
4	E	2	Total 2	O 2	0	0
4	F	1	Total 1	O 1	0	0
4	G	2	Total 2	O 2	0	0
4	H	3	Total 3	O 3	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Thioredoxin reductase 2

Chain A:




• Molecule 1: Thioredoxin reductase 2


Chain B:



• Molecule 1: Thioredoxin reductase 2


Chain C:






• Molecule 1: Thioredoxin reductase 2

Chain D:




• Molecule 2: Thioredoxin

Chain E:



• Molecule 2: Thioredoxin

Chain F:




• Molecule 2: Thioredoxin

Chain G:



- Molecule 2: Thioredoxin

Chain H:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	101.88Å 89.18Å 151.33Å 90.00° 91.62° 90.00°	Depositor
Resolution (Å)	19.97 – 2.37 19.97 – 2.37	Depositor EDS
% Data completeness (in resolution range)	98.0 (19.97-2.37) 90.5 (19.97-2.37)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.38Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, R_{free}	0.236 , 0.259 0.237 , 0.259	Depositor DCC
R_{free} test set	7643 reflections (7.09%)	DCC
Wilson B-factor (Å ²)	44.2	Xtriage
Anisotropy	0.358	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 16.2	EDS
Estimated twinning fraction	0.216 for h,-k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Outliers	0 of 107823 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	19267	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/3961	0.60	0/5341
1	B	0.45	0/3961	0.59	0/5341
1	C	0.44	0/3961	0.60	0/5341
1	D	0.45	0/3961	0.60	0/5341
2	E	0.40	0/837	0.51	0/1130
2	F	0.35	0/837	0.51	0/1130
2	G	0.36	0/837	0.50	0/1130
2	H	0.37	0/837	0.52	0/1130
All	All	0.43	0/19192	0.58	0/25884

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3887	0	3898	47	0
1	B	3887	0	3898	55	0
1	C	3887	0	3898	47	0
1	D	3887	0	3898	50	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	823	0	818	18	0
2	F	823	0	818	15	0
2	G	823	0	818	14	0
2	H	823	0	818	15	0
3	A	53	0	31	2	0
3	B	53	0	31	5	0
3	C	53	0	31	3	0
3	D	53	0	31	1	0
4	A	47	0	0	0	0
4	B	53	0	0	1	0
4	C	62	0	0	0	0
4	D	45	0	0	1	0
4	E	2	0	0	0	0
4	F	1	0	0	0	0
4	G	2	0	0	0	0
4	H	3	0	0	0	0
All	All	19267	0	18988	253	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 7.

All (253) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:165:ASP:HB3	1:B:168:THR:HB	1.69	0.74
1:B:346:CYS:HG	1:B:353:PHE:HE1	1.33	0.73
1:C:165:ASP:HB3	1:C:168:THR:HB	1.70	0.73
1:A:165:ASP:HB3	1:A:168:THR:HB	1.72	0.72
1:D:384:SER:OG	1:D:386:GLU:HG2	1.92	0.70
1:D:165:ASP:HB3	1:D:168:THR:HB	1.74	0.70
1:A:384:SER:OG	1:A:386:GLU:HG2	1.93	0.69
1:A:93:CYS:HB3	3:A:600:FAD:C4	2.22	0.69
1:C:278:MET:SD	1:C:444:ARG:NH1	2.66	0.68
1:D:255:ILE:HD11	1:D:258:ARG:HG3	1.76	0.68
1:B:384:SER:OG	1:B:386:GLU:HG2	1.95	0.66
1:C:384:SER:OG	1:C:386:GLU:HG2	1.96	0.66
1:B:96:LYS:HZ3	3:B:600:FAD:H6	1.59	0.65
2:H:8:GLN:OE1	2:H:66:LYS:NZ	2.21	0.65
1:B:278:MET:SD	1:B:444:ARG:NH1	2.69	0.65
1:A:163:LEU:HD11	1:A:325:LEU:HD23	1.77	0.65
1:D:278:MET:SD	1:D:444:ARG:NH1	2.69	0.65
1:C:375:ILE:HG23	1:C:386:GLU:HG3	1.79	0.65
1:A:320:ILE:HD11	1:A:339:ILE:HD11	1.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:G:8:GLN:OE1	2:G:66:LYS:NZ	2.23	0.63
1:D:333:ASN:ND2	1:D:360:GLU:OE2	2.31	0.63
1:D:163:LEU:HD11	1:D:325:LEU:HD23	1.80	0.63
1:A:278:MET:SD	1:A:444:ARG:NH1	2.72	0.62
1:B:163:LEU:HD11	1:B:325:LEU:HD23	1.80	0.62
2:F:8:GLN:OE1	2:F:66:LYS:NZ	2.23	0.62
1:C:254:SER:OG	1:C:255:ILE:N	2.33	0.61
1:C:163:LEU:HD11	1:C:325:LEU:HD23	1.82	0.61
1:B:333:ASN:ND2	1:B:360:GLU:OE2	2.34	0.61
1:A:375:ILE:HG23	1:A:386:GLU:HG3	1.81	0.61
1:D:320:ILE:HD11	1:D:339:ILE:HD11	1.83	0.60
1:D:119:LYS:NZ	4:D:703:HOH:O	2.33	0.60
1:A:333:ASN:ND2	1:A:360:GLU:OE2	2.35	0.60
1:B:320:ILE:HD11	1:B:339:ILE:HD11	1.84	0.59
1:B:511:THR:HG22	1:B:514:GLU:H	1.67	0.59
1:A:99:MET:HG2	1:A:130:LEU:HD21	1.85	0.59
1:C:320:ILE:HD11	1:C:339:ILE:HD11	1.84	0.59
1:A:230:ALA:HB2	1:A:252:VAL:HG22	1.85	0.59
1:B:194:CYS:SG	1:B:357:ASP:HB3	2.43	0.58
1:C:511:THR:HG22	1:C:514:GLU:H	1.69	0.58
1:C:333:ASN:ND2	1:C:360:GLU:OE2	2.37	0.58
1:A:194:CYS:SG	1:A:357:ASP:HB3	2.44	0.58
1:C:508:ILE:O	1:C:511:THR:HB	2.04	0.57
1:D:508:ILE:O	1:D:511:THR:HB	2.05	0.57
1:D:446:GLN:HG2	1:D:451:ASP:O	2.04	0.57
1:B:93:CYS:HB3	3:B:600:FAD:C4	2.35	0.56
1:A:511:THR:HG22	1:A:514:GLU:H	1.71	0.56
1:D:93:CYS:HB3	3:D:600:FAD:C4	2.34	0.56
1:C:96:LYS:HZ3	3:C:600:FAD:H6	1.70	0.56
1:A:334:LYS:HB3	1:D:527:LEU:HD23	1.87	0.55
1:D:230:ALA:HB1	1:D:256:VAL:HA	1.88	0.55
1:D:410:GLU:HG3	1:D:424:VAL:HG21	1.88	0.55
1:B:230:ALA:HB1	1:B:256:VAL:HG22	1.89	0.55
1:A:301:ASP:OD1	1:A:303:THR:HG22	2.05	0.55
1:B:375:ILE:HG23	1:B:386:GLU:HG3	1.89	0.55
1:D:375:ILE:HG23	1:D:386:GLU:HG3	1.89	0.54
1:B:254:SER:OG	1:B:255:ILE:N	2.40	0.54
1:C:99:MET:HG2	1:C:130:LEU:HD21	1.89	0.54
1:C:194:CYS:SG	1:C:357:ASP:HB3	2.48	0.54
2:E:43:CYS:HA	2:E:46:THR:HG23	1.88	0.54
2:G:43:CYS:HA	2:G:46:THR:HG23	1.90	0.53
1:B:446:GLN:HG2	1:B:451:ASP:O	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:H:43:CYS:HA	2:H:46:THR:HG23	1.89	0.53
1:D:194:CYS:SG	1:D:357:ASP:HB3	2.48	0.53
1:C:201:ASP:OD1	1:C:201:ASP:N	2.41	0.53
1:A:401:ILE:HD11	1:A:479:GLY:HA2	1.91	0.53
1:A:446:GLN:HG2	1:A:451:ASP:O	2.09	0.53
1:D:540:CYS:SG	2:G:32:PRO:HD2	2.49	0.53
1:B:508:ILE:O	1:B:511:THR:HB	2.09	0.53
1:B:320:ILE:HD12	1:B:323:LEU:HD12	1.91	0.53
2:F:43:CYS:HA	2:F:46:THR:HG23	1.91	0.53
1:D:301:ASP:OD1	1:D:303:THR:HG22	2.08	0.52
1:B:128:LYS:O	1:B:132:THR:HG23	2.09	0.52
1:B:96:LYS:NZ	3:B:600:FAD:H6	2.24	0.52
1:A:165:ASP:HB3	1:A:168:THR:CB	2.39	0.52
1:D:511:THR:HG22	1:D:514:GLU:H	1.75	0.52
1:C:336:ASN:HB3	1:C:338:LYS:HG3	1.92	0.52
1:D:78:GLN:NE2	1:D:209:SER:O	2.43	0.52
1:B:165:ASP:HB3	1:B:168:THR:CB	2.38	0.52
1:D:256:VAL:HG13	1:D:257:LEU:HG	1.92	0.52
1:D:220:LYS:NZ	1:D:308:ASP:O	2.43	0.52
2:E:27:ALA:HB3	2:E:30:CYS:HB2	1.92	0.52
1:A:294:LYS:HD2	1:A:306:LEU:HD21	1.93	0.51
1:B:336:ASN:HB3	1:B:338:LYS:HG3	1.92	0.51
1:A:128:LYS:O	1:A:132:THR:HG23	2.11	0.51
2:F:22:ILE:HG13	2:F:77:VAL:HG12	1.93	0.51
1:C:165:ASP:HB3	1:C:168:THR:CB	2.39	0.51
2:H:76:LYS:HG2	2:H:86:THR:HB	1.94	0.50
2:H:27:ALA:HB3	2:H:30:CYS:HB2	1.93	0.50
1:C:446:GLN:HG2	1:C:451:ASP:O	2.11	0.50
1:C:301:ASP:OD1	1:C:303:THR:HG22	2.11	0.50
1:C:128:LYS:O	1:C:132:THR:HG23	2.11	0.50
2:G:76:LYS:HG2	2:G:86:THR:HB	1.94	0.50
1:B:201:ASP:OD1	1:B:201:ASP:N	2.43	0.50
1:D:165:ASP:HB3	1:D:168:THR:CB	2.42	0.49
1:D:336:ASN:HB3	1:D:338:LYS:HG3	1.93	0.49
1:D:128:LYS:O	1:D:132:THR:HG23	2.13	0.49
2:E:76:LYS:HG2	2:E:86:THR:HB	1.95	0.49
2:H:3:LYS:HG2	2:H:53:ILE:HG22	1.93	0.49
1:C:320:ILE:HD12	1:C:323:LEU:HD12	1.95	0.49
1:B:301:ASP:OD1	1:B:303:THR:HG22	2.12	0.49
1:C:511:THR:HG23	1:C:513:ALA:H	1.78	0.48
2:E:11:PHE:HE1	2:E:23:VAL:HG21	1.79	0.48
1:A:539:LYS:HD2	2:F:88:LEU:HB3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:86:GLY:HA2	3:A:600:FAD:O3B	2.13	0.48
2:G:22:ILE:HG13	2:G:77:VAL:HG12	1.95	0.48
2:F:95:LEU:O	2:F:99:ILE:HG13	2.13	0.48
1:A:201:ASP:OD1	1:A:201:ASP:N	2.44	0.48
1:A:220:LYS:NZ	1:A:308:ASP:O	2.47	0.48
2:E:22:ILE:HG13	2:E:77:VAL:HG12	1.95	0.48
1:B:222:PRO:HD2	1:B:246:TYR:CZ	2.49	0.48
1:C:237:CYS:HA	1:C:240:PHE:CE2	2.49	0.47
1:C:93:CYS:HB3	3:C:600:FAD:C4	2.45	0.47
2:E:8:GLN:OE1	2:E:66:LYS:NZ	2.29	0.47
1:D:201:ASP:OD1	1:D:201:ASP:N	2.44	0.47
2:G:11:PHE:HE1	2:G:23:VAL:HG21	1.80	0.47
1:C:222:PRO:HD2	1:C:246:TYR:CZ	2.49	0.47
1:A:508:ILE:O	1:A:511:THR:HB	2.13	0.47
1:B:139:ARG:HB3	2:F:29:TRP:CD1	2.49	0.47
2:E:3:LYS:HG2	2:E:53:ILE:HG22	1.95	0.47
1:A:253:ARG:NH1	1:C:382:LYS:HA	2.29	0.47
2:H:22:ILE:HG13	2:H:77:VAL:HG12	1.96	0.47
1:B:230:ALA:HB2	1:B:252:VAL:HG13	1.97	0.47
1:A:410:GLU:HG3	1:A:424:VAL:HG21	1.97	0.47
1:D:165:ASP:OD1	1:D:166:LYS:N	2.48	0.46
2:F:3:LYS:HG2	2:F:53:ILE:HG22	1.96	0.46
1:B:161:ALA:H	3:B:600:FAD:H62A	1.64	0.46
1:B:431:ASN:O	1:B:435:SER:HB2	2.15	0.46
2:G:95:LEU:O	2:G:99:ILE:HG13	2.15	0.46
1:B:316:ARG:NH2	4:B:704:HOH:O	2.46	0.46
1:D:401:ILE:HD11	1:D:479:GLY:HA2	1.98	0.46
2:H:11:PHE:HE1	2:H:23:VAL:HG21	1.81	0.46
1:C:220:LYS:NZ	1:C:308:ASP:O	2.49	0.46
1:A:320:ILE:HD12	1:A:323:LEU:HD12	1.98	0.46
2:F:76:LYS:HG2	2:F:86:THR:HB	1.97	0.46
2:G:3:LYS:HG2	2:G:53:ILE:HG22	1.97	0.45
1:D:359:ALA:O	1:D:362:VAL:HG22	2.16	0.45
1:C:42:TYR:O	1:C:185:GLY:HA2	2.16	0.45
1:C:80:THR:OG1	1:C:214:ASP:OD1	2.20	0.45
1:C:210:ILE:HB	1:C:214:ASP:HB2	1.97	0.45
2:E:95:LEU:O	2:E:99:ILE:HG13	2.16	0.45
1:B:78:GLN:NE2	1:B:209:SER:O	2.49	0.45
1:C:96:LYS:NZ	3:C:600:FAD:H6	2.33	0.44
1:C:63:HIS:CE1	1:C:382:LYS:HD2	2.52	0.44
2:E:19:GLU:HA	2:E:80:ASN:HA	1.99	0.44
1:C:109:PHE:CE1	1:D:109:PHE:CE1	3.05	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:G:19:GLU:HA	2:G:80:ASN:HA	2.00	0.44
2:G:27:ALA:HB3	2:G:30:CYS:HB2	1.98	0.44
1:D:237:CYS:HA	1:D:240:PHE:CE2	2.53	0.44
1:A:45:VAL:CG1	1:A:188:ILE:HG12	2.48	0.44
1:B:237:CYS:HA	1:B:240:PHE:CE2	2.52	0.44
1:B:359:ALA:O	1:B:362:VAL:HG22	2.17	0.44
1:A:244:LEU:HA	1:A:244:LEU:HD12	1.82	0.44
1:C:410:GLU:HG3	1:C:424:VAL:HG21	1.99	0.44
2:H:19:GLU:HA	2:H:80:ASN:HA	2.00	0.43
1:B:438:HIS:ND1	1:B:535:SER:OG	2.34	0.43
1:D:218:LEU:HD23	1:D:218:LEU:HA	1.82	0.43
1:C:511:THR:HG23	1:C:513:ALA:N	2.33	0.43
1:D:222:PRO:HD2	1:D:246:TYR:CZ	2.52	0.43
2:H:95:LEU:O	2:H:99:ILE:HG13	2.17	0.43
1:C:431:ASN:O	1:C:435:SER:HB2	2.19	0.43
1:B:241:LEU:HA	1:B:241:LEU:HD23	1.91	0.43
1:B:80:THR:OG1	1:B:214:ASP:OD1	2.21	0.43
1:B:220:LYS:NZ	1:B:308:ASP:O	2.51	0.43
1:A:260:PHE:HE1	1:A:395:THR:HG21	1.83	0.43
1:B:210:ILE:HB	1:B:214:ASP:HB2	1.99	0.43
2:F:19:GLU:HA	2:F:80:ASN:HA	2.01	0.43
1:B:489:MET:HE3	1:B:489:MET:HA	2.00	0.43
1:C:294:LYS:HD2	1:C:306:LEU:HD21	2.00	0.43
1:A:224:LYS:HG2	1:A:307:TYR:HD2	1.83	0.43
1:B:165:ASP:OD1	1:B:166:LYS:N	2.51	0.43
1:C:164:LYS:HB2	1:C:170:SER:OG	2.17	0.43
1:C:320:ILE:HA	1:C:320:ILE:HD12	1.87	0.43
1:B:401:ILE:HD11	1:B:479:GLY:HA2	2.01	0.43
1:B:63:HIS:CE1	1:B:382:LYS:HD2	2.54	0.43
2:E:34:LYS:HA	2:E:34:LYS:HD2	1.84	0.43
1:B:51:PRO:HD2	3:B:600:FAD:O2A	2.19	0.43
1:A:210:ILE:HB	1:A:214:ASP:HB2	2.00	0.43
1:B:294:LYS:HD2	1:B:306:LEU:HD21	2.01	0.43
2:G:15:ILE:HG12	2:G:21:VAL:HG11	2.01	0.43
1:A:371:LYS:O	1:A:375:ILE:HG13	2.19	0.42
2:H:21:VAL:HG22	2:H:51:VAL:HB	2.01	0.42
1:D:162:LYS:HE3	1:D:170:SER:HB2	2.01	0.42
1:D:349:ILE:HA	1:D:350:PRO:HD3	1.87	0.42
1:D:326:GLU:H	1:D:326:GLU:CD	2.22	0.42
1:D:42:TYR:O	1:D:185:GLY:HA2	2.19	0.42
1:D:45:VAL:CG1	1:D:188:ILE:HG12	2.49	0.42
2:E:21:VAL:HG22	2:E:51:VAL:HB	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:431:ASN:O	1:A:435:SER:HB2	2.19	0.42
1:B:423:GLU:HG2	1:B:466:LYS:HG3	2.01	0.42
1:B:438:HIS:CE1	1:B:535:SER:HG	2.29	0.42
1:D:244:LEU:HD12	1:D:244:LEU:HA	1.85	0.42
1:B:162:LYS:HE3	1:B:170:SER:HB2	2.00	0.42
2:F:11:PHE:HE1	2:F:23:VAL:HG21	1.85	0.42
1:D:294:LYS:HD2	1:D:306:LEU:HD21	2.02	0.42
1:D:210:ILE:HB	1:D:214:ASP:HB2	2.00	0.42
1:C:165:ASP:OD1	1:C:166:LYS:N	2.52	0.42
1:A:78:GLN:NE2	1:A:209:SER:O	2.53	0.42
1:D:241:LEU:HA	1:D:241:LEU:HD23	1.88	0.42
2:H:15:ILE:HG12	2:H:21:VAL:HG11	2.01	0.42
2:E:15:ILE:HG12	2:E:21:VAL:HG11	2.01	0.42
1:D:252:VAL:HG12	1:D:254:SER:O	2.19	0.42
1:A:336:ASN:HB3	1:A:338:LYS:HG3	2.01	0.42
1:B:99:MET:HG2	1:B:130:LEU:HD21	2.01	0.42
1:A:42:TYR:O	1:A:185:GLY:HA2	2.19	0.42
1:C:423:GLU:HG2	1:C:466:LYS:HG3	2.01	0.42
1:D:320:ILE:HD12	1:D:323:LEU:HD12	2.02	0.42
2:E:61:SER:O	2:E:64:THR:HG23	2.20	0.42
1:C:260:PHE:HE1	1:C:395:THR:HG21	1.85	0.42
2:E:64:THR:C	2:E:66:LYS:H	2.23	0.41
1:B:42:TYR:O	1:B:185:GLY:HA2	2.20	0.41
1:C:224:LYS:HG2	1:C:307:TYR:HD2	1.85	0.41
1:A:164:LYS:HB2	1:A:170:SER:OG	2.20	0.41
2:F:27:ALA:HB3	2:F:30:CYS:HB2	2.01	0.41
1:A:165:ASP:OD1	1:A:166:LYS:N	2.54	0.41
1:A:326:GLU:CD	1:A:326:GLU:H	2.23	0.41
2:G:57:VAL:O	2:G:64:THR:HG21	2.19	0.41
2:E:77:VAL:HG22	2:E:85:ASP:HB3	2.02	0.41
1:D:74:LYS:NZ	1:D:319:ASP:OD1	2.51	0.41
1:A:218:LEU:HD23	1:A:218:LEU:HA	1.82	0.41
2:F:15:ILE:HG12	2:F:21:VAL:HG11	2.02	0.41
2:H:77:VAL:HG22	2:H:85:ASP:HB3	2.02	0.41
1:C:241:LEU:HA	1:C:241:LEU:HD23	1.94	0.41
2:F:57:VAL:O	2:F:64:THR:HG21	2.20	0.41
2:F:64:THR:C	2:F:66:LYS:H	2.24	0.41
1:A:511:THR:HG23	1:A:513:ALA:H	1.86	0.41
1:D:260:PHE:HE1	1:D:395:THR:HG21	1.85	0.41
1:C:334:LYS:HD2	1:C:334:LYS:HA	1.91	0.41
1:C:139:ARG:HB3	2:G:29:TRP:CD1	2.56	0.41
1:D:371:LYS:O	1:D:375:ILE:HG13	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:320:ILE:HD12	1:B:320:ILE:HA	1.85	0.41
2:H:3:LYS:HE3	2:H:3:LYS:HB2	1.95	0.41
2:E:57:VAL:O	2:E:64:THR:HG21	2.20	0.41
1:B:450:TYR:OH	2:E:92:ASP:HB2	2.21	0.41
1:B:494:ARG:HE	1:B:494:ARG:HB2	1.78	0.41
1:B:334:LYS:HA	1:B:334:LYS:HD2	1.93	0.41
1:B:68:LEU:HD12	1:B:155:LYS:O	2.20	0.41
1:C:359:ALA:O	1:C:362:VAL:HG22	2.20	0.41
2:H:57:VAL:O	2:H:64:THR:HG21	2.20	0.40
1:D:193:GLY:HA2	1:D:357:ASP:HB2	2.03	0.40
2:E:87:LEU:C	2:E:88:LEU:HD12	2.41	0.40
1:A:222:PRO:HD2	1:A:246:TYR:CZ	2.56	0.40
1:B:511:THR:HG23	1:B:513:ALA:N	2.36	0.40
1:D:164:LYS:HB2	1:D:170:SER:OG	2.21	0.40
1:C:244:LEU:HA	1:C:244:LEU:HD12	1.84	0.40
1:A:232:TYR:HB2	1:A:397:ILE:HG23	2.03	0.40
2:G:64:THR:C	2:G:66:LYS:H	2.25	0.40
1:D:320:ILE:HA	1:D:320:ILE:HD12	1.84	0.40
1:A:320:ILE:HD12	1:A:320:ILE:HA	1.86	0.40
1:B:511:THR:HG23	1:B:513:ALA:H	1.86	0.40
2:F:77:VAL:HG22	2:F:85:ASP:HB3	2.02	0.40
1:A:162:LYS:HE3	1:A:170:SER:HB2	2.03	0.40
2:H:61:SER:O	2:H:64:THR:HG23	2.21	0.40
1:A:63:HIS:CE1	1:A:382:LYS:HD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	502/541 (93%)	471 (94%)	31 (6%)	0	100	100
1	B	502/541 (93%)	473 (94%)	29 (6%)	0	100	100
1	C	502/541 (93%)	472 (94%)	30 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	502/541 (93%)	472 (94%)	30 (6%)	0	100	100
2	E	103/114 (90%)	93 (90%)	10 (10%)	0	100	100
2	F	103/114 (90%)	94 (91%)	9 (9%)	0	100	100
2	G	103/114 (90%)	94 (91%)	9 (9%)	0	100	100
2	H	103/114 (90%)	93 (90%)	10 (10%)	0	100	100
All	All	2420/2620 (92%)	2262 (94%)	158 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	423/457 (93%)	396 (94%)	27 (6%)	25	35
1	B	423/457 (93%)	396 (94%)	27 (6%)	25	35
1	C	423/457 (93%)	398 (94%)	25 (6%)	28	39
1	D	423/457 (93%)	397 (94%)	26 (6%)	26	37
2	E	94/102 (92%)	86 (92%)	8 (8%)	15	21
2	F	94/102 (92%)	86 (92%)	8 (8%)	15	21
2	G	94/102 (92%)	86 (92%)	8 (8%)	15	21
2	H	94/102 (92%)	87 (93%)	7 (7%)	20	28
All	All	2068/2236 (92%)	1932 (93%)	136 (7%)	24	33

All (136) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	TYR
1	A	93	CYS
1	A	144	SER
1	A	160	LEU
1	A	163	LEU
1	A	201	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	218	LEU
1	A	244	LEU
1	A	255	ILE
1	A	256	VAL
1	A	267	LYS
1	A	270	LEU
1	A	277	VAL
1	A	286	LYS
1	A	292	ASP
1	A	304	SER
1	A	331	ASN
1	A	332	VAL
1	A	336	ASN
1	A	387	ILE
1	A	416	LEU
1	A	443	ILE
1	A	471	ARG
1	A	489	MET
1	A	511	THR
1	A	517	MET
1	A	540	CYS
1	B	44	TYR
1	B	56	SER
1	B	93	CYS
1	B	144	SER
1	B	160	LEU
1	B	163	LEU
1	B	201	ASP
1	B	218	LEU
1	B	244	LEU
1	B	256	VAL
1	B	267	LYS
1	B	270	LEU
1	B	277	VAL
1	B	286	LYS
1	B	292	ASP
1	B	304	SER
1	B	331	ASN
1	B	332	VAL
1	B	336	ASN
1	B	387	ILE
1	B	416	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	443	ILE
1	B	448	ASP
1	B	471	ARG
1	B	489	MET
1	B	511	THR
1	B	517	MET
1	C	44	TYR
1	C	93	CYS
1	C	144	SER
1	C	160	LEU
1	C	163	LEU
1	C	201	ASP
1	C	218	LEU
1	C	244	LEU
1	C	256	VAL
1	C	267	LYS
1	C	270	LEU
1	C	277	VAL
1	C	286	LYS
1	C	292	ASP
1	C	304	SER
1	C	331	ASN
1	C	332	VAL
1	C	336	ASN
1	C	387	ILE
1	C	416	LEU
1	C	443	ILE
1	C	471	ARG
1	C	489	MET
1	C	511	THR
1	C	517	MET
1	D	44	TYR
1	D	93	CYS
1	D	144	SER
1	D	160	LEU
1	D	163	LEU
1	D	201	ASP
1	D	218	LEU
1	D	244	LEU
1	D	256	VAL
1	D	267	LYS
1	D	270	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	277	VAL
1	D	286	LYS
1	D	289	THR
1	D	292	ASP
1	D	304	SER
1	D	331	ASN
1	D	332	VAL
1	D	336	ASN
1	D	387	ILE
1	D	416	LEU
1	D	443	ILE
1	D	471	ARG
1	D	489	MET
1	D	511	THR
1	D	517	MET
2	E	7	SER
2	E	34	LYS
2	E	46	THR
2	E	60	VAL
2	E	64	THR
2	E	72	MET
2	E	86	THR
2	E	97	GLN
2	F	7	SER
2	F	34	LYS
2	F	46	THR
2	F	60	VAL
2	F	64	THR
2	F	72	MET
2	F	86	THR
2	F	97	GLN
2	G	7	SER
2	G	34	LYS
2	G	46	THR
2	G	60	VAL
2	G	64	THR
2	G	72	MET
2	G	86	THR
2	G	97	GLN
2	H	7	SER
2	H	34	LYS
2	H	46	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	60	VAL
2	H	64	THR
2	H	86	THR
2	H	97	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	343	HIS
1	C	197	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FAD	A	600	-	58,58,58	1.97	5 (8%)	85,89,89	2.20	24 (28%)
3	FAD	B	600	-	58,58,58	1.84	6 (10%)	85,89,89	2.25	24 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FAD	C	600	-	58,58,58	1.91	5 (8%)	85,89,89	2.34	24 (28%)
3	FAD	D	600	-	58,58,58	1.88	6 (10%)	85,89,89	2.27	20 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	600	-	-	0/34/50/50	0/1/6/6
3	FAD	B	600	-	-	0/34/50/50	0/1/6/6
3	FAD	C	600	-	-	0/34/50/50	0/1/6/6
3	FAD	D	600	-	-	0/34/50/50	0/1/6/6

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	600	FAD	O2-C2	9.23	1.43	1.23
3	C	600	FAD	O2-C2	8.34	1.41	1.23
3	D	600	FAD	O2-C2	8.30	1.41	1.23
3	B	600	FAD	O2-C2	8.12	1.40	1.23
3	A	600	FAD	O4-C4	7.74	1.39	1.24
3	B	600	FAD	O4-C4	7.59	1.39	1.24
3	D	600	FAD	O4-C4	7.55	1.39	1.24
3	C	600	FAD	O4-C4	7.50	1.39	1.24
3	D	600	FAD	C2B-C3B	-5.33	1.38	1.53
3	C	600	FAD	C2B-C3B	-5.32	1.38	1.53
3	A	600	FAD	C2B-C3B	-5.22	1.38	1.53
3	B	600	FAD	C2B-C3B	-5.01	1.39	1.53
3	D	600	FAD	C6A-N6A	2.55	1.43	1.35
3	C	600	FAD	C6A-N6A	2.54	1.43	1.35
3	B	600	FAD	C6A-N6A	2.46	1.43	1.35
3	A	600	FAD	C6A-N6A	2.45	1.42	1.35
3	A	600	FAD	O3'-C3'	-2.44	1.37	1.43
3	C	600	FAD	O3'-C3'	-2.29	1.37	1.43
3	B	600	FAD	O3'-C3'	-2.20	1.37	1.43
3	D	600	FAD	C2A-N3A	2.04	1.36	1.32
3	D	600	FAD	C3B-C4B	-2.03	1.47	1.53
3	B	600	FAD	C4-N3	-2.01	1.33	1.37

All (92) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	600	FAD	C2-N1-C10	8.26	123.31	114.98
3	A	600	FAD	N3A-C2A-N1A	-8.03	121.99	128.71
3	D	600	FAD	C1'-N10-C9A	7.88	126.53	118.87
3	C	600	FAD	C2-N1-C10	7.60	122.64	114.98
3	C	600	FAD	N3A-C2A-N1A	-7.55	122.40	128.71
3	D	600	FAD	N3A-C2A-N1A	-7.26	122.64	128.71
3	D	600	FAD	C2-N1-C10	7.25	122.28	114.98
3	B	600	FAD	N3A-C2A-N1A	-6.99	122.87	128.71
3	B	600	FAD	C2-N1-C10	6.63	121.66	114.98
3	C	600	FAD	C1'-N10-C9A	6.59	125.28	118.87
3	D	600	FAD	C2'-C1'-N10	6.41	120.95	112.45
3	B	600	FAD	C1'-N10-C9A	6.21	124.92	118.87
3	C	600	FAD	C4X-C10-N1	-6.14	116.59	122.73
3	B	600	FAD	C4X-C10-N1	-5.68	117.05	122.73
3	D	600	FAD	N3A-C4A-N9A	5.59	135.52	125.43
3	C	600	FAD	N3A-C4A-N9A	5.53	135.42	125.43
3	A	600	FAD	C1'-N10-C9A	5.13	123.86	118.87
3	C	600	FAD	C2'-C1'-N10	4.92	118.98	112.45
3	B	600	FAD	N3A-C4A-N9A	4.91	134.30	125.43
3	A	600	FAD	C1B-N9A-C4A	-4.82	118.30	126.64
3	A	600	FAD	C4X-C10-N1	-4.78	117.95	122.73
3	A	600	FAD	N3A-C4A-N9A	4.63	133.78	125.43
3	B	600	FAD	O4B-C1B-C2B	-4.32	100.14	106.77
3	B	600	FAD	C1B-N9A-C4A	-4.25	119.29	126.64
3	A	600	FAD	C2B-C1B-N9A	4.24	124.16	113.27
3	B	600	FAD	C2B-C1B-N9A	4.13	123.87	113.27
3	D	600	FAD	C4X-C10-N10	3.98	122.50	120.51
3	C	600	FAD	C8A-N9A-C4A	3.96	109.92	106.90
3	C	600	FAD	C1B-N9A-C4A	-3.94	119.83	126.64
3	D	600	FAD	C4X-C10-N1	-3.92	118.81	122.73
3	B	600	FAD	O5B-C5B-C4B	3.86	123.09	108.94
3	D	600	FAD	C2B-C1B-N9A	3.76	122.92	113.27
3	B	600	FAD	C4X-N5-C5X	3.76	120.91	116.69
3	C	600	FAD	C4X-N5-C5X	3.70	120.84	116.69
3	C	600	FAD	O4B-C1B-C2B	-3.57	101.29	106.77
3	D	600	FAD	C5A-C4A-N3A	-3.51	118.06	125.70
3	B	600	FAD	O4B-C1B-N9A	3.50	111.69	108.44
3	D	600	FAD	C9A-N10-C10	-3.48	118.35	121.77
3	A	600	FAD	C8A-N9A-C1B	3.42	133.13	126.38
3	B	600	FAD	C2'-C1'-N10	3.42	116.98	112.45
3	C	600	FAD	C5A-C4A-N3A	-3.36	118.38	125.70
3	C	600	FAD	C4A-C5A-N7A	-3.15	106.82	109.52
3	A	600	FAD	C2'-C1'-N10	3.13	116.61	112.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	600	FAD	C5A-C4A-N3A	-3.09	118.96	125.70
3	A	600	FAD	C5A-C4A-N3A	-3.08	119.00	125.70
3	C	600	FAD	O4B-C1B-N9A	3.03	111.26	108.44
3	B	600	FAD	C9A-N10-C10	-3.02	118.80	121.77
3	C	600	FAD	O5B-C5B-C4B	2.96	119.79	108.94
3	D	600	FAD	C1B-N9A-C4A	-2.95	121.55	126.64
3	B	600	FAD	C8A-N9A-C1B	2.94	132.17	126.38
3	D	600	FAD	C3B-C2B-C1B	2.92	105.47	100.91
3	D	600	FAD	C1'-N10-C10	-2.90	115.05	119.17
3	C	600	FAD	C4-N3-C2	-2.90	119.44	125.39
3	A	600	FAD	C4A-C5A-N7A	-2.89	107.05	109.52
3	A	600	FAD	C4X-N5-C5X	2.87	119.92	116.69
3	D	600	FAD	O4B-C1B-C2B	-2.85	102.40	106.77
3	A	600	FAD	C4B-O4B-C1B	-2.82	106.69	109.75
3	B	600	FAD	C4A-C5A-N7A	-2.79	107.13	109.52
3	B	600	FAD	C5X-C9A-N10	2.73	119.49	116.80
3	A	600	FAD	O5B-C5B-C4B	2.73	118.95	108.94
3	D	600	FAD	C4-N3-C2	-2.71	119.82	125.39
3	D	600	FAD	O5B-C5B-C4B	2.71	118.89	108.94
3	B	600	FAD	C4-N3-C2	-2.70	119.85	125.39
3	C	600	FAD	N1-C10-N10	2.70	123.07	115.97
3	C	600	FAD	C1'-N10-C10	-2.68	115.36	119.17
3	A	600	FAD	C5X-C9A-N10	2.68	119.44	116.80
3	C	600	FAD	C2A-N3A-C4A	2.60	121.41	114.01
3	D	600	FAD	C5X-C9A-N10	2.59	119.35	116.80
3	A	600	FAD	O2A-PA-O3P	2.55	117.22	105.14
3	B	600	FAD	C4B-O4B-C1B	-2.54	107.00	109.75
3	B	600	FAD	N1-C10-N10	2.52	122.58	115.97
3	A	600	FAD	C9A-N10-C10	-2.50	119.31	121.77
3	C	600	FAD	C9A-N10-C10	-2.47	119.34	121.77
3	A	600	FAD	C2A-N3A-C4A	2.46	121.01	114.01
3	A	600	FAD	O4B-C1B-C2B	-2.41	103.08	106.77
3	C	600	FAD	N7A-C8A-N9A	-2.33	107.77	114.36
3	D	600	FAD	C8A-N9A-C1B	2.30	130.92	126.38
3	A	600	FAD	C4-N3-C2	-2.30	120.66	125.39
3	D	600	FAD	C2A-N3A-C4A	2.29	120.53	114.01
3	C	600	FAD	C5X-C9A-N10	2.27	119.03	116.80
3	A	600	FAD	C3B-C2B-C1B	2.25	104.44	100.91
3	B	600	FAD	C6-C5X-C9A	2.24	122.13	119.02
3	B	600	FAD	C2A-N3A-C4A	2.23	120.35	114.01
3	C	600	FAD	C4B-O4B-C1B	-2.18	107.38	109.75
3	C	600	FAD	C2B-C1B-N9A	2.15	118.79	113.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	600	FAD	C9-C9A-C5X	-2.09	115.89	119.38
3	A	600	FAD	C8A-N9A-C4A	2.08	108.48	106.90
3	D	600	FAD	C2B-C3B-C4B	2.04	106.72	102.65
3	B	600	FAD	C8A-N9A-C4A	2.04	108.46	106.90
3	B	600	FAD	C1'-N10-C10	-2.03	116.28	119.17
3	A	600	FAD	C2B-C3B-C4B	2.02	106.68	102.65
3	A	600	FAD	N1-C10-N10	2.01	121.26	115.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	504/541 (93%)	0.22	12 (2%) 56 58	22, 39, 63, 78	0
1	B	504/541 (93%)	0.16	10 (1%) 62 64	19, 37, 60, 80	0
1	C	504/541 (93%)	0.22	17 (3%) 43 45	17, 40, 59, 79	0
1	D	504/541 (93%)	0.24	14 (2%) 50 53	20, 38, 62, 83	0
2	E	105/114 (92%)	2.55	48 (45%) 1 0	45, 61, 70, 74	105 (100%)
2	F	105/114 (92%)	2.99	63 (60%) 0 0	45, 65, 76, 79	105 (100%)
2	G	105/114 (92%)	3.66	79 (75%) 0 0	45, 65, 75, 82	105 (100%)
2	H	105/114 (92%)	1.60	29 (27%) 1 1	39, 54, 68, 77	105 (100%)
All	All	2436/2620 (92%)	0.64	272 (11%) 6 7	17, 42, 68, 83	420 (17%)

All (272) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	0	GLY	19.8
2	G	78	TYR	13.8
2	F	11	PHE	13.2
2	F	77	VAL	11.7
2	G	0	GLY	10.6
2	H	0	GLY	10.5
2	G	102	TYR	10.1
2	G	11	PHE	10.1
2	F	20	LEU	10.0
2	G	5	VAL	10.0
2	G	20	LEU	9.8
2	F	0	GLY	9.6
2	E	77	VAL	9.6
2	F	15	ILE	9.2
2	G	103	ALA	9.2
2	G	79	LYS	9.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	78	TYR	8.7
2	E	78	TYR	8.4
2	F	50	MET	8.3
2	G	104	ALA	8.3
2	F	102	TYR	8.1
2	G	21	VAL	7.8
2	E	11	PHE	7.6
2	F	14	ILE	7.4
2	E	15	ILE	7.4
2	G	50	MET	7.2
2	E	20	LEU	7.0
2	G	77	VAL	6.8
2	F	21	VAL	6.7
2	G	15	ILE	6.5
2	E	102	TYR	6.5
2	F	5	VAL	6.4
1	C	175	GLY	6.3
2	E	5	VAL	6.2
2	E	103	ALA	6.2
2	F	99	ILE	6.1
2	G	95	LEU	6.0
2	H	20	LEU	5.9
2	G	99	ILE	5.9
2	F	79	LYS	5.9
2	E	50	MET	5.9
2	E	104	ALA	5.8
2	H	15	ILE	5.8
2	G	76	LYS	5.7
2	G	22	ILE	5.7
1	D	450	TYR	5.7
2	G	25	PHE	5.6
1	C	177	LEU	5.6
2	F	49	LYS	5.5
1	B	175	GLY	5.4
2	G	14	ILE	5.3
2	E	53	ILE	5.2
2	G	101	LYS	5.1
2	E	27	ALA	5.0
2	G	63	VAL	5.0
2	E	81	GLY	5.0
2	G	44	SER	5.0
2	G	47	TYR	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	G	7	SER	5.0
2	H	78	TYR	4.9
2	F	98	LEU	4.9
2	G	98	LEU	4.8
2	E	82	SER	4.8
1	A	450	TYR	4.8
2	H	14	ILE	4.7
2	F	90	ALA	4.6
2	G	16	SER	4.6
2	G	39	PHE	4.6
2	H	11	PHE	4.6
2	F	89	GLY	4.5
2	F	82	SER	4.5
2	F	81	GLY	4.5
2	E	49	LYS	4.5
2	F	103	ALA	4.5
2	F	60	VAL	4.4
2	E	4	ILE	4.4
2	F	39	PHE	4.4
2	G	51	VAL	4.3
2	G	19	GLU	4.3
2	F	87	LEU	4.2
2	H	5	VAL	4.2
2	E	1	SER	4.2
2	G	87	LEU	4.2
2	G	55	VAL	4.1
2	E	3	LYS	4.1
2	F	95	LEU	4.1
2	F	19	GLU	4.1
1	D	541	GLY	4.0
2	G	80	ASN	4.0
2	F	55	VAL	4.0
2	E	99	ILE	4.0
1	D	293	ASP	4.0
1	C	291	MET	3.9
2	G	75	PHE	3.9
2	G	53	ILE	3.8
1	A	283	ILE	3.8
2	G	82	SER	3.8
2	G	6	THR	3.8
2	G	49	LYS	3.8
2	G	66	LYS	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	4	ILE	3.8
2	G	81	GLY	3.8
2	F	1	SER	3.7
2	E	86	THR	3.7
2	H	84	VAL	3.7
2	F	22	ILE	3.7
2	E	40	TYR	3.7
2	F	51	VAL	3.7
2	F	13	SER	3.7
2	G	84	VAL	3.7
2	G	90	ALA	3.6
2	G	45	LYS	3.6
2	G	54	LYS	3.6
2	G	28	GLU	3.6
2	E	98	LEU	3.6
2	G	4	ILE	3.6
2	F	3	LYS	3.5
2	G	10	GLU	3.5
2	E	28	GLU	3.5
2	E	2	VAL	3.5
2	G	69	ILE	3.5
2	H	19	GLU	3.5
2	F	34	LYS	3.4
2	G	17	GLN	3.4
2	E	39	PHE	3.4
2	F	45	LYS	3.4
1	A	541	GLY	3.4
2	E	90	ALA	3.4
2	H	27	ALA	3.3
2	G	1	SER	3.3
2	F	47	TYR	3.3
1	B	177	LEU	3.3
2	G	52	PHE	3.3
2	F	104	ALA	3.3
2	E	48	THR	3.3
1	D	291	MET	3.3
2	F	88	LEU	3.2
2	H	50	MET	3.2
2	F	75	PHE	3.2
2	G	74	THR	3.2
2	H	60	VAL	3.2
2	E	16	SER	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	63	VAL	3.2
2	E	95	LEU	3.1
2	H	39	PHE	3.1
2	F	10	GLU	3.1
2	F	76	LYS	3.1
2	F	2	VAL	3.1
1	D	173	LEU	3.1
2	G	65	GLU	3.0
2	E	43	CYS	3.0
1	B	174	LYS	3.0
1	C	38	HIS	3.0
2	G	64	THR	3.0
1	A	539	LYS	3.0
2	G	24	ASP	2.9
2	G	59	GLU	2.9
2	H	2	VAL	2.9
2	G	96	LYS	2.9
2	F	101	LYS	2.9
2	G	89	GLY	2.9
2	F	6	THR	2.9
2	G	18	ASN	2.9
2	E	66	LYS	2.9
2	F	85	ASP	2.9
2	G	23	VAL	2.9
1	A	284	LEU	2.8
2	G	85	ASP	2.8
2	G	86	THR	2.8
2	F	9	ALA	2.8
2	E	46	THR	2.8
1	A	253	ARG	2.8
2	F	84	VAL	2.8
1	D	296	LEU	2.8
2	H	6	THR	2.8
2	H	18	ASN	2.8
2	F	17	GLN	2.8
2	H	4	ILE	2.8
2	H	28	GLU	2.8
2	E	51	VAL	2.8
2	H	1	SER	2.8
2	E	47	TYR	2.8
2	F	48	THR	2.7
1	A	306	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	G	70	THR	2.7
2	G	32	PRO	2.7
1	D	320	ILE	2.7
2	G	13	SER	2.7
2	E	42	GLU	2.6
2	H	49	LYS	2.6
2	G	38	PRO	2.6
2	H	81	GLY	2.6
1	C	176	ASP	2.6
2	E	63	VAL	2.6
2	F	42	GLU	2.6
2	F	52	PHE	2.6
2	H	79	LYS	2.6
1	B	291	MET	2.6
1	B	298	GLU	2.6
2	G	40	TYR	2.6
2	F	86	THR	2.6
2	G	42	GLU	2.6
2	G	26	PHE	2.5
1	C	350	PRO	2.5
2	G	8	GLN	2.5
2	E	84	VAL	2.5
1	A	538	GLY	2.5
2	E	76	LYS	2.5
2	G	62	GLU	2.5
2	F	37	ALA	2.5
2	F	96	LYS	2.5
2	H	3	LYS	2.5
2	G	35	ARG	2.5
1	A	293	ASP	2.5
2	E	54	LYS	2.4
2	H	65	GLU	2.4
1	D	286	LYS	2.4
2	E	55	VAL	2.4
2	E	60	VAL	2.4
1	B	179	LYS	2.4
2	E	32	PRO	2.4
2	F	53	ILE	2.4
2	G	67	GLU	2.4
2	F	66	LYS	2.4
1	C	296	LEU	2.4
2	G	36	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	64	GLY	2.4
1	A	286	LYS	2.3
2	G	43	CYS	2.3
2	H	80	ASN	2.3
2	E	21	VAL	2.3
1	C	387	ILE	2.3
2	E	14	ILE	2.3
1	D	219	LYS	2.3
2	F	83	SER	2.3
2	H	55	VAL	2.3
1	C	188	ILE	2.3
2	G	88	LEU	2.3
1	A	320	ILE	2.3
1	B	157	ILE	2.3
2	H	8	GLN	2.3
1	C	538	GLY	2.2
2	H	42	GLU	2.2
2	G	57	VAL	2.2
1	A	173	LEU	2.2
2	G	83	SER	2.2
2	E	80	ASN	2.2
1	C	174	LYS	2.2
1	C	173	LEU	2.2
1	C	311	LEU	2.2
2	G	41	GLU	2.2
2	F	28	GLU	2.1
1	B	153	LYS	2.1
1	D	270	LEU	2.1
2	H	36	ILE	2.1
1	C	306	LEU	2.1
2	F	23	VAL	2.1
2	E	101	LYS	2.1
2	F	41	GLU	2.1
1	D	292	ASP	2.1
2	F	100	GLU	2.1
1	C	63	HIS	2.1
1	D	281	ASN	2.1
2	F	12	ASP	2.1
1	B	173	LEU	2.0
1	B	538	GLY	2.0
2	E	100	GLU	2.0
1	D	538	GLY	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	67	GLU	2.0
1	D	279	PHE	2.0
2	G	60	VAL	2.0
1	C	153	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	FAD	B	600	53/53	0.14	0.56	31,43,49,54	0
3	FAD	C	600	53/53	0.15	0.35	32,44,56,58	0
3	FAD	A	600	53/53	0.12	0.02	30,42,47,48	0
3	FAD	D	600	53/53	0.13	-0.08	28,38,45,45	0

6.5 Other polymers ⓘ

There are no such residues in this entry.