



Full wwPDB X-ray Structure Validation Report

Nov 6, 2014 – 07:18 PM EST

PDB ID : 4J6D
Title : The 2.4 Å crystal structure of CYP154C5 from *Nocardia farcinica* in complex with testosterone
Authors : Herzog, K.; Hoffmann, K.M.
Deposited on : 2013-02-11
Resolution : 2.40 Å (reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable24103
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.1.3
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable24103

1 Overall quality at a glance

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2207 (2.40-2.40)
Clashscore	79885	2789 (2.40-2.40)
Ramachandran outliers	78287	2736 (2.40-2.40)
Sidechain outliers	78261	2737 (2.40-2.40)
RSRZ outliers	66119	2210 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	410	
1	B	410	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	MG	B	503	-	X
5	FMT	B	504	-	X

2 Entry composition i


There are 7 unique types of molecules in this entry. The entry contains 6781 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 monooxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	407	Total	C	N	O	S	0	1	0
			3133	1988	552	582	11			
1	B	406	Total	C	N	O	S	0	1	0
			3129	1981	556	581	11			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Mg 1 1	0	0
3	A	1	Total Mg 1 1	0	0

- Molecule 4 is TESTOSTERONE (three-letter code: TES) (formula: $C_{19}H_{28}O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 21 19 2	0	0
4	B	1	Total C O 21 19 2	0	0

- Molecule 5 is FORMIC ACID (three-letter code: FMT) (formula: CH_2O_2).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 3 1 2	0	0
5	A	1	Total C O 3 1 2	0	0
5	B	1	Total C O 3 1 2	0	0
5	B	1	Total C O 3 1 2	0	0

- Molecule 6 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total K 1 1	0	0
6	A	1	Total K 1 1	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	186	Total O 186 186	0	0
7	B	189	Total O 189 189	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome P450 monooxygenase

Chain A: 



- Molecule 1: Cytochrome P450 monooxygenase

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	102.99Å 102.99Å 218.42Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	82.57 – 2.40 46.57 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.8 (82.57-2.40) 99.8 (46.57-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.65 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.180 , 0.244 0.191 , 0.248	Depositor DCC
R_{free} test set	1711 reflections (5.35%)	DCC
Wilson B-factor (Å ²)	22.0	Xtriage
Anisotropy	0.139	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 37.8	EDS
Estimated twinning fraction	0.038 for h,-h-k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 33699 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	6781	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, MG, TES, FMT, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	1/3190 (0.0%)	0.41	0/4343
1	B	0.53	0/3188	0.40	0/4344
All	All	0.53	1/6378 (0.0%)	0.41	0/8687

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	228	PRO	N-CD	5.17	1.55	1.47

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3133	0	3094	55	0
1	B	3129	0	3087	46	0
2	A	43	0	30	9	0
2	B	43	0	30	13	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	21	0	28	0	0
4	B	21	0	28	0	0
5	A	6	0	2	1	0
5	B	6	0	2	2	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
7	A	186	0	0	6	0
7	B	189	0	0	9	0
All	All	6781	0	6301	116	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 9.

All (116) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:135:ARG:HH22	1:A:135:ARG:HB3	1.29	0.97
1:A:4:CYS:N	1:A:5:PRO:HD3	1.80	0.95
1:A:4:CYS:N	1:A:5:PRO:CD	2.32	0.92
1:B:290:PRO:HG2	2:B:501:HEM:HBB2	1.54	0.90
1:A:290:PRO:HG2	2:A:501:HEM:HBB2	1.54	0.86
1:A:14:PRO:HB2	1:A:182[B]:ILE:HD12	1.58	0.84
1:B:34:ARG:NE	1:B:314:GLU:OE2	2.11	0.83
1:A:268:ARG:HH21	1:A:269:LEU:HD23	1.43	0.83
1:B:268:ARG:HH21	1:B:269:LEU:HD23	1.46	0.80
1:A:135:ARG:NH2	1:A:135:ARG:HB3	1.96	0.79
1:A:290:PRO:HG2	2:A:501:HEM:CBB	2.12	0.79
1:A:14:PRO:CB	1:A:182[B]:ILE:HD12	2.18	0.73
2:A:501:HEM:HMC2	2:A:501:HEM:HBC2	1.71	0.73
1:A:72:SER:OG	1:A:74:THR:HG23	1.89	0.73
2:B:501:HEM:HMA2	2:B:501:HEM:HBA2	1.70	0.72
1:A:268:ARG:NH2	1:A:269:LEU:HD23	2.03	0.72
1:B:112:ARG:NH2	1:B:116:ASP:OD2	2.23	0.70
1:B:290:PRO:HG2	2:B:501:HEM:CBB	2.23	0.69
2:A:501:HEM:HBB2	2:A:501:HEM:HMB1	1.75	0.69
1:B:381:LEU:HD11	1:B:406:ILE:HD12	1.74	0.69
1:A:206:ARG:CG	1:A:206:ARG:NE	2.57	0.68
5:B:504:FMT:C	7:B:631:HOH:O	2.42	0.68
2:B:501:HEM:HBB2	2:B:501:HEM:HMB1	1.76	0.67
2:B:501:HEM:HBC2	2:B:501:HEM:HMC2	1.76	0.67
2:A:501:HEM:HBA1	2:A:501:HEM:HMA2	1.74	0.67
1:B:268:ARG:NH2	1:B:269:LEU:HD23	2.10	0.66
5:B:504:FMT:H	7:B:631:HOH:O	1.93	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:381:LEU:CD1	1:B:406:ILE:HD12	2.25	0.66
1:B:186:GLN:HE22	1:B:189:ARG:HE	1.43	0.66
1:A:381:LEU:CD1	1:A:406:ILE:HD12	2.26	0.66
1:B:206:ARG:CG	1:B:206:ARG:NE	2.60	0.65
1:B:153:LEU:HB3	1:B:154:PRO:HD3	1.80	0.64
1:A:381:LEU:HD11	1:A:406:ILE:HD12	1.78	0.63
1:B:72:SER:OG	1:B:74:THR:HG23	2.00	0.62
1:A:182[A]:ILE:HD11	1:A:396:LEU:HB2	1.82	0.62
2:A:501:HEM:CBA	2:A:501:HEM:HMA2	2.29	0.62
2:B:501:HEM:HMA2	2:B:501:HEM:CBA	2.31	0.60
1:A:167:GLU:HG2	7:A:683:HOH:O	2.00	0.60
1:B:34:ARG:HH22	1:B:34:ARG:CG	2.15	0.60
1:A:153:LEU:HB3	1:A:154:PRO:HD3	1.83	0.60
1:A:265:GLU:CB	1:A:265:GLU:CD	2.70	0.59
1:B:206:ARG:HB2	7:B:714:HOH:O	2.02	0.59
2:A:501:HEM:HBA1	2:A:501:HEM:CMA	2.33	0.59
1:A:266:GLN:OE1	1:A:339:ILE:HG23	2.03	0.58
2:A:501:HEM:HBC2	2:A:501:HEM:CMC	2.32	0.58
1:A:14:PRO:HB2	1:A:182[A]:ILE:HD13	1.85	0.58
1:A:251:SER:O	1:A:255:THR:HG23	2.03	0.58
1:B:186:GLN:HA	1:B:186:GLN:HE21	1.69	0.58
1:A:34:ARG:CZ	1:A:34:ARG:CD	2.83	0.57
1:B:9:THR:HG23	1:B:34:ARG:CG	2.36	0.55
1:B:99:HIS:CE1	1:B:103:ARG:HD2	2.41	0.55
1:A:268:ARG:NE	1:A:268:ARG:CG	2.70	0.55
1:B:191:ARG:NE	7:B:625:HOH:O	2.40	0.54
1:B:265:GLU:HG2	1:B:266:GLN:N	2.22	0.54
1:B:290:PRO:HB2	2:B:501:HEM:HMB3	1.89	0.54
1:B:186:GLN:HA	1:B:186:GLN:NE2	2.21	0.54
1:A:14:PRO:HB2	1:A:182[B]:ILE:CD1	2.35	0.53
1:A:99:HIS:CE1	1:A:103:ARG:HD2	2.45	0.52
1:B:151:TYR:HB3	1:B:152:PRO:HD3	1.90	0.52
1:B:34:ARG:CG	1:B:34:ARG:NH2	2.73	0.52
2:B:501:HEM:HBC2	2:B:501:HEM:CMC	2.39	0.52
1:A:151:TYR:HB3	1:A:152:PRO:HD3	1.92	0.51
1:B:112:ARG:NH2	1:B:116:ASP:CG	2.64	0.51
1:A:72:SER:OG	1:A:74:THR:CG2	2.59	0.51
1:B:361:ALA:HB3	7:B:704:HOH:O	2.11	0.50
1:A:140:GLY:H	1:A:410:ARG:HH21	1.57	0.50
1:B:133:LEU:HD12	1:B:143:VAL:HG11	1.93	0.50
1:B:381:LEU:HD11	1:B:406:ILE:CD1	2.42	0.50
1:B:266:GLN:OE1	1:B:339:ILE:HG23	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:112:ARG:NH2	1:B:116:ASP:OD1	2.45	0.49
1:A:352:HIS:CD2	7:A:741:HOH:O	2.66	0.49
1:B:132:ASP:OD1	7:B:610:HOH:O	2.19	0.48
1:A:106:THR:HG22	1:A:110:LEU:HD12	1.95	0.48
1:B:290:PRO:HG2	2:B:501:HEM:CMB	2.44	0.48
1:A:13:ASP:HB2	1:B:5:PRO:HB3	1.95	0.48
1:A:247:GLU:OE2	1:A:400:ASP:OD2	2.32	0.47
1:B:106:THR:HG22	1:B:110:LEU:HD12	1.96	0.47
2:B:501:HEM:CBA	2:B:501:HEM:CMA	2.92	0.47
1:A:352:HIS:HD2	7:A:741:HOH:O	1.97	0.47
1:A:119:LYS:HB3	1:A:120:PRO:HD3	1.97	0.47
1:B:251:SER:O	1:B:255:THR:HG23	2.15	0.47
1:A:14:PRO:CB	1:A:182[A]:ILE:HD13	2.45	0.46
1:A:381:LEU:HD11	1:A:406:ILE:CD1	2.44	0.46
1:A:381:LEU:HD12	1:A:406:ILE:HD12	1.98	0.46
1:B:290:PRO:HG2	2:B:501:HEM:HMB1	1.98	0.46
1:A:294:LEU:C	1:A:294:LEU:HD13	2.36	0.46
1:A:5:PRO:HB3	1:B:13:ASP:HB2	1.97	0.46
1:A:14:PRO:O	1:A:182[A]:ILE:HD13	2.16	0.45
1:A:132:ASP:HA	1:A:135:ARG:NH2	2.31	0.45
1:B:119:LYS:HB3	1:B:120:PRO:HD3	1.99	0.45
1:A:34:ARG:CB	1:A:34:ARG:CD	2.95	0.44
1:B:392:ASN:ND2	7:B:724:HOH:O	2.49	0.44
1:A:246:HIS:ND1	7:A:764:HOH:O	2.36	0.44
1:A:224:ASP:C	1:A:225:GLY:CA	2.86	0.44
1:A:135:ARG:NH2	1:A:135:ARG:CB	2.75	0.44
1:B:381:LEU:HD12	1:B:406:ILE:HD12	2.00	0.44
1:B:271:ARG:NE	7:B:680:HOH:O	2.51	0.43
1:B:294:LEU:C	1:B:294:LEU:HD13	2.38	0.43
1:B:268:ARG:NH1	1:B:272:ASP:OD2	2.51	0.43
1:A:155:MET:HG3	1:A:169:GLN:HE21	1.83	0.43
1:A:392:ASN:ND2	7:A:695:HOH:O	2.50	0.43
1:A:268:ARG:HH21	1:A:269:LEU:CD2	2.23	0.43
2:B:501:HEM:HBB2	2:B:501:HEM:CMB	2.47	0.43
1:A:102:LEU:HD23	1:A:229:LEU:HD22	2.02	0.42
1:B:294:LEU:HG	2:B:501:HEM:HBA1	2.01	0.42
5:A:504:FMT:C	7:A:690:HOH:O	2.68	0.42
1:A:137:GLY:HA2	1:A:143:VAL:CG2	2.50	0.41
1:A:104:ILE:HG23	1:A:105:LYS:N	2.35	0.41
1:A:106:THR:CG2	1:A:110:LEU:HD12	2.50	0.41
1:B:271:ARG:CD	7:B:680:HOH:O	2.68	0.41
1:B:10:LEU:HD11	1:B:25:ARG:HB3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:137:GLY:CA	1:A:143:VAL:HG21	2.49	0.41
2:A:501:HEM:CMA	2:A:501:HEM:CBA	2.95	0.41
1:A:113:ARG:HD3	1:A:113:ARG:C	2.41	0.40
1:A:45:VAL:HG11	1:A:51:ALA:HA	2.03	0.40
1:B:94:VAL:CG1	1:B:95:ASP:N	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/410 (98%)	391 (97%)	11 (3%)	0	100	100
1	B	403/410 (98%)	388 (96%)	14 (4%)	1 (0%)	56	74
All	All	805/820 (98%)	779 (97%)	25 (3%)	1 (0%)	59	78

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	225	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	325/341 (95%)	314 (97%)	11 (3%)	49	70
1	B	322/341 (94%)	315 (98%)	7 (2%)	64	83

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	647/682 (95%)	629 (97%)	18 (3%)	59 77

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	THR
1	A	36	ASP
1	A	38	LEU
1	A	74	THR
1	A	112	ARG
1	A	113	ARG
1	A	172	LEU
1	A	182[A]	ILE
1	A	182[B]	ILE
1	A	239	GLN
1	A	404	PHE
1	B	17	THR
1	B	38	LEU
1	B	74	THR
1	B	172	LEU
1	B	182	ILE
1	B	227	THR
1	B	404	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	169	GLN
1	A	392	ASN
1	A	398	GLN
1	B	186	GLN
1	B	392	ASN
1	B	398	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	501	1	42,50,50	3.05	16 (38%)	27,82,82	2.71	5 (18%)
4	TES	A	503	-	24,24,24	0.84	1 (4%)	39,39,39	1.22	4 (10%)
5	FMT	A	504	-	2,2,2	1.06	0	1,1,1	0.59	0
5	FMT	A	506	-	2,2,2	0.88	0	1,1,1	0.62	0
2	HEM	B	501	1	42,50,50	3.07	17 (40%)	27,82,82	2.74	6 (22%)
4	TES	B	502	-	24,24,24	0.79	1 (4%)	39,39,39	1.08	4 (10%)
5	FMT	B	504	-	2,2,2	1.01	0	1,1,1	0.58	0
5	FMT	B	506	-	2,2,2	0.73	0	1,1,1	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	501	1	-	0/14/114/114	0/0/8/8
4	TES	A	503	-	-	0/0/58/58	0/4/4/4
5	FMT	A	504	-	-	0/0/0/0	0/0/0/0
5	FMT	A	506	-	-	0/0/0/0	0/0/0/0
2	HEM	B	501	1	-	1/14/114/114	0/0/8/8
4	TES	B	502	-	-	0/0/58/58	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	FMT	B	504	-	-	0/0/0/0	0/0/0/0
5	FMT	B	506	-	-	0/0/0/0	0/0/0/0

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	HEM	C4A-NA	8.51	1.50	1.36
2	A	501	HEM	C4A-NA	8.09	1.50	1.36
2	A	501	HEM	C1A-NA	7.80	1.49	1.36
2	B	501	HEM	C1A-NA	7.47	1.49	1.36
2	A	501	HEM	C1C-NC	6.41	1.49	1.33
2	A	501	HEM	C4C-NC	6.37	1.49	1.33
2	B	501	HEM	C1C-NC	6.34	1.49	1.33
2	B	501	HEM	C4C-NC	6.15	1.48	1.33
2	B	501	HEM	FE-NB	5.45	2.15	1.95
2	A	501	HEM	FE-ND	5.34	2.16	1.95
2	A	501	HEM	FE-NB	5.30	2.14	1.95
2	B	501	HEM	FE-ND	5.27	2.16	1.95
2	A	501	HEM	C1B-C2B	4.32	1.48	1.45
2	B	501	HEM	C4A-C3A	4.10	1.50	1.43
2	B	501	HEM	C1B-C2B	4.06	1.48	1.45
2	A	501	HEM	C4A-C3A	4.01	1.50	1.43
2	B	501	HEM	CMC-C2C	3.99	1.52	1.45
2	B	501	HEM	CMD-C2D	3.79	1.51	1.45
2	A	501	HEM	CMD-C2D	3.28	1.50	1.45
2	A	501	HEM	CMC-C2C	3.26	1.50	1.45
2	A	501	HEM	CHC-C4B	3.17	1.43	1.39
2	A	501	HEM	CMB-C2B	3.09	1.50	1.45
2	B	501	HEM	C3C-CAC	2.87	1.49	1.40
2	B	501	HEM	CHC-C4B	2.84	1.43	1.39
2	B	501	HEM	CMB-C2B	2.82	1.50	1.45
2	A	501	HEM	C3C-CAC	2.80	1.49	1.40
2	B	501	HEM	C2A-C3A	2.77	1.45	1.37
2	A	501	HEM	C2A-C3A	2.76	1.45	1.37
2	B	501	HEM	C3B-CAB	2.64	1.49	1.40
2	B	501	HEM	C1A-C2A	2.59	1.47	1.43
2	A	501	HEM	C3B-CAB	2.56	1.48	1.40
2	A	501	HEM	C1C-C2C	2.46	1.50	1.43
4	A	503	TES	C13-C14	-2.32	1.50	1.55
4	B	502	TES	C13-C14	-2.21	1.50	1.55
2	B	501	HEM	C1C-C2C	2.06	1.48	1.43

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HEM	C4A-NA-C1A	-7.99	97.98	107.93
2	A	501	HEM	C4A-NA-C1A	-7.94	98.04	107.93
2	B	501	HEM	C3A-C4A-NA	7.65	114.61	109.50
2	A	501	HEM	C3A-C4A-NA	7.32	114.39	109.50
2	A	501	HEM	CBD-CAD-C3D	-5.90	101.71	114.51
2	B	501	HEM	CBD-CAD-C3D	-5.66	102.22	114.51
2	A	501	HEM	C2A-C1A-NA	4.18	115.54	109.73
2	B	501	HEM	C2A-C1A-NA	4.17	115.53	109.73
4	A	503	TES	C6-C5-C10	3.97	121.12	116.69
4	B	502	TES	C6-C5-C10	3.26	120.33	116.69
2	B	501	HEM	C4A-C3A-C2A	-2.73	105.09	107.00
4	B	502	TES	C14-C13-C17	2.56	101.96	99.25
4	A	503	TES	C14-C13-C17	2.52	101.92	99.25
2	A	501	HEM	C4A-C3A-C2A	-2.42	105.31	107.00
4	A	503	TES	C2-C3-C4	2.27	120.12	116.71
4	B	502	TES	C6-C5-C4	-2.25	118.09	120.91
4	A	503	TES	C6-C5-C4	-2.22	118.13	120.91
2	B	501	HEM	CMC-C2C-C3C	2.20	129.46	124.26
4	B	502	TES	C2-C3-C4	2.12	119.90	116.71

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	501	HEM	C1A-C2A-CAA-CBA

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	407/410 (99%)	-0.39	3 (0%)	84 84	30, 43, 63, 103	1 (0%)
1	B	406/410 (99%)	-0.38	3 (0%)	84 84	29, 42, 59, 111	0
All	All	813/820 (99%)	-0.39	6 (0%)	84 84	29, 42, 61, 111	1 (0%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	CYS	4.6
1	B	4	CYS	4.2
1	B	224	ASP	3.1
1	A	224	ASP	2.7
1	A	223	THR	2.4
1	B	222	ALA	2.2

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	FMT	B	504	3/3	0.15	3.05	45,45,52,56	0
3	MG	B	503	1/1	0.17	2.94	20,20,20,20	0
2	HEM	B	501	43/43	0.13	1.20	32,37,42,45	0
3	MG	A	502	1/1	0.16	1.19	20,20,20,20	0
2	HEM	A	501	43/43	0.13	1.10	30,35,42,47	0
5	FMT	A	504	3/3	0.14	0.79	41,41,44,48	0
6	K	A	505	1/1	0.12	0.15	82,82,82,82	0
4	TES	A	503	21/21	0.11	-0.37	27,32,35,40	0
4	TES	B	502	21/21	0.11	-0.42	26,30,31,35	0
5	FMT	A	506	3/3	0.13	-1.14	62,62,62,69	0
5	FMT	B	506	3/3	0.10	-2.77	61,61,65,65	0
6	K	B	505	1/1	0.04	-2.91	81,81,81,81	0

6.5 Other polymers ⓘ

There are no such residues in this entry.