



# Full wwPDB X-ray Structure Validation Report

Sep 2, 2014 – 12:05 PM EDT

PDB ID : 4JLU  
Title : Crystal structure of BRCA1 BRCT with doubly phosphorylated Abraxas  
Authors : Badgujar, D.; Varma, A.K.  
Deposited on : 2013-03-13  
Resolution : 3.50 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.16 November 2013  
Xtriage (Phenix) : dev-1439  
EDS : stable23489  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable23489

# 1 Overall quality at a glance



The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	66092	1243 (3.70-3.30)
Clashscore	79885	1039 (3.66-3.34)
Ramachandran outliers	78287	1000 (3.66-3.34)
Sidechain outliers	78261	1000 (3.66-3.34)
RSRZ outliers	66119	1243 (3.70-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	211	
2	B	11	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 1792 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Breast cancer type 1 susceptibility protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	211	Total	C	N	O	S	0	0	0
			1696	1082	289	311	14			

- Molecule 2 is a protein called BRCA1-A complex subunit Abraxas.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	11	Total	C	N	O	P	0	0	0
			96	57	14	23	2			

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Breast cancer type 1 susceptibility protein

Chain A: 



- Molecule 2: BRCA1-A complex subunit Abraxas

Chain B: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	113.60Å 113.60Å 121.61Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	22.19 – 3.50 22.19 – 3.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (22.19-3.50) 100.0 (22.19-3.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.68 (at 3.53Å)	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
R, $R_{free}$	0.298 , 0.327 0.296 , 0.337	Depositor DCC
$R_{free}$ test set	289 reflections (4.87%)	DCC
Wilson B-factor (Å <sup>2</sup> )	74.3	Xtriage
Anisotropy	0.092	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 21.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.38$ , $\langle L^2 \rangle = 0.21$	Xtriage
Outliers	0 of 6221 reflections	Xtriage
$F_o, F_c$ correlation	0.82	EDS
Total number of atoms	1792	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.72% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.70	0/1737	0.88	1/2355 (0.0%)
2	B	1.21	0/77	1.16	0/98
All	All	0.73	0/1814	0.90	1/2453 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	1
All	All	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1657	LEU	CA-CB-CG	6.27	129.72	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1858	ILE	Peptide
2	B	406	SEP	Peptide

## 5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1696	0	1671	124	0
2	B	96	0	71	11	0
All	All	1792	0	1742	131	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 37.

All (131) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1751:ARG:HG3	1:A:1751:ARG:HH11	1.08	1.11
1:A:1709:GLY:HA3	1:A:1711:LYS:HE2	1.51	0.92
1:A:1751:ARG:HG3	1:A:1751:ARG:NH1	1.87	0.88
1:A:1700:THR:O	1:A:1703:TYR:HB3	1.76	0.85
2:B:406:SEP:HB3	2:B:407:PRO:HD3	1.60	0.83
1:A:1815:TRP:HB3	1:A:1818:ASP:HB3	1.61	0.81
1:A:1752:ALA:O	1:A:1756:GLN:NE2	2.12	0.81
1:A:1700:THR:HB	2:B:403:TYR:HB2	1.63	0.78
2:B:400:PHE:N	2:B:401:GLY:HA2	2.00	0.76
2:B:400:PHE:H	2:B:401:GLY:HA2	1.49	0.76
2:B:406:SEP:CB	2:B:407:PRO:HD3	2.17	0.74
1:A:1700:THR:HA	2:B:403:TYR:HB3	1.69	0.74
1:A:1751:ARG:CG	1:A:1751:ARG:HH11	1.96	0.74
1:A:1782:TRP:HA	1:A:1785:GLN:HE21	1.53	0.72
1:A:1748:GLY:N	1:A:1749:PRO:HD2	2.04	0.71
1:A:1700:THR:O	1:A:1703:TYR:N	2.20	0.70
1:A:1674:ILE:HG23	1:A:1675:THR:N	2.07	0.69
1:A:1795:LEU:HD12	1:A:1795:LEU:H	1.57	0.69
1:A:1782:TRP:HE1	1:A:1786:LEU:HD21	1.59	0.68
1:A:1699:ARG:HA	1:A:1703:TYR:CD2	2.29	0.67
2:B:402:GLU:O	2:B:403:TYR:HD1	1.78	0.67
1:A:1761:PHE:O	1:A:1788:GLY:O	2.12	0.67
1:A:1716:TYR:O	1:A:1718:TRP:N	2.28	0.66
1:A:1834:THR:HG23	1:A:1855:ILE:HD11	1.77	0.66
1:A:1652:MET:CB	1:A:1686:HIS:HB2	2.27	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1652:MET:HB3	1:A:1686:HIS:HB2	1.80	0.64
1:A:1815:TRP:HB3	1:A:1818:ASP:CB	2.28	0.63
1:A:1716:TYR:C	1:A:1718:TRP:H	2.02	0.63
1:A:1782:TRP:O	1:A:1786:LEU:HG	2.00	0.62
1:A:1819:ASN:HD22	1:A:1822:HIS:HB2	1.65	0.61
1:A:1674:ILE:CG2	1:A:1675:THR:N	2.64	0.60
1:A:1761:PHE:HE2	1:A:1784:VAL:HG12	1.67	0.60
1:A:1781:GLU:HB3	1:A:1791:VAL:HG21	1.84	0.60
1:A:1789:ALA:O	1:A:1790:SER:CB	2.50	0.60
1:A:1818:ASP:C	1:A:1820:GLY:H	2.05	0.60
1:A:1848:GLN:HG3	1:A:1853:TYR:OH	2.01	0.59
1:A:1659:PRO:O	1:A:1663:MET:HG2	2.03	0.59
1:A:1700:THR:HA	2:B:403:TYR:CB	2.33	0.58
1:A:1685:THR:O	1:A:1712:TRP:HB2	2.04	0.58
1:A:1748:GLY:H	1:A:1749:PRO:HD2	1.70	0.57
1:A:1737:ARG:HB3	1:A:1747:GLN:HG3	1.87	0.56
1:A:1811:GLN:HG2	1:A:1812:PRO:HD2	1.85	0.56
1:A:1858:ILE:HG22	1:A:1859:PRO:OXT	2.06	0.56
1:A:1834:THR:CG2	1:A:1855:ILE:HD11	2.36	0.56
1:A:1686:HIS:CD2	1:A:1712:TRP:HB3	2.41	0.56
1:A:1649:ARG:NH2	1:A:1650:MET:HB2	2.21	0.56
1:A:1653:VAL:HG13	1:A:1684:THR:HG21	1.88	0.55
1:A:1699:ARG:HA	1:A:1703:TYR:HD2	1.69	0.55
1:A:1850:LEU:O	1:A:1852:THR:N	2.35	0.54
1:A:1669:ALA:HB1	1:A:1674:ILE:HG22	1.88	0.54
1:A:1772:PHE:HD1	1:A:1811:GLN:HB2	1.71	0.54
1:A:1760:ILE:HB	1:A:1847:CYS:HB2	1.89	0.54
1:A:1700:THR:CB	2:B:403:TYR:HB2	2.34	0.53
1:A:1724:LYS:O	1:A:1725:GLU:HG3	2.09	0.53
1:A:1777:THR:O	1:A:1779:GLN:N	2.41	0.53
1:A:1775:MET:CE	1:A:1783:MET:CE	2.86	0.53
1:A:1785:GLN:HG3	1:A:1791:VAL:HG23	1.90	0.53
2:B:406:SEP:CB	2:B:407:PRO:CD	2.85	0.53
1:A:1832:VAL:HG21	1:A:1857:GLN:HG3	1.91	0.52
1:A:1674:ILE:HG23	1:A:1675:THR:H	1.73	0.52
1:A:1851:ASP:C	1:A:1854:LEU:HD11	2.30	0.52
1:A:1782:TRP:CD1	1:A:1782:TRP:O	2.63	0.52
1:A:1735:GLU:HG2	1:A:1736:VAL:N	2.25	0.52
1:A:1857:GLN:O	1:A:1859:PRO:HD3	2.10	0.52
1:A:1689:MET:O	1:A:1716:TYR:HB2	2.09	0.52
1:A:1836:GLU:O	1:A:1837:TRP:C	2.48	0.52
1:A:1769:TYR:HB3	1:A:1810:VAL:HG12	1.93	0.51

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1700:THR:O	1:A:1703:TYR:CB	2.55	0.51
1:A:1692:ASP:O	1:A:1694:GLU:N	2.44	0.51
1:A:1781:GLU:OE2	1:A:1791:VAL:HG11	2.11	0.50
1:A:1819:ASN:C	1:A:1821:PHE:N	2.65	0.50
1:A:1851:ASP:HA	1:A:1854:LEU:HD21	1.94	0.49
1:A:1652:MET:HB2	1:A:1686:HIS:HB2	1.95	0.49
1:A:1858:ILE:HG22	1:A:1859:PRO:C	2.33	0.49
1:A:1757:ASP:N	1:A:1757:ASP:OD1	2.43	0.49
1:A:1700:THR:O	1:A:1701:LEU:C	2.52	0.48
1:A:1795:LEU:CD1	1:A:1795:LEU:H	2.15	0.48
1:A:1855:ILE:HG23	1:A:1856:PRO:HD2	1.94	0.48
1:A:1837:TRP:O	1:A:1841:SER:OG	2.26	0.48
1:A:1775:MET:CE	1:A:1783:MET:HE3	2.44	0.48
1:A:1716:TYR:C	1:A:1718:TRP:N	2.67	0.48
1:A:1775:MET:HE3	1:A:1783:MET:CE	2.44	0.48
1:A:1789:ALA:O	1:A:1790:SER:HB3	2.14	0.48
1:A:1775:MET:HE1	1:A:1783:MET:CE	2.44	0.47
1:A:1765:GLU:OE1	1:A:1804:VAL:HG11	2.14	0.47
1:A:1776:PRO:O	1:A:1777:THR:C	2.53	0.47
1:A:1777:THR:O	1:A:1778:ASP:C	2.53	0.47
1:A:1679:LEU:HD23	1:A:1702:LYS:HE2	1.98	0.46
1:A:1819:ASN:C	1:A:1821:PHE:H	2.18	0.46
1:A:1746:HIS:ND1	1:A:1748:GLY:N	2.64	0.46
1:A:1857:GLN:O	1:A:1859:PRO:CD	2.64	0.46
1:A:1777:THR:O	1:A:1780:LEU:N	2.49	0.45
1:A:1769:TYR:CE1	1:A:1795:LEU:HD11	2.52	0.45
1:A:1850:LEU:C	1:A:1852:THR:H	2.18	0.45
1:A:1735:GLU:OE2	1:A:1753:ARG:NH2	2.49	0.45
1:A:1824:ILE:C	1:A:1826:GLN:N	2.70	0.45
1:A:1822:HIS:HA	1:A:1857:GLN:HE22	1.82	0.45
1:A:1749:PRO:HA	1:A:1752:ALA:HB3	1.99	0.44
1:A:1691:THR:HG21	1:A:1715:SER:OG	2.18	0.44
1:A:1854:LEU:O	1:A:1855:ILE:C	2.56	0.44
1:A:1812:PRO:HD3	1:A:1834:THR:HG22	2.00	0.44
1:A:1811:GLN:NE2	1:A:1813:ASP:OD1	2.50	0.44
1:A:1669:ALA:HB1	1:A:1674:ILE:CG2	2.48	0.44
1:A:1651:SER:O	1:A:1652:MET:HB3	2.18	0.44
1:A:1766:ILE:HD12	1:A:1789:ALA:HB2	1.99	0.44
1:A:1806:PRO:O	1:A:1807:ILE:HD13	2.18	0.43
1:A:1719:VAL:C	1:A:1721:GLN:H	2.20	0.43
1:A:1723:ILE:C	1:A:1725:GLU:H	2.21	0.43
1:A:1773:THR:O	1:A:1774:ASN:HB2	2.18	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:1777:THR:HG22	1:A:1781:GLU:HG3	2.00	0.43
1:A:1775:MET:HE1	1:A:1783:MET:HE3	1.99	0.43
1:A:1854:LEU:H	1:A:1854:LEU:HD12	1.82	0.43
1:A:1855:ILE:CG2	1:A:1856:PRO:HD2	2.48	0.43
1:A:1697:CYS:SG	1:A:1698:GLU:N	2.90	0.42
1:A:1730:ASN:O	1:A:1733:ASP:HB2	2.19	0.42
1:A:1792:VAL:HG12	1:A:1794:GLU:O	2.20	0.42
1:A:1838:VAL:O	1:A:1842:VAL:HG23	2.20	0.42
1:A:1760:ILE:HD12	1:A:1761:PHE:CE1	2.55	0.42
1:A:1750:LYS:C	1:A:1752:ALA:N	2.73	0.42
1:A:1660:GLU:O	1:A:1663:MET:HB2	2.20	0.42
1:A:1811:GLN:NE2	1:A:1814:ALA:HB2	2.34	0.42
1:A:1828:CYS:HB2	1:A:1829:GLU:H	1.70	0.41
1:A:1807:ILE:HD13	1:A:1831:PRO:HG2	2.02	0.41
1:A:1746:HIS:CE1	1:A:1748:GLY:N	2.89	0.41
1:A:1674:ILE:HG23	1:A:1675:THR:O	2.20	0.41
1:A:1686:HIS:HA	1:A:1712:TRP:O	2.20	0.41
2:B:400:PHE:N	2:B:401:GLY:CA	2.77	0.41
1:A:1766:ILE:HD12	1:A:1789:ALA:CB	2.51	0.41
1:A:1695:PHE:CE2	1:A:1734:PHE:HD1	2.39	0.40
1:A:1719:VAL:C	1:A:1721:GLN:N	2.75	0.40
1:A:1782:TRP:CD1	1:A:1786:LEU:HG	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	209/211 (99%)	140 (67%)	52 (25%)	17 (8%)	1	21
2	B	7/11 (64%)	3 (43%)	3 (43%)	1 (14%)	0	7
All	All	216/222 (97%)	143 (66%)	55 (26%)	18 (8%)	1	20

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1657	LEU
1	A	1693	ALA
1	A	1790	SER
1	A	1819	ASN
1	A	1851	ASP
1	A	1717	PHE
1	A	1725	GLU
1	A	1726	ARG
1	A	1812	PRO
1	A	1816	THR
1	A	1828	CYS
1	A	1749	PRO
1	A	1793	LYS
1	A	1778	ASP
1	A	1671	LYS
1	A	1724	LYS
2	B	407	PRO
1	A	1806	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/188 (100%)	155 (82%)	33 (18%)	3	16
2	B	7/7 (100%)	4 (57%)	3 (43%)	0	1
All	All	195/195 (100%)	159 (82%)	36 (18%)	2	13

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1649	ARG
1	A	1660	GLU
1	A	1662	PHE
1	A	1674	ILE
1	A	1684	THR
1	A	1692	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1699	ARG
1	A	1701	LEU
1	A	1721	GLN
1	A	1722	SER
1	A	1727	LYS
1	A	1732	HIS
1	A	1740	VAL
1	A	1745	ASN
1	A	1751	ARG
1	A	1753	ARG
1	A	1755	SER
1	A	1757	ASP
1	A	1759	LYS
1	A	1772	PHE
1	A	1777	THR
1	A	1778	ASP
1	A	1795	LEU
1	A	1800	LEU
1	A	1811	GLN
1	A	1819	ASN
1	A	1844	LEU
1	A	1846	GLN
1	A	1850	LEU
1	A	1851	ASP
1	A	1852	THR
1	A	1853	TYR
1	A	1854	LEU
2	B	403	TYR
2	B	405	ARG
2	B	408	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1672	HIS
1	A	1785	GLN
1	A	1819	ASN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	SEP	B	404	2	9,9,10	6.21	4 (44%)	10,12,14	1.74	2 (20%)
2	SEP	B	406	2	9,9,10	7.44	5 (55%)	10,12,14	3.42	3 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SEP	B	404	2	-	0/6/8/10	0/0/0/0
2	SEP	B	406	2	-	0/6/8/10	0/0/0/0

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	406	SEP	O-C	21.09	1.26	1.11
2	B	404	SEP	O-C	17.61	1.23	1.11
2	B	406	SEP	CA-C	5.37	1.60	1.49
2	B	404	SEP	CA-C	3.51	1.56	1.49
2	B	404	SEP	P-O1P	3.50	1.62	1.51
2	B	406	SEP	P-O1P	3.36	1.62	1.51
2	B	406	SEP	P-O2P	2.19	1.62	1.54
2	B	406	SEP	P-O3P	2.12	1.62	1.54
2	B	404	SEP	P-O3P	2.11	1.62	1.54

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	406	SEP	C-CA-N	9.76	123.58	113.83
2	B	404	SEP	C-CA-N	3.44	117.26	113.83

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	404	SEP	OG-CB-CA	3.01	112.72	108.64
2	B	406	SEP	OG-CB-CA	2.74	112.35	108.64
2	B	406	SEP	OG-P-O1P	2.20	113.43	106.72

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	211/211 (100%)	0.08	1 (0%) 88 64	43, 50, 50, 50	0
2	B	11/11 (100%)	0.99	0 100 100	50, 50, 50, 50	1 (9%)
All	All	222/222 (100%)	0.13	1 (0%) 88 64	43, 50, 50, 50	1 (0%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1758	ARG	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	SEP	B	406	10/11	0.35	-	50,50,50,50	0
2	SEP	B	404	10/11	0.36	-	50,50,50,50	0

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

There are no ligands in this entry.

## 6.5 Other polymers ⓘ

There are no such residues in this entry.