



Full wwPDB X-ray Structure Validation Report

Feb 26, 2014 – 03:39 PM GMT

PDB ID : 1JMZ
Title : crystal structure of a quinoxaline amine dehydrogenase from pseudomonas putida with inhibitor
Authors : Satoh, A.; Miyahara, I.; Hirotsu, K.
Deposited on : 2001-07-20
Resolution : 2.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 21963
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	494	
2	B	349	
3	G	79	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 7460 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Amine Dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	493	Total	C	N	O	S	10	0	0
			3790	2372	688	713	17			

- Molecule 2 is a protein called Amine Dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	339	Total	C	N	O	S	11	0	0
			2689	1724	453	499	13			


- Molecule 3 is a protein called Amine Dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	77	Total	C	N	O	S	0	0	0
			587	365	94	121	7			

- Molecule 4 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ni	0	0
			1	1		

- Molecule 5 is P-NITROPHENYLHYDRAZINE (three-letter code: PND) (formula: C₆H₇N₃O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	G	1	Total	C	N	O	0	0
			11	6	3	2		

- Molecule 6 is HEME C (three-letter code: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	146	Total 146	O 146	0	0
7	B	112	Total 112	O 112	0	0
7	G	38	Total 38	O 38	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: Amine Dehydrogenase



• Molecule 2: Amine Dehydrogenase



• Molecule 3: Amine Dehydrogenase



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	167.21Å 92.37Å 79.30Å 90.00° 112.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.215 , 0.251	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7460	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TRQ, NI, PND, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/3872	0.68	2/5240 (0.0%)
2	B	0.42	0/2761	0.75	2/3752 (0.1%)
3	G	0.60	3/588 (0.5%)	0.93	3/802 (0.4%)
All	All	0.43	3/7221 (0.0%)	0.73	7/9794 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	G	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	16	GLU	CG-CD	-5.62	1.43	1.51
3	G	33	ASP	CA-CB	5.35	1.65	1.53
3	G	41	CYS	CB-SG	-5.13	1.73	1.81

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	16	GLU	CB-CA-C	7.92	126.24	110.40
3	G	27	CYS	CA-CB-SG	-7.54	100.42	114.00
2	B	236	LEU	CA-CB-CG	5.92	128.91	115.30
2	B	19	TYR	N-CA-C	5.81	126.69	111.00
1	A	407	LEU	CA-CB-CG	5.17	127.18	115.30
3	G	49	ASP	N-CA-C	5.12	124.83	111.00
1	A	391	GLY	N-CA-C	-5.10	100.34	113.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	G	16	GLU	Mainchain

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3790	0	3728	87	0
2	B	2689	0	2645	52	0
3	G	587	0	511	20	0
4	A	1	0	0	0	0
5	G	11	0	6	1	0
6	A	86	0	60	5	0
7	A	146	0	0	3	0
7	B	112	0	0	2	0
7	G	38	0	0	1	0
All	All	7460	0	6950	150	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 11.

All (150) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:469:THR:HG22	1:A:476:THR:HG22	1.46	0.96
1:A:50:LEU:HD11	6:A:1002:HEC:HBB2	1.53	0.89
3:G:8:THR:HG21	3:G:43:TRQ:HD1	1.63	0.81
1:A:271:GLU:HG2	1:A:389:VAL:HG13	1.62	0.78
1:A:484:THR:HG21	3:G:16:GLU:O	1.83	0.77
6:A:1001:HEC:HMD1	6:A:1001:HEC:HBD2	1.65	0.77
1:A:347:ARG:NH1	1:A:361:VAL:HG21	2.02	0.73
2:B:217:ALA:HB1	2:B:229:ALA:HB1	1.75	0.69
1:A:251:GLN:HG2	1:A:264:MET:HG3	1.73	0.68
1:A:241:ASN:HD22	1:A:250:ARG:HD2	1.58	0.68
2:B:198:LEU:HD11	5:G:101:PND:H3	1.75	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:394:GLU:HG2	1:A:411:TYR:CG	2.29	0.67
1:A:350:ALA:HB2	1:A:355:LYS:HD3	1.78	0.66
1:A:172:LYS:HE2	1:A:172:LYS:HA	1.79	0.65
1:A:218:TYR:CD2	1:A:222:THR:HG23	2.32	0.64
1:A:271:GLU:CG	1:A:389:VAL:HG13	2.29	0.63
1:A:469:THR:HG23	7:A:2096:HOH:O	1.99	0.62
1:A:285:ARG:HB3	1:A:285:ARG:HH11	1.65	0.62
1:A:324:VAL:HG11	1:A:327:GLN:HE21	1.64	0.62
1:A:285:ARG:HB3	1:A:285:ARG:NH1	2.14	0.61
1:A:115:PRO:HD3	1:A:162:LEU:HG	1.81	0.61
1:A:328:THR:HB	1:A:329:PRO:HD2	1.82	0.60
3:G:79:LYS:N	3:G:79:LYS:HZ3	1.98	0.60
1:A:220:ASP:OD2	1:A:222:THR:HG22	2.02	0.60
1:A:343:LYS:O	1:A:347:ARG:NH2	2.36	0.59
2:B:112:PRO:HG2	2:B:123:LYS:HB2	1.83	0.59
1:A:17:ILE:HG12	1:A:25:SER:HB3	1.83	0.59
1:A:58:ARG:HH12	3:G:79:LYS:HZ1	1.49	0.58
1:A:279:VAL:HG23	1:A:287:LEU:HD21	1.84	0.58
1:A:98:GLU:HG2	1:A:138:GLN:HE21	1.68	0.58
3:G:8:THR:HG22	3:G:10:THR:HG23	1.87	0.56
2:B:143:THR:HG21	7:B:372:HOH:O	2.05	0.56
1:A:193:LYS:NZ	1:A:222:THR:HG21	2.20	0.56
2:B:109:THR:HG21	2:B:150:VAL:HG11	1.87	0.56
2:B:19:TYR:O	2:B:20:PRO:C	2.44	0.55
2:B:18:ASN:ND2	2:B:20:PRO:HD2	2.20	0.55
2:B:204:GLN:H	2:B:345:GLN:NE2	2.04	0.55
1:A:241:ASN:ND2	1:A:250:ARG:NH1	2.55	0.55
1:A:303:THR:HB	1:A:333:ARG:HB3	1.88	0.55
1:A:416:TRP:CZ3	1:A:468:ALA:HB2	2.42	0.55
1:A:102:ARG:HH11	3:G:10:THR:HG21	1.72	0.55
2:B:295:HIS:HD2	2:B:296:THR:O	1.89	0.54
2:B:18:ASN:HD21	2:B:337:GLY:N	2.05	0.54
1:A:201:SER:HB3	1:A:213:GLU:HB3	1.89	0.54
1:A:145:LEU:HB3	1:A:146:PRO:HD3	1.89	0.54
2:B:63:HIS:HD2	7:G:108:HOH:O	1.90	0.54
1:A:103:CYS:HB2	7:A:2015:HOH:O	2.08	0.53
2:B:339:MET:HB3	2:B:342:THR:HG22	1.89	0.53
1:A:86:LEU:O	3:G:4:VAL:HG13	2.09	0.53
1:A:325:LEU:HD11	1:A:335:LYS:HE2	1.91	0.53
1:A:322:THR:HG21	1:A:337:ARG:CZ	2.39	0.53
1:A:348:GLU:OE2	1:A:355:LYS:HB3	2.09	0.52
2:B:20:PRO:O	2:B:21:ASN:HB2	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:326:GLU:HB3	1:A:333:ARG:HG3	1.91	0.52
2:B:270:ILE:HB	2:B:282:LEU:HD21	1.92	0.52
1:A:127:LEU:HB3	2:B:122:VAL:HG21	1.90	0.52
1:A:485:VAL:HG11	3:G:30:MET:HB2	1.91	0.51
1:A:386:VAL:HG21	1:A:486:GLN:HG2	1.91	0.51
1:A:214:VAL:O	1:A:215:LYS:HD2	2.11	0.51
1:A:350:ALA:HA	1:A:354:LEU:O	2.12	0.50
1:A:99:THR:HG21	1:A:152:VAL:HG21	1.93	0.50
2:B:19:TYR:HB2	2:B:338:ASP:O	2.12	0.50
1:A:4:GLY:N	1:A:5:PRO:HD2	2.27	0.50
1:A:114:ARG:HB3	1:A:118:GLU:HB2	1.93	0.50
3:G:79:LYS:HZ3	3:G:79:LYS:H	1.60	0.49
2:B:24:HIS:HD2	2:B:36:SER:OG	1.96	0.49
1:A:113:ARG:HD3	1:A:160:TYR:HB3	1.95	0.49
1:A:322:THR:O	1:A:323:GLU:HB2	2.13	0.49
1:A:218:TYR:HD2	1:A:222:THR:HG23	1.77	0.49
1:A:288:ALA:HA	1:A:357:VAL:HG11	1.95	0.49
2:B:152:LEU:HD22	2:B:202:PRO:HB3	1.95	0.49
1:A:298:GLY:O	1:A:337:ARG:HA	2.13	0.48
2:B:66:ASP:OD1	2:B:80:HIS:HE1	1.97	0.48
2:B:177:LYS:HG2	2:B:178:TYR:N	2.28	0.48
2:B:11:HIS:HD2	7:B:362:HOH:O	1.96	0.48
3:G:39:ASP:O	3:G:51:MET:HB2	2.13	0.48
2:B:234:GLY:HA2	2:B:249:GLU:HA	1.96	0.48
2:B:15:ILE:HG21	2:B:72:LEU:HD21	1.96	0.48
3:G:39:ASP:HB2	3:G:40:PRO:HD3	1.96	0.47
1:A:487:ARG:HG3	1:A:490:ASN:OD1	2.14	0.47
1:A:98:GLU:HG2	1:A:138:GLN:NE2	2.29	0.47
1:A:48:HIS:HB3	6:A:1002:HEC:HBC2	1.96	0.47
1:A:102:ARG:O	3:G:8:THR:HG22	2.15	0.47
2:B:318:LEU:HB2	2:B:332:ILE:HB	1.96	0.47
1:A:63:TYR:O	1:A:67:LYS:HE2	2.15	0.47
1:A:241:ASN:ND2	1:A:250:ARG:HH11	2.13	0.47
2:B:235:TYR:O	2:B:247:THR:HA	2.15	0.47
2:B:30:SER:O	2:B:32:THR:HG23	2.15	0.47
3:G:7:CYS:HA	3:G:16:GLU:CD	2.36	0.46
1:A:317:ALA:O	1:A:347:ARG:NH1	2.48	0.46
1:A:306:GLY:O	1:A:330:THR:HA	2.14	0.46
2:B:18:ASN:HD22	2:B:20:PRO:HD2	1.80	0.46
1:A:87:ASN:HA	3:G:4:VAL:HG22	1.98	0.46
1:A:418:VAL:HG12	1:A:431:VAL:HG13	1.98	0.46
1:A:386:VAL:HG21	1:A:486:GLN:HB3	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:102:ARG:HH11	3:G:10:THR:CG2	2.29	0.45
2:B:122:VAL:HG12	2:B:148:ARG:NH2	2.32	0.45
2:B:208:HIS:HB3	2:B:241:LYS:NZ	2.31	0.45
1:A:347:ARG:HH12	1:A:361:VAL:HG21	1.80	0.45
1:A:241:ASN:HD21	1:A:248:ASN:HB3	1.80	0.45
2:B:110:VAL:O	2:B:112:PRO:HD3	2.17	0.45
2:B:204:GLN:H	2:B:345:GLN:HE22	1.65	0.44
1:A:63:TYR:CE2	1:A:67:LYS:HE3	2.52	0.44
3:G:13:PRO:O	3:G:18:ASP:HA	2.16	0.44
2:B:293:LEU:HD13	2:B:297:TYR:HD1	1.81	0.44
2:B:339:MET:HB3	2:B:342:THR:CG2	2.47	0.44
2:B:242:THR:OG1	2:B:244:LYS:HD3	2.17	0.44
1:A:153:VAL:HB	1:A:154:PRO:HD3	2.00	0.44
1:A:171:GLN:NE2	7:A:2121:HOH:O	2.49	0.44
2:B:273:VAL:CG1	2:B:300:VAL:HG13	2.47	0.44
1:A:39:MET:O	1:A:43:ARG:HG3	2.18	0.43
1:A:386:VAL:HG21	1:A:486:GLN:CB	2.48	0.43
1:A:312:LYS:HA	1:A:313:PRO:HD3	1.87	0.43
2:B:74:THR:O	2:B:75:CYS:HB2	2.19	0.43
1:A:250:ARG:HD3	1:A:267:ALA:HB2	2.00	0.43
3:G:16:GLU:O	3:G:17:VAL:HG23	2.17	0.43
2:B:197:VAL:HG22	2:B:214:TYR:HB3	2.01	0.43
1:A:304:LEU:HD11	1:A:349:VAL:HG11	1.99	0.43
1:A:271:GLU:HG2	1:A:389:VAL:CG1	2.41	0.43
1:A:326:GLU:HB3	1:A:333:ARG:CG	2.49	0.43
2:B:248:GLN:O	2:B:248:GLN:HG3	2.19	0.43
2:B:28:VAL:O	2:B:308:LYS:NZ	2.51	0.43
1:A:155:ASP:O	1:A:159:ARG:HG3	2.18	0.43
1:A:320:GLU:O	1:A:336:ALA:HA	2.18	0.43
1:A:388:LYS:HB3	1:A:445:PRO:HG2	2.01	0.43
2:B:18:ASN:HB2	2:B:24:HIS:CE1	2.54	0.42
1:A:193:LYS:HZ1	1:A:222:THR:HG21	1.83	0.42
2:B:271:TYR:CD2	2:B:271:TYR:N	2.86	0.42
2:B:277:LEU:HD13	2:B:326:LEU:CD2	2.49	0.42
2:B:190:LYS:HA	2:B:190:LYS:HD2	1.66	0.42
2:B:247:THR:O	2:B:248:GLN:HB3	2.18	0.42
1:A:418:VAL:HG11	1:A:464:LEU:HD13	2.00	0.42
1:A:294:ILE:HD13	1:A:300:SER:HB3	2.01	0.42
2:B:311:LEU:HB2	2:B:319:ALA:HB3	2.02	0.42
1:A:17:ILE:HG13	1:A:17:ILE:O	2.19	0.42
1:A:206:GLN:HG3	1:A:209:THR:OG1	2.19	0.42
3:G:37:CYS:HB2	3:G:43:TRQ:HZ3	1.79	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
6:A:1001:HEC:HMD1	6:A:1001:HEC:CBD	2.45	0.41
2:B:20:PRO:HG2	2:B:22:ASN:ND2	2.34	0.41
1:A:250:ARG:NH1	1:A:267:ALA:HB2	2.35	0.41
2:B:250:PHE:O	2:B:251:ALA:HB2	2.20	0.41
2:B:18:ASN:HD21	2:B:337:GLY:H	1.66	0.41
3:G:63:ASN:CG	3:G:66:GLU:HG2	2.41	0.41
1:A:214:VAL:O	1:A:225:ASN:HA	2.21	0.41
1:A:458:THR:HA	3:G:29:PRO:HB3	2.02	0.41
2:B:334:LEU:HA	2:B:335:PRO:HD3	1.96	0.41
2:B:18:ASN:CB	2:B:24:HIS:HE1	2.34	0.40
1:A:196:VAL:HG11	1:A:274:LEU:HD13	2.03	0.40
6:A:1002:HEC:HAD1	2:B:119:HIS:HA	2.03	0.40
1:A:456:MET:HG2	2:B:293:LEU:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	491/494 (99%)	470 (96%)	20 (4%)	1 (0%)	56	51
2	B	335/349 (96%)	317 (95%)	16 (5%)	2 (1%)	33	24
3	G	74/79 (94%)	67 (90%)	7 (10%)	0	100	100
All	All	900/922 (98%)	854 (95%)	43 (5%)	3 (0%)	50	44

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	21	ASN
2	B	274	LEU
1	A	323	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	387/387 (100%)	364 (94%)	23 (6%)	28	20
2	B	291/300 (97%)	276 (95%)	15 (5%)	32	25
3	G	61/63 (97%)	54 (88%)	7 (12%)	8	4
All	All	739/750 (98%)	694 (94%)	45 (6%)	26	19

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	A	21	ASN
1	A	50	LEU
1	A	67	LYS
1	A	127	LEU
1	A	151	GLN
1	A	162	LEU
1	A	163	GLU
1	A	172	LYS
1	A	197	ARG
1	A	206	GLN
1	A	232	LEU
1	A	271	GLU
1	A	274	LEU
1	A	301	GLU
1	A	303	THR
1	A	333	ARG
1	A	348	GLU
1	A	407	LEU
1	A	417	LYS
1	A	451	ASN
1	A	484	THR
1	A	486	GLN
2	B	11	HIS
2	B	19	TYR
2	B	60	LEU
2	B	92	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	109	THR
2	B	143	THR
2	B	199	TYR
2	B	233	TYR
2	B	271	TYR
2	B	277	LEU
2	B	286	LYS
2	B	288	ILE
2	B	309	LEU
2	B	326	LEU
2	B	345	GLN
3	G	4	VAL
3	G	8	THR
3	G	10	THR
3	G	25	SER
3	G	33	ASP
3	G	34	LEU
3	G	77	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	GLN
1	A	171	GLN
1	A	189	HIS
1	A	241	ASN
1	A	327	GLN
1	A	382	ASN
1	A	451	ASN
1	A	489	ASN
2	B	11	HIS
2	B	18	ASN
2	B	22	ASN
2	B	24	HIS
2	B	63	HIS
2	B	80	HIS
2	B	111	ASN
2	B	295	HIS
2	B	345	GLN
3	G	55	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TRQ	G	43	3,5	14,16,18	5.33	4 (28%)	14,22,26	2.08	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRQ	G	43	3,5	-	0/4/16/21	0/0/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	43	TRQ	O-C	16.74	1.22	1.11
3	G	43	TRQ	CE2-CZ2	-10.05	1.41	1.50
3	G	43	TRQ	CA-C	2.59	1.53	1.48
3	G	43	TRQ	CB-CG	-2.05	1.48	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	43	TRQ	C-CA-N	-5.24	108.59	113.83
3	G	43	TRQ	O7-CZ2-CE2	3.83	127.19	121.85
3	G	43	TRQ	CD1-CG-CD2	2.50	106.17	104.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	HEC	A	1001	1	50,50,50	2.24	10 (20%)	56,82,82	2.06	19 (33%)
6	HEC	A	1002	1	50,50,50	2.21	7 (14%)	56,82,82	1.79	14 (25%)
5	PND	G	101	3	11,11,11	7.77	4 (36%)	14,14,14	2.36	7 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	HEC	A	1001	1	-	2/10/54/54	0/0/8/8
6	HEC	A	1002	1	-	0/10/54/54	0/0/8/8
5	PND	G	101	3	-	0/6/6/6	0/1/1/1

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	101	PND	C4-N4	-19.58	1.16	1.46
5	G	101	PND	O4-N4	12.89	1.44	1.23
5	G	101	PND	O3-N4	10.07	1.44	1.25
6	A	1002	HEC	C3C-CAC	8.07	1.52	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1001	HEC	C3B-CAB	8.07	1.52	1.35
6	A	1002	HEC	C3B-CAB	8.07	1.52	1.35
6	A	1001	HEC	C3C-CAC	7.92	1.51	1.35
6	A	1001	HEC	C1D-C2D	5.33	1.46	1.40
6	A	1002	HEC	C1D-C2D	4.95	1.46	1.40
6	A	1002	HEC	C3C-C4C	4.42	1.47	1.41
6	A	1001	HEC	C3B-C4B	4.25	1.46	1.41
6	A	1001	HEC	C3C-C4C	3.70	1.46	1.41
6	A	1001	HEC	C3C-C2C	-3.61	1.33	1.41
6	A	1002	HEC	C1C-C2C	3.61	1.44	1.40
6	A	1002	HEC	C3C-C2C	-3.54	1.34	1.41
6	A	1001	HEC	C1C-C2C	2.95	1.43	1.40
6	A	1002	HEC	C3B-C4B	2.84	1.45	1.41
5	G	101	PND	C1-N2	2.80	1.49	1.40
6	A	1001	HEC	C3B-C2B	-2.65	1.36	1.41
6	A	1001	HEC	O2A-CGA	-2.24	1.22	1.30
6	A	1001	HEC	C1B-C2B	2.04	1.42	1.40

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1001	HEC	C2B-C1B-NB	5.76	113.76	109.41
6	A	1002	HEC	C2B-C1B-NB	5.44	113.52	109.41
6	A	1001	HEC	CBB-CAB-C3B	-4.82	114.87	128.44
5	G	101	PND	C2-C3-C4	-4.30	114.02	120.15
6	A	1001	HEC	C1D-C2D-C3D	-4.17	104.10	107.00
6	A	1001	HEC	CBA-CAA-C2A	-3.94	104.99	112.35
6	A	1002	HEC	C2C-C1C-NC	3.55	112.09	109.41
6	A	1002	HEC	CBB-CAB-C3B	-3.35	119.02	128.44
6	A	1002	HEC	C2D-C1D-ND	3.28	111.89	109.41
6	A	1002	HEC	C3B-C2B-C1B	-3.25	104.91	107.07
6	A	1001	HEC	C2C-C1C-NC	3.23	111.85	109.41
6	A	1001	HEC	C2A-C1A-NA	3.22	112.05	109.64
5	G	101	PND	C5-C6-C1	-3.20	116.56	120.27
6	A	1001	HEC	C3B-C2B-C1B	-3.16	104.97	107.07
6	A	1002	HEC	C1D-C2D-C3D	-3.09	104.85	107.00
6	A	1001	HEC	CBD-CAD-C3D	3.08	118.12	112.69
5	G	101	PND	O3-N4-O4	3.02	127.46	121.35
5	G	101	PND	C3-C2-C1	2.98	123.74	120.27
5	G	101	PND	C3-C4-N4	-2.93	116.26	118.96
6	A	1001	HEC	C3A-C4A-NA	2.92	111.61	109.41
6	A	1001	HEC	C4B-NB-C1B	-2.81	103.06	106.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1002	HEC	C3A-C4A-NA	2.81	111.53	109.41
6	A	1002	HEC	CMB-C2B-C3B	2.78	128.79	125.72
6	A	1002	HEC	C4B-NB-C1B	-2.72	103.18	106.76
6	A	1001	HEC	C2D-C1D-ND	2.55	111.34	109.41
6	A	1001	HEC	CBC-CAC-C3C	-2.55	121.26	128.44
6	A	1001	HEC	C4C-CHD-C1D	-2.53	124.15	127.47
6	A	1001	HEC	CMD-C2D-C3D	2.49	129.63	124.94
6	A	1001	HEC	C3D-C4D-ND	2.42	113.09	109.73
5	G	101	PND	C1-N2-N1	2.38	126.73	118.45
5	G	101	PND	C5-C4-N4	2.35	121.14	118.96
6	A	1002	HEC	CBC-CAC-C3C	-2.28	122.03	128.44
6	A	1001	HEC	C3D-C4D-CHA	-2.23	121.77	126.00
6	A	1002	HEC	C2A-C1A-NA	2.22	111.30	109.64
6	A	1001	HEC	CMC-C2C-C1C	-2.18	125.26	128.62
6	A	1001	HEC	CMC-C2C-C3C	2.16	128.10	125.72
6	A	1001	HEC	CMB-C2B-C3B	2.14	128.09	125.72
6	A	1002	HEC	C4C-NC-C1C	-2.13	103.96	106.76
6	A	1002	HEC	C4D-ND-C1D	-2.12	103.97	106.76
6	A	1002	HEC	CMC-C2C-C3C	2.12	128.06	125.72

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1001	HEC	C2D-C3D-CAD-CBD
6	A	1001	HEC	C4D-C3D-CAD-CBD

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.