



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 04:48 AM GMT

PDB ID : 3JS2  
Title : Crystal structure of minimal kinase domain of fibroblast growth factor receptor 1 in complex with 5-(2-thienyl)nicotinic acid  
Authors : Bae, J.H.; Ravindranathan, K.P.; Mandiyan, V.; Ekkati, A.R.; Schlessinger, J.; Jorgensen, W.L.  
Deposited on : 2009-09-09  
Resolution : 2.20 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>

---


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.15 2013  
Xtriage (Phenix) : dev-1323  
EDS : stable22639  
Percentile statistics : 21963  
Refmac : 5.8.0049  
CCP4 : 6.3.0 (Settle)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : stable22683

# 1 Overall quality at a glance

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	3751 (2.20-2.20)
Ramachandran outliers	78287	3681 (2.20-2.20)
Sidechain outliers	78261	3682 (2.20-2.20)
RSRZ outliers	66119	2939 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	317	
1	B	317	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	PO4	A	1	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4796 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Basic fibroblast growth factor receptor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	295	Total	C	N	O	S	0	0	0
			2316	1477	405	417	17			
1	B	291	Total	C	N	O	S	0	0	0
			2300	1467	400	416	17			

There are 22 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	449	MET	-	LEADER SEQUENCE	UNP P11362
A	450	GLY	-	LEADER SEQUENCE	UNP P11362
A	451	HIS	-	LEADER SEQUENCE	UNP P11362
A	452	HIS	-	LEADER SEQUENCE	UNP P11362
A	453	HIS	-	LEADER SEQUENCE	UNP P11362
A	454	HIS	-	LEADER SEQUENCE	UNP P11362
A	455	HIS	-	LEADER SEQUENCE	UNP P11362
A	456	HIS	-	LEADER SEQUENCE	UNP P11362
A	457	MET	-	LEADER SEQUENCE	UNP P11362
A	488	ALA	CYS	ENGINEERED	UNP P11362
A	584	SER	CYS	ENGINEERED	UNP P11362
B	449	MET	-	LEADER SEQUENCE	UNP P11362
B	450	GLY	-	LEADER SEQUENCE	UNP P11362
B	451	HIS	-	LEADER SEQUENCE	UNP P11362
B	452	HIS	-	LEADER SEQUENCE	UNP P11362
B	453	HIS	-	LEADER SEQUENCE	UNP P11362
B	454	HIS	-	LEADER SEQUENCE	UNP P11362
B	455	HIS	-	LEADER SEQUENCE	UNP P11362
B	456	HIS	-	LEADER SEQUENCE	UNP P11362
B	457	MET	-	LEADER SEQUENCE	UNP P11362
B	488	ALA	CYS	ENGINEERED	UNP P11362
B	584	SER	CYS	ENGINEERED	UNP P11362

- Molecule 2 is 5-(2-THIENYL)NICOTINICACID (three-letter code: VM1) (formula: C<sub>10</sub>H<sub>7</sub>NO<sub>2</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			14	10	1	2	1		
2	B	1	Total	C	N	O	S	0	0
			14	10	1	2	1		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula:  $O_4P$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	77	Total 77	O 77	0	0
4	B	65	Total 65	O 65	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Basic fibroblast growth factor receptor 1

Chain A: 



- Molecule 1: Basic fibroblast growth factor receptor 1

Chain B: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	207.80Å 58.30Å 66.25Å 90.00° 107.36° 90.00°	Depositor
Resolution (Å)	50.00 – 2.20 46.30 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.6 (50.00-2.20) 95.7 (46.30-2.20)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.85 (at 2.20Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.216 , 0.259 0.218 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	39.2	Xtriage
Anisotropy	0.487	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 39.7	EDS
Estimated twinning fraction	0.019 for -h-2*1,-k,l	Xtriage
L-test for twinning	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 38170 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4796	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.53% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, VM1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.44	0/2365	0.64	0/3199
1	B	0.44	0/2349	0.62	0/3176
All	All	0.44	0/4714	0.63	0/6375

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2316	0	2326	57	0
1	B	2300	0	2317	31	0
2	A	14	0	6	0	0
2	B	14	0	6	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	77	0	0	2	0
4	B	65	0	0	2	0
All	All	4796	0	4655	87	0



Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 9.

All (87) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:504:LYS:HB3	1:B:507:ARG:HB2	1.57	0.86
1:A:622:ARG:CZ	1:A:646:ARG:HG3	2.11	0.81
1:B:601:VAL:HG12	1:B:758:VAL:HG22	1.64	0.79
1:B:500:LEU:HD11	1:B:511:VAL:HG11	1.65	0.78
1:A:487:GLY:HA2	1:A:658:THR:HG21	1.67	0.77
1:A:551:CYS:HB2	1:A:558:TYR:HB2	1.74	0.70
1:A:525:LEU:O	1:A:529:ILE:HG13	1.94	0.67
1:B:601:VAL:HG12	1:B:758:VAL:CG2	2.25	0.65
1:A:471:TRP:CD1	1:A:536:LYS:HD3	2.32	0.65
1:B:644:LEU:HD23	1:B:646:ARG:HE	1.64	0.63
1:A:477:ARG:NE	1:A:477:ARG:HA	2.14	0.63
1:A:621:HIS:O	1:A:622:ARG:HB2	2.00	0.62
1:B:500:LEU:HD12	1:B:509:THR:HB	1.82	0.62
1:B:621:HIS:O	1:B:622:ARG:HB2	2.00	0.62
1:A:646:ARG:HD3	1:A:647:ASP:H	1.66	0.61
1:A:516:LEU:HD11	1:A:525:LEU:HD13	1.81	0.61
1:A:517:LYS:HG2	1:A:518:SER:H	1.66	0.60
1:A:649:HIS:HA	1:A:651:ILE:HG13	1.85	0.59
1:A:649:HIS:C	1:A:651:ILE:H	2.04	0.59
1:A:694:PHE:CZ	1:A:729:LEU:HD13	2.39	0.58
1:A:646:ARG:CD	1:A:647:ASP:H	2.17	0.58
1:A:475:ARG:NH2	1:A:556:PRO:O	2.34	0.57
1:A:646:ARG:HD3	1:A:647:ASP:N	2.18	0.57
1:B:565:SER:OG	1:B:633:GLU:HG2	2.06	0.56
1:A:646:ARG:CG	1:A:647:ASP:H	2.18	0.55
1:A:487:GLY:C	1:A:489:PHE:H	2.09	0.55
1:A:505:PRO:HD2	4:A:117:HOH:O	2.07	0.54
1:B:570:ARG:O	1:B:574:GLN:HG3	2.08	0.54
1:A:607:VAL:HG13	1:A:639:ILE:HD11	1.91	0.53
1:B:502:LYS:HG2	1:B:503:ASP:OD2	2.08	0.53
1:A:764:GLN:O	1:B:679:HIS:HB2	2.08	0.52
1:A:577:ARG:O	1:A:591:PRO:HG3	2.08	0.52
1:A:738:HIS:HD2	1:A:740:VAL:H	1.55	0.52
1:A:491:GLN:HE21	1:A:515:MET:HG3	1.74	0.51
1:B:611:MET:SD	1:B:639:ILE:HD13	2.50	0.51
1:B:502:LYS:O	1:B:503:ASP:HB2	2.11	0.51
1:A:548:LEU:HD21	1:A:562:GLU:HG3	1.93	0.51
1:A:477:ARG:NE	1:A:477:ARG:CA	2.75	0.49
1:A:656:LYS:HD3	1:A:662:LEU:CD2	2.43	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:468:ASP:OD1	1:B:470:ARG:HG2	2.12	0.49
1:B:461:SER:HA	1:B:464:GLU:O	2.12	0.49
1:B:489:PHE:HB3	4:B:104:HOH:O	2.12	0.49
1:A:531:GLU:HG2	1:A:535:MET:HE2	1.96	0.48
1:A:534:MET:HG2	1:A:643:GLY:HA2	1.96	0.48
1:A:552:THR:HG22	1:A:557:LEU:CD1	2.43	0.48
1:A:581:LEU:HD22	1:A:581:LEU:N	2.29	0.48
1:A:467:GLU:HG2	1:A:553:GLN:CD	2.35	0.47
1:B:615:ALA:HA	1:B:679:HIS:CE1	2.49	0.47
1:A:534:MET:HG2	1:A:643:GLY:CA	2.45	0.47
1:A:499:GLY:HA2	1:A:504:LYS:O	2.14	0.46
1:A:534:MET:HG3	1:A:538:ILE:HD12	1.98	0.46
1:A:657:THR:HG23	1:A:661:ARG:O	2.16	0.46
1:A:727:ASN:O	1:A:731:MET:HG2	2.15	0.46
1:A:622:ARG:NH1	1:A:646:ARG:HG3	2.31	0.46
1:B:502:LYS:HB3	1:B:502:LYS:HE2	1.76	0.46
1:A:647:ASP:C	1:A:649:HIS:H	2.19	0.45
1:B:754:LEU:O	1:B:758:VAL:HG23	2.17	0.45
1:A:529:ILE:O	1:A:533:GLU:HG2	2.16	0.45
1:B:494:LEU:HD12	1:B:495:ALA:H	1.82	0.44
1:A:622:ARG:NE	1:A:646:ARG:HG3	2.32	0.44
1:A:531:GLU:HG2	1:A:535:MET:CE	2.48	0.44
1:A:649:HIS:C	1:A:651:ILE:N	2.72	0.43
1:A:648:ILE:C	1:A:650:HIS:H	2.23	0.42
1:B:473:LEU:HD12	1:B:474:PRO:HD2	2.01	0.42
1:B:601:VAL:CG1	1:B:758:VAL:HG22	2.44	0.42
1:A:517:LYS:HG2	1:A:518:SER:N	2.32	0.42
1:A:465:LEU:N	1:A:465:LEU:HD12	2.34	0.42
1:A:601:VAL:HG12	1:A:758:VAL:CG2	2.50	0.42
1:B:617:LYS:O	1:B:618:LYS:HB2	2.20	0.42
1:B:498:ILE:HG12	1:B:508:VAL:HG12	2.02	0.42
1:B:576:ARG:HG3	1:B:576:ARG:HH11	1.84	0.42
1:A:514:LYS:HE2	1:A:514:LYS:HB3	1.96	0.42
1:B:502:LYS:O	1:B:503:ASP:CB	2.68	0.42
1:A:578:PRO:HA	1:A:579:PRO:HD3	1.92	0.41
1:B:471:TRP:CD1	1:B:536:LYS:HE2	2.55	0.41
1:A:541:HIS:HB3	1:A:544:ILE:HG12	2.02	0.41
1:A:487:GLY:C	1:A:489:PHE:N	2.74	0.41
1:A:579:PRO:O	1:A:581:LEU:HD22	2.20	0.41
1:B:477:ARG:NH1	1:B:499:GLY:O	2.54	0.41
1:B:641:ASP:HB3	1:B:646:ARG:NH2	2.35	0.41
1:B:706:VAL:HG23	4:B:56:HOH:O	2.21	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:651:ILE:HG22	1:A:652:ASP:N	2.36	0.40
1:A:601:VAL:HG12	1:A:758:VAL:HG22	2.03	0.40
1:A:609:ARG:NH1	4:A:48:HOH:O	2.54	0.40
1:A:618:LYS:N	1:A:618:LYS:HD2	2.37	0.40
1:A:646:ARG:CG	1:A:647:ASP:N	2.84	0.40
1:B:500:LEU:HD12	1:B:509:THR:CB	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	291/317 (92%)	278 (96%)	11 (4%)	2 (1%)	30	28
1	B	287/317 (90%)	273 (95%)	13 (4%)	1 (0%)	50	53
All	All	578/634 (91%)	551 (95%)	24 (4%)	3 (0%)	38	38

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	651	ILE
1	A	649	HIS
1	B	648	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/277 (89%)	245 (99%)	2 (1%)	89	95

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	248/277 (90%)	244 (98%)	4 (2%)	75	85
All	All	495/554 (89%)	489 (99%)	6 (1%)	82	90

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	618	LYS
1	A	655	LYS
1	B	486	GLU
1	B	507	ARG
1	B	534	MET
1	B	738	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	738	HIS
1	B	679	HIS
1	B	680	GLN

### 5.3.3 RNA ⓘ

There are no RNA chains in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PO4	A	1	-	4,4,4	0.87	0	6,6,6	0.31	0
2	VM1	A	801	-	15,15,15	2.43	2 (13%)	20,20,20	2.64	7 (35%)
3	PO4	B	2	-	4,4,4	0.97	0	6,6,6	0.31	0
2	VM1	B	801	-	15,15,15	2.50	2 (13%)	20,20,20	2.48	6 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PO4	A	1	-	-	0/0/0/0	0/0/0/0
2	VM1	A	801	-	-	0/8/8/8	0/2/2/2
3	PO4	B	2	-	-	0/0/0/0	0/0/0/0
2	VM1	B	801	-	-	0/8/8/8	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	VM1	C1I-C1J	-8.87	1.39	1.48
2	A	801	VM1	C1I-C1J	-8.57	1.39	1.48
2	B	801	VM1	C1G-C1B	2.10	1.53	1.49
2	A	801	VM1	C1G-C1B	2.01	1.53	1.49

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	VM1	C1F-C1E-S1D	-6.63	106.04	113.18
2	A	801	VM1	C1E-S1D-C1J	6.62	94.82	91.91
2	B	801	VM1	C1F-C1E-S1D	-6.22	106.49	113.18
2	B	801	VM1	C1E-S1D-C1J	5.60	94.38	91.91
2	A	801	VM1	C1K-C1J-S1D	-3.64	106.66	111.02
2	B	801	VM1	C1K-C1J-S1D	-3.30	107.07	111.02
2	B	801	VM1	C1I-C1H-C1G	-3.05	118.22	121.25
2	B	801	VM1	C1N-N1M-C1L	2.93	121.79	117.40
2	A	801	VM1	C1N-N1M-C1L	2.90	121.74	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	VM1	C1I-C1J-S1D	2.74	123.35	116.58
2	A	801	VM1	C1I-C1J-S1D	2.73	123.33	116.58
2	A	801	VM1	C1I-C1H-C1G	-2.70	118.57	121.25
2	A	801	VM1	C1G-C1L-N1M	-2.10	120.44	123.51

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	295/317 (93%)	0.51	22 (7%) 14 13	23, 41, 83, 111	0
1	B	291/317 (91%)	0.45	22 (7%) 14 13	27, 44, 86, 108	0
All	All	586/634 (92%)	0.48	44 (7%) 14 13	23, 42, 84, 111	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	489	PHE	12.9
1	B	648	ILE	10.1
1	A	503	ASP	7.7
1	A	485	GLY	7.7
1	A	649	HIS	7.2
1	B	579	PRO	5.3
1	B	485	GLY	4.8
1	B	649	HIS	4.6
1	A	647	ASP	4.3
1	A	487	GLY	4.3
1	A	465	LEU	4.3
1	B	651	ILE	4.1
1	A	488	ALA	4.1
1	A	591	PRO	4.1
1	A	650	HIS	4.0
1	B	650	HIS	4.0
1	B	647	ASP	4.0
1	A	648	ILE	3.8
1	A	486	GLU	3.8
1	B	500	LEU	3.8
1	B	501	ASP	3.8
1	B	503	ASP	3.8
1	A	521	THR	3.5
1	B	486	GLU	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	491	GLN	3.3
1	B	460	VAL	3.1
1	B	506	ASN	3.1
1	B	498	ILE	3.0
1	A	489	PHE	3.0
1	A	501	ASP	2.6
1	B	505	PRO	2.6
1	A	464	GLU	2.5
1	A	646	ARG	2.4
1	A	490	GLY	2.4
1	B	488	ALA	2.4
1	B	508	VAL	2.4
1	B	484	LEU	2.3
1	A	502	LYS	2.3
1	B	653	TYR	2.3
1	B	595	LEU	2.2
1	A	581	LEU	2.1
1	A	504	LYS	2.1
1	A	519	ASP	2.1
1	B	476	ASP	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	PO4	A	1	5/5	0.17	2.63	62,62,64,65	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	VM1	A	801	14/14	0.20	1.13	59,63,69,69	0
2	VM1	B	801	14/14	0.24	0.97	70,75,77,78	0
3	PO4	B	2	5/5	0.14	-0.08	52,52,54,55	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.