



Full wwPDB X-ray Structure Validation Report

Nov 7, 2014 – 07:34 AM EST

PDB ID : 3K4L
Title : Pyranose 2-oxidase F454N mutant in complex with 2FG
Authors : Divne, C.; Tan, T.C.
Deposited on : 2009-10-05
Resolution : 1.75 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable24103
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.1.3
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable24103

1 Overall quality at a glance

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	1134 (1.76-1.76)
Clashscore	79885	1304 (1.76-1.76)
Ramachandran outliers	78287	1288 (1.76-1.76)
Sidechain outliers	78261	1288 (1.76-1.76)
RSRZ outliers	66119	1135 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	623	
1	B	623	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
4	MES	A	902	-	X
4	MES	B	902	-	X

2 Entry composition ⓘ

There are 5 unique types of molecules in this entry. The entry contains 9832 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Pyranose 2-oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	567	Total	C	N	O	S	0	0	0
			4472	2821	768	859	24			
1	B	567	Total	C	N	O	S	0	0	0
			4472	2821	768	859	24			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	454	ASN	PHE	ENGINEERED	UNP Q7ZA32
B	454	ASN	PHE	ENGINEERED	UNP Q7ZA32

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is SUGAR (2-DEOXY-2-FLUORO-BETA-D-GLUCOPYRANOSE) (three-letter code: SHG) (formula: $C_6H_{11}FO_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	F	O	0	0
			12	6	1	5		
3	B	1	Total	C	F	O	0	0
			12	6	1	5		

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONICACID (three-letter code: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	372	Total	O	0	0
			372	372		
5	B	350	Total	O	0	0
			350	350		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyranose 2-oxidase

Chain A:



• Molecule 1: Pyranose 2-oxidase

Chain B:



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	101.57Å 101.57Å 250.05Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.75 28.66 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.9 (30.00-1.75) 99.9 (28.66-1.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.56 (at 1.75Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.175 , 0.209 0.182 , 0.214	Depositor DCC
R_{free} test set	1974 reflections (1.52%)	DCC
Wilson B-factor (Å ²)	15.8	Xtriage
Anisotropy	0.051	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 40.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	0 of 132005 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9832	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 20.98 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 7.7233e-03.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MES, FAD, SHG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.02	6/4585 (0.1%)	0.95	9/6233 (0.1%)
1	B	0.99	5/4585 (0.1%)	0.96	13/6233 (0.2%)
All	All	1.01	11/9170 (0.1%)	0.95	22/12466 (0.2%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	478	GLU	CD-OE1	8.21	1.34	1.25
1	B	211	ASP	CG-OD1	6.95	1.41	1.25
1	A	411	LYS	CD-CE	6.54	1.67	1.51
1	B	388	GLU	CG-CD	5.94	1.60	1.51
1	B	108	GLN	CG-CD	5.74	1.64	1.51
1	A	211	ASP	CB-CG	5.60	1.63	1.51
1	A	313	ALA	CA-CB	5.54	1.64	1.52
1	A	482	GLU	CG-CD	5.52	1.60	1.51
1	B	413	LYS	CE-NZ	5.51	1.62	1.49
1	A	484	LYS	CE-NZ	-5.31	1.35	1.49
1	B	482	GLU	CD-OE1	5.06	1.31	1.25

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	211	ASP	CB-CG-OD1	11.46	128.62	118.30
1	B	139	ARG	NE-CZ-NH1	11.00	125.80	120.30
1	B	211	ASP	CB-CG-OD1	10.98	128.18	118.30
1	A	139	ARG	NE-CZ-NH1	10.53	125.56	120.30
1	B	211	ASP	CB-CG-OD2	-10.24	109.09	118.30
1	A	81	ASP	CB-CG-OD1	-9.41	109.83	118.30
1	A	196	ASP	CB-CG-OD1	8.63	126.07	118.30
1	B	470	ASP	CB-CG-OD1	8.38	125.84	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	139	ARG	NE-CZ-NH2	-7.79	116.40	120.30
1	A	139	ARG	NE-CZ-NH2	-7.65	116.47	120.30
1	A	411	LYS	CD-CE-NZ	7.55	129.07	111.70
1	B	470	ASP	CB-CG-OD2	-7.39	111.65	118.30
1	B	159	ARG	NE-CZ-NH1	6.71	123.66	120.30
1	B	406	ASP	CB-CG-OD1	6.61	124.25	118.30
1	B	302	ASP	CB-CG-OD1	6.59	124.23	118.30
1	A	554	ARG	NE-CZ-NH1	5.89	123.24	120.30
1	B	196	ASP	CB-CG-OD1	5.61	123.34	118.30
1	B	175	PHE	CB-CG-CD2	-5.55	116.91	120.80
1	A	380	MET	CG-SD-CE	-5.37	91.62	100.20
1	B	349	LEU	CA-CB-CG	5.16	127.17	115.30
1	A	571	ARG	NE-CZ-NH1	5.14	122.87	120.30
1	B	406	ASP	CB-CG-OD2	-5.06	113.75	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4472	0	4321	28	0
1	B	4472	0	4321	34	0
2	A	53	0	30	5	0
2	B	53	0	30	10	0
3	A	12	0	11	2	0
3	B	12	0	11	1	0
4	A	12	0	12	1	0
4	B	24	0	24	3	0
5	A	372	0	0	2	0
5	B	350	0	0	4	0
All	All	9832	0	8760	66	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including

hydrogens) of the entry. The overall clashscore for this entry is 4.

All (66) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:167:HIS:HE2	2:B:801:FAD:C8M	0.90	1.53
1:B:167:HIS:NE2	2:B:801:FAD:HM82	0.91	1.22
1:B:167:HIS:CD2	2:B:801:FAD:HM82	1.89	1.06
1:B:167:HIS:HE2	2:B:801:FAD:HM81	1.27	1.00
1:B:167:HIS:CE1	2:B:801:FAD:HM82	2.04	0.91
1:A:110:GLN:HE21	1:A:167:HIS:HD1	1.25	0.82
1:A:167:HIS:CE1	2:A:801:FAD:C8M	2.68	0.73
1:B:131:TRP:CH2	1:B:133:ALA:HB2	2.27	0.70
1:B:413:LYS:HE3	5:B:1611:HOH:O	1.92	0.69
1:A:167:HIS:CD2	2:A:801:FAD:C8M	2.73	0.66
1:B:167:HIS:HE2	2:B:801:FAD:C8	1.96	0.66
4:A:902:MES:H51	4:A:902:MES:O3S	1.95	0.65
1:A:126:LEU:HD12	1:A:132:GLN:HG3	1.79	0.63
1:B:167:HIS:CE1	2:B:801:FAD:C8M	2.74	0.63
1:A:91:LYS:HD2	1:A:100:ILE:HD11	1.82	0.61
1:B:404:HIS:HE1	5:B:1512:HOH:O	1.84	0.60
1:B:126:LEU:HD12	1:B:132:GLN:HG3	1.82	0.60
1:A:157:VAL:HG21	1:A:324:HIS:HE1	1.68	0.59
1:B:126:LEU:CD1	1:B:132:GLN:HG3	2.33	0.59
1:B:123:VAL:HB	4:B:902:MES:H62	1.87	0.56
1:A:285:ARG:NH2	1:A:299:HIS:ND1	2.54	0.55
1:A:158:THR:HG22	1:A:160:VAL:HG22	1.89	0.55
1:A:131:TRP:CH2	1:A:133:ALA:HB2	2.42	0.54
1:A:126:LEU:HD12	1:A:132:GLN:CG	2.37	0.54
1:A:126:LEU:CD1	1:A:132:GLN:CG	2.86	0.54
1:B:131:TRP:HH2	1:B:133:ALA:HB2	1.72	0.54
1:B:402:ASN:HB2	4:B:903:MES:H32	1.91	0.53
1:B:47:TYR:O	1:B:313:ALA:HA	2.10	0.52
1:A:404:HIS:HE1	5:A:1437:HOH:O	1.94	0.51
1:A:81:ASP:C	1:A:81:ASP:OD1	2.49	0.51
1:B:126:LEU:CD1	1:B:132:GLN:CG	2.88	0.51
1:A:63:ARG:HD3	1:A:259:VAL:O	2.11	0.50
2:B:801:FAD:N5	3:B:901:SHG:H3	2.26	0.50
1:A:310:GLU:O	1:A:311:ILE:HD13	2.12	0.50
1:A:223:LEU:O	1:A:227:THR:HG23	2.11	0.49
2:A:801:FAD:N5	3:A:901:SHG:H3	2.28	0.49
1:B:297:SER:OG	1:B:310:GLU:OE1	2.28	0.49
1:A:167:HIS:NE2	2:A:801:FAD:C8	2.66	0.48
1:A:224:ASN:O	1:A:228:GLU:HG3	2.13	0.48
1:B:297:SER:CB	1:B:310:GLU:OE1	2.61	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:B:131:TRP:O	1:B:132:GLN:HG2	2.14	0.47
1:B:614:THR:HG22	1:B:615:PRO:O	2.14	0.47
1:A:131:TRP:HH2	1:A:133:ALA:HB2	1.80	0.47
1:B:167:HIS:NE2	2:B:801:FAD:HM81	2.00	0.47
1:A:546:VAL:HA	3:A:901:SHG:H6A	1.96	0.47
1:A:50:VAL:HG13	1:A:313:ALA:HB2	1.96	0.47
1:A:218:ARG:HD2	5:A:1216:HOH:O	2.17	0.45
1:A:167:HIS:NE2	2:A:801:FAD:HM81	2.06	0.45
1:A:564:CYS:HG	1:A:573:PHE:HE2	1.65	0.45
1:B:478:GLU:HG3	1:B:511:THR:OG1	2.17	0.45
1:B:167:HIS:NE2	2:B:801:FAD:C8	2.66	0.44
1:A:47:TYR:O	1:A:313:ALA:HA	2.17	0.44
1:B:487:PHE:HB3	1:B:498:PRO:HB2	2.00	0.44
1:B:137:PHE:O	1:B:139:ARG:HD3	2.19	0.43
1:A:453:ALA:O	1:A:454:ASN:C	2.55	0.43
1:B:50:VAL:HG13	1:B:313:ALA:HB2	2.01	0.43
1:B:165:SER:HA	1:B:168:TRP:CD1	2.54	0.42
1:B:382:ILE:HD13	5:B:1526:HOH:O	2.18	0.42
1:B:341:ASN:OD1	1:B:343:ALA:HB3	2.19	0.42
1:A:218:ARG:HG3	1:A:430:ASP:OD2	2.21	0.41
1:B:218:ARG:HG3	1:B:430:ASP:OD2	2.20	0.41
1:A:169:THR:HG22	1:A:169:THR:O	2.20	0.41
1:B:157:VAL:HG21	1:B:324:HIS:HE1	1.85	0.41
4:B:902:MES:H51	4:B:902:MES:H82	1.89	0.41
1:B:429:GLU:CD	5:B:1696:HOH:O	2.59	0.41
1:B:185:LYS:HG2	1:B:185:LYS:H	1.76	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	563/623 (90%)	549 (98%)	14 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	563/623 (90%)	546 (97%)	17 (3%)	0	100	100
All	All	1126/1246 (90%)	1095 (97%)	31 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	497/542 (92%)	491 (99%)	6 (1%)	82	66
1	B	497/542 (92%)	482 (97%)	15 (3%)	53	25
All	All	994/1084 (92%)	973 (98%)	21 (2%)	66	40

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	112	MET
1	A	168	TRP
1	A	185	LYS
1	A	450	HIS
1	A	490	LYS
1	A	593	ASN
1	B	112	MET
1	B	139	ARG
1	B	168	TRP
1	B	206	PHE
1	B	310	GLU
1	B	328	LEU
1	B	385	THR
1	B	388	GLU
1	B	408	TRP
1	B	429	GLU
1	B	450	HIS
1	B	490	LYS
1	B	496	ASN
1	B	593	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	618	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	233	GLN
1	A	324	HIS
1	A	344	ASN
1	A	404	HIS
1	A	563	ASN
1	B	233	GLN
1	B	404	HIS

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	A	801	1	58,58,58	1.33	8 (13%)	85,89,89	2.35	23 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SHG	A	901	-	12,12,12	0.67	0	17,17,17	3.95	8 (47%)
4	MES	A	902	-	12,12,12	1.53	1 (8%)	16,16,16	3.56	8 (50%)
2	FAD	B	801	1	58,58,58	1.55	12 (20%)	85,89,89	2.26	19 (22%)
3	SHG	B	901	-	12,12,12	0.71	0	17,17,17	4.44	9 (52%)
4	MES	B	902	-	12,12,12	1.67	1 (8%)	16,16,16	4.01	7 (43%)
4	MES	B	903	-	12,12,12	2.02	2 (16%)	16,16,16	3.05	8 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	801	1	-	0/34/50/50	0/6/6/6
3	SHG	A	901	-	-	0/2/22/22	0/1/1/1
4	MES	A	902	-	-	0/6/14/14	0/1/1/1
2	FAD	B	801	1	-	0/34/50/50	0/6/6/6
3	SHG	B	901	-	-	0/2/22/22	0/1/1/1
4	MES	B	902	-	-	0/6/14/14	0/1/1/1
4	MES	B	903	-	-	0/6/14/14	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	903	MES	C8-S	-6.20	1.67	1.78
4	B	902	MES	C8-S	-5.18	1.69	1.78
2	B	801	FAD	O2-C2	5.08	1.28	1.21
4	A	902	MES	C8-S	-4.74	1.70	1.78
2	B	801	FAD	C10-N10	-3.59	1.34	1.39
2	A	801	FAD	C4X-N5	3.30	1.38	1.33
2	B	801	FAD	PA-O3P	3.28	1.65	1.59
2	B	801	FAD	C8A-N9A	-3.03	1.32	1.36
2	A	801	FAD	C4A-N3A	-2.72	1.31	1.35
2	B	801	FAD	O4B-C4B	-2.69	1.38	1.45
2	B	801	FAD	C2A-N3A	2.65	1.36	1.32
2	A	801	FAD	C6-C5X	2.58	1.45	1.41
2	B	801	FAD	C10-N1	2.53	1.40	1.35
2	A	801	FAD	C4A-N9A	-2.48	1.34	1.37
2	A	801	FAD	C2B-C1B	-2.34	1.50	1.53
2	B	801	FAD	C2B-C1B	-2.32	1.50	1.53
2	B	801	FAD	O2B-C2B	-2.22	1.37	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	FAD	C1'-N10	2.18	1.50	1.48
2	A	801	FAD	C2B-C3B	-2.12	1.47	1.53
4	B	903	MES	O3S-S	2.08	1.50	1.45
2	B	801	FAD	C9A-N10	2.06	1.41	1.38
2	A	801	FAD	O3B-C3B	-2.06	1.38	1.43
2	A	801	FAD	C10-N10	2.02	1.42	1.39
2	B	801	FAD	C4-N3	2.02	1.39	1.36

All (82) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	FAD	N3A-C2A-N1A	-11.71	118.59	128.89
3	B	901	SHG	F2-C2-C3	11.64	117.33	108.54
2	A	801	FAD	N3A-C2A-N1A	-11.42	118.84	128.89
3	B	901	SHG	C2-C3-C4	9.55	121.48	109.40
3	A	901	SHG	C2-C3-C4	9.21	121.05	109.40
4	B	902	MES	O3S-S-C8	-9.21	82.69	105.98
4	A	902	MES	O3S-S-C8	-8.59	84.24	105.98
4	B	902	MES	O1-C2-C3	-8.55	101.35	111.35
3	A	901	SHG	F2-C2-C3	7.95	114.55	108.54
4	B	902	MES	C5-N4-C3	6.44	123.65	109.77
2	B	801	FAD	C2-N1-C10	6.34	121.05	114.95
2	A	801	FAD	C1'-N10-C9A	6.30	125.29	118.67
4	A	902	MES	C5-N4-C3	6.19	123.13	109.77
3	B	901	SHG	O5-C5-C4	5.91	120.73	109.73
2	B	801	FAD	C8A-N9A-C4A	5.83	111.70	106.96
3	A	901	SHG	O5-C5-C4	5.75	120.43	109.73
3	A	901	SHG	F2-C2-C1	5.45	116.31	108.59
3	B	901	SHG	C1-O5-C5	5.44	123.56	113.43
4	B	902	MES	O3S-S-O1S	5.41	126.66	112.50
4	B	903	MES	O1S-S-C8	-5.37	89.75	106.37
4	B	903	MES	C5-N4-C3	5.36	121.33	109.77
4	A	902	MES	O3S-S-O1S	5.20	126.10	112.50
2	A	801	FAD	C8A-N9A-C4A	5.17	111.16	106.96
3	A	901	SHG	C1-O5-C5	5.06	122.86	113.43
2	A	801	FAD	C2-N1-C10	4.86	119.63	114.95
2	B	801	FAD	O4B-C1B-N9A	4.80	118.56	108.10
2	A	801	FAD	C4B-O4B-C1B	-4.41	104.87	109.72
4	A	902	MES	O1-C2-C3	-4.37	106.23	111.35
4	B	903	MES	C7-N4-C3	4.30	122.47	111.65
4	B	903	MES	O3S-S-O1S	4.28	123.70	112.50
2	A	801	FAD	C2B-C1B-N9A	4.15	124.66	113.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	FAD	N3A-C4A-N9A	4.11	132.44	125.39
2	B	801	FAD	C2A-N1A-C6A	4.00	125.88	118.76
4	A	902	MES	C7-N4-C5	3.80	121.22	111.65
4	B	902	MES	C7-N4-C5	3.79	121.18	111.65
4	B	903	MES	O2S-S-C8	-3.79	94.66	106.37
4	A	902	MES	O1S-S-C8	-3.78	94.68	106.37
2	B	801	FAD	O3B-C3B-C4B	3.76	122.15	111.07
2	A	801	FAD	C10-C4X-N5	-3.75	118.53	122.57
2	A	801	FAD	O4B-C4B-C3B	3.64	112.56	105.16
2	B	801	FAD	C1'-N10-C9A	3.64	122.50	118.67
2	B	801	FAD	N3A-C4A-N9A	3.64	131.63	125.39
2	A	801	FAD	C8A-N9A-C1B	-3.59	119.38	126.15
2	B	801	FAD	C2B-C1B-N9A	3.43	122.70	113.35
4	B	903	MES	C2-C3-N4	3.39	114.28	109.97
2	A	801	FAD	O3B-C3B-C4B	3.36	120.97	111.07
2	B	801	FAD	C5A-C4A-N9A	-3.31	102.50	107.09
3	B	901	SHG	O3-C3-C4	3.17	117.44	110.36
3	B	901	SHG	C1-C2-C3	3.07	115.47	111.12
2	A	801	FAD	C2A-N1A-C6A	3.02	124.13	118.76
2	A	801	FAD	C9A-N10-C10	-3.00	118.81	121.77
2	A	801	FAD	C5A-C4A-N3A	-2.98	123.08	125.98
2	B	801	FAD	O2B-C2B-C3B	2.87	121.12	111.83
2	A	801	FAD	C3B-C2B-C1B	2.82	105.35	100.92
2	B	801	FAD	O3B-C3B-C2B	2.79	120.85	111.83
2	A	801	FAD	O4B-C1B-N9A	2.75	114.09	108.10
3	B	901	SHG	F2-C2-C1	2.72	112.44	108.59
2	A	801	FAD	C1'-N10-C10	-2.70	115.89	118.82
2	B	801	FAD	C4X-C10-N1	-2.57	119.38	123.00
2	B	801	FAD	C8A-N9A-C1B	-2.55	121.35	126.15
4	B	903	MES	O3S-S-C8	-2.55	99.54	105.98
3	A	901	SHG	O3-C3-C4	2.50	115.95	110.36
3	A	901	SHG	C1-C2-C3	2.46	114.61	111.12
2	A	801	FAD	C4X-N5-C5X	2.43	119.52	116.68
2	B	801	FAD	C4X-C10-N10	-2.39	119.08	120.53
2	B	801	FAD	O2B-C2B-C1B	2.35	118.93	111.49
3	A	901	SHG	O6-C6-C5	-2.35	103.18	111.37
4	A	902	MES	C6-C5-N4	2.33	112.93	109.97
4	B	902	MES	O1S-S-C8	-2.33	99.18	106.37
2	A	801	FAD	O4B-C1B-C2B	2.32	110.06	106.69
2	B	801	FAD	C5B-C4B-C3B	2.31	124.45	115.19
2	A	801	FAD	C5B-C4B-C3B	2.26	124.24	115.19
4	A	902	MES	O2S-S-O1S	2.20	117.54	112.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	FAD	C3B-C2B-C1B	2.19	104.35	100.92
2	A	801	FAD	N7A-C8A-N9A	-2.17	107.28	112.20
2	A	801	FAD	O2B-C2B-C1B	2.15	118.29	111.49
2	B	801	FAD	O5'-P-O1P	-2.10	101.16	109.37
2	A	801	FAD	O2B-C2B-C3B	2.08	118.57	111.83
3	B	901	SHG	C6-C5-C4	2.05	118.07	113.04
4	B	903	MES	O3S-S-O2S	2.03	117.80	112.50
3	B	901	SHG	O6-C6-C5	-2.03	104.31	111.37
4	B	902	MES	O2S-S-O1S	2.01	117.08	112.39

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	567/623 (91%)	-0.22	13 (2%) 57 68	8, 13, 26, 42	0
1	B	567/623 (91%)	-0.01	14 (2%) 54 65	8, 15, 29, 48	0
All	All	1134/1246 (91%)	-0.11	27 (2%) 56 66	8, 14, 28, 48	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	343	ALA	7.3
1	B	618	PHE	5.8
1	A	618	PHE	5.2
1	B	232	GLY	4.8
1	B	617	PRO	4.4
1	A	343	ALA	4.0
1	B	345	PRO	3.7
1	B	344	ASN	3.5
1	B	342	PRO	3.3
1	A	344	ASN	3.0
1	A	389	LEU	2.9
1	B	269	ASP	2.9
1	B	309	PHE	2.8
1	B	186	ASP	2.8
1	A	341	ASN	2.7
1	A	454	ASN	2.6
1	A	617	PRO	2.6
1	A	453	ALA	2.5
1	B	231	LYS	2.5
1	A	231	LYS	2.4
1	A	347	GLU	2.4
1	B	341	ASN	2.3
1	B	347	GLU	2.2
1	B	614	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	186	ASP	2.1
1	A	304	ILE	2.1
1	A	461	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	MES	B	902	12/12	0.21	3.81	24,30,33,35	0
4	MES	A	902	12/12	0.17	2.35	23,30,32,33	0
3	SHG	B	901	12/12	0.13	0.66	27,32,37,38	0
2	FAD	A	801	53/53	0.10	0.34	8,12,16,16	0
4	MES	B	903	12/12	0.10	0.25	26,32,37,38	0
3	SHG	A	901	12/12	0.11	0.20	29,31,33,34	0
2	FAD	B	801	53/53	0.10	0.18	9,14,17,21	0

6.5 Other polymers [i](#)

There are no such residues in this entry.