



wwPDB X-ray Structure Validation Summary Report

Mar 31, 2014 – 05:44 PM BST

PDB ID : 1KP8
Title : Structural Basis for GroEL-assisted Protein Folding from the Crystal Structure of (GroEL-KMgATP)₁₄ at 2.0 Å Resolution
Authors : Wang, J.
Deposited on : 2001-12-30
Resolution : 2.00 Å (reported)

This is a wwPDB validation summary report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable23004
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable23004

1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	4888 (2.00-2.00)
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)
RSRZ outliers	66119	4890 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	547	
1	B	547	
1	C	547	
1	D	547	
1	E	547	
1	F	547	
1	G	547	
1	H	547	
1	I	547	
1	J	547	
1	K	547	
1	L	547	
1	M	547	
1	N	547	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	SO4	A	4001	-	X
2	SO4	A	4007	-	X
2	SO4	A	4008	-	X
2	SO4	B	4009	-	X
2	SO4	B	4010	-	X
2	SO4	C	4011	-	X
2	SO4	C	4012	-	X
2	SO4	E	4005	-	X
2	SO4	E	4006	-	X
2	SO4	F	4004	-	X
2	SO4	G	4002	-	X
2	SO4	H	4017	-	X
2	SO4	H	4018	-	X
2	SO4	J	4019	-	X
2	SO4	J	4020	-	X
2	SO4	K	4021	-	X
2	SO4	K	4022	-	X
2	SO4	L	4003	-	X
2	SO4	M	4013	-	X
2	SO4	M	4014	-	X
2	SO4	N	4015	-	X
2	SO4	N	4016	-	X
3	MG	A	550	-	X
3	MG	B	550	-	X
3	MG	D	550	-	X
3	MG	G	550	-	X
3	MG	H	550	-	X
3	MG	J	550	-	X
3	MG	M	550	-	X
3	MG	N	550	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 57085 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called groEL protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	B	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	C	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	D	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	E	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	F	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	G	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	H	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	I	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	J	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	K	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	L	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	M	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			
1	N	525	Total	C	N	O	S	0	0	0
			3855	2399	664	772	20			

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
A	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
B	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
B	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
B	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
C	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
C	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
C	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
D	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
D	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
D	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
E	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
E	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
E	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
F	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
F	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
F	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
G	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
G	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
G	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
H	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
H	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
H	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
I	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
I	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
I	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
J	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
J	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
J	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
K	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
K	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
K	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
L	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
L	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
L	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
M	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
M	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
M	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
N	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
N	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
N	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	J	1	Total	O	S	0	0
			5	4	1		
2	K	1	Total	O	S	0	0
			5	4	1		
2	K	1	Total	O	S	0	0
			5	4	1		
2	L	1	Total	O	S	0	0
			5	4	1		
2	M	1	Total	O	S	0	0
			5	4	1		
2	M	1	Total	O	S	0	0
			5	4	1		
2	N	1	Total	O	S	0	0
			5	4	1		
2	N	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	1	Total	Mg	0	0
			1	1		
3	J	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	K	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	H	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	I	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	N	1	Total	Mg	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	L	1	Total 1	Mg 1	0	0
3	F	1	Total 1	Mg 1	0	0
3	M	1	Total 1	Mg 1	0	0

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	1	Total 1	K 1	0	0
4	J	1	Total 1	K 1	0	0
4	D	2	Total 2	K 2	0	0
4	K	1	Total 1	K 1	0	0
4	E	2	Total 2	K 2	0	0
4	H	1	Total 1	K 1	0	0
4	B	1	Total 1	K 1	0	0
4	I	1	Total 1	K 1	0	0
4	C	1	Total 1	K 1	0	0
4	A	1	Total 1	K 1	0	0
4	N	1	Total 1	K 1	0	0
4	L	1	Total 1	K 1	0	0
4	F	1	Total 1	K 1	0	0
4	M	1	Total 1	K 1	0	0

- Molecule 5 is PHOSPHOTHIOPHOSPHORICACID-ADENYLATE ESTER (three-letter code: AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	B	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	C	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	D	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	E	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	F	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	G	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	H	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	I	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	J	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	K	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	L	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	M	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
5	N	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	156	Total 156	O 156	0	0
6	B	214	Total 214	O 214	0	0
6	C	149	Total 149	O 149	0	0
6	D	261	Total 261	O 261	0	0
6	E	217	Total 217	O 217	0	0
6	F	200	Total 200	O 200	0	0
6	G	269	Total 269	O 269	0	0
6	H	204	Total 204	O 204	0	0
6	I	145	Total 145	O 145	0	0
6	J	139	Total 139	O 139	0	0
6	K	133	Total 133	O 133	0	0
6	L	163	Total 163	O 163	0	0
6	M	138	Total 138	O 138	0	0
6	N	153	Total 153	O 153	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: groEL protein


Chain A: 



• Molecule 1: groEL protein


Chain B: 






• Molecule 1: groEL protein

Chain C:




• Molecule 1: groEL protein

Chain D:




• Molecule 1: groEL protein

Chain E:



- Molecule 1: groEL protein

Chain F:




- Molecule 1: groEL protein

Chain G:









• Molecule 1: groEL protein


Chain J:



• Molecule 1: groEL protein


Chain K:






• Molecule 1: groEL protein


Chain L:



• Molecule 1: groEL protein


Chain M:





• Molecule 1: groEL protein

Chain N:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.57Å 260.11Å 150.20Å 90.00° 101.14° 90.00°	Depositor
Resolution (Å)	39.89 – 2.00 39.89 – 2.00	Depositor EDS
% Data completeness (in resolution range)	78.9 (39.89-2.00) 79.1 (39.89-2.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.57 (at 2.00Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.243 , 0.258 0.241 , 0.256	Depositor DCC
R_{free} test set	10647 reflections (1.97%)	DCC
Wilson B-factor (Å ²)	30.6	Xtriage
Anisotropy	0.362	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 58.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 645898 reflections (0.000%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	57085	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, AGS, K, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/3883	0.55	0/5243
1	B	0.35	0/3883	0.57	1/5243 (0.0%)
1	C	0.32	0/3883	0.55	0/5243
1	D	0.36	0/3883	0.58	0/5243
1	E	0.34	0/3883	0.57	0/5243
1	F	0.32	0/3883	0.55	0/5243
1	G	0.36	0/3883	0.58	0/5243
1	H	0.33	0/3883	0.56	0/5243
1	I	0.30	0/3883	0.55	0/5243
1	J	0.30	0/3883	0.54	0/5243
1	K	0.30	0/3883	0.54	0/5243
1	L	0.32	0/3883	0.55	0/5243
1	M	0.30	0/3883	0.54	0/5243
1	N	0.31	0/3883	0.55	0/5243
All	All	0.32	0/54362	0.55	1/73402 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	510	VAL	CB-CA-C	-5.51	100.94	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens

added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3855	0	3982	161	0
1	B	3855	0	3982	170	0
1	C	3855	0	3982	153	0
1	D	3855	0	3982	146	0
1	E	3855	0	3982	154	0
1	F	3855	0	3982	136	0
1	G	3855	0	3982	153	1
1	H	3855	0	3982	149	0
1	I	3855	0	3982	150	0
1	J	3855	0	3982	149	0
1	K	3855	0	3982	154	0
1	L	3855	0	3982	149	0
1	M	3855	0	3982	151	0
1	N	3855	0	3982	145	1
2	A	15	0	0	0	0
2	B	10	0	0	0	0
2	C	10	0	0	0	0
2	E	10	0	0	1	0
2	F	5	0	0	0	0
2	G	5	0	0	0	0
2	H	10	0	0	0	0
2	J	10	0	0	0	0
2	K	10	0	0	0	0
2	L	5	0	0	0	0
2	M	10	0	0	0	0
2	N	10	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
3	K	1	0	0	0	0
3	L	1	0	0	0	0
3	M	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	N	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	2	0	0	0	0
4	E	2	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	1	0	0	0	0
4	J	1	0	0	0	0
4	K	1	0	0	0	0
4	L	1	0	0	0	0
4	M	1	0	0	0	0
4	N	1	0	0	0	0
5	A	31	0	12	3	0
5	B	31	0	12	4	0
5	C	31	0	12	3	0
5	D	31	0	12	4	0
5	E	31	0	12	4	0
5	F	31	0	12	3	0
5	G	31	0	12	4	0
5	H	31	0	12	4	0
5	I	31	0	12	4	0
5	J	31	0	12	3	0
5	K	31	0	12	5	0
5	L	31	0	12	5	0
5	M	31	0	12	5	0
5	N	31	0	12	4	0
6	A	156	0	0	7	0
6	B	214	0	0	8	0
6	C	149	0	0	9	0
6	D	261	0	0	19	0
6	E	217	0	0	12	0
6	F	200	0	0	5	0
6	G	269	0	0	12	0
6	H	204	0	0	8	0
6	I	145	0	0	5	0
6	J	139	0	0	2	0
6	K	133	0	0	0	0
6	L	163	0	0	9	0
6	M	138	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	N	153	0	0	7	0
All	All	57085	0	55916	2099	1

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 19.

The worst 5 of 2099 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
5:B:1:AGS:PG	5:B:1:AGS:S1G	1.50	1.50
5:A:1:AGS:S1G	5:A:1:AGS:PG	1.50	1.49
5:H:1:AGS:PG	5:H:1:AGS:S1G	1.49	1.49
5:M:1:AGS:S1G	5:M:1:AGS:PG	1.49	1.48
5:K:1:AGS:S1G	5:K:1:AGS:PG	1.49	1.48

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:G:315:GLU:OE2	1:N:338:GLU:OE1[1_554]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	523/547 (96%)	487 (93%)	27 (5%)	9 (2%)	14	5
1	B	523/547 (96%)	487 (93%)	24 (5%)	12 (2%)	10	3
1	C	523/547 (96%)	488 (93%)	24 (5%)	11 (2%)	11	3
1	D	523/547 (96%)	492 (94%)	22 (4%)	9 (2%)	14	5
1	E	523/547 (96%)	485 (93%)	27 (5%)	11 (2%)	11	3
1	F	523/547 (96%)	487 (93%)	24 (5%)	12 (2%)	10	3
1	G	523/547 (96%)	489 (94%)	23 (4%)	11 (2%)	11	3
1	H	523/547 (96%)	487 (93%)	24 (5%)	12 (2%)	10	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	523/547 (96%)	486 (93%)	27 (5%)	10 (2%)	12	4
1	J	523/547 (96%)	486 (93%)	25 (5%)	12 (2%)	10	3
1	K	523/547 (96%)	484 (92%)	29 (6%)	10 (2%)	12	4
1	L	523/547 (96%)	488 (93%)	23 (4%)	12 (2%)	10	3
1	M	523/547 (96%)	487 (93%)	25 (5%)	11 (2%)	11	3
1	N	523/547 (96%)	487 (93%)	26 (5%)	10 (2%)	12	4
All	All	7322/7658 (96%)	6820 (93%)	350 (5%)	152 (2%)	11	3

5 of 152 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	183	LEU
1	E	183	LEU
1	A	183	LEU
1	A	256	GLY
1	A	271	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	404/413 (98%)	394 (98%)	10 (2%)	60	59
1	B	404/413 (98%)	397 (98%)	7 (2%)	73	75
1	C	404/413 (98%)	396 (98%)	8 (2%)	68	69
1	D	404/413 (98%)	394 (98%)	10 (2%)	60	59
1	E	404/413 (98%)	397 (98%)	7 (2%)	73	75
1	F	404/413 (98%)	396 (98%)	8 (2%)	68	69
1	G	404/413 (98%)	395 (98%)	9 (2%)	64	65
1	H	404/413 (98%)	397 (98%)	7 (2%)	73	75
1	I	404/413 (98%)	395 (98%)	9 (2%)	64	65
1	J	404/413 (98%)	397 (98%)	7 (2%)	73	75
1	K	404/413 (98%)	396 (98%)	8 (2%)	68	69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	404/413 (98%)	394 (98%)	10 (2%)	60	59
1	M	404/413 (98%)	396 (98%)	8 (2%)	68	69
1	N	404/413 (98%)	396 (98%)	8 (2%)	68	69
All	All	5656/5782 (98%)	5540 (98%)	116 (2%)	66	67

5 of 116 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	75	LYS
1	H	404	ARG
1	M	499	VAL
1	G	289	LEU
1	G	499	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 126 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	146	GLN
1	H	348	GLN
1	M	453	GLN
1	G	319	GLN
1	G	453	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 66 ligands modelled in this entry, 30 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	AGS	A	1	3,4	33,33,33	4.04	4 (12%)	52,52,52	3.07	6 (11%)
2	SO4	A	4001	-	4,4,4	2.37	1 (25%)	6,6,6	0.86	0
2	SO4	A	4007	-	4,4,4	2.32	1 (25%)	6,6,6	0.89	0
2	SO4	A	4008	-	4,4,4	2.37	1 (25%)	6,6,6	0.84	0
5	AGS	B	1	3,4	33,33,33	4.08	5 (15%)	52,52,52	2.93	5 (9%)
2	SO4	B	4009	-	4,4,4	2.36	1 (25%)	6,6,6	0.88	0
2	SO4	B	4010	-	4,4,4	2.41	1 (25%)	6,6,6	0.86	0
5	AGS	C	1	3,4	33,33,33	4.12	3 (9%)	52,52,52	3.19	5 (9%)
2	SO4	C	4011	-	4,4,4	2.38	1 (25%)	6,6,6	0.87	0
2	SO4	C	4012	-	4,4,4	2.45	1 (25%)	6,6,6	0.90	0
5	AGS	D	551	3,4	33,33,33	4.19	4 (12%)	52,52,52	3.21	5 (9%)
5	AGS	E	1	3,4	33,33,33	4.23	4 (12%)	52,52,52	3.14	5 (9%)
2	SO4	E	4005	-	4,4,4	2.22	1 (25%)	6,6,6	0.92	0
2	SO4	E	4006	-	4,4,4	2.38	1 (25%)	6,6,6	0.84	0
5	AGS	F	1	3,4	33,33,33	4.08	3 (9%)	52,52,52	2.95	5 (9%)
2	SO4	F	4004	-	4,4,4	2.26	1 (25%)	6,6,6	0.89	0
5	AGS	G	1	3,4	33,33,33	4.23	4 (12%)	52,52,52	3.26	7 (13%)
2	SO4	G	4002	-	4,4,4	2.37	1 (25%)	6,6,6	0.88	0
5	AGS	H	1	3,4	33,33,33	4.11	4 (12%)	52,52,52	3.39	5 (9%)
2	SO4	H	4017	-	4,4,4	2.39	1 (25%)	6,6,6	0.88	0
2	SO4	H	4018	-	4,4,4	2.38	1 (25%)	6,6,6	0.87	0
5	AGS	I	1	3,4	33,33,33	4.13	3 (9%)	52,52,52	3.07	5 (9%)
5	AGS	J	1	3,4	33,33,33	4.11	3 (9%)	52,52,52	3.24	7 (13%)
2	SO4	J	4019	-	4,4,4	2.38	1 (25%)	6,6,6	0.89	0
2	SO4	J	4020	-	4,4,4	2.39	1 (25%)	6,6,6	0.86	0
5	AGS	K	1	3,4	33,33,33	4.12	4 (12%)	52,52,52	2.83	7 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	K	4021	-	4,4,4	2.44	1 (25%)	6,6,6	0.85	0
2	SO4	K	4022	-	4,4,4	2.36	1 (25%)	6,6,6	0.88	0
5	AGS	L	1	3,4	33,33,33	4.08	5 (15%)	52,52,52	2.75	5 (9%)
2	SO4	L	4003	-	4,4,4	2.37	1 (25%)	6,6,6	0.90	0
5	AGS	M	1	3,4	33,33,33	4.12	3 (9%)	52,52,52	2.86	5 (9%)
2	SO4	M	4013	-	4,4,4	2.49	1 (25%)	6,6,6	0.87	0
2	SO4	M	4014	-	4,4,4	2.41	1 (25%)	6,6,6	0.85	0
5	AGS	N	1	3,4	33,33,33	4.16	4 (12%)	52,52,52	2.77	6 (11%)
2	SO4	N	4015	-	4,4,4	2.40	1 (25%)	6,6,6	0.87	0
2	SO4	N	4016	-	4,4,4	2.38	1 (25%)	6,6,6	0.87	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	AGS	A	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	A	4001	-	-	0/0/0/0	0/0/0/0
2	SO4	A	4007	-	-	0/0/0/0	0/0/0/0
2	SO4	A	4008	-	-	0/0/0/0	0/0/0/0
5	AGS	B	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	B	4009	-	-	0/0/0/0	0/0/0/0
2	SO4	B	4010	-	-	0/0/0/0	0/0/0/0
5	AGS	C	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	C	4011	-	-	0/0/0/0	0/0/0/0
2	SO4	C	4012	-	-	0/0/0/0	0/0/0/0
5	AGS	D	551	3,4	-	0/21/38/38	0/1/3/3
5	AGS	E	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	E	4005	-	-	0/0/0/0	0/0/0/0
2	SO4	E	4006	-	-	0/0/0/0	0/0/0/0
5	AGS	F	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	F	4004	-	-	0/0/0/0	0/0/0/0
5	AGS	G	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	G	4002	-	-	0/0/0/0	0/0/0/0
5	AGS	H	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	H	4017	-	-	0/0/0/0	0/0/0/0
2	SO4	H	4018	-	-	0/0/0/0	0/0/0/0
5	AGS	I	1	3,4	-	0/21/38/38	0/1/3/3
5	AGS	J	1	3,4	-	0/21/38/38	0/1/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	J	4019	-	-	0/0/0/0	0/0/0/0
2	SO4	J	4020	-	-	0/0/0/0	0/0/0/0
5	AGS	K	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	K	4021	-	-	0/0/0/0	0/0/0/0
2	SO4	K	4022	-	-	0/0/0/0	0/0/0/0
5	AGS	L	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	L	4003	-	-	0/0/0/0	0/0/0/0
5	AGS	M	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	M	4013	-	-	0/0/0/0	0/0/0/0
2	SO4	M	4014	-	-	0/0/0/0	0/0/0/0
5	AGS	N	1	3,4	-	0/21/38/38	0/1/3/3
2	SO4	N	4015	-	-	0/0/0/0	0/0/0/0
2	SO4	N	4016	-	-	0/0/0/0	0/0/0/0

The worst 5 of 75 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	1	AGS	PG-S1G	-23.20	1.48	1.90
5	E	1	AGS	PG-S1G	-23.11	1.48	1.90
5	D	551	AGS	PG-S1G	-22.99	1.48	1.90
5	N	1	AGS	PG-S1G	-22.64	1.49	1.90
5	I	1	AGS	PG-S1G	-22.64	1.49	1.90

The worst 5 of 78 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	1	AGS	O3B-PG-S1G	-21.71	104.90	114.53
5	J	1	AGS	O3B-PG-S1G	-21.16	105.14	114.53
5	G	1	AGS	O3B-PG-S1G	-20.92	105.25	114.53
5	D	551	AGS	O3B-PG-S1G	-20.68	105.35	114.53
5	C	1	AGS	O3B-PG-S1G	-20.08	105.62	114.53

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	525/547 (95%)	0.68	64 (12%) 5 4	28, 64, 121, 132	0
1	B	525/547 (95%)	1.22	120 (22%) 1 2	24, 59, 149, 159	0
1	C	525/547 (95%)	1.12	111 (21%) 1 2	29, 71, 141, 152	0
1	D	525/547 (95%)	0.46	28 (5%) 25 25	25, 48, 99, 115	0
1	E	525/547 (95%)	0.92	88 (16%) 2 2	23, 55, 134, 145	0
1	F	525/547 (95%)	1.23	115 (21%) 1 2	27, 66, 150, 159	0
1	G	525/547 (95%)	0.55	40 (7%) 14 13	26, 50, 113, 126	0
1	H	525/547 (95%)	0.59	50 (9%) 8 8	26, 56, 118, 130	0
1	I	525/547 (95%)	0.89	70 (13%) 4 4	31, 69, 132, 143	0
1	J	525/547 (95%)	0.96	81 (15%) 3 3	31, 73, 138, 146	0
1	K	525/547 (95%)	1.39	135 (25%) 1 1	31, 78, 151, 159	0
1	L	525/547 (95%)	0.88	80 (15%) 3 3	29, 66, 136, 149	0
1	M	525/547 (95%)	1.31	131 (24%) 1 1	30, 77, 152, 160	0
1	N	525/547 (95%)	0.68	53 (10%) 7 7	28, 65, 118, 129	0
All	All	7350/7658 (95%)	0.92	1166 (15%) 3 3	23, 60, 140, 160	0

The worst 5 of 1166 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	309	LEU	12.4
1	C	349	ILE	12.2
1	F	233	MET	12.1
1	K	271	VAL	11.2
1	F	314	LEU	10.9

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	MG	G	550	1/1	0.18	59.00	29,29,29,29	0
3	MG	B	550	1/1	0.13	28.00	31,31,31,31	0
3	MG	D	550	1/1	0.13	19.00	29,29,29,29	0
2	SO4	E	4006	5/5	0.33	18.75	118,119,119,120	0
2	SO4	K	4021	5/5	0.43	15.20	137,138,139,139	0
2	SO4	A	4008	5/5	0.37	13.18	150,150,150,150	0
2	SO4	J	4020	5/5	0.47	11.89	160,160,160,160	0
2	SO4	B	4009	5/5	0.28	11.71	118,119,119,120	0
2	SO4	J	4019	5/5	0.22	11.36	123,124,124,124	0
2	SO4	F	4004	5/5	0.29	10.36	137,138,138,138	0
2	SO4	B	4010	5/5	0.29	9.97	137,137,137,138	0
2	SO4	N	4015	5/5	0.25	9.40	132,133,133,133	0
2	SO4	H	4018	5/5	0.33	9.33	125,125,126,126	0
2	SO4	E	4005	5/5	0.35	9.09	140,141,141,141	0
2	SO4	C	4011	5/5	0.31	8.55	137,137,137,138	0
2	SO4	C	4012	5/5	0.29	7.59	141,141,141,142	0
2	SO4	A	4007	5/5	0.27	7.34	128,129,129,129	0
2	SO4	N	4016	5/5	0.27	6.96	137,137,137,138	0
2	SO4	M	4014	5/5	0.24	6.72	142,142,143,143	0
2	SO4	H	4017	5/5	0.33	6.68	145,146,146,146	0
2	SO4	A	4001	5/5	0.24	5.74	119,120,120,120	0
2	SO4	L	4003	5/5	0.26	5.54	130,131,132,132	0
2	SO4	K	4022	5/5	0.28	4.91	145,146,146,146	0
2	SO4	M	4013	5/5	0.23	4.41	126,126,127,127	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	MG	J	550	1/1	0.12	4.33	37,37,37,37	0
3	MG	N	550	1/1	0.19	4.20	34,34,34,34	0
3	MG	A	550	1/1	0.17	4.08	31,31,31,31	0
2	SO4	G	4002	5/5	0.26	3.70	128,128,129,129	0
3	MG	M	550	1/1	0.19	3.47	38,38,38,38	0
3	MG	H	550	1/1	0.16	2.32	26,26,26,26	0
3	MG	K	550	1/1	0.12	1.71	35,35,35,35	0
5	AGS	D	551	31/31	0.15	1.20	25,31,39,41	0
3	MG	C	550	1/1	0.14	1.00	36,36,36,36	0
3	MG	L	550	1/1	0.12	1.00	31,31,31,31	0
4	K	M	549	1/1	0.14	0.90	45,45,45,45	0
5	AGS	C	1	31/31	0.14	0.81	37,41,49,52	0
4	K	J	549	1/1	0.15	0.79	47,47,47,47	0
4	K	H	549	1/1	0.14	0.75	41,41,41,41	0
5	AGS	M	1	31/31	0.14	0.71	38,42,50,52	0
5	AGS	J	1	31/31	0.14	0.63	39,42,53,54	0
4	K	I	549	1/1	0.17	0.63	43,43,43,43	0
5	AGS	N	1	31/31	0.14	0.58	35,39,47,48	0
4	K	G	549	1/1	0.15	0.46	39,39,39,39	0
5	AGS	L	1	31/31	0.14	0.44	34,37,45,48	0
4	K	D	549	1/1	0.14	0.40	34,34,34,34	0
5	AGS	G	1	31/31	0.13	0.36	25,32,40,41	0
5	AGS	E	1	31/31	0.12	0.24	27,30,34,37	0
4	K	N	549	1/1	0.13	0.22	41,41,41,41	0
5	AGS	K	1	31/31	0.12	0.18	37,40,51,54	0
5	AGS	H	1	31/31	0.13	0.16	30,34,38,42	0
5	AGS	B	1	31/31	0.12	0.15	31,37,48,50	0
5	AGS	F	1	31/31	0.14	0.15	34,37,44,45	0
3	MG	F	550	1/1	0.13	0.07	30,30,30,30	0
3	MG	I	550	1/1	0.16	0.05	34,34,34,34	0
5	AGS	A	1	31/31	0.12	0.03	35,38,42,44	0
4	K	K	549	1/1	0.13	-0.07	46,46,46,46	0
4	K	F	549	1/1	0.12	-0.10	41,41,41,41	0
3	MG	E	550	1/1	0.10	-0.11	24,24,24,24	0
5	AGS	I	1	31/31	0.14	-0.25	37,41,48,51	0
4	K	L	549	1/1	0.14	-0.53	39,39,39,39	0
4	K	C	549	1/1	0.12	-0.61	45,45,45,45	0
4	K	A	549	1/1	0.12	-0.67	40,40,40,40	0
4	K	B	549	1/1	0.11	-1.31	38,38,38,38	0
4	K	E	4007	1/1	0.11	-1.42	36,36,36,36	0
4	K	D	1	1/1	0.11	-1.90	30,30,30,30	0
4	K	E	549	1/1	0.07	-2.78	31,31,31,31	0

6.5 Other polymers ⓘ

There are no such residues in this entry.