



Full wwPDB X-ray Structure Validation Report

Feb 27, 2014 – 01:45 AM GMT

PDB ID : 1KTP
Title : Crystal structure of c-phycocyanin of synechococcus vulcanus at 1.6 angstroms
Authors : Adir, N.; Dobrovetsky, E.; Lerner, N.
Deposited on : 2002-01-17
Resolution : 1.60 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	79885	2199 (1.60-1.60)
Ramachandran outliers	78287	2126 (1.60-1.60)
Sidechain outliers	78261	2125 (1.60-1.60)
RSRZ outliers	66119	1872 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	162	
2	B	172	

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 3006 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called C-PHYCOCYANIN ALPHA SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	162	Total	C	N	O	S	0	0	0
			1226	772	205	242	7			


- Molecule 2 is a protein called C-PHYCOCYANIN BETA SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	172	Total	C	N	O	S	0	0	0
			1274	789	228	249	8			

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	72	MEN	ASN	MODIFIED RESIDUE	UNP P50033

- Molecule 3 is BILIVERDINE IX ALPHA (three-letter code: BLA) (formula: $C_{33}H_{34}N_4O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			43	33	4	6		

- Molecule 4 is PHYCOCYANOBILIN (three-letter code: CYC) (formula: $C_{33}H_{40}N_4O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			43	33	4	6		
4	B	1	Total	C	N	O	0	0
			43	33	4	6		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	193	Total	O	0	0
			193	193		
5	B	184	Total	O	0	0
			184	184		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: C-PHYCOCYANIN ALPHA SUBUNIT

Chain A: 



• Molecule 2: C-PHYCOCYANIN BETA SUBUNIT

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	186.35Å 186.35Å 59.26Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 1.60 19.77 – 1.60	Depositor EDS
% Data completeness (in resolution range)	76.8 (20.00-1.60) 92.5 (19.77-1.60)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.52 (at 1.60Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.216 , 0.247 0.233 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	16.8	Xtriage
Anisotropy	0.604	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.44 , 61.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 47798 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3006	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CYC, MEN, BLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/1248	0.54	0/1692
2	B	0.30	0/1278	0.54	0/1729
All	All	0.31	0/2526	0.54	0/3421

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1226	0	1204	53	0
2	B	1274	0	1275	51	0
3	A	43	0	31	4	0
4	B	86	0	72	9	0
5	A	193	0	0	6	0
5	B	184	0	0	6	0
All	All	3006	0	2582	97	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 19.

All (97) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:116:ARG:HG2	2:B:117:GLU:OE2	1.62	0.98
1:A:77:THR:HG23	1:A:80:GLY:H	1.37	0.89
1:A:38:MET:HE3	1:A:100:VAL:HA	1.58	0.85
1:A:40:ALA:O	1:A:44:LEU:HD23	1.77	0.83
1:A:128:TRP:CD2	3:A:484:BLA:HMC3	2.12	0.83
1:A:130:ILE:HG23	1:A:170:ILE:HD12	1.62	0.81
1:A:92:LEU:HD12	1:A:95:ILE:HD11	1.64	0.78
2:B:7:LYS:O	2:B:11:GLN:HG3	1.86	0.76
1:A:38:MET:CE	1:A:100:VAL:HA	2.15	0.75
2:B:34:GLY:O	2:B:38:LEU:HD13	1.87	0.73
1:A:133:LEU:HB2	1:A:170:ILE:HD11	1.72	0.71
4:B:555:CYC:O1D	5:B:631:HOH:O	2.08	0.71
2:B:63:GLN:HB3	2:B:65:GLN:HE22	1.56	0.69
1:A:38:MET:O	1:A:42:ARG:HG3	1.91	0.69
2:B:55:ALA:HA	2:B:135:LYS:HD3	1.73	0.68
1:A:92:LEU:O	1:A:95:ILE:HG12	1.94	0.67
1:A:27:VAL:HG21	2:B:100:LEU:HD11	1.75	0.67
1:A:5:ILE:HG23	2:B:100:LEU:CD1	2.24	0.66
2:B:28:SER:O	2:B:32:LYS:HD2	1.97	0.65
1:A:64:PRO:HG2	5:A:626:HOH:O	1.97	0.65
1:A:77:THR:OG1	1:A:78:PRO:HD2	1.97	0.64
1:A:92:LEU:HD12	1:A:95:ILE:CD1	2.29	0.62
1:A:42:ARG:NH1	2:B:24:PHE:HB3	2.14	0.62
2:B:150:ILE:O	2:B:150:ILE:HD12	1.99	0.62
2:B:20:THR:H	2:B:23:GLN:HE21	1.49	0.61
2:B:8:VAL:HA	2:B:11:GLN:HE21	1.65	0.60
1:A:77:THR:O	1:A:81:LYS:HG3	2.02	0.60
2:B:35:ASN:OD1	4:B:555:CYC:O2D	2.20	0.59
1:A:95:ILE:HD13	1:A:166:ILE:HD11	1.85	0.58
1:A:128:TRP:CE3	3:A:484:BLA:HMC3	2.38	0.58
1:A:73:GLN:HA	3:A:484:BLA:HBD2	1.86	0.57
1:A:25:GLN:HA	5:B:676:HOH:O	2.04	0.57
2:B:116:ARG:O	2:B:120:GLN:HG3	2.05	0.56
4:B:584:CYC:HC	4:B:584:CYC:HMD2	1.70	0.56
1:A:5:ILE:O	1:A:9:ILE:HG23	2.04	0.56
2:B:91:ILE:HD13	2:B:111:CYS:SG	2.45	0.56
1:A:44:LEU:HD21	1:A:144:LEU:HD11	1.88	0.55
1:A:33:ARG:HH12	1:A:147:GLN:HE21	1.55	0.55
2:B:63:GLN:HB3	2:B:65:GLN:NE2	2.23	0.54
2:B:20:THR:H	2:B:23:GLN:NE2	2.05	0.54
2:B:32:LYS:N	2:B:32:LYS:HE3	2.23	0.54
1:A:33:ARG:HH12	1:A:147:GLN:NE2	2.07	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
2:B:100:LEU:O	2:B:100:LEU:HD13	2.09	0.52
2:B:7:LYS:HD3	5:B:607:HOH:O	2.10	0.51
2:B:59:LEU:HD22	2:B:132:ALA:HB2	1.92	0.51
1:A:77:THR:CG2	1:A:80:GLY:H	2.17	0.51
2:B:109:ASP:HB3	5:B:734:HOH:O	2.10	0.51
1:A:92:LEU:CD1	1:A:95:ILE:HD11	2.36	0.51
1:A:5:ILE:HG23	2:B:100:LEU:HD12	1.92	0.51
2:B:57:ARG:HD2	5:B:663:HOH:O	2.09	0.51
1:A:44:LEU:CD2	1:A:144:LEU:HD11	2.41	0.50
2:B:130:ALA:HB2	2:B:174:ALA:HB2	1.92	0.50
1:A:30:ARG:NH1	5:A:674:HOH:O	2.34	0.49
2:B:63:GLN:HE21	2:B:65:GLN:HE22	1.60	0.48
1:A:114:GLY:O	1:A:118:ILE:HG12	2.14	0.48
2:B:35:ASN:HB2	4:B:555:CYC:CGD	2.44	0.47
1:A:9:ILE:HG12	2:B:1:MET:SD	2.54	0.47
1:A:37:SER:HB3	5:A:676:HOH:O	2.14	0.47
2:B:7:LYS:HD2	2:B:103:ASP:OD2	2.14	0.47
2:B:36:LYS:HE2	4:B:555:CYC:HMD3	1.97	0.47
2:B:72:MEN:HB2	4:B:584:CYC:OC	2.15	0.47
3:A:484:BLA:HC	3:A:484:BLA:HMD2	1.80	0.46
1:A:9:ILE:HD11	2:B:1:MET:CE	2.46	0.46
2:B:100:LEU:C	2:B:100:LEU:HD13	2.36	0.45
1:A:88:ILE:HD12	1:A:132:ALA:CB	2.46	0.45
1:A:95:ILE:HG13	1:A:96:THR:N	2.32	0.45
2:B:79:ARG:HG3	2:B:79:ARG:HH11	1.81	0.45
2:B:79:ARG:HD3	5:B:725:HOH:O	2.17	0.45
1:A:30:ARG:HD2	1:A:30:ARG:O	2.17	0.44
1:A:162:ALA:O	1:A:166:ILE:HG12	2.18	0.44
1:A:95:ILE:HG21	1:A:166:ILE:HD13	1.98	0.44
1:A:24:LEU:HB3	4:B:555:CYC:CAB	2.47	0.44
1:A:112:ILE:HD12	1:A:172:ALA:HB1	1.99	0.44
2:B:5:PHE:CZ	2:B:30:LEU:HD22	2.52	0.44
1:A:9:ILE:CD1	2:B:106:VAL:HG21	2.48	0.44
1:A:9:ILE:CG1	2:B:1:MET:SD	3.06	0.43
2:B:130:ALA:CB	2:B:174:ALA:HB2	2.49	0.43
2:B:134:GLN:HE22	2:B:137:LYS:HE2	1.83	0.43
1:A:2:LYS:HE2	5:A:540:HOH:O	2.19	0.42
2:B:30:LEU:C	2:B:30:LEU:HD23	2.40	0.42
2:B:35:ASN:HB3	4:B:555:CYC:C1A	2.50	0.42
1:A:95:ILE:CD1	1:A:166:ILE:HD11	2.49	0.42
2:B:117:GLU:CD	2:B:117:GLU:H	2.24	0.41
1:A:38:MET:HA	1:A:38:MET:CE	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:A:9:ILE:HD11	2:B:1:MET:HE1	2.02	0.41
1:A:91:TYR:O	1:A:95:ILE:HG23	2.19	0.41
1:A:99:LEU:O	5:A:676:HOH:O	2.22	0.41
2:B:5:PHE:CD1	2:B:27:LEU:HD22	2.56	0.41
1:A:21:ASN:O	1:A:25:GLN:HG3	2.20	0.41
2:B:43:ARG:HH22	2:B:150:ILE:HG13	1.86	0.41
2:B:115:LEU:HD22	2:B:119:TYR:CE2	2.55	0.41
1:A:19:LEU:O	2:B:45:THR:HG21	2.21	0.41
1:A:21:ASN:HB2	5:A:660:HOH:O	2.21	0.40
2:B:134:GLN:NE2	2:B:137:LYS:HE3	2.36	0.40
2:B:72:MEN:HE22	4:B:584:CYC:HBD2	2.03	0.40
1:A:111:LEU:HD23	1:A:112:ILE:HD13	2.04	0.40
2:B:85:LEU:O	2:B:89:GLU:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	160/162 (99%)	157 (98%)	3 (2%)	0	100	100
2	B	169/172 (98%)	166 (98%)	3 (2%)	0	100	100
All	All	329/334 (98%)	323 (98%)	6 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	123/123 (100%)	122 (99%)	1 (1%)	89	78
2	B	127/127 (100%)	120 (94%)	7 (6%)	30	7
All	All	250/250 (100%)	242 (97%)	8 (3%)	51	20

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ILE
2	B	21	ASN
2	B	32	LYS
2	B	79	ARG
2	B	115	LEU
2	B	116	ARG
2	B	135	LYS
2	B	158	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	ASN
1	A	49	GLN
1	A	147	GLN
2	B	11	GLN
2	B	23	GLN
2	B	35	ASN
2	B	54	ASN
2	B	63	GLN
2	B	65	GLN
2	B	78	ASN
2	B	134	GLN
2	B	148	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MEN	B	72	2	8,8,9	6.22	3 (37%)	7,9,11	0.95	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MEN	B	72	2	-	0/6/8/10	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	72	MEN	O-C	17.17	1.23	1.11
2	B	72	MEN	CE2-ND2	2.97	1.50	1.45
2	B	72	MEN	CA-C	2.41	1.52	1.48

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	72	MEN	C-CA-N	2.25	116.08	113.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BLA	A	484	1	46,46,46	2.85	15 (32%)	65,67,67	2.12	18 (27%)
4	CYC	B	555	2	46,46,46	1.88	11 (23%)	65,67,67	3.32	19 (29%)
4	CYC	B	584	2	46,46,46	1.85	11 (23%)	65,67,67	3.09	20 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BLA	A	484	1	-	3/26/74/74	0/4/4/4
4	CYC	B	555	2	-	3/25/74/74	0/4/4/4
4	CYC	B	584	2	-	3/25/74/74	0/4/4/4

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	484	BLA	C3C-C2C	10.30	1.57	1.36
3	A	484	BLA	CHA-C4D	10.19	1.42	1.35
4	B	555	CYC	CHA-C1A	7.16	1.40	1.35
4	B	584	CYC	CHA-C1A	6.75	1.39	1.35
3	A	484	BLA	CBC-CAC	5.41	1.56	1.29
4	B	555	CYC	C1C-NC	-4.16	1.32	1.37
3	A	484	BLA	CBB-CAB	4.09	1.50	1.29
3	A	484	BLA	CAC-C3C	4.01	1.61	1.48
4	B	555	CYC	CAC-C3C	3.62	1.61	1.54
3	A	484	BLA	C4A-C3A	3.41	1.50	1.42
3	A	484	BLA	C3C-C4C	3.27	1.51	1.45
4	B	584	CYC	C1C-NC	-3.26	1.33	1.37
3	A	484	BLA	CHB-C1B	3.21	1.41	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	584	CYC	C2C-C1C	-2.97	1.49	1.52
4	B	584	CYC	CHD-C4C	2.97	1.44	1.36
3	A	484	BLA	C4A-NA	2.96	1.39	1.36
4	B	584	CYC	CAD-C3D	2.72	1.56	1.52
4	B	584	CYC	C4D-ND	2.54	1.39	1.36
4	B	555	CYC	OC-C1C	2.48	1.28	1.23
4	B	555	CYC	CMA-C3A	2.46	1.56	1.51
4	B	555	CYC	C4A-C3A	2.41	1.51	1.45
4	B	584	CYC	CMA-C3A	2.40	1.56	1.51
3	A	484	BLA	CMD-C2D	2.29	1.55	1.51
3	A	484	BLA	CAB-C3B	2.28	1.55	1.48
4	B	584	CYC	C4B-C3B	-2.26	1.43	1.48
3	A	484	BLA	C4C-NC	2.25	1.41	1.37
4	B	584	CYC	C4A-C3A	2.24	1.50	1.45
3	A	484	BLA	C1C-NC	-2.21	1.32	1.37
4	B	555	CYC	CHD-C4C	2.19	1.42	1.36
4	B	584	CYC	CHB-C4A	2.19	1.45	1.40
3	A	484	BLA	CAA-C2A	2.15	1.55	1.52
4	B	555	CYC	CAB-C3B	2.09	1.57	1.51
4	B	555	CYC	C4B-C3B	-2.07	1.43	1.48
3	A	484	BLA	CHD-C4C	2.06	1.42	1.37
4	B	555	CYC	C2A-C3A	2.06	1.41	1.36
4	B	584	CYC	CMD-C2D	2.06	1.56	1.51
4	B	555	CYC	C4D-ND	2.02	1.38	1.36

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	584	CYC	C2C-C1C-NC	13.70	116.21	108.19
4	B	555	CYC	C2C-C1C-NC	12.47	115.49	108.19
4	B	555	CYC	CAD-CBD-CGD	11.69	151.05	113.47
4	B	555	CYC	CAB-C3B-C4B	9.12	129.09	121.49
4	B	584	CYC	CAB-C3B-C4B	8.88	128.88	121.49
4	B	555	CYC	C3B-C4B-NB	7.94	113.78	106.69
4	B	584	CYC	OC-C1C-C2C	-7.74	119.85	126.25
4	B	584	CYC	C3B-C4B-NB	7.56	113.44	106.69
3	A	484	BLA	C3B-C4B-NB	7.24	113.20	106.66
4	B	555	CYC	C4B-C3B-C2B	-6.54	104.09	108.04
4	B	584	CYC	C4B-C3B-C2B	-6.26	104.25	108.04
4	B	555	CYC	OC-C1C-C2C	-5.48	121.72	126.25
3	A	484	BLA	CHD-C1D-ND	-4.83	115.80	124.99
4	B	584	CYC	C2C-C3C-C4C	4.73	107.77	101.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	584	CYC	C3C-C2C-C1C	-4.64	99.44	103.43
4	B	555	CYC	C1D-CHD-C4C	4.45	134.62	128.81
3	A	484	BLA	CMC-C2C-C3C	-4.39	117.62	128.61
4	B	555	CYC	OB-C4B-C3B	-4.29	123.37	128.20
3	A	484	BLA	CAC-C3C-C4C	-4.20	111.04	124.31
4	B	555	CYC	CHA-C1A-NA	-4.14	120.94	128.59
3	A	484	BLA	CBC-CAC-C3C	-4.09	106.75	127.09
4	B	584	CYC	OB-C4B-C3B	-4.07	123.62	128.20
3	A	484	BLA	CHD-C1D-C2D	4.04	135.16	125.10
4	B	584	CYC	C1D-CHD-C4C	3.87	133.87	128.81
4	B	555	CYC	C1B-NB-C4B	-3.82	105.34	110.74
3	A	484	BLA	C4A-C3A-C2A	-3.76	104.48	107.04
4	B	584	CYC	C4D-CHA-C1A	3.73	137.19	129.92
4	B	555	CYC	CBD-CAD-C3D	-3.64	106.28	112.69
4	B	555	CYC	C3C-C2C-C1C	-3.49	100.42	103.43
4	B	555	CYC	C4D-CHA-C1A	3.48	136.70	129.92
3	A	484	BLA	CMD-C2D-C1D	3.43	130.68	125.02
3	A	484	BLA	C1B-NB-C4B	-3.40	105.94	110.74
3	A	484	BLA	C2C-C1C-NC	3.36	115.95	106.27
4	B	555	CYC	CMA-C3A-C4A	3.29	130.45	125.02
4	B	584	CYC	C1B-NB-C4B	-3.25	106.14	110.74
4	B	584	CYC	CMA-C3A-C4A	3.23	130.35	125.02
3	A	484	BLA	CAD-CBD-CGD	3.21	119.49	113.53
4	B	584	CYC	CHA-C1A-NA	-3.00	123.05	128.59
4	B	555	CYC	C2C-C3C-C4C	2.97	105.28	101.08
3	A	484	BLA	C4B-C3B-C2B	-2.83	104.35	107.97
4	B	555	CYC	CHB-C4A-NA	-2.81	119.63	124.99
4	B	584	CYC	C2D-C1D-CHD	2.67	133.30	125.72
4	B	584	CYC	CBC-CAC-C3C	-2.54	107.35	113.61
3	A	484	BLA	OB-C4B-C3B	-2.50	123.54	130.22
3	A	484	BLA	C4C-CHD-C1D	2.47	134.29	128.13
4	B	555	CYC	CHB-C4A-C3A	2.47	131.25	125.10
3	A	484	BLA	C2A-C1A-NA	2.45	110.84	106.79
4	B	584	CYC	C1C-NC-C4C	-2.42	109.27	112.96
3	A	484	BLA	CBB-CAB-C3B	-2.41	115.12	127.09
4	B	555	CYC	CMC-C2C-C1C	2.33	117.36	112.38
4	B	584	CYC	CHB-C4A-NA	-2.24	120.72	124.99
3	A	484	BLA	CAC-C3C-C2C	-2.24	122.80	128.75
4	B	555	CYC	C1C-NC-C4C	-2.22	109.58	112.96
4	B	584	CYC	CHB-C4A-C3A	2.13	130.41	125.10
3	A	484	BLA	CHB-C1B-NB	-2.11	122.74	130.23
4	B	584	CYC	CMC-C2C-C1C	2.10	116.87	112.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	584	CYC	CHB-C1B-NB	-2.05	121.75	126.19

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	584	CYC	C4C-CHD-C1D-ND
4	B	555	CYC	C4C-CHD-C1D-ND
3	A	484	BLA	C1B-CHB-C4A-NA
3	A	484	BLA	C4C-CHD-C1D-C2D
3	A	484	BLA	C4C-CHD-C1D-ND
4	B	555	CYC	C1B-CHB-C4A-C3A
4	B	555	CYC	C1B-CHB-C4A-NA
4	B	584	CYC	C1B-CHB-C4A-NA
4	B	584	CYC	C1B-CHB-C4A-C3A

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	162/162 (100%)	-0.06	1 (0%) 86 89	12, 17, 25, 32	0
2	B	172/172 (100%)	0.34	7 (4%) 35 34	13, 21, 31, 36	0
All	All	334/334 (100%)	0.14	8 (2%) 56 56	12, 19, 29, 36	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	116	ARG	4.0
2	B	150	ILE	4.0
2	B	174	ALA	3.5
2	B	15	ARG	2.9
2	B	29	ASN	2.4
2	B	113	ASN	2.2
1	A	14	THR	2.1
2	B	154	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	MEN	B	72	9/10	0.08	-0.34	17,19,23,23	0

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	BLA	A	484	43/43	0.12	1.57	12,14,18,22	0
4	CYC	B	584	43/43	0.14	1.18	17,27,33,35	0
4	CYC	B	555	43/43	0.15	0.82	19,25,39,46	0

6.5 Other polymers

There are no such residues in this entry.