



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2014 – 09:44 AM GMT

PDB ID : 3KTI
Title : Structure of ClpP in complex with ADEP1
Authors : Lee, B.-G.; Brotz-Oesterhelt, H.; Song, H.K.
Deposited on : 2009-11-25
Resolution : 2.00 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.15 2013
Xtriage (Phenix) : dev-1323
EDS : stable22639
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	4888 (2.00-2.00)
Clashscore	79885	6188 (2.00-2.00)
Ramachandran outliers	78287	6102 (2.00-2.00)
Sidechain outliers	78261	6100 (2.00-2.00)
RSRZ outliers	66119	4890 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	199	
1	B	199	
1	C	199	
1	D	199	
1	E	199	
1	F	199	
1	G	199	
2	H	7	
2	I	7	
2	J	7	
2	K	7	
2	L	7	
2	M	7	
2	N	7	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
3	DMS	A	301	-	X
3	DMS	B	302	-	X
3	DMS	D	304	-	X
3	DMS	E	305	-	X
3	DMS	F	306	-	X
3	DMS	G	307	-	X
4	NHE	B	502	-	X
4	NHE	D	504	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10432 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent Clp protease proteolytic subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	174	Total	C	N	O	S	0	0	0
			1326	839	223	257	7			
1	B	174	Total	C	N	O	S	0	0	0
			1326	839	223	257	7			
1	C	174	Total	C	N	O	S	0	0	0
			1325	838	223	257	7			
1	D	174	Total	C	N	O	S	0	0	0
			1325	838	223	257	7			
1	E	174	Total	C	N	O	S	0	0	0
			1330	841	225	257	7			
1	F	174	Total	C	N	O	S	0	0	0
			1325	838	223	257	7			
1	G	174	Total	C	N	O	S	0	0	0
			1325	838	223	257	7			

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	197	HIS	-	EXPRESSION TAG	UNP P80244
A	198	HIS	-	EXPRESSION TAG	UNP P80244
A	199	HIS	-	EXPRESSION TAG	UNP P80244
B	197	HIS	-	EXPRESSION TAG	UNP P80244
B	198	HIS	-	EXPRESSION TAG	UNP P80244
B	199	HIS	-	EXPRESSION TAG	UNP P80244
C	197	HIS	-	EXPRESSION TAG	UNP P80244
C	198	HIS	-	EXPRESSION TAG	UNP P80244
C	199	HIS	-	EXPRESSION TAG	UNP P80244
D	197	HIS	-	EXPRESSION TAG	UNP P80244
D	198	HIS	-	EXPRESSION TAG	UNP P80244
D	199	HIS	-	EXPRESSION TAG	UNP P80244
E	197	HIS	-	EXPRESSION TAG	UNP P80244
E	198	HIS	-	EXPRESSION TAG	UNP P80244
E	199	HIS	-	EXPRESSION TAG	UNP P80244

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	197	HIS	-	EXPRESSION TAG	UNP P80244
F	198	HIS	-	EXPRESSION TAG	UNP P80244
F	199	HIS	-	EXPRESSION TAG	UNP P80244
G	197	HIS	-	EXPRESSION TAG	UNP P80244
G	198	HIS	-	EXPRESSION TAG	UNP P80244
G	199	HIS	-	EXPRESSION TAG	UNP P80244

- Molecule 2 is a protein called Acyldepsipeptide 1.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	H	7	Total	C	N	O	0	0	0
			52	38	6	8			
2	I	7	Total	C	N	O	0	0	0
			52	38	6	8			
2	J	7	Total	C	N	O	0	0	0
			52	38	6	8			
2	K	7	Total	C	N	O	0	0	0
			52	38	6	8			
2	L	7	Total	C	N	O	0	0	0
			52	38	6	8			
2	M	7	Total	C	N	O	0	0	0
			52	38	6	8			
2	N	7	Total	C	N	O	0	0	0
			52	38	6	8			

- Molecule 3 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			4	2	1	1		
3	B	1	Total	C	O	S	0	0
			4	2	1	1		
3	C	1	Total	C	O	S	0	0
			4	2	1	1		
3	D	1	Total	C	O	S	0	0
			4	2	1	1		
3	E	1	Total	C	O	S	0	0
			4	2	1	1		
3	F	1	Total	C	O	S	0	0
			4	2	1	1		
3	G	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 4 is 2-[N-CYCLOHEXYLAMINO]ETHANESULFONIC ACID (three-letter code: NHE) (formula: C₈H₁₇NO₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			13	8	1	3	1		
4	B	1	Total	C	N	O	S	0	0
			13	8	1	3	1		
4	C	1	Total	C	N	O	S	0	0
			13	8	1	3	1		
4	D	1	Total	C	N	O	S	0	0
			13	8	1	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	E	1	Total	C	N	O	S	0	0
			13	8	1	3	1		
4	F	1	Total	C	N	O	S	0	0
			13	8	1	3	1		
4	G	1	Total	C	N	O	S	0	0
			13	8	1	3	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	111	Total	O	0	0
			111	111		
5	B	117	Total	O	0	0
			117	117		
5	C	69	Total	O	0	0
			69	69		
5	D	105	Total	O	0	0
			105	105		
5	E	78	Total	O	0	0
			78	78		
5	F	109	Total	O	0	0
			109	109		
5	G	75	Total	O	0	0
			75	75		
5	J	1	Total	O	0	0
			1	1		
5	N	2	Total	O	0	0
			2	2		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain A:




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain B:




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain C:




- Molecule 1: ATP-dependent Clp protease proteolytic subunit


Chain D:




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 1: ATP-dependent Clp protease proteolytic subunit




- Molecule 2: Acyldepsipeptide 1



- Molecule 2: Acyldepsipeptide 1



- Molecule 2: Acyldepsipeptide 1



- Molecule 2: Acyldepsipeptide 1





- Molecule 2: Acyldepsipeptide 1

Chain L: 




- Molecule 2: Acyldepsipeptide 1

Chain M: 



- Molecule 2: Acyldepsipeptide 1

Chain N: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	121.64Å 151.76Å 100.67Å 90.00° 120.03° 90.00°	Depositor
Resolution (Å)	50.00 – 2.00 37.79 – 2.00	Depositor EDS
% Data completeness (in resolution range)	90.9 (50.00-2.00) 98.4 (37.79-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 2.00Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.217 , 0.253 0.228 , 0.220	Depositor DCC
R_{free} test set	5210 reflections (4.99%)	DCC
Wilson B-factor (Å ²)	31.6	Xtriage
Anisotropy	0.424	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 46.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 104320 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10432	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NHE, MAA, DMS, OTT, MP8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/1341	0.58	0/1807
1	B	0.35	0/1341	0.59	0/1807
1	C	0.30	0/1340	0.54	0/1806
1	D	0.32	0/1340	0.58	0/1806
1	E	0.31	0/1346	0.56	0/1814
1	F	0.33	0/1340	0.59	0/1806
1	G	0.31	0/1340	0.55	0/1806
2	H	3.70	8/29 (27.6%)	2.16	1/37 (2.7%)
2	I	3.68	8/29 (27.6%)	2.23	1/37 (2.7%)
2	J	3.67	8/29 (27.6%)	2.20	1/37 (2.7%)
2	K	3.74	8/29 (27.6%)	2.22	1/37 (2.7%)
2	L	3.77	8/29 (27.6%)	2.16	1/37 (2.7%)
2	M	3.70	8/29 (27.6%)	2.19	1/37 (2.7%)
2	N	3.71	8/29 (27.6%)	2.21	1/37 (2.7%)
All	All	0.63	56/9591 (0.6%)	0.64	7/12911 (0.1%)

All (56) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	L	2	PHE	CG-CD2	8.11	1.50	1.38
2	K	2	PHE	CG-CD2	8.03	1.50	1.38
2	N	2	PHE	CG-CD2	7.95	1.50	1.38
2	M	2	PHE	CG-CD2	7.79	1.50	1.38
2	H	2	PHE	CG-CD2	7.72	1.50	1.38
2	J	2	PHE	CG-CD2	7.67	1.50	1.38
2	I	2	PHE	CG-CD2	7.61	1.50	1.38
2	K	2	PHE	CG-CD1	7.35	1.49	1.38
2	I	2	PHE	CG-CD1	7.25	1.49	1.38
2	J	2	PHE	CG-CD1	7.20	1.49	1.38
2	H	2	PHE	CG-CD1	7.18	1.49	1.38
2	L	2	PHE	CG-CD1	7.18	1.49	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	M	2	PHE	CG-CD1	7.13	1.49	1.38
2	N	2	PHE	CG-CD1	7.11	1.49	1.38
2	J	2	PHE	CE1-CZ	6.58	1.49	1.37
2	N	2	PHE	CE1-CZ	6.56	1.49	1.37
2	L	3	SER	C-N	6.53	1.46	1.34
2	L	2	PHE	CE1-CZ	6.49	1.49	1.37
2	I	2	PHE	CE1-CZ	6.49	1.49	1.37
2	H	2	PHE	CE1-CZ	6.48	1.49	1.37
2	K	2	PHE	CE1-CZ	6.47	1.49	1.37
2	M	2	PHE	CE1-CZ	6.42	1.49	1.37
2	H	3	SER	C-N	6.03	1.45	1.34
2	I	3	SER	C-N	6.01	1.45	1.34
2	N	3	SER	C-N	6.01	1.45	1.34
2	M	3	SER	C-N	6.01	1.45	1.34
2	H	2	PHE	CE2-CZ	5.92	1.48	1.37
2	M	4	PRO	CA-C	5.89	1.64	1.52
2	K	3	SER	C-N	5.87	1.45	1.34
2	N	4	PRO	CA-C	5.84	1.64	1.52
2	J	2	PHE	CE2-CZ	5.82	1.48	1.37
2	I	2	PHE	CE2-CZ	5.81	1.48	1.37
2	J	3	SER	C-N	5.81	1.45	1.34
2	K	2	PHE	CE2-CZ	5.81	1.48	1.37
2	L	2	PHE	CE2-CZ	5.79	1.48	1.37
2	M	2	PHE	CE2-CZ	5.77	1.48	1.37
2	M	4	PRO	N-CA	5.77	1.57	1.47
2	N	2	PHE	CE2-CZ	5.75	1.48	1.37
2	J	4	PRO	CA-C	5.72	1.64	1.52
2	K	4	PRO	N-CA	5.61	1.56	1.47
2	L	4	PRO	N-CA	5.58	1.56	1.47
2	N	4	PRO	N-CA	5.54	1.56	1.47
2	L	4	PRO	CA-C	5.50	1.63	1.52
2	H	4	PRO	N-CA	5.49	1.56	1.47
2	K	2	PHE	CD1-CE1	5.48	1.50	1.39
2	H	4	PRO	CA-C	5.48	1.63	1.52
2	K	4	PRO	CA-C	5.43	1.63	1.52
2	I	4	PRO	CA-C	5.39	1.63	1.52
2	H	2	PHE	CD1-CE1	5.34	1.50	1.39
2	I	2	PHE	CD1-CE1	5.33	1.50	1.39
2	I	4	PRO	N-CA	5.31	1.56	1.47
2	N	2	PHE	CD1-CE1	5.25	1.49	1.39
2	J	4	PRO	N-CA	5.19	1.56	1.47
2	M	2	PHE	CD1-CE1	5.18	1.49	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	2	PHE	CD1-CE1	5.13	1.49	1.39
2	L	2	PHE	CD1-CE1	5.10	1.49	1.39

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	2	PHE	CB-CG-CD2	-5.57	116.90	120.80
2	N	2	PHE	CB-CG-CD2	-5.48	116.96	120.80
2	J	2	PHE	CB-CG-CD2	-5.47	116.97	120.80
2	H	2	PHE	CB-CG-CD2	-5.45	116.99	120.80
2	M	2	PHE	CB-CG-CD2	-5.37	117.04	120.80
2	K	2	PHE	CB-CG-CD2	-5.31	117.08	120.80
2	L	2	PHE	CB-CG-CD2	-5.15	117.20	120.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1326	0	1366	36	0
1	B	1326	0	1366	26	0
1	C	1325	0	1364	36	0
1	D	1325	0	1364	23	0
1	E	1330	0	1369	36	0
1	F	1325	0	1364	38	0
1	G	1325	0	1364	35	0
2	H	52	0	49	1	0
2	I	52	0	49	1	0
2	J	52	0	49	2	0
2	K	52	0	49	1	0
2	L	52	0	49	2	0
2	M	52	0	49	1	0
2	N	52	0	49	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	4	0	6	0	0
3	B	4	0	6	0	0
3	C	4	0	6	0	0
3	D	4	0	6	0	0
3	E	4	0	6	0	0
3	F	4	0	6	0	0
3	G	4	0	6	0	0
4	A	13	0	17	0	0
4	B	13	0	16	1	0
4	C	13	0	17	1	0
4	D	13	0	16	0	0
4	E	13	0	16	0	0
4	F	13	0	16	0	0
4	G	13	0	16	0	0
5	A	111	0	0	3	0
5	B	117	0	0	3	0
5	C	69	0	0	0	0
5	D	105	0	0	3	0
5	E	78	0	0	1	0
5	F	109	0	0	3	0
5	G	75	0	0	1	0
5	J	1	0	0	0	0
5	N	2	0	0	0	0
All	All	10432	0	10056	213	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 11.

All (213) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:F:84:LYS:HZ2	1:F:84:LYS:H	1.13	0.96
1:C:84:LYS:H	1:C:84:LYS:HE3	1.38	0.89
1:A:116:ASN:HD22	1:G:148:LYS:HD2	1.40	0.85
1:E:41:ASN:HD21	1:F:64:ASN:HD22	1.25	0.85
1:D:41:ASN:HD21	1:E:64:ASN:HD22	1.26	0.84
1:E:133:THR:HG21	5:F:280:HOH:O	1.77	0.83
1:C:86:LYS:HD2	1:C:107:GLU:OE1	1.80	0.82
1:C:84:LYS:H	1:C:84:LYS:CE	1.94	0.80
1:F:84:LYS:NZ	1:F:84:LYS:H	1.80	0.80
1:A:148:LYS:HD2	1:B:116:ASN:HD22	1.48	0.78
1:F:123:GLN:HE22	1:F:146:ARG:HH21	1.29	0.78
1:E:148:LYS:HD2	1:F:116:ASN:HD22	1.48	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:84:LYS:HE3	1:C:84:LYS:N	1.99	0.78
1:F:148:LYS:HD2	1:G:116:ASN:HD22	1.49	0.76
1:C:70:ILE:HD11	1:C:124:PRO:HB3	1.67	0.74
1:E:70:ILE:HD11	1:E:124:PRO:HB3	1.69	0.74
1:G:22:ARG:HE	1:G:25:LYS:HD2	1.54	0.72
1:G:151:LYS:HB2	1:G:151:LYS:NZ	2.05	0.71
1:E:27:ARG:NE	1:E:57:LYS:HB3	2.06	0.71
1:F:123:GLN:NE2	1:F:146:ARG:HH21	1.89	0.71
1:E:88:SER:HB3	1:E:110:LYS:HB3	1.74	0.70
1:F:84:LYS:HZ2	1:F:84:LYS:N	1.88	0.69
1:A:160:PRO:HG2	1:A:163:VAL:HG23	1.76	0.67
1:E:89:THR:C	1:E:90:ILE:HD12	2.15	0.67
1:A:116:ASN:ND2	1:G:148:LYS:HD2	2.10	0.67
1:F:160:PRO:HG2	1:F:163:VAL:HG23	1.77	0.66
1:C:90:ILE:HD11	2:K:6:ALA:HB1	1.77	0.66
1:A:160:PRO:HG2	1:A:163:VAL:CG2	2.27	0.65
1:E:160:PRO:HG2	1:E:163:VAL:HG23	1.79	0.64
1:F:133:THR:O	1:F:137:ILE:HG12	1.96	0.64
1:E:161:LEU:O	1:E:165:GLU:HG3	1.97	0.63
1:D:62:TYR:CE1	1:D:90:ILE:HD12	2.33	0.63
1:D:33:SER:O	1:D:65:SER:HB2	1.99	0.62
1:C:151:LYS:O	1:C:155:GLU:HG3	1.98	0.62
1:C:161:LEU:O	1:C:165:GLU:HG3	1.99	0.62
1:C:160:PRO:HG2	1:C:163:VAL:HG23	1.82	0.62
1:G:160:PRO:HG2	1:G:163:VAL:HG23	1.82	0.61
1:F:84:LYS:CE	1:F:84:LYS:H	2.14	0.61
1:C:77:TYR:O	1:C:81:GLN:HG2	2.01	0.60
1:F:160:PRO:HG2	1:F:163:VAL:CG2	2.32	0.60
1:C:90:ILE:N	1:C:90:ILE:HD12	2.16	0.60
1:G:115:PRO:HD3	1:G:189:LEU:O	2.01	0.60
1:E:90:ILE:HD11	2:M:6:ALA:HB1	1.82	0.60
1:A:70:ILE:HG12	1:A:98:MET:CE	2.31	0.60
1:C:29:ILE:HD12	1:C:46:GLN:HB3	1.84	0.60
1:E:41:ASN:ND2	1:F:64:ASN:HD22	1.98	0.60
1:F:90:ILE:HD13	1:F:112:TYR:HB2	1.84	0.60
1:A:70:ILE:HG12	1:A:98:MET:HE3	1.84	0.59
1:F:146:ARG:HD2	5:F:455:HOH:O	2.03	0.59
1:G:161:LEU:O	1:G:165:GLU:HG3	2.02	0.59
1:E:90:ILE:N	1:E:90:ILE:HD12	2.18	0.59
1:F:40:ALA:HB2	1:F:72:ALA:HB1	1.84	0.58
1:D:27:ARG:NE	1:D:57:LYS:HB3	2.17	0.58
1:D:70:ILE:HD11	1:D:124:PRO:HB3	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:F:31:LEU:HD13	1:F:43:ILE:HD11	1.84	0.58
1:B:148:LYS:HD2	1:C:116:ASN:HD22	1.68	0.58
1:D:41:ASN:ND2	1:E:64:ASN:HD22	1.98	0.57
1:G:62:TYR:CE1	1:G:90:ILE:HD12	2.38	0.57
1:G:152:VAL:O	1:G:156:ARG:HG2	2.03	0.57
1:C:51:ALA:HB1	1:C:84:LYS:NZ	2.18	0.57
1:C:40:ALA:O	1:C:44:VAL:HG23	2.04	0.57
1:A:133:THR:HG21	5:B:238:HOH:O	2.04	0.57
1:A:22:ARG:NH2	1:A:25:LYS:HD2	2.20	0.57
1:E:160:PRO:HG2	1:E:163:VAL:CG2	2.36	0.56
1:F:90:ILE:HD11	2:J:6:ALA:CB	2.35	0.56
1:D:147:ASP:O	1:D:151:LYS:HG3	2.05	0.56
1:F:115:PRO:HD3	1:F:189:LEU:O	2.04	0.56
1:A:161:LEU:O	1:A:165:GLU:HG3	2.06	0.56
1:E:133:THR:O	1:E:137:ILE:HG12	2.06	0.56
1:C:89:THR:C	1:C:90:ILE:HD12	2.26	0.56
1:F:31:LEU:HD13	1:F:43:ILE:CD1	2.37	0.55
1:D:22:ARG:HG3	2:L:1:OTT:H8A	1.88	0.55
1:F:187:LYS:HG3	5:F:328:HOH:O	2.06	0.55
1:D:31:LEU:HG	1:D:43:ILE:CD1	2.37	0.54
1:B:62:TYR:CE1	1:B:90:ILE:HD12	2.43	0.54
1:A:62:TYR:CE1	1:A:90:ILE:HD13	2.43	0.54
1:F:19:ILE:HG23	1:F:20:TYR:CD2	2.43	0.54
1:C:172:ASN:HD22	1:C:172:ASN:C	2.10	0.54
1:F:27:ARG:NE	1:F:57:LYS:HB3	2.22	0.53
1:G:108:LYS:HE2	1:G:156:ARG:O	2.08	0.53
1:D:77:TYR:O	1:D:81:GLN:HG2	2.09	0.53
1:E:172:ASN:C	1:E:172:ASN:HD22	2.11	0.53
1:F:77:TYR:O	1:F:81:GLN:HG2	2.07	0.53
1:B:55:PRO:HA	1:B:85:PRO:HG3	1.90	0.53
1:A:77:TYR:O	1:A:81:GLN:HG2	2.09	0.52
1:C:148:LYS:HD2	1:D:116:ASN:HD22	1.75	0.52
1:G:55:PRO:HA	1:G:85:PRO:HG3	1.92	0.52
1:C:160:PRO:HG2	1:C:163:VAL:CG2	2.39	0.51
1:B:172:ASN:C	1:B:172:ASN:HD22	2.11	0.51
1:G:22:ARG:HH21	1:G:25:LYS:HB2	1.74	0.51
1:C:84:LYS:HB2	1:C:85:PRO:HD3	1.93	0.51
1:E:54:ASP:HB3	1:E:57:LYS:HB2	1.92	0.51
1:A:90:ILE:N	1:A:90:ILE:HD12	2.25	0.51
1:G:151:LYS:HZ2	1:G:151:LYS:HB2	1.76	0.51
1:B:115:PRO:HD3	1:B:189:LEU:O	2.11	0.51
1:B:31:LEU:HD13	1:B:43:ILE:HD11	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:E:27:ARG:CZ	1:E:57:LYS:HB3	2.41	0.51
1:B:31:LEU:HD13	1:B:43:ILE:CD1	2.41	0.50
1:B:27:ARG:NE	1:B:57:LYS:HB3	2.26	0.50
1:D:144:LEU:HD23	5:D:219:HOH:O	2.11	0.50
1:B:191:HIS:CG	5:B:584:HOH:O	2.63	0.50
1:B:81:GLN:NE2	1:B:156:ARG:HH22	2.10	0.50
1:E:84:LYS:HB2	1:E:85:PRO:HD3	1.94	0.49
1:A:62:TYR:CD1	1:A:90:ILE:HD13	2.47	0.49
1:G:160:PRO:HG2	1:G:163:VAL:CG2	2.41	0.49
1:A:40:ALA:HB2	1:A:72:ALA:HB1	1.93	0.49
1:A:70:ILE:HD11	1:A:124:PRO:HB3	1.93	0.49
1:G:90:ILE:HD11	2:N:6:ALA:HB3	1.94	0.49
1:E:152:VAL:O	1:E:156:ARG:HG2	2.12	0.49
1:C:124:PRO:HD2	1:C:146:ARG:HG3	1.95	0.49
1:B:19:ILE:O	1:B:23:LEU:HD13	2.12	0.49
1:B:90:ILE:HD11	2:H:6:ALA:HB3	1.95	0.49
1:A:55:PRO:HA	1:A:85:PRO:HG3	1.95	0.49
1:E:148:LYS:HD2	1:F:116:ASN:ND2	2.23	0.49
1:D:172:ASN:C	1:D:172:ASN:HD22	2.17	0.48
1:G:22:ARG:HG3	2:N:1:OTT:C8	2.43	0.48
1:B:70:ILE:HD11	1:B:124:PRO:HB3	1.93	0.48
1:C:55:PRO:HA	1:C:85:PRO:HG3	1.96	0.48
1:G:92:ILE:O	1:G:92:ILE:HG13	2.13	0.48
1:A:90:ILE:HD11	2:I:6:ALA:HB1	1.94	0.48
1:C:62:TYR:CD1	1:C:90:ILE:HD13	2.49	0.48
1:F:90:ILE:CD1	1:F:112:TYR:HB2	2.42	0.48
1:G:172:ASN:HD22	1:G:172:ASN:C	2.16	0.48
1:B:83:ILE:HB	1:B:85:PRO:HD2	1.95	0.47
1:F:151:LYS:O	1:F:155:GLU:HG3	2.14	0.47
1:B:166:ARG:HD2	5:B:222:HOH:O	2.12	0.47
1:E:19:ILE:HG23	1:E:20:TYR:CD1	2.48	0.47
1:E:58:GLU:OE2	1:E:110:LYS:HE2	2.15	0.47
1:G:83:ILE:HB	1:G:85:PRO:HD2	1.97	0.47
1:G:151:LYS:HZ3	1:G:151:LYS:HB2	1.78	0.47
1:D:81:GLN:NE2	1:D:156:ARG:HH22	2.13	0.47
1:C:92:ILE:HG13	1:C:92:ILE:O	2.15	0.47
4:C:503:NHE:H3'1	1:D:66:PRO:HB3	1.97	0.46
1:C:62:TYR:CE1	1:C:90:ILE:HD13	2.50	0.46
1:B:160:PRO:HG2	1:B:163:VAL:HG23	1.96	0.46
1:A:45:SER:HB3	1:B:19:ILE:HG12	1.98	0.46
1:A:89:THR:C	1:A:90:ILE:HD12	2.36	0.46
1:C:88:SER:HB3	1:C:110:LYS:CG	2.45	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:88:SER:HB3	1:C:110:LYS:HG2	1.98	0.45
1:C:84:LYS:N	1:C:85:PRO:CD	2.79	0.45
1:A:22:ARG:CZ	1:A:25:LYS:HD2	2.46	0.45
1:B:81:GLN:HE22	1:B:156:ARG:HH22	1.64	0.45
1:B:40:ALA:O	1:B:44:VAL:HG23	2.16	0.45
1:E:41:ASN:HD21	1:F:64:ASN:ND2	2.04	0.45
1:A:24:LEU:CD2	1:A:50:LEU:HD21	2.47	0.45
1:A:115:PRO:HD3	1:A:189:LEU:O	2.16	0.45
1:B:58:GLU:OE2	1:B:110:LYS:HE3	2.16	0.45
1:E:147:ASP:O	1:E:151:LYS:HG3	2.16	0.45
1:G:51:ALA:HA	1:G:85:PRO:HG2	1.98	0.45
1:E:40:ALA:HB2	1:E:72:ALA:HB1	1.99	0.45
1:F:90:ILE:HD11	2:J:6:ALA:HB1	2.00	0.44
1:G:19:ILE:HD13	1:G:19:ILE:O	2.17	0.44
1:A:129:GLN:HB3	1:A:129:GLN:HE21	1.64	0.44
1:G:54:ASP:OD2	1:G:57:LYS:HB2	2.17	0.44
1:A:172:ASN:HD22	1:A:172:ASN:C	2.21	0.44
1:C:51:ALA:HA	1:C:85:PRO:HG2	1.99	0.44
1:A:83:ILE:HB	1:A:85:PRO:HD2	2.00	0.44
1:F:70:ILE:HD11	1:F:124:PRO:HB3	2.00	0.44
1:E:70:ILE:CD1	1:E:124:PRO:HB3	2.43	0.43
1:F:70:ILE:O	1:F:74:MET:HG2	2.18	0.43
1:G:39:VAL:O	1:G:43:ILE:HG12	2.18	0.43
1:B:40:ALA:HB2	1:B:72:ALA:HB1	1.99	0.43
1:F:18:ASP:N	1:F:21:SER:HG	2.16	0.43
1:C:114:LEU:HD23	1:C:189:LEU:HB2	2.00	0.43
1:F:177:GLU:O	1:F:181:GLU:HG3	2.18	0.43
1:A:49:PHE:HB2	1:B:19:ILE:HD11	2.01	0.43
1:F:172:ASN:HD22	1:F:172:ASN:C	2.22	0.43
1:A:156:ARG:HD2	5:A:251:HOH:O	2.18	0.43
1:G:133:THR:O	1:G:137:ILE:HG12	2.18	0.43
1:D:90:ILE:HD11	2:L:6:ALA:HB3	2.01	0.43
1:F:86:LYS:HD3	1:F:107:GLU:HG2	2.01	0.42
1:A:155:GLU:HG3	5:A:452:HOH:O	2.19	0.42
1:F:40:ALA:O	1:F:44:VAL:HG23	2.19	0.42
1:D:23:LEU:HD12	1:D:28:ILE:HD12	2.00	0.42
1:A:84:LYS:N	1:A:85:PRO:CD	2.82	0.42
1:D:19:ILE:O	1:D:23:LEU:HD23	2.18	0.42
1:G:189:LEU:HD13	2:N:2:PHE:HB3	2.02	0.42
1:D:153:LEU:HD23	1:D:153:LEU:HA	1.88	0.42
1:B:84:LYS:N	1:B:85:PRO:CD	2.83	0.42
1:G:84:LYS:N	1:G:85:PRO:CD	2.83	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:G:19:ILE:O	1:G:23:LEU:HD13	2.20	0.42
1:E:166:ARG:HG3	5:E:571:HOH:O	2.18	0.42
5:D:220:HOH:O	1:E:33:SER:HA	2.19	0.42
1:C:21:SER:O	1:C:25:LYS:HG2	2.19	0.42
1:C:83:ILE:HB	1:C:85:PRO:HD2	2.01	0.41
1:B:21:SER:O	1:B:25:LYS:HG3	2.19	0.41
1:C:29:ILE:CD1	1:C:46:GLN:HB3	2.48	0.41
1:C:153:LEU:O	1:C:157:THR:HG23	2.20	0.41
1:F:51:ALA:HB1	1:F:84:LYS:NZ	2.35	0.41
1:G:86:LYS:HD3	5:G:215:HOH:O	2.20	0.41
1:G:153:LEU:HA	1:G:153:LEU:HD12	1.95	0.41
1:E:112:TYR:CD2	1:E:189:LEU:HD21	2.55	0.41
1:G:175:SER:OG	1:G:178:GLU:HG3	2.21	0.41
1:F:84:LYS:N	1:F:85:PRO:CD	2.82	0.41
4:B:502:NHE:H3'1	1:C:66:PRO:HB3	2.01	0.41
1:A:148:LYS:HD2	1:B:116:ASN:ND2	2.27	0.41
1:A:51:ALA:HA	1:A:85:PRO:HG2	2.03	0.41
1:G:40:ALA:HB2	1:G:72:ALA:HB1	2.02	0.41
1:A:54:ASP:OD1	1:A:57:LYS:HB2	2.21	0.41
1:A:70:ILE:HG12	1:A:98:MET:HE1	2.01	0.41
1:E:18:ASP:HB3	1:E:21:SER:OG	2.21	0.41
1:D:75:ALA:HB1	1:E:92:ILE:HG22	2.02	0.41
1:E:92:ILE:HG23	1:E:114:LEU:HD12	2.03	0.41
1:D:31:LEU:HG	1:D:43:ILE:HD11	2.03	0.40
1:A:151:LYS:HD2	5:A:437:HOH:O	2.20	0.40
1:A:18:ASP:OD2	1:A:20:TYR:HB2	2.21	0.40
1:E:19:ILE:HG23	1:E:20:TYR:N	2.36	0.40
1:D:166:ARG:HD2	5:D:230:HOH:O	2.21	0.40
1:D:84:LYS:N	1:D:85:PRO:CD	2.84	0.40
1:G:90:ILE:HD11	2:N:6:ALA:CB	2.50	0.40
1:E:77:TYR:O	1:E:81:GLN:HG2	2.22	0.40
1:G:95:ALA:O	1:G:100:ALA:HB2	2.20	0.40
1:C:36:ASP:OD1	1:C:36:ASP:C	2.60	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	172/199 (86%)	165 (96%)	7 (4%)	0	100	100
1	B	172/199 (86%)	166 (96%)	6 (4%)	0	100	100
1	C	172/199 (86%)	165 (96%)	7 (4%)	0	100	100
1	D	172/199 (86%)	169 (98%)	3 (2%)	0	100	100
1	E	172/199 (86%)	165 (96%)	7 (4%)	0	100	100
1	F	172/199 (86%)	166 (96%)	6 (4%)	0	100	100
1	G	172/199 (86%)	167 (97%)	5 (3%)	0	100	100
2	H	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	I	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	J	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	K	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	L	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	M	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
2	N	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
All	All	1225/1442 (85%)	1177 (96%)	48 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	141/165 (86%)	134 (95%)	7 (5%)	34	27
1	B	141/165 (86%)	135 (96%)	6 (4%)	40	33
1	C	141/165 (86%)	136 (96%)	5 (4%)	48	43
1	D	141/165 (86%)	133 (94%)	8 (6%)	29	21
1	E	142/165 (86%)	135 (95%)	7 (5%)	35	28
1	F	141/165 (86%)	137 (97%)	4 (3%)	56	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	141/165 (86%)	135 (96%)	6 (4%)	40	33
2	H	3/3 (100%)	3 (100%)	0	100	100
2	I	3/3 (100%)	3 (100%)	0	100	100
2	J	3/3 (100%)	3 (100%)	0	100	100
2	K	3/3 (100%)	3 (100%)	0	100	100
2	L	3/3 (100%)	3 (100%)	0	100	100
2	M	3/3 (100%)	3 (100%)	0	100	100
2	N	3/3 (100%)	3 (100%)	0	100	100
All	All	1009/1176 (86%)	966 (96%)	43 (4%)	40	33

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	LEU
1	A	26	ASP
1	A	30	MET
1	A	122	HIS
1	A	129	GLN
1	A	170	ARG
1	A	172	ASN
1	B	114	LEU
1	B	122	HIS
1	B	123	GLN
1	B	129	GLN
1	B	170	ARG
1	B	172	ASN
1	C	25	LYS
1	C	84	LYS
1	C	122	HIS
1	C	170	ARG
1	C	172	ASN
1	D	26	ASP
1	D	30	MET
1	D	31	LEU
1	D	65	SER
1	D	84	LYS
1	D	122	HIS
1	D	144	LEU
1	D	172	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	25	LYS
1	E	30	MET
1	E	97	SER
1	E	122	HIS
1	E	123	GLN
1	E	172	ASN
1	E	191	HIS
1	F	26	ASP
1	F	84	LYS
1	F	122	HIS
1	F	172	ASN
1	G	19	ILE
1	G	22	ARG
1	G	86	LYS
1	G	97	SER
1	G	122	HIS
1	G	172	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	ASN
1	A	116	ASN
1	A	129	GLN
1	A	172	ASN
1	B	38	ASN
1	B	81	GLN
1	B	116	ASN
1	B	123	GLN
1	B	129	GLN
1	B	172	ASN
1	C	116	ASN
1	C	123	GLN
1	C	172	ASN
1	D	38	ASN
1	D	41	ASN
1	D	81	GLN
1	D	116	ASN
1	D	123	GLN
1	D	172	ASN
1	E	41	ASN
1	E	116	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	123	GLN
1	E	172	ASN
1	E	191	HIS
1	F	38	ASN
1	F	81	GLN
1	F	116	ASN
1	F	123	GLN
1	F	172	ASN
1	G	116	ASN
1	G	172	ASN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

14 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	MAA	H	5	2	5,5,6	11.51	4 (80%)	3,5,7	3.50	2 (66%)
2	MP8	H	7	2	8,8,9	6.81	2 (25%)	8,10,12	1.10	1 (12%)
2	MAA	I	5	2	5,5,6	11.36	4 (80%)	3,5,7	3.10	2 (66%)
2	MP8	I	7	2	8,8,9	6.81	2 (25%)	8,10,12	1.06	1 (12%)
2	MAA	J	5	2	5,5,6	11.33	4 (80%)	3,5,7	3.26	2 (66%)
2	MP8	J	7	2	8,8,9	6.77	2 (25%)	8,10,12	0.98	0
2	MAA	K	5	2	5,5,6	11.52	4 (80%)	3,5,7	3.03	2 (66%)
2	MP8	K	7	2	8,8,9	6.85	2 (25%)	8,10,12	1.02	1 (12%)
2	MAA	L	5	2	5,5,6	11.51	4 (80%)	3,5,7	3.55	2 (66%)
2	MP8	L	7	2	8,8,9	6.74	2 (25%)	8,10,12	1.19	1 (12%)
2	MAA	M	5	2	5,5,6	11.14	4 (80%)	3,5,7	3.43	2 (66%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MP8	M	7	2	8,8,9	6.89	2 (25%)	8,10,12	1.06	1 (12%)
2	MAA	N	5	2	5,5,6	11.60	4 (80%)	3,5,7	3.48	2 (66%)
2	MP8	N	7	2	8,8,9	6.74	2 (25%)	8,10,12	1.08	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAA	H	5	2	-	1/2/4/6	0/0/0/0
2	MP8	H	7	2	-	0/0/11/13	0/1/1/1
2	MAA	I	5	2	-	1/2/4/6	0/0/0/0
2	MP8	I	7	2	-	0/0/11/13	0/1/1/1
2	MAA	J	5	2	-	1/2/4/6	0/0/0/0
2	MP8	J	7	2	-	0/0/11/13	0/1/1/1
2	MAA	K	5	2	-	1/2/4/6	0/0/0/0
2	MP8	K	7	2	-	0/0/11/13	0/1/1/1
2	MAA	L	5	2	-	1/2/4/6	0/0/0/0
2	MP8	L	7	2	-	0/0/11/13	0/1/1/1
2	MAA	M	5	2	-	1/2/4/6	0/0/0/0
2	MP8	M	7	2	-	0/0/11/13	0/1/1/1
2	MAA	N	5	2	-	1/2/4/6	0/0/0/0
2	MP8	N	7	2	-	0/0/11/13	0/1/1/1

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	N	5	MAA	O-C	23.69	1.27	1.11
2	K	5	MAA	O-C	23.43	1.27	1.11
2	L	5	MAA	O-C	23.35	1.27	1.11
2	H	5	MAA	O-C	23.34	1.27	1.11
2	I	5	MAA	O-C	23.18	1.27	1.11
2	J	5	MAA	O-C	22.99	1.27	1.11
2	M	5	MAA	O-C	22.58	1.27	1.11
2	M	7	MP8	O-C	18.66	1.24	1.11
2	K	7	MP8	O-C	18.58	1.24	1.11
2	H	7	MP8	O-C	18.45	1.24	1.11
2	I	7	MP8	O-C	18.40	1.24	1.11
2	J	7	MP8	O-C	18.35	1.24	1.11
2	N	7	MP8	O-C	18.21	1.23	1.11
2	L	7	MP8	O-C	18.19	1.23	1.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	5	MAA	CA-N	8.49	1.56	1.46
2	K	5	MAA	CA-N	8.43	1.56	1.46
2	L	5	MAA	CA-N	8.31	1.56	1.46
2	J	5	MAA	CA-N	8.26	1.56	1.46
2	N	5	MAA	CA-N	8.20	1.56	1.46
2	M	5	MAA	CA-N	8.13	1.56	1.46
2	I	5	MAA	CA-N	8.03	1.56	1.46
2	L	5	MAA	CA-C	6.29	1.60	1.48
2	H	5	MAA	CA-C	6.21	1.60	1.48
2	J	5	MAA	CA-C	6.19	1.60	1.48
2	I	5	MAA	CA-C	6.12	1.60	1.48
2	N	5	MAA	CA-C	6.08	1.60	1.48
2	M	5	MAA	CA-C	6.07	1.60	1.48
2	K	5	MAA	CA-C	6.01	1.59	1.48
2	L	7	MP8	CA-C	5.31	1.58	1.48
2	N	7	MP8	CA-C	5.21	1.58	1.48
2	I	7	MP8	CA-C	5.21	1.58	1.48
2	M	7	MP8	CA-C	5.19	1.58	1.48
2	H	7	MP8	CA-C	5.12	1.58	1.48
2	J	7	MP8	CA-C	5.12	1.58	1.48
2	K	7	MP8	CA-C	5.06	1.58	1.48
2	L	5	MAA	CM-N	2.41	1.54	1.46
2	M	5	MAA	CM-N	2.38	1.54	1.46
2	N	5	MAA	CM-N	2.34	1.54	1.46
2	K	5	MAA	CM-N	2.31	1.54	1.46
2	H	5	MAA	CM-N	2.28	1.53	1.46
2	J	5	MAA	CM-N	2.28	1.53	1.46
2	I	5	MAA	CM-N	2.11	1.53	1.46

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	5	MAA	CB-CA-C	5.35	110.85	108.46
2	N	5	MAA	CB-CA-C	5.30	110.82	108.46
2	H	5	MAA	CB-CA-C	5.23	110.79	108.46
2	M	5	MAA	CB-CA-C	5.10	110.73	108.46
2	J	5	MAA	CB-CA-C	4.81	110.60	108.46
2	I	5	MAA	CB-CA-C	4.42	110.43	108.46
2	K	5	MAA	CB-CA-C	4.32	110.39	108.46
2	H	5	MAA	CM-N-CA	2.88	118.63	113.53
2	L	5	MAA	CM-N-CA	2.87	118.61	113.53
2	M	5	MAA	CM-N-CA	2.86	118.60	113.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	5	MAA	CM-N-CA	2.84	118.56	113.53
2	K	5	MAA	CM-N-CA	2.78	118.46	113.53
2	J	5	MAA	CM-N-CA	2.76	118.42	113.53
2	N	5	MAA	CM-N-CA	2.70	118.31	113.53
2	L	7	MP8	C-CA-N	2.67	115.80	110.86
2	H	7	MP8	C-CA-N	2.40	115.31	110.86
2	N	7	MP8	C-CA-N	2.28	115.08	110.86
2	I	7	MP8	C-CA-N	2.25	115.02	110.86
2	M	7	MP8	C-CA-N	2.14	114.83	110.86
2	K	7	MP8	C-CA-N	2.10	114.75	110.86

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	H	5	MAA	C-CA-N-CM
2	L	5	MAA	C-CA-N-CM
2	N	5	MAA	C-CA-N-CM
2	I	5	MAA	C-CA-N-CM
2	J	5	MAA	C-CA-N-CM
2	K	5	MAA	C-CA-N-CM
2	M	5	MAA	C-CA-N-CM

There are no ring outliers.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	DMS	A	301	-	3,3,3	0.41	0	3,3,3	0.83	0
4	NHE	A	501	-	13,13,13	2.11	1 (7%)	17,17,17	8.21	9 (52%)
3	DMS	B	302	-	3,3,3	0.42	0	3,3,3	0.80	0
4	NHE	B	502	-	13,13,13	2.11	2 (15%)	17,17,17	8.33	10 (58%)
3	DMS	C	303	-	3,3,3	0.37	0	3,3,3	0.82	0
4	NHE	C	503	-	13,13,13	2.18	1 (7%)	17,17,17	8.28	9 (52%)
3	DMS	D	304	-	3,3,3	0.43	0	3,3,3	0.81	0
4	NHE	D	504	-	13,13,13	2.04	1 (7%)	17,17,17	8.35	9 (52%)
3	DMS	E	305	-	3,3,3	0.40	0	3,3,3	0.82	0
4	NHE	E	505	-	13,13,13	1.95	1 (7%)	17,17,17	8.35	10 (58%)
3	DMS	F	306	-	3,3,3	0.42	0	3,3,3	0.82	0
4	NHE	F	506	-	13,13,13	2.05	2 (15%)	17,17,17	8.33	9 (52%)
3	DMS	G	307	-	3,3,3	0.40	0	3,3,3	0.82	0
4	NHE	G	507	-	13,13,13	2.08	2 (15%)	17,17,17	8.29	9 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DMS	A	301	-	-	0/0/0/0	0/0/0/0
4	NHE	A	501	-	-	0/7/15/15	0/1/1/1
3	DMS	B	302	-	-	0/0/0/0	0/0/0/0
4	NHE	B	502	-	-	0/7/15/15	0/1/1/1
3	DMS	C	303	-	-	0/0/0/0	0/0/0/0
4	NHE	C	503	-	-	0/7/15/15	0/1/1/1
3	DMS	D	304	-	-	0/0/0/0	0/0/0/0
4	NHE	D	504	-	-	0/7/15/15	0/1/1/1
3	DMS	E	305	-	-	0/0/0/0	0/0/0/0
4	NHE	E	505	-	-	0/7/15/15	0/1/1/1
3	DMS	F	306	-	-	0/0/0/0	0/0/0/0
4	NHE	F	506	-	-	0/7/15/15	0/1/1/1
3	DMS	G	307	-	-	0/0/0/0	0/0/0/0
4	NHE	G	507	-	-	0/7/15/15	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	503	NHE	C2-S	-6.81	1.67	1.77
4	B	502	NHE	C2-S	-6.50	1.67	1.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	501	NHE	C2-S	-6.49	1.67	1.77
4	G	507	NHE	C2-S	-6.37	1.67	1.77
4	F	506	NHE	C2-S	-6.34	1.67	1.77
4	D	504	NHE	C2-S	-6.31	1.67	1.77
4	E	505	NHE	C2-S	-5.92	1.68	1.77
4	B	502	NHE	C1'-N	-2.08	1.42	1.48
4	G	507	NHE	C1'-N	-2.07	1.42	1.48
4	F	506	NHE	C1'-N	-2.02	1.43	1.48

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	506	NHE	O1-S-C2	20.67	124.52	106.81
4	E	505	NHE	O1-S-C2	20.63	124.49	106.81
4	D	504	NHE	O1-S-C2	20.60	124.46	106.81
4	B	502	NHE	O3-S-C2	-20.37	80.13	105.93
4	G	507	NHE	O1-S-C2	20.31	124.21	106.81
4	D	504	NHE	O3-S-C2	-20.25	80.28	105.93
4	B	502	NHE	O1-S-C2	20.18	124.10	106.81
4	A	501	NHE	O1-S-C2	20.13	124.06	106.81
4	C	503	NHE	O1-S-C2	20.02	123.97	106.81
4	F	506	NHE	O3-S-C2	-19.97	80.64	105.93
4	E	505	NHE	O3-S-C2	-19.93	80.69	105.93
4	G	507	NHE	O3-S-C2	-19.80	80.85	105.93
4	A	501	NHE	O3-S-C2	-19.80	80.85	105.93
4	C	503	NHE	O3-S-C2	-19.79	80.87	105.93
4	C	503	NHE	O2-S-C2	11.31	116.50	106.81
4	G	507	NHE	O2-S-C2	10.99	116.22	106.81
4	E	505	NHE	O2-S-C2	10.86	116.11	106.81
4	A	501	NHE	O2-S-C2	10.69	115.97	106.81
4	B	502	NHE	O2-S-C2	10.63	115.91	106.81
4	F	506	NHE	O2-S-C2	10.48	115.79	106.81
4	D	504	NHE	O2-S-C2	10.41	115.72	106.81
4	D	504	NHE	O3-S-O1	-8.85	92.65	111.78
4	E	505	NHE	O3-S-O1	-8.78	92.79	111.78
4	F	506	NHE	O3-S-O1	-8.75	92.87	111.78
4	G	507	NHE	O3-S-O1	-8.62	93.15	111.78
4	C	503	NHE	O3-S-O2	-8.61	93.17	111.78
4	B	502	NHE	O3-S-O1	-8.60	93.18	111.78
4	F	506	NHE	O3-S-O2	-8.58	93.24	111.78
4	A	501	NHE	O3-S-O2	-8.57	93.26	111.78
4	B	502	NHE	O3-S-O2	-8.53	93.34	111.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	507	NHE	O3-S-O2	-8.53	93.34	111.78
4	A	501	NHE	O3-S-O1	-8.51	93.38	111.78
4	C	503	NHE	O3-S-O1	-8.49	93.43	111.78
4	D	504	NHE	O3-S-O2	-8.36	93.71	111.78
4	E	505	NHE	O3-S-O2	-8.25	93.95	111.78
4	C	503	NHE	C1-N-C1'	6.37	127.44	113.98
4	E	505	NHE	C1-N-C1'	6.05	126.78	113.98
4	G	507	NHE	C1-N-C1'	5.99	126.65	113.98
4	D	504	NHE	C1-N-C1'	5.91	126.48	113.98
4	A	501	NHE	C1-N-C1'	5.85	126.34	113.98
4	B	502	NHE	C1-N-C1'	5.80	126.25	113.98
4	F	506	NHE	C1-N-C1'	5.78	126.19	113.98
4	B	502	NHE	C3'-C2'-C1'	4.57	118.37	111.12
4	D	504	NHE	C3'-C2'-C1'	4.51	118.28	111.12
4	E	505	NHE	C3'-C2'-C1'	4.38	118.07	111.12
4	F	506	NHE	C3'-C2'-C1'	4.31	117.96	111.12
4	G	507	NHE	C3'-C2'-C1'	4.29	117.94	111.12
4	A	501	NHE	C3'-C2'-C1'	4.12	117.67	111.12
4	C	503	NHE	C3'-C2'-C1'	4.02	117.51	111.12
4	C	503	NHE	C5'-C6'-C1'	3.86	117.26	111.12
4	E	505	NHE	C5'-C6'-C1'	3.86	117.25	111.12
4	G	507	NHE	C5'-C6'-C1'	3.76	117.10	111.12
4	D	504	NHE	C5'-C6'-C1'	3.67	116.94	111.12
4	B	502	NHE	C5'-C6'-C1'	3.66	116.93	111.12
4	F	506	NHE	C5'-C6'-C1'	3.64	116.90	111.12
4	A	501	NHE	C5'-C6'-C1'	3.51	116.69	111.12
4	B	502	NHE	C6'-C1'-C2'	3.19	116.41	110.82
4	G	507	NHE	C6'-C1'-C2'	3.04	116.14	110.82
4	E	505	NHE	C6'-C1'-C2'	3.03	116.14	110.82
4	A	501	NHE	C6'-C1'-C2'	3.01	116.11	110.82
4	F	506	NHE	C6'-C1'-C2'	2.96	116.01	110.82
4	D	504	NHE	C6'-C1'-C2'	2.96	116.00	110.82
4	C	503	NHE	C6'-C1'-C2'	2.88	115.86	110.82
4	B	502	NHE	C4'-C3'-C2'	2.08	116.08	111.45
4	E	505	NHE	C4'-C3'-C2'	2.00	115.89	111.45

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	174/199 (87%)	-0.09	4 (2%) 57 57	23, 32, 53, 80	0
1	B	174/199 (87%)	-0.13	5 (2%) 49 49	24, 32, 53, 78	0
1	C	174/199 (87%)	0.22	7 (4%) 36 36	27, 37, 64, 82	0
1	D	174/199 (87%)	0.02	8 (4%) 31 30	25, 34, 60, 81	0
1	E	174/199 (87%)	0.05	5 (2%) 49 49	27, 35, 57, 76	0
1	F	174/199 (87%)	-0.10	5 (2%) 49 49	24, 33, 54, 72	0
1	G	174/199 (87%)	-0.02	3 (1%) 67 67	25, 36, 58, 75	0
2	H	7/7 (100%)	0.11	0 100 100	40, 46, 48, 48	0
2	I	7/7 (100%)	0.13	0 100 100	41, 48, 50, 52	0
2	J	7/7 (100%)	0.40	1 (14%) 3 3	35, 46, 49, 49	0
2	K	7/7 (100%)	0.76	0 100 100	46, 55, 59, 60	0
2	L	7/7 (100%)	1.03	1 (14%) 3 3	47, 55, 57, 58	0
2	M	7/7 (100%)	-0.04	0 100 100	45, 48, 52, 52	0
2	N	7/7 (100%)	1.14	1 (14%) 3 3	47, 56, 59, 60	0
All	All	1267/1442 (87%)	0.01	40 (3%) 47 45	23, 34, 59, 82	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	191	HIS	7.7
1	A	19	ILE	4.6
1	D	19	ILE	4.2
1	B	191	HIS	4.1
1	B	19	ILE	4.0
2	N	4	PRO	3.7
1	C	19	ILE	3.6
2	L	7	MP8	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	25	LYS	3.2
1	D	18	ASP	3.2
1	A	20	TYR	3.1
1	D	22	ARG	3.1
1	C	22	ARG	3.0
1	E	191	HIS	2.9
1	B	84	LYS	2.8
1	F	18	ASP	2.8
1	B	18	ASP	2.7
1	B	129	GLN	2.7
1	E	22	ARG	2.7
1	E	19	ILE	2.6
1	F	19	ILE	2.5
1	C	18	ASP	2.5
1	F	20	TYR	2.5
1	G	22	ARG	2.5
1	C	191	HIS	2.4
1	G	191	HIS	2.4
1	F	22	ARG	2.3
1	G	190	THR	2.3
1	F	191	HIS	2.3
1	D	20	TYR	2.3
1	D	56	GLU	2.2
1	A	22	ARG	2.2
1	C	190	THR	2.2
1	E	20	TYR	2.1
2	J	4	PRO	2.1
1	C	129	GLN	2.1
1	C	57	LYS	2.1
1	D	51	ALA	2.0
1	A	56	GLU	2.0
1	E	84	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	MP8	L	7	8/9	0.22	1.42	56,56,56,57	0
2	MAA	K	5	6/7	0.19	1.29	58,59,59,60	0
2	MAA	L	5	6/7	0.16	0.40	56,57,57,57	0
2	MAA	J	5	6/7	0.17	0.25	47,47,48,49	0
2	MP8	K	7	8/9	0.14	0.12	57,57,58,58	0
2	MP8	N	7	8/9	0.17	0.12	53,55,55,55	0
2	MP8	H	7	8/9	0.12	0.02	47,47,49,49	0
2	MAA	M	5	6/7	0.13	-0.21	49,50,51,51	0
2	MAA	N	5	6/7	0.15	-0.23	58,59,59,60	0
2	MAA	I	5	6/7	0.12	-0.27	48,49,50,52	0
2	MP8	J	7	8/9	0.11	-0.30	45,46,46,47	0
2	MP8	I	7	8/9	0.11	-0.36	46,48,48,49	0
2	MAA	H	5	6/7	0.12	-0.41	44,45,46,46	0
2	MP8	M	7	8/9	0.10	-0.86	42,45,45,46	0

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	DMS	F	306	4/4	0.20	5.40	67,68,68,70	0
3	DMS	B	302	4/4	0.18	5.16	63,63,64,64	0
3	DMS	G	307	4/4	0.18	4.68	64,65,65,66	0
3	DMS	D	304	4/4	0.18	3.97	63,64,65,65	0
3	DMS	E	305	4/4	0.18	3.47	64,65,65,67	0
4	NHE	D	504	13/13	0.20	3.43	63,66,67,68	0
4	NHE	B	502	13/13	0.18	3.36	59,64,65,65	0
3	DMS	A	301	4/4	0.18	2.90	58,59,59,60	0
3	DMS	C	303	4/4	0.15	1.80	65,65,66,67	0
4	NHE	A	501	13/13	0.13	1.33	41,49,54,54	0
4	NHE	F	506	13/13	0.14	0.90	59,61,62,63	0
4	NHE	C	503	13/13	0.13	0.87	35,40,45,46	0
4	NHE	G	507	13/13	0.10	0.10	38,41,42,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	NHE	E	505	13/13	0.11	-0.29	41,46,48,48	0

6.5 Other polymers ⓘ

There are no such residues in this entry.