



wwPDB X-ray Structure Validation Summary Report

Feb 28, 2014 – 03:17 AM GMT

PDB ID : 3L2G
Title : Glycocyamine kinase, beta-beta homodimer from marine worm *Namalycastis* sp., with transition state analog Mg(II)-ADP-NO₃-glycocyamine.Part 2.
Authors : Lim, K.; Pullalarevu, S.; Herzberg, O.
Deposited on : 2009-12-15
Resolution : 2.30 Å(reported)

This is a wwPDB validation summary report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.15 2013
Xtriage (Phenix)	:	dev-1323
EDS	:	stable22639
Percentile statistics	:	21963
Refmac	:	5.8.0049
CCP4	:	6.3.0 (Settle)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP)	:	stable22683

1 Overall quality at a glance

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	2929 (2.30-2.30)
Clashscore	79885	3679 (2.30-2.30)
Ramachandran outliers	78287	3642 (2.30-2.30)
Sidechain outliers	78261	3641 (2.30-2.30)
RSRZ outliers	66119	2930 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	390	
1	B	390	
1	C	390	
1	D	390	
1	E	390	
1	F	390	
1	G	390	
1	H	390	
1	I	390	
1	J	390	
1	K	390	
1	L	390	
1	M	390	
1	N	390	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	O	390	
1	P	390	
1	Q	390	
1	R	390	

The following table lists non-polymeric compounds that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Geometry	Electron density
2	NMG	B	502	-	X
2	NMG	D	504	-	X
2	NMG	N	514	-	X
2	NMG	Q	517	-	X
4	MG	G	707	-	X
4	MG	R	718	-	X
5	NO3	A	801	X	X
5	NO3	B	802	X	-
5	NO3	C	803	X	-
5	NO3	D	804	X	-
5	NO3	E	805	X	-
5	NO3	F	806	X	-
5	NO3	G	807	X	X
5	NO3	H	808	X	-
5	NO3	I	809	X	X
5	NO3	J	810	X	X
5	NO3	K	811	X	-
5	NO3	L	812	X	-
5	NO3	M	813	X	-
5	NO3	N	814	X	-
5	NO3	O	815	X	-
5	NO3	P	816	X	-
5	NO3	Q	817	X	-
5	NO3	R	818	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 56636 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycocyamine kinase beta chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	367	Total	C	N	O	S	0	0	0
			2910	1834	513	542	21			
1	B	388	Total	C	N	O	S	0	0	0
			3080	1942	544	573	21			
1	C	367	Total	C	N	O	S	0	0	0
			2910	1834	513	542	21			
1	D	385	Total	C	N	O	S	0	0	0
			3061	1930	541	569	21			
1	E	367	Total	C	N	O	S	0	0	0
			2910	1834	513	542	21			
1	F	382	Total	C	N	O	S	0	0	0
			3032	1912	537	562	21			
1	G	367	Total	C	N	O	S	0	0	0
			2910	1834	513	542	21			
1	H	382	Total	C	N	O	S	0	0	0
			3032	1912	537	562	21			
1	I	367	Total	C	N	O	S	0	0	0
			2910	1834	513	542	21			
1	J	385	Total	C	N	O	S	0	0	0
			3061	1930	541	569	21			
1	K	367	Total	C	N	O	S	0	0	0
			2910	1834	513	542	21			
1	L	381	Total	C	N	O	S	0	0	0
			3021	1903	536	561	21			
1	M	367	Total	C	N	O	S	0	0	0
			2910	1834	513	542	21			
1	N	382	Total	C	N	O	S	0	0	0
			3032	1912	537	562	21			
1	O	367	Total	C	N	O	S	0	0	0
			2910	1834	513	542	21			
1	P	382	Total	C	N	O	S	0	0	0
			3032	1912	537	562	21			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	366	Total	C	N	O	S	0	0	0
			2901	1828	511	541	21			
1	R	381	Total	C	N	O	S	0	0	0
			3021	1903	536	561	21			

- Molecule 2 is GUANIDINO ACETATE (three-letter code: NMG) (formula: $C_3H_7N_3O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			8	3	3	2		
2	B	1	Total	C	N	O	0	0
			8	3	3	2		
2	C	1	Total	C	N	O	0	0
			8	3	3	2		
2	D	1	Total	C	N	O	0	0
			8	3	3	2		
2	E	1	Total	C	N	O	0	0
			8	3	3	2		
2	F	1	Total	C	N	O	0	0
			8	3	3	2		
2	G	1	Total	C	N	O	0	0
			8	3	3	2		
2	H	1	Total	C	N	O	0	0
			8	3	3	2		
2	I	1	Total	C	N	O	0	0
			8	3	3	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	J	1	Total	C	N	O	0	0
			8	3	3	2		
2	K	1	Total	C	N	O	0	0
			8	3	3	2		
2	L	1	Total	C	N	O	0	0
			8	3	3	2		
2	M	1	Total	C	N	O	0	0
			8	3	3	2		
2	N	1	Total	C	N	O	0	0
			8	3	3	2		
2	O	1	Total	C	N	O	0	0
			8	3	3	2		
2	P	1	Total	C	N	O	0	0
			8	3	3	2		
2	Q	1	Total	C	N	O	0	0
			8	3	3	2		
2	R	1	Total	C	N	O	0	0
			8	3	3	2		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	D	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	E	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	F	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	G	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	H	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	I	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	J	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	K	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	L	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	M	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	N	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	O	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	P	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	Q	1	Total 27	C 10	N 5	O 10	P 2	0	0
3	R	1	Total 27	C 10	N 5	O 10	P 2	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	P	1	Total 1	Mg 1	0	0
4	G	1	Total 1	Mg 1	0	0
4	J	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	Q	1	Total 1	Mg 1	0	0
4	D	1	Total 1	Mg 1	0	0
4	K	1	Total 1	Mg 1	0	0
4	E	1	Total 1	Mg 1	0	0
4	H	1	Total 1	Mg 1	0	0
4	B	1	Total 1	Mg 1	0	0
4	I	1	Total 1	Mg 1	0	0
4	C	1	Total 1	Mg 1	0	0
4	A	1	Total 1	Mg 1	0	0
4	N	1	Total 1	Mg 1	0	0
4	O	1	Total 1	Mg 1	0	0
4	R	1	Total 1	Mg 1	0	0
4	L	1	Total 1	Mg 1	0	0
4	F	1	Total 1	Mg 1	0	0
4	M	1	Total 1	Mg 1	0	0

- Molecule 5 is NITRATE ION (three-letter code: NO3) (formula: NO₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	N	O	0	0
			4	1	3		
5	B	1	Total	N	O	0	0
			4	1	3		
5	C	1	Total	N	O	0	0
			4	1	3		
5	D	1	Total	N	O	0	0
			4	1	3		
5	E	1	Total	N	O	0	0
			4	1	3		
5	F	1	Total	N	O	0	0
			4	1	3		
5	G	1	Total	N	O	0	0
			4	1	3		
5	H	1	Total	N	O	0	0
			4	1	3		
5	I	1	Total	N	O	0	0
			4	1	3		
5	J	1	Total	N	O	0	0
			4	1	3		
5	K	1	Total	N	O	0	0
			4	1	3		
5	L	1	Total	N	O	0	0
			4	1	3		
5	M	1	Total	N	O	0	0
			4	1	3		
5	N	1	Total	N	O	0	0
			4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	O	1	Total	N	O	0	0
			4	1	3		
5	P	1	Total	N	O	0	0
			4	1	3		
5	Q	1	Total	N	O	0	0
			4	1	3		
5	R	1	Total	N	O	0	0
			4	1	3		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	99	Total	O	0	0
			99	99		
6	B	130	Total	O	0	0
			130	130		
6	C	155	Total	O	0	0
			155	155		
6	D	110	Total	O	0	0
			110	110		
6	E	117	Total	O	0	0
			117	117		
6	F	144	Total	O	0	0
			144	144		
6	G	133	Total	O	0	0
			133	133		
6	H	145	Total	O	0	0
			145	145		
6	I	118	Total	O	0	0
			118	118		
6	J	145	Total	O	0	0
			145	145		
6	K	127	Total	O	0	0
			127	127		
6	L	90	Total	O	0	0
			90	90		
6	M	143	Total	O	0	0
			143	143		
6	N	114	Total	O	0	0
			114	114		
6	O	173	Total	O	0	0
			173	173		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	P	149	Total 149	O 149	0	0
6	Q	105	Total 105	O 105	0	0
6	R	166	Total 166	O 166	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glycocyamine kinase beta chain




• Molecule 1: Glycocyamine kinase beta chain






● Molecule 1: Glycocyamine kinase beta chain


Chain C:



● Molecule 1: Glycocyamine kinase beta chain


Chain D:






• Molecule 1: Glycocyamine kinase beta chain

Chain E:




• Molecule 1: Glycocyamine kinase beta chain

Chain F:




• Molecule 1: Glycocyamine kinase beta chain

Chain G:




- Molecule 1: Glycocyamine kinase beta chain


Chain H:



- Molecule 1: Glycocyamine kinase beta chain


Chain I:






• Molecule 1: Glycocyamine kinase beta chain


Chain J:



• Molecule 1: Glycocyamine kinase beta chain


Chain K:






• Molecule 1: Glycocyamine kinase beta chain


Chain L:



• Molecule 1: Glycocyamine kinase beta chain


Chain M:






● Molecule 1: Glycocyamine kinase beta chain


Chain P:



● Molecule 1: Glycocyamine kinase beta chain


Chain Q:





● Molecule 1: Glycocyamine kinase beta chain

Chain R:



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	243.11Å 114.27Å 259.90Å 90.00° 90.25° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 33.05 – 2.30	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.30) 92.1 (33.05-2.30)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.08 (at 2.29Å)	Xtriage
Refinement program	phenix	Depositor
R, R_{free}	0.197 , 0.263 0.347 , 0.363	Depositor DCC
R_{free} test set	29382 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	23.1	Xtriage
Anisotropy	0.184	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 17.1	EDS
Estimated twinning fraction	0.428 for h,-k,-l	Xtriage
L-test for twinning	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	38 of 610844 reflections (0.006%)	Xtriage
F_o, F_c correlation	0.75	EDS
Total number of atoms	56636	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.54 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.6323e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NMG, MG, ADP, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/2972	0.51	0/3997
1	B	0.36	0/3148	0.55	1/4235 (0.0%)
1	C	0.34	0/2972	0.53	0/3997
1	D	0.36	0/3129	0.54	0/4209
1	E	0.34	0/2972	0.52	0/3997
1	F	0.38	0/3099	0.56	0/4168
1	G	0.35	0/2972	0.52	0/3997
1	H	0.38	0/3099	0.55	0/4168
1	I	0.36	0/2972	0.54	0/3997
1	J	0.37	0/3129	0.55	0/4209
1	K	0.35	0/2972	0.54	0/3997
1	L	0.36	0/3087	0.54	0/4152
1	M	0.34	0/2972	0.53	0/3997
1	N	0.35	0/3099	0.54	0/4168
1	O	0.36	0/2972	0.54	0/3997
1	P	0.37	0/3099	0.55	0/4168
1	Q	0.34	0/2963	0.53	0/3986
1	R	0.39	0/3087	0.57	1/4152 (0.0%)
All	All	0.36	0/54715	0.54	2/73591 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	308	LEU	CA-CB-CG	5.41	127.75	115.30
1	R	353	LEU	CA-CB-CG	5.04	126.90	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2910	0	2879	90	0
1	B	3080	0	3039	97	0
1	C	2910	0	2879	90	0
1	D	3061	0	3018	115	0
1	E	2910	0	2879	97	0
1	F	3032	0	2997	109	0
1	G	2910	0	2879	90	0
1	H	3032	0	2997	81	0
1	I	2910	0	2879	107	0
1	J	3061	0	3018	78	0
1	K	2910	0	2879	92	0
1	L	3021	0	2988	119	0
1	M	2910	0	2879	83	0
1	N	3032	0	2997	101	0
1	O	2910	0	2879	71	0
1	P	3032	0	2997	77	0
1	Q	2901	0	2866	95	0
1	R	3021	0	2988	85	0
2	A	8	0	5	0	0
2	B	8	0	5	1	0
2	C	8	0	5	0	0
2	D	8	0	5	1	0
2	E	8	0	5	0	0
2	F	8	0	5	0	0
2	G	8	0	5	0	0
2	H	8	0	5	1	0
2	I	8	0	5	0	0
2	J	8	0	5	1	0
2	K	8	0	5	0	0
2	L	8	0	5	0	0
2	M	8	0	5	0	0
2	N	8	0	5	0	0
2	O	8	0	5	2	0
2	P	8	0	5	0	0
2	Q	8	0	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	R	8	0	5	1	0
3	A	27	0	12	3	0
3	B	27	0	12	4	0
3	C	27	0	12	1	0
3	D	27	0	12	3	0
3	E	27	0	12	4	0
3	F	27	0	12	4	0
3	G	27	0	12	3	0
3	H	27	0	12	2	0
3	I	27	0	12	2	0
3	J	27	0	12	2	0
3	K	27	0	12	1	0
3	L	27	0	12	2	0
3	M	27	0	12	4	0
3	N	27	0	12	3	0
3	O	27	0	12	2	0
3	P	27	0	12	2	0
3	Q	27	0	12	3	0
3	R	27	0	12	3	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	1	0	0	0	0
4	J	1	0	0	0	0
4	K	1	0	0	0	0
4	L	1	0	0	0	0
4	M	1	0	0	0	0
4	N	1	0	0	0	0
4	O	1	0	0	0	0
4	P	1	0	0	0	0
4	Q	1	0	0	0	0
4	R	1	0	0	0	0
5	A	4	0	0	0	0
5	B	4	0	0	1	0
5	C	4	0	0	0	0
5	D	4	0	0	1	0
5	E	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	4	0	0	0	0
5	G	4	0	0	0	0
5	H	4	0	0	1	0
5	I	4	0	0	0	0
5	J	4	0	0	0	0
5	K	4	0	0	1	0
5	L	4	0	0	0	0
5	M	4	0	0	0	0
5	N	4	0	0	0	0
5	O	4	0	0	0	0
5	P	4	0	0	0	0
5	Q	4	0	0	0	0
5	R	4	0	0	1	0
6	A	99	0	0	2	0
6	B	130	0	0	2	0
6	C	155	0	0	4	0
6	D	110	0	0	12	0
6	E	117	0	0	7	0
6	F	144	0	0	6	0
6	G	133	0	0	5	0
6	H	145	0	0	13	0
6	I	118	0	0	9	0
6	J	145	0	0	7	0
6	K	127	0	0	4	0
6	L	90	0	0	6	0
6	M	143	0	0	9	0
6	N	114	0	0	6	0
6	O	173	0	0	6	0
6	P	149	0	0	9	0
6	Q	105	0	0	13	0
6	R	166	0	0	10	0
All	All	56636	0	53243	1649	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 15.

The worst 5 of 1649 close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:126:LYS:HB2	1:C:358:ARG:HD2	1.39	1.02
1:B:285:ASN:HD22	1:B:288:LEU:H	1.06	1.00
1:K:191:ASN:HD21	1:K:193:LYS:HB2	1.29	0.97
1:D:285:ASN:HD22	1:D:288:LEU:H	1.02	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:J:285:ASN:HD22	1:J:288:LEU:H	1.11	0.92

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	365/390 (94%)	337 (92%)	23 (6%)	5 (1%)	16	15
1	B	386/390 (99%)	358 (93%)	24 (6%)	4 (1%)	22	23
1	C	365/390 (94%)	341 (93%)	23 (6%)	1 (0%)	50	60
1	D	383/390 (98%)	351 (92%)	29 (8%)	3 (1%)	27	30
1	E	365/390 (94%)	337 (92%)	25 (7%)	3 (1%)	27	30
1	F	380/390 (97%)	344 (90%)	33 (9%)	3 (1%)	27	30
1	G	365/390 (94%)	334 (92%)	29 (8%)	2 (0%)	38	45
1	H	380/390 (97%)	353 (93%)	23 (6%)	4 (1%)	21	21
1	I	365/390 (94%)	342 (94%)	22 (6%)	1 (0%)	50	60
1	J	383/390 (98%)	355 (93%)	26 (7%)	2 (0%)	38	45
1	K	365/390 (94%)	341 (93%)	23 (6%)	1 (0%)	50	60
1	L	379/390 (97%)	331 (87%)	40 (11%)	8 (2%)	11	8
1	M	365/390 (94%)	345 (94%)	19 (5%)	1 (0%)	50	60
1	N	380/390 (97%)	349 (92%)	26 (7%)	5 (1%)	18	17
1	O	365/390 (94%)	344 (94%)	19 (5%)	2 (0%)	38	45
1	P	380/390 (97%)	348 (92%)	29 (8%)	3 (1%)	27	30
1	Q	364/390 (93%)	342 (94%)	20 (6%)	2 (0%)	38	45
1	R	379/390 (97%)	353 (93%)	24 (6%)	2 (0%)	38	45
All	All	6714/7020 (96%)	6205 (92%)	457 (7%)	52 (1%)	27	30

5 of 52 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	242	GLU
1	H	242	GLU
1	L	206	GLU
1	Q	242	GLU
1	A	301	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	316/335 (94%)	301 (95%)	15 (5%)	36	47
1	B	334/335 (100%)	317 (95%)	17 (5%)	33	43
1	C	316/335 (94%)	303 (96%)	13 (4%)	41	55
1	D	332/335 (99%)	313 (94%)	19 (6%)	29	37
1	E	316/335 (94%)	299 (95%)	17 (5%)	31	40
1	F	329/335 (98%)	311 (94%)	18 (6%)	30	39
1	G	316/335 (94%)	301 (95%)	15 (5%)	36	47
1	H	329/335 (98%)	315 (96%)	14 (4%)	40	52
1	I	316/335 (94%)	299 (95%)	17 (5%)	31	40
1	J	332/335 (99%)	315 (95%)	17 (5%)	33	43
1	K	316/335 (94%)	299 (95%)	17 (5%)	31	40
1	L	328/335 (98%)	310 (94%)	18 (6%)	30	39
1	M	316/335 (94%)	300 (95%)	16 (5%)	33	43
1	N	329/335 (98%)	310 (94%)	19 (6%)	28	36
1	O	316/335 (94%)	305 (96%)	11 (4%)	48	63
1	P	329/335 (98%)	316 (96%)	13 (4%)	42	56
1	Q	315/335 (94%)	296 (94%)	19 (6%)	27	35
1	R	328/335 (98%)	311 (95%)	17 (5%)	32	42
All	All	5813/6030 (96%)	5521 (95%)	292 (5%)	34	45

5 of 292 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	144	CYS
1	K	66	LYS
1	Q	341	THR
1	I	200	GLU
1	J	54	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 75 such sidechains are listed below:

Mol	Chain	Res	Type
1	I	195	GLN
1	J	285	ASN
1	Q	369	ASN
1	I	285	ASN
1	J	195	GLN

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 72 ligands modelled in this entry, 18 are monoatomic - leaving 54 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NMG	A	501	-	7,7,7	0.69	0	8,8,8	1.70	1 (12%)
3	ADP	A	601	4	29,29,29	1.07	2 (6%)	45,45,45	1.87	9 (20%)
5	NO3	A	801	4	3,3,3	3.23	3 (100%)	3,3,3	0.09	0
2	NMG	B	502	-	7,7,7	0.72	0	8,8,8	2.28	1 (12%)
3	ADP	B	602	4	29,29,29	1.11	2 (6%)	45,45,45	1.78	6 (13%)
5	NO3	B	802	4	3,3,3	3.36	3 (100%)	3,3,3	0.10	0
2	NMG	C	503	-	7,7,7	0.72	0	8,8,8	1.49	1 (12%)
3	ADP	C	603	4	29,29,29	1.08	2 (6%)	45,45,45	1.78	8 (17%)
5	NO3	C	803	4	3,3,3	3.39	3 (100%)	3,3,3	0.26	0
2	NMG	D	504	-	7,7,7	0.75	0	8,8,8	1.63	1 (12%)
3	ADP	D	604	4	29,29,29	1.06	2 (6%)	45,45,45	1.75	6 (13%)
5	NO3	D	804	4	3,3,3	3.21	3 (100%)	3,3,3	0.15	0
2	NMG	E	505	-	7,7,7	0.72	0	8,8,8	1.62	1 (12%)
3	ADP	E	605	4	29,29,29	1.17	2 (6%)	45,45,45	1.94	8 (17%)
5	NO3	E	805	4	3,3,3	3.26	3 (100%)	3,3,3	0.21	0
2	NMG	F	506	-	7,7,7	0.70	0	8,8,8	1.89	2 (25%)
3	ADP	F	606	4	29,29,29	1.15	2 (6%)	45,45,45	2.02	12 (26%)
5	NO3	F	806	4	3,3,3	3.38	3 (100%)	3,3,3	0.17	0
2	NMG	G	507	-	7,7,7	0.74	0	8,8,8	1.38	1 (12%)
3	ADP	G	607	4	29,29,29	1.14	2 (6%)	45,45,45	1.89	7 (15%)
5	NO3	G	807	4	3,3,3	3.16	3 (100%)	3,3,3	0.14	0
2	NMG	H	508	-	7,7,7	0.78	0	8,8,8	1.48	1 (12%)
3	ADP	H	608	4	29,29,29	1.26	3 (10%)	45,45,45	1.59	7 (15%)
5	NO3	H	808	4	3,3,3	3.31	3 (100%)	3,3,3	0.26	0
2	NMG	I	509	-	7,7,7	0.78	0	8,8,8	1.94	1 (12%)
3	ADP	I	609	4	29,29,29	1.15	2 (6%)	45,45,45	1.85	8 (17%)
5	NO3	I	809	4	3,3,3	3.21	3 (100%)	3,3,3	0.11	0
2	NMG	J	510	-	7,7,7	0.71	0	8,8,8	1.77	1 (12%)
3	ADP	J	610	4	29,29,29	1.27	3 (10%)	45,45,45	1.85	10 (22%)
5	NO3	J	810	4	3,3,3	3.19	3 (100%)	3,3,3	0.20	0
2	NMG	K	511	-	7,7,7	0.72	0	8,8,8	1.68	1 (12%)
3	ADP	K	611	4	29,29,29	1.30	5 (17%)	45,45,45	1.74	9 (20%)
5	NO3	K	811	4	3,3,3	3.22	3 (100%)	3,3,3	0.15	0
2	NMG	L	512	-	7,7,7	0.74	0	8,8,8	1.62	1 (12%)
3	ADP	L	612	4	29,29,29	1.19	2 (6%)	45,45,45	1.69	7 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NO3	L	812	4	3,3,3	3.31	3 (100%)	3,3,3	0.10	0
2	NMG	M	513	-	7,7,7	0.69	0	8,8,8	1.60	1 (12%)
3	ADP	M	613	4	29,29,29	1.17	2 (6%)	45,45,45	1.97	9 (20%)
5	NO3	M	813	4	3,3,3	3.23	3 (100%)	3,3,3	0.12	0
2	NMG	N	514	-	7,7,7	0.74	0	8,8,8	1.50	1 (12%)
3	ADP	N	614	4	29,29,29	1.18	3 (10%)	45,45,45	1.79	7 (15%)
5	NO3	N	814	4	3,3,3	3.25	3 (100%)	3,3,3	0.20	0
2	NMG	O	515	-	7,7,7	0.60	0	8,8,8	1.87	2 (25%)
3	ADP	O	615	4	29,29,29	1.19	2 (6%)	45,45,45	2.00	10 (22%)
5	NO3	O	815	4	3,3,3	3.28	3 (100%)	3,3,3	0.19	0
2	NMG	P	516	-	7,7,7	0.73	0	8,8,8	2.07	1 (12%)
3	ADP	P	616	4	29,29,29	1.12	2 (6%)	45,45,45	1.96	10 (22%)
5	NO3	P	816	-	3,3,3	3.34	3 (100%)	3,3,3	0.28	0
2	NMG	Q	517	-	7,7,7	0.78	0	8,8,8	1.34	1 (12%)
3	ADP	Q	617	4	29,29,29	1.12	2 (6%)	45,45,45	1.72	8 (17%)
5	NO3	Q	817	4	3,3,3	3.25	3 (100%)	3,3,3	0.12	0
2	NMG	R	518	-	7,7,7	0.84	0	8,8,8	1.98	1 (12%)
3	ADP	R	618	4	29,29,29	1.20	4 (13%)	45,45,45	1.84	9 (20%)
5	NO3	R	818	4	3,3,3	3.35	3 (100%)	3,3,3	0.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NMG	A	501	-	-	0/5/5/5	0/0/0/0
3	ADP	A	601	4	-	0/16/32/32	0/1/3/3
5	NO3	A	801	4	-	0/0/0/0	0/0/0/0
2	NMG	B	502	-	-	0/5/5/5	0/0/0/0
3	ADP	B	602	4	-	0/16/32/32	0/1/3/3
5	NO3	B	802	4	-	0/0/0/0	0/0/0/0
2	NMG	C	503	-	-	0/5/5/5	0/0/0/0
3	ADP	C	603	4	-	0/16/32/32	0/1/3/3
5	NO3	C	803	4	-	0/0/0/0	0/0/0/0
2	NMG	D	504	-	-	0/5/5/5	0/0/0/0
3	ADP	D	604	4	-	0/16/32/32	0/1/3/3
5	NO3	D	804	4	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NMG	E	505	-	-	0/5/5/5	0/0/0/0
3	ADP	E	605	4	-	0/16/32/32	0/1/3/3
5	NO3	E	805	4	-	0/0/0/0	0/0/0/0
2	NMG	F	506	-	-	0/5/5/5	0/0/0/0
3	ADP	F	606	4	-	0/16/32/32	0/1/3/3
5	NO3	F	806	4	-	0/0/0/0	0/0/0/0
2	NMG	G	507	-	-	0/5/5/5	0/0/0/0
3	ADP	G	607	4	-	0/16/32/32	0/1/3/3
5	NO3	G	807	4	-	0/0/0/0	0/0/0/0
2	NMG	H	508	-	-	0/5/5/5	0/0/0/0
3	ADP	H	608	4	-	0/16/32/32	0/1/3/3
5	NO3	H	808	4	-	0/0/0/0	0/0/0/0
2	NMG	I	509	-	-	0/5/5/5	0/0/0/0
3	ADP	I	609	4	-	0/16/32/32	0/1/3/3
5	NO3	I	809	4	-	0/0/0/0	0/0/0/0
2	NMG	J	510	-	-	0/5/5/5	0/0/0/0
3	ADP	J	610	4	-	0/16/32/32	0/1/3/3
5	NO3	J	810	4	-	0/0/0/0	0/0/0/0
2	NMG	K	511	-	-	0/5/5/5	0/0/0/0
3	ADP	K	611	4	-	0/16/32/32	0/1/3/3
5	NO3	K	811	4	-	0/0/0/0	0/0/0/0
2	NMG	L	512	-	-	0/5/5/5	0/0/0/0
3	ADP	L	612	4	-	0/16/32/32	0/1/3/3
5	NO3	L	812	4	-	0/0/0/0	0/0/0/0
2	NMG	M	513	-	-	0/5/5/5	0/0/0/0
3	ADP	M	613	4	-	0/16/32/32	0/1/3/3
5	NO3	M	813	4	-	0/0/0/0	0/0/0/0
2	NMG	N	514	-	-	0/5/5/5	0/0/0/0
3	ADP	N	614	4	-	0/16/32/32	0/1/3/3
5	NO3	N	814	4	-	0/0/0/0	0/0/0/0
2	NMG	O	515	-	-	0/5/5/5	0/0/0/0
3	ADP	O	615	4	-	0/16/32/32	0/1/3/3
5	NO3	O	815	4	-	0/0/0/0	0/0/0/0
2	NMG	P	516	-	-	0/5/5/5	0/0/0/0
3	ADP	P	616	4	-	0/16/32/32	0/1/3/3
5	NO3	P	816	-	-	0/0/0/0	0/0/0/0
2	NMG	Q	517	-	-	0/5/5/5	0/0/0/0
3	ADP	Q	617	4	-	0/16/32/32	0/1/3/3
5	NO3	Q	817	4	-	0/0/0/0	0/0/0/0
2	NMG	R	518	-	-	0/5/5/5	0/0/0/0
3	ADP	R	618	4	-	0/16/32/32	0/1/3/3
5	NO3	R	818	4	-	0/0/0/0	0/0/0/0

The worst 5 of 98 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	803	NO3	O1-N	4.05	1.41	1.24
5	F	806	NO3	O1-N	4.03	1.41	1.24
5	B	802	NO3	O1-N	4.03	1.41	1.24
5	I	809	NO3	O1-N	3.97	1.41	1.24
5	R	818	NO3	O1-N	3.96	1.41	1.24

The worst 5 of 170 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	606	ADP	N3-C2-N1	-7.77	122.21	128.71
3	O	615	ADP	N3-C2-N1	-7.47	122.47	128.71
3	G	607	ADP	N3-C2-N1	-7.31	122.60	128.71
3	M	613	ADP	N3-C2-N1	-7.27	122.63	128.71
3	P	616	ADP	N3-C2-N1	-7.21	122.68	128.71

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	367/390 (94%)	2.16	168 (45%)	1	1	18, 30, 47, 54	0
1	B	388/390 (99%)	1.87	144 (37%)	1	1	15, 25, 46, 58	0
1	C	367/390 (94%)	1.89	144 (39%)	1	1	17, 26, 40, 52	0
1	D	385/390 (98%)	2.01	158 (41%)	1	1	16, 27, 46, 59	0
1	E	367/390 (94%)	2.02	162 (44%)	1	1	18, 29, 45, 53	0
1	F	382/390 (97%)	1.73	124 (32%)	1	1	13, 24, 42, 55	0
1	G	367/390 (94%)	1.98	159 (43%)	1	1	16, 27, 42, 54	0
1	H	382/390 (97%)	1.77	132 (34%)	1	1	15, 23, 41, 55	0
1	I	367/390 (94%)	2.07	154 (41%)	1	1	17, 26, 41, 51	0
1	J	385/390 (98%)	1.84	139 (36%)	1	1	17, 25, 42, 61	0
1	K	367/390 (94%)	2.11	178 (48%)	1	0	17, 26, 42, 50	0
1	L	381/390 (97%)	2.23	193 (50%)	0	0	20, 31, 48, 59	0
1	M	367/390 (94%)	2.57	217 (59%)	0	0	17, 26, 41, 51	0
1	N	382/390 (97%)	2.65	223 (58%)	0	0	18, 27, 44, 52	0
1	O	367/390 (94%)	1.91	147 (40%)	1	1	16, 25, 40, 51	0
1	P	382/390 (97%)	1.93	140 (36%)	1	1	15, 24, 41, 50	0
1	Q	366/390 (93%)	2.54	211 (57%)	0	0	19, 30, 44, 53	0
1	R	381/390 (97%)	2.14	169 (44%)	1	1	15, 24, 40, 51	0
All	All	6750/7020 (96%)	2.08	2962 (43%)	1	1	13, 26, 44, 61	0

The worst 5 of 2962 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	M	282	LEU	12.3
1	M	281	GLY	12.3
1	B	381	GLY	11.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	M	328	LEU	11.7
1	N	87	VAL	10.6

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NMG	D	504	8/8	0.44	6.96	20,23,24,24	0
4	MG	R	718	1/1	0.38	5.52	37,37,37,37	0
2	NMG	B	502	8/8	0.41	5.52	14,20,22,23	0
2	NMG	N	514	8/8	0.48	3.46	21,22,25,26	0
5	NO3	A	801	4/4	0.38	3.32	25,27,28,31	0
5	NO3	G	807	4/4	0.31	2.77	21,22,25,27	0
5	NO3	I	809	4/4	0.28	2.50	19,20,25,25	0
2	NMG	Q	517	8/8	0.45	2.44	25,28,33,33	0
5	NO3	J	810	4/4	0.35	2.44	22,24,25,29	0
4	MG	G	707	1/1	0.30	2.25	20,20,20,20	0
5	NO3	F	806	4/4	0.29	1.84	18,21,22,25	0
5	NO3	L	812	4/4	0.32	1.74	25,31,33,33	0
4	MG	M	713	1/1	0.29	1.66	9,9,9,9	0
5	NO3	D	804	4/4	0.28	1.12	21,23,23,27	0
2	NMG	F	506	8/8	0.28	1.04	16,19,24,24	0
4	MG	H	708	1/1	0.27	0.92	19,19,19,19	0
4	MG	N	714	1/1	0.28	0.61	22,22,22,22	0
4	MG	Q	717	1/1	0.27	0.44	12,12,12,12	0
2	NMG	G	507	8/8	0.28	0.44	20,23,25,25	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NMG	E	505	8/8	0.27	0.27	25,28,29,31	0
4	MG	K	711	1/1	0.24	0.25	11,11,11,11	0
3	ADP	D	604	27/27	0.26	0.22	19,25,28,31	0
5	NO3	O	815	4/4	0.25	0.20	23,23,23,28	0
2	NMG	M	513	8/8	0.27	0.17	22,24,25,26	0
3	ADP	A	601	27/27	0.26	0.08	21,25,29,32	0
3	ADP	L	612	27/27	0.24	0.07	23,29,34,38	0
3	ADP	B	602	27/27	0.22	0.00	18,21,23,26	0
3	ADP	C	603	27/27	0.23	-0.02	13,20,22,24	0
2	NMG	K	511	8/8	0.25	-0.03	21,25,26,29	0
3	ADP	E	605	27/27	0.24	-0.04	19,25,29,31	0
2	NMG	I	509	8/8	0.23	-0.06	23,26,27,27	0
5	NO3	M	813	4/4	0.26	-0.10	21,22,24,24	0
5	NO3	K	811	4/4	0.21	-0.11	21,21,22,24	0
3	ADP	H	608	27/27	0.21	-0.32	14,17,21,23	0
3	ADP	M	613	27/27	0.23	-0.34	13,20,23,26	0
5	NO3	B	802	4/4	0.21	-0.37	20,21,24,24	0
3	ADP	J	610	27/27	0.21	-0.42	12,18,20,21	0
5	NO3	E	805	4/4	0.22	-0.45	24,25,26,29	0
2	NMG	O	515	8/8	0.21	-0.46	21,26,28,29	0
3	ADP	Q	617	27/27	0.26	-0.46	16,22,28,29	0
3	ADP	F	606	27/27	0.20	-0.47	13,18,22,24	0
3	ADP	I	609	27/27	0.22	-0.51	16,21,25,27	0
3	ADP	G	607	27/27	0.22	-0.51	21,27,29,30	0
5	NO3	C	803	4/4	0.20	-0.51	16,21,24,24	0
3	ADP	N	614	27/27	0.23	-0.52	10,20,23,26	0
3	ADP	O	615	27/27	0.23	-0.58	12,18,21,25	0
2	NMG	C	503	8/8	0.21	-0.61	16,22,25,25	0
4	MG	O	715	1/1	0.22	-0.62	10,10,10,10	0
3	ADP	P	616	27/27	0.22	-0.62	14,18,21,21	0
3	ADP	R	618	27/27	0.21	-0.64	13,17,21,23	0
5	NO3	N	814	4/4	0.23	-0.67	23,24,24,26	0
5	NO3	Q	817	4/4	0.24	-0.71	25,26,26,27	0
2	NMG	J	510	8/8	0.20	-0.76	25,26,28,29	0
5	NO3	P	816	4/4	0.22	-0.82	18,20,22,24	0
4	MG	C	703	1/1	0.20	-0.84	11,11,11,11	0
2	NMG	P	516	8/8	0.20	-0.87	15,17,20,24	0
3	ADP	K	611	27/27	0.19	-1.03	12,19,23,25	0
4	MG	P	716	1/1	0.22	-1.05	8,8,8,8	0
5	NO3	R	818	4/4	0.21	-1.16	14,19,22,22	0
2	NMG	L	512	8/8	0.18	-1.46	28,32,34,36	0
4	MG	J	710	1/1	0.20	-1.47	12,12,12,12	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	NO3	H	808	4/4	0.21	-1.49	20,21,22,23	0
2	NMG	H	508	8/8	0.17	-1.69	18,22,24,24	0
4	MG	L	712	1/1	0.20	-2.08	18,18,18,18	0
2	NMG	R	518	8/8	0.15	-2.37	15,17,22,23	0
4	MG	E	705	1/1	0.12	-2.41	14,14,14,14	0
2	NMG	A	501	8/8	0.17	-2.47	21,26,27,28	0
4	MG	A	701	1/1	0.15	-2.66	13,13,13,13	0
4	MG	F	706	1/1	0.18	-3.04	11,11,11,11	0
4	MG	D	704	1/1	0.11	-3.66	21,21,21,21	0
4	MG	I	709	1/1	0.16	-3.72	10,10,10,10	0
4	MG	B	702	1/1	0.10	-9.10	18,18,18,18	0

6.5 Other polymers ⓘ

There are no such residues in this entry.