



Full wwPDB X-ray Structure Validation Report

Oct 2, 2014 – 10:56 AM EDT

PDB ID : 4L5Y
Title : Methylthioadenosine phosphorylase from Schistosoma mansoni in APO form
Authors : Torini, J.R.; DeMarco, R.; Brandao-Neto, J.; Pereira, H.M.
Deposited on : 2013-06-11
Resolution : 2.10 Å(reported)

This is a full wwPDB validation report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at <http://wwpdb.org/ValidationPDFNotes.html>


The following versions of software and data (see [references](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.16 November 2013
Xtriage (Phenix) : dev-1439
EDS : stable23828
Percentile statistics : 21963
Refmac : 5.8.0049
CCP4 : 6.3.0 (Settle)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : stable23828

1 Overall quality at a glance

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	66092	3012 (2.10-2.10)
Clashscore	79885	3649 (2.10-2.10)
Ramachandran outliers	78287	3610 (2.10-2.10)
Sidechain outliers	78261	3611 (2.10-2.10)
RSRZ outliers	66119	3013 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density.

Mol	Chain	Length	Quality of chain
1	A	320	
1	B	320	
1	C	320	
1	D	320	
1	E	320	
1	F	320	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 13452 atoms, of which 0 are hydrogen and 0 are deuterium.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called S-methyl-5'-thioadenosinephosphorylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	278	Total	C	N	O	S	0	0	0
			2075	1315	357	388	15			
1	B	282	Total	C	N	O	S	0	0	0
			2112	1342	364	391	15			
1	C	281	Total	C	N	O	S	0	0	0
			2121	1344	367	395	15			
1	D	281	Total	C	N	O	S	0	0	0
			2098	1336	359	388	15			
1	E	283	Total	C	N	O	S	0	0	0
			2127	1347	366	399	15			
1	F	281	Total	C	N	O	S	0	0	0
			2117	1343	363	395	16			

There are 126 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	EXPRESSION TAG	UNP I0B503
A	-19	GLY	-	EXPRESSION TAG	UNP I0B503
A	-18	SER	-	EXPRESSION TAG	UNP I0B503
A	-17	SER	-	EXPRESSION TAG	UNP I0B503
A	-16	HIS	-	EXPRESSION TAG	UNP I0B503
A	-15	HIS	-	EXPRESSION TAG	UNP I0B503
A	-14	HIS	-	EXPRESSION TAG	UNP I0B503
A	-13	HIS	-	EXPRESSION TAG	UNP I0B503
A	-12	HIS	-	EXPRESSION TAG	UNP I0B503
A	-11	HIS	-	EXPRESSION TAG	UNP I0B503
A	-10	SER	-	EXPRESSION TAG	UNP I0B503
A	-9	SER	-	EXPRESSION TAG	UNP I0B503
A	-8	GLY	-	EXPRESSION TAG	UNP I0B503
A	-7	LEU	-	EXPRESSION TAG	UNP I0B503
A	-6	VAL	-	EXPRESSION TAG	UNP I0B503
A	-5	PRO	-	EXPRESSION TAG	UNP I0B503
A	-4	ARG	-	EXPRESSION TAG	UNP I0B503

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	EXPRESSION TAG	UNP I0B503
A	-2	SER	-	EXPRESSION TAG	UNP I0B503
A	-1	HIS	-	EXPRESSION TAG	UNP I0B503
A	0	MET	-	EXPRESSION TAG	UNP I0B503
B	-20	MET	-	EXPRESSION TAG	UNP I0B503
B	-19	GLY	-	EXPRESSION TAG	UNP I0B503
B	-18	SER	-	EXPRESSION TAG	UNP I0B503
B	-17	SER	-	EXPRESSION TAG	UNP I0B503
B	-16	HIS	-	EXPRESSION TAG	UNP I0B503
B	-15	HIS	-	EXPRESSION TAG	UNP I0B503
B	-14	HIS	-	EXPRESSION TAG	UNP I0B503
B	-13	HIS	-	EXPRESSION TAG	UNP I0B503
B	-12	HIS	-	EXPRESSION TAG	UNP I0B503
B	-11	HIS	-	EXPRESSION TAG	UNP I0B503
B	-10	SER	-	EXPRESSION TAG	UNP I0B503
B	-9	SER	-	EXPRESSION TAG	UNP I0B503
B	-8	GLY	-	EXPRESSION TAG	UNP I0B503
B	-7	LEU	-	EXPRESSION TAG	UNP I0B503
B	-6	VAL	-	EXPRESSION TAG	UNP I0B503
B	-5	PRO	-	EXPRESSION TAG	UNP I0B503
B	-4	ARG	-	EXPRESSION TAG	UNP I0B503
B	-3	GLY	-	EXPRESSION TAG	UNP I0B503
B	-2	SER	-	EXPRESSION TAG	UNP I0B503
B	-1	HIS	-	EXPRESSION TAG	UNP I0B503
B	0	MET	-	EXPRESSION TAG	UNP I0B503
C	-20	MET	-	EXPRESSION TAG	UNP I0B503
C	-19	GLY	-	EXPRESSION TAG	UNP I0B503
C	-18	SER	-	EXPRESSION TAG	UNP I0B503
C	-17	SER	-	EXPRESSION TAG	UNP I0B503
C	-16	HIS	-	EXPRESSION TAG	UNP I0B503
C	-15	HIS	-	EXPRESSION TAG	UNP I0B503
C	-14	HIS	-	EXPRESSION TAG	UNP I0B503
C	-13	HIS	-	EXPRESSION TAG	UNP I0B503
C	-12	HIS	-	EXPRESSION TAG	UNP I0B503
C	-11	HIS	-	EXPRESSION TAG	UNP I0B503
C	-10	SER	-	EXPRESSION TAG	UNP I0B503
C	-9	SER	-	EXPRESSION TAG	UNP I0B503
C	-8	GLY	-	EXPRESSION TAG	UNP I0B503
C	-7	LEU	-	EXPRESSION TAG	UNP I0B503
C	-6	VAL	-	EXPRESSION TAG	UNP I0B503
C	-5	PRO	-	EXPRESSION TAG	UNP I0B503
C	-4	ARG	-	EXPRESSION TAG	UNP I0B503

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	GLY	-	EXPRESSION TAG	UNP I0B503
C	-2	SER	-	EXPRESSION TAG	UNP I0B503
C	-1	HIS	-	EXPRESSION TAG	UNP I0B503
C	0	MET	-	EXPRESSION TAG	UNP I0B503
D	-20	MET	-	EXPRESSION TAG	UNP I0B503
D	-19	GLY	-	EXPRESSION TAG	UNP I0B503
D	-18	SER	-	EXPRESSION TAG	UNP I0B503
D	-17	SER	-	EXPRESSION TAG	UNP I0B503
D	-16	HIS	-	EXPRESSION TAG	UNP I0B503
D	-15	HIS	-	EXPRESSION TAG	UNP I0B503
D	-14	HIS	-	EXPRESSION TAG	UNP I0B503
D	-13	HIS	-	EXPRESSION TAG	UNP I0B503
D	-12	HIS	-	EXPRESSION TAG	UNP I0B503
D	-11	HIS	-	EXPRESSION TAG	UNP I0B503
D	-10	SER	-	EXPRESSION TAG	UNP I0B503
D	-9	SER	-	EXPRESSION TAG	UNP I0B503
D	-8	GLY	-	EXPRESSION TAG	UNP I0B503
D	-7	LEU	-	EXPRESSION TAG	UNP I0B503
D	-6	VAL	-	EXPRESSION TAG	UNP I0B503
D	-5	PRO	-	EXPRESSION TAG	UNP I0B503
D	-4	ARG	-	EXPRESSION TAG	UNP I0B503
D	-3	GLY	-	EXPRESSION TAG	UNP I0B503
D	-2	SER	-	EXPRESSION TAG	UNP I0B503
D	-1	HIS	-	EXPRESSION TAG	UNP I0B503
D	0	MET	-	EXPRESSION TAG	UNP I0B503
E	-20	MET	-	EXPRESSION TAG	UNP I0B503
E	-19	GLY	-	EXPRESSION TAG	UNP I0B503
E	-18	SER	-	EXPRESSION TAG	UNP I0B503
E	-17	SER	-	EXPRESSION TAG	UNP I0B503
E	-16	HIS	-	EXPRESSION TAG	UNP I0B503
E	-15	HIS	-	EXPRESSION TAG	UNP I0B503
E	-14	HIS	-	EXPRESSION TAG	UNP I0B503
E	-13	HIS	-	EXPRESSION TAG	UNP I0B503
E	-12	HIS	-	EXPRESSION TAG	UNP I0B503
E	-11	HIS	-	EXPRESSION TAG	UNP I0B503
E	-10	SER	-	EXPRESSION TAG	UNP I0B503
E	-9	SER	-	EXPRESSION TAG	UNP I0B503
E	-8	GLY	-	EXPRESSION TAG	UNP I0B503
E	-7	LEU	-	EXPRESSION TAG	UNP I0B503
E	-6	VAL	-	EXPRESSION TAG	UNP I0B503
E	-5	PRO	-	EXPRESSION TAG	UNP I0B503
E	-4	ARG	-	EXPRESSION TAG	UNP I0B503

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-3	GLY	-	EXPRESSION TAG	UNP I0B503
E	-2	SER	-	EXPRESSION TAG	UNP I0B503
E	-1	HIS	-	EXPRESSION TAG	UNP I0B503
E	0	MET	-	EXPRESSION TAG	UNP I0B503
F	-20	MET	-	EXPRESSION TAG	UNP I0B503
F	-19	GLY	-	EXPRESSION TAG	UNP I0B503
F	-18	SER	-	EXPRESSION TAG	UNP I0B503
F	-17	SER	-	EXPRESSION TAG	UNP I0B503
F	-16	HIS	-	EXPRESSION TAG	UNP I0B503
F	-15	HIS	-	EXPRESSION TAG	UNP I0B503
F	-14	HIS	-	EXPRESSION TAG	UNP I0B503
F	-13	HIS	-	EXPRESSION TAG	UNP I0B503
F	-12	HIS	-	EXPRESSION TAG	UNP I0B503
F	-11	HIS	-	EXPRESSION TAG	UNP I0B503
F	-10	SER	-	EXPRESSION TAG	UNP I0B503
F	-9	SER	-	EXPRESSION TAG	UNP I0B503
F	-8	GLY	-	EXPRESSION TAG	UNP I0B503
F	-7	LEU	-	EXPRESSION TAG	UNP I0B503
F	-6	VAL	-	EXPRESSION TAG	UNP I0B503
F	-5	PRO	-	EXPRESSION TAG	UNP I0B503
F	-4	ARG	-	EXPRESSION TAG	UNP I0B503
F	-3	GLY	-	EXPRESSION TAG	UNP I0B503
F	-2	SER	-	EXPRESSION TAG	UNP I0B503
F	-1	HIS	-	EXPRESSION TAG	UNP I0B503
F	0	MET	-	EXPRESSION TAG	UNP I0B503

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O P 5 4 1	0	0
2	B	1	Total O P 5 4 1	0	0
2	C	1	Total O P 5 4 1	0	0
2	D	1	Total O P 5 4 1	0	0
2	E	1	Total O P 5 4 1	0	0
2	F	1	Total O P 5 4 1	0	0

- Molecule 3 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	129	Total O 129 129	0	0
3	B	129	Total O 129 129	0	0
3	C	126	Total O 126 126	0	0
3	D	99	Total O 99 99	0	0
3	E	130	Total O 130 130	0	0
3	F	159	Total O 159 159	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: S-methyl-5'-thioadenosinephosphorylase

Chain A: 




- Molecule 1: S-methyl-5'-thioadenosinephosphorylase

Chain B: 




- Molecule 1: S-methyl-5'-thioadenosinephosphorylase

Chain C: 




- Molecule 1: S-methyl-5'-thioadenosinephosphorylase

Chain D: 




● Molecule 1: S-methyl-5'-thioadenosinephosphorylase

Chain E: 



● Molecule 1: S-methyl-5'-thioadenosinephosphorylase

Chain F: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	80.63Å 82.40Å 150.29Å 90.00° 101.60° 90.00°	Depositor
Resolution (Å)	19.93 – 2.10 19.93 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.6 (19.93-2.10) 98.6 (19.93-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.31 (at 2.09Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.184 , 0.227 0.182 , 0.227	Depositor DCC
R_{free} test set	5579 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	26.4	Xtriage
Anisotropy	0.233	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 36.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 111591 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13452	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 29.89 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.4357e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.24	0/2115	0.43	0/2874
1	B	0.24	0/2153	0.44	0/2924
1	C	0.23	0/2162	0.43	0/2935
1	D	0.24	0/2141	0.42	0/2912
1	E	0.25	0/2168	0.42	0/2945
1	F	0.25	0/2158	0.44	0/2931
All	All	0.24	0/12897	0.43	0/17521

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogens added by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, and the number in parentheses is this value normalized per 1000 atoms of the molecule in the chain. The Symm-Clashes column gives symmetry related clashes, in the same way as for the Clashes column.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2075	0	2021	6	0
1	B	2112	0	2067	11	0
1	C	2121	0	2091	9	0
1	D	2098	0	2034	7	0
1	E	2127	0	2085	10	0
1	F	2117	0	2074	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
3	A	129	0	0	0	0
3	B	129	0	0	0	0
3	C	126	0	0	0	0
3	D	99	0	0	0	0
3	E	130	0	0	0	0
3	F	159	0	0	1	0
All	All	13452	0	12372	49	0

Clashscore is defined as the number of clashes calculated for the entry per 1000 atoms (including hydrogens) of the entry. The overall clashscore for this entry is 2.

All (49) close contacts within the same asymmetric unit are listed below.

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:C:180:VAL:HB	1:C:201:LEU:HD13	1.73	0.71
1:C:32:PHE:HB3	1:C:69:ARG:HD3	1.75	0.68
1:F:180:VAL:HB	1:F:201:LEU:HD13	1.76	0.66
1:E:17:PRO:HB2	1:E:19:LEU:HD13	1.85	0.58
1:F:25:VAL:HG13	1:F:38:THR:HG21	1.85	0.58
1:A:17:PRO:HB2	1:A:19:LEU:HD13	1.86	0.58
1:F:104:LEU:HD21	1:F:203:ILE:HD11	1.85	0.56
1:B:41:GLU:HG2	1:B:50:VAL:HG22	1.87	0.56
1:E:69:ARG:HD2	1:E:115:GLU:CB	2.37	0.55
1:B:180:VAL:HB	1:B:201:LEU:HD13	1.89	0.55
1:D:180:VAL:HB	1:D:201:LEU:HD13	1.89	0.55
1:B:18:ASN:O	1:B:258:ARG:NH2	2.40	0.55
1:E:39:LEU:HD22	1:E:52:LEU:HB2	1.88	0.55
1:E:41:GLU:HG2	1:E:50:VAL:HG22	1.87	0.54
1:A:98:PRO:HG3	1:A:230:ASP:HB2	1.90	0.54
1:B:69:ARG:HD2	1:B:115:GLU:CB	2.38	0.54
1:B:132:MET:HE2	1:B:216:ARG:HG2	1.90	0.54
1:B:159:ASP:HB3	1:B:162:THR:HG22	1.89	0.53
1:B:258:ARG:NH1	1:D:162:THR:HG23	2.25	0.52
1:A:180:VAL:HB	1:A:201:LEU:HD13	1.91	0.51
1:E:69:ARG:HD2	1:E:115:GLU:HB2	1.91	0.51
1:D:52:LEU:HD12	1:D:53:PRO:HD2	1.93	0.51
1:C:132:MET:HE2	1:C:216:ARG:HG2	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Distance(Å)	Clash(Å)
1:F:132:MET:HE2	1:F:216:ARG:HG2	1.94	0.49
1:E:44:VAL:HB	1:E:265:VAL:HG11	1.94	0.49
1:F:18:ASN:O	1:F:258:ARG:NH2	2.46	0.48
1:C:39:LEU:HD22	1:C:52:LEU:HB2	1.95	0.48
1:F:39:LEU:HD22	1:F:52:LEU:HB2	1.94	0.48
1:E:104:LEU:HD21	1:E:203:ILE:HD11	1.94	0.48
1:E:180:VAL:HB	1:E:201:LEU:HD13	1.96	0.48
1:A:186:ARG:HD2	1:C:134:MET:HG3	1.95	0.48
1:D:169:ILE:O	1:D:172:CYS:HB3	2.14	0.48
1:B:69:ARG:HD2	1:B:115:GLU:HB3	1.96	0.47
1:C:6:VAL:HG11	1:C:265:VAL:HG22	1.98	0.46
1:B:258:ARG:HH11	1:B:258:ARG:HB3	1.80	0.46
1:B:69:ARG:HD2	1:B:115:GLU:HB2	1.97	0.46
1:D:69:ARG:HD2	1:D:115:GLU:CB	2.46	0.45
1:F:94:GLU:HG2	3:F:506:HOH:O	2.15	0.45
1:D:97:VAL:HG12	1:D:231:PHE:HZ	1.82	0.44
1:E:131:HIS:HD2	1:E:289:GLN:HG3	1.84	0.43
1:E:108:MET:HG2	1:F:192:GLU:HG2	2.01	0.43
1:C:244:ASP:OD1	1:C:244:ASP:N	2.52	0.42
1:B:169:ILE:O	1:B:172:CYS:HB3	2.19	0.42
1:A:132:MET:HE3	1:A:133:PRO:HD2	2.02	0.42
1:C:76:LYS:HD2	1:C:218:ALA:HB1	2.02	0.42
1:A:169:ILE:O	1:A:172:CYS:HB3	2.20	0.42
1:F:69:ARG:HD2	1:F:115:GLU:CB	2.50	0.41
1:C:17:PRO:HB3	1:C:19:LEU:HD13	2.03	0.41
1:D:28:VAL:HG21	1:D:74:ALA:HB1	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/320 (86%)	273 (100%)	1 (0%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	278/320 (87%)	276 (99%)	2 (1%)	0	100	100
1	C	277/320 (87%)	276 (100%)	1 (0%)	0	100	100
1	D	277/320 (87%)	272 (98%)	5 (2%)	0	100	100
1	E	279/320 (87%)	274 (98%)	5 (2%)	0	100	100
1	F	277/320 (87%)	275 (99%)	2 (1%)	0	100	100
All	All	1662/1920 (87%)	1646 (99%)	16 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution. The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	217/274 (79%)	213 (98%)	4 (2%)	71	75
1	B	221/274 (81%)	219 (99%)	2 (1%)	87	91
1	C	227/274 (83%)	225 (99%)	2 (1%)	87	91
1	D	218/274 (80%)	217 (100%)	1 (0%)	94	96
1	E	227/274 (83%)	223 (98%)	4 (2%)	71	75
1	F	225/274 (82%)	224 (100%)	1 (0%)	95	97
All	All	1335/1644 (81%)	1321 (99%)	14 (1%)	85	90

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	124	ASP
1	A	205	ASN
1	A	230	ASP
1	A	278	GLU
1	B	3	LYS
1	B	162	THR
1	C	69	ARG
1	C	205	ASN
1	D	20	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	132	MET
1	E	205	ASN
1	E	258	ARG
1	E	289	GLN
1	F	205	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA chains in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	A	301	-	4,4,4	0.33	0	6,6,6	0.29	0
2	PO4	B	301	-	4,4,4	0.29	0	6,6,6	0.29	0
2	PO4	C	301	-	4,4,4	0.29	0	6,6,6	0.29	0
2	PO4	D	301	-	4,4,4	0.27	0	6,6,6	0.28	0
2	PO4	E	301	-	4,4,4	0.34	0	6,6,6	0.28	0
2	PO4	F	301	-	4,4,4	0.32	0	6,6,6	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PO4	A	301	-	-	0/0/0/0	0/0/0/0
2	PO4	B	301	-	-	0/0/0/0	0/0/0/0
2	PO4	C	301	-	-	0/0/0/0	0/0/0/0
2	PO4	D	301	-	-	0/0/0/0	0/0/0/0
2	PO4	E	301	-	-	0/0/0/0	0/0/0/0
2	PO4	F	301	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	278/320 (86%)	-0.08	12 (4%) 34 38	16, 29, 59, 85	0
1	B	282/320 (88%)	-0.05	13 (4%) 31 34	18, 32, 60, 88	0
1	C	281/320 (87%)	-0.10	10 (3%) 41 45	19, 33, 58, 85	0
1	D	281/320 (87%)	0.09	16 (5%) 23 25	19, 32, 63, 93	0
1	E	283/320 (88%)	-0.10	11 (3%) 37 42	19, 31, 67, 84	0
1	F	281/320 (87%)	-0.18	4 (1%) 72 76	18, 28, 53, 73	0
All	All	1686/1920 (87%)	-0.07	66 (3%) 37 42	16, 31, 60, 93	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	241	VAL	8.3
1	A	243	VAL	6.2
1	E	233	CYS	5.3
1	D	245	MET	4.9
1	B	291	LEU	4.9
1	D	292	LEU	4.9
1	A	18	ASN	4.8
1	A	242	CYS	4.6
1	C	242	CYS	4.3
1	B	242	CYS	4.3
1	D	246	VAL	4.3
1	D	234	TRP	4.2
1	E	241	VAL	4.2
1	E	242	CYS	3.8
1	B	169	ILE	3.7
1	B	243	VAL	3.7
1	A	246	VAL	3.5
1	C	243	VAL	3.5
1	D	18	ASN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	246	VAL	3.4
1	C	23	VAL	3.3
1	D	166	SER	3.2
1	A	245	MET	3.2
1	B	166	SER	3.2
1	A	244	ASP	3.1
1	D	231	PHE	3.1
1	D	249	GLN	3.1
1	E	166	SER	3.1
1	F	243	VAL	3.0
1	B	241	VAL	2.9
1	E	243	VAL	2.9
1	C	46	ASP	2.9
1	E	234	TRP	2.9
1	D	247	LEU	2.9
1	A	16	ASP	2.9
1	A	247	LEU	2.8
1	B	2	SER	2.8
1	D	235	LYS	2.8
1	F	242	CYS	2.7
1	A	248	GLU	2.7
1	B	164	ASP	2.6
1	E	164	ASP	2.6
1	D	17	PRO	2.6
1	D	13	GLY	2.6
1	B	230	ASP	2.5
1	C	123	PRO	2.5
1	D	161	LYS	2.5
1	E	16	ASP	2.4
1	D	233	CYS	2.3
1	D	123	PRO	2.3
1	B	232	ASP	2.3
1	D	194	PHE	2.3
1	A	23	VAL	2.2
1	C	166	SER	2.2
1	A	162	THR	2.2
1	B	162	THR	2.2
1	C	232	ASP	2.2
1	F	164	ASP	2.2
1	E	247	LEU	2.2
1	C	165	LYS	2.2
1	C	292	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	6	VAL	2.1
1	E	167	ALA	2.1
1	E	232	ASP	2.1
1	A	230	ASP	2.0
1	B	123	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	PO4	D	301	5/5	0.14	0.66	33,37,39,43	0
2	PO4	A	301	5/5	0.07	-0.91	27,28,29,31	0
2	PO4	C	301	5/5	0.07	-1.01	31,32,34,35	0
2	PO4	B	301	5/5	0.05	-1.42	24,25,25,27	0
2	PO4	E	301	5/5	0.06	-1.45	29,29,32,33	0
2	PO4	F	301	5/5	0.05	-1.94	25,26,29,30	0

6.5 Other polymers ⓘ

There are no such residues in this entry.